



## Full wwPDB EM Validation Report ⓘ

Jun 19, 2023 – 02:29 PM EDT

PDB ID : 8FQL  
EMDB ID : EMD-29392  
Title : Portal vertex of HK97 phage  
Authors : Huet, A.; Oh, B.; Maurer, J.; Duda, R.L.; Conway, J.F.  
Deposited on : 2023-01-06  
Resolution : 3.60 Å (reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev50  
MolProbity : 4.02b-467  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
MapQ : 1.9.9  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.33


# 1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

*ELECTRON MICROSCOPY*

The reported resolution of this entry is 3.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.







Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	158937	4297
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion  $< 40\%$ ). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	424	<div style="display: flex; justify-content: space-between;"> <span>15%</span> <span>73%</span> <span>7%</span> <span>18%</span> </div>
1	B	424	<div style="display: flex; justify-content: space-between;"> <span>18%</span> <span>72%</span> <span>8%</span> <span>18%</span> </div>
1	C	424	<div style="display: flex; justify-content: space-between;"> <span>19%</span> <span>74%</span> <span>7%</span> <span>18%</span> </div>
1	D	424	<div style="display: flex; justify-content: space-between;"> <span>21%</span> <span>73%</span> <span>8%</span> <span>18%</span> </div>
1	E	424	<div style="display: flex; justify-content: space-between;"> <span>17%</span> <span>74%</span> <span>6%</span> <span>18%</span> </div>
1	F	424	<div style="display: flex; justify-content: space-between;"> <span>25%</span> <span>72%</span> <span>9%</span> <span>18%</span> </div>
1	G	424	<div style="display: flex; justify-content: space-between;"> <span>20%</span> <span>74%</span> <span>6%</span> <span>18%</span> </div>
1	H	424	<div style="display: flex; justify-content: space-between;"> <span>26%</span> <span>72%</span> <span>8%</span> <span>18%</span> </div>

Continued on next page...

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
1	I	424	
1	J	424	
1	K	424	
1	L	424	

## 2 Entry composition [i](#)

There is only 1 type of molecule in this entry. The entry contains 32652 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Portal protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	A	346	2721	1716	478	512	15	0	0
1	B	346	2721	1716	478	512	15	0	0
1	C	346	2721	1716	478	512	15	0	0
1	D	346	2721	1716	478	512	15	0	0
1	E	346	2721	1716	478	512	15	0	0
1	F	346	2721	1716	478	512	15	0	0
1	G	346	2721	1716	478	512	15	0	0
1	H	346	2721	1716	478	512	15	0	0
1	I	346	2721	1716	478	512	15	0	0
1	J	346	2721	1716	478	512	15	0	0
1	K	346	2721	1716	478	512	15	0	0
1	L	346	2721	1716	478	512	15	0	0


### 3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



- Molecule 1: Portal protein





- Molecule 1: Portal protein





- Molecule 1: Portal protein




• Molecule 1: Portal protein





• Molecule 1: Portal protein









• Molecule 1: Portal protein




• Molecule 1: Portal protein





• Molecule 1: Portal protein






• Molecule 1: Portal protein





• Molecule 1: Portal protein






• Molecule 1: Portal protein



• Molecule 1: Portal protein



## 4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	72945	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ( $e^-/\text{\AA}^2$ )	60	Depositor
Minimum defocus (nm)	1000	Depositor
Maximum defocus (nm)	4000	Depositor
Magnification	75000	Depositor
Image detector	FEI FALCON III (4k x 4k)	Depositor
Maximum map value	0.121	Depositor
Minimum map value	-0.070	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.007	Depositor
Recommended contour level	0.025	Depositor
Map size (Å)	432.00003, 432.00003, 432.00003	wwPDB
Map dimensions	400, 400, 400	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.08, 1.08, 1.08	Depositor

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.64	0/2775	1.02	12/3748 (0.3%)
1	B	0.64	0/2775	1.01	13/3748 (0.3%)
1	C	0.64	0/2775	1.01	11/3748 (0.3%)
1	D	0.65	0/2775	1.03	13/3748 (0.3%)
1	E	0.64	0/2775	1.02	11/3748 (0.3%)
1	F	0.64	0/2775	1.03	11/3748 (0.3%)
1	G	0.64	0/2775	1.01	12/3748 (0.3%)
1	H	0.64	0/2775	1.03	15/3748 (0.4%)
1	I	0.64	0/2775	1.02	11/3748 (0.3%)
1	J	0.64	0/2775	1.02	13/3748 (0.3%)
1	K	0.64	0/2775	1.02	11/3748 (0.3%)
1	L	0.64	0/2775	1.01	11/3748 (0.3%)
All	All	0.64	0/33300	1.02	144/44976 (0.3%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	B	0	3
1	C	0	1
1	D	0	2
1	E	0	1
1	F	0	2
1	G	0	1
1	H	0	2
1	I	0	1
1	J	0	2
1	K	0	1
1	L	0	2
All	All	0	19

There are no bond length outliers.

All (144) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	H	258	ARG	NE-CZ-NH2	7.86	124.23	120.30
1	E	387	ARG	NE-CZ-NH2	7.81	124.20	120.30
1	K	387	ARG	NE-CZ-NH2	7.81	124.20	120.30
1	C	387	ARG	NE-CZ-NH2	7.80	124.20	120.30
1	I	387	ARG	NE-CZ-NH2	7.80	124.20	120.30
1	A	387	ARG	NE-CZ-NH2	7.79	124.19	120.30
1	G	387	ARG	NE-CZ-NH2	7.79	124.19	120.30
1	D	387	ARG	NE-CZ-NH2	7.33	123.97	120.30
1	J	387	ARG	NE-CZ-NH2	7.33	123.97	120.30
1	B	387	ARG	NE-CZ-NH2	7.30	123.95	120.30
1	H	387	ARG	NE-CZ-NH2	7.30	123.95	120.30
1	F	387	ARG	NE-CZ-NH2	7.28	123.94	120.30
1	L	387	ARG	NE-CZ-NH2	7.28	123.94	120.30
1	F	215	ARG	NE-CZ-NH2	6.88	123.74	120.30
1	J	215	ARG	NE-CZ-NH2	6.74	123.67	120.30
1	D	215	ARG	NE-CZ-NH2	6.71	123.66	120.30
1	E	215	ARG	NE-CZ-NH2	6.71	123.66	120.30
1	B	333	ARG	NE-CZ-NH2	6.69	123.64	120.30
1	H	333	ARG	NE-CZ-NH2	6.69	123.64	120.30
1	F	333	ARG	NE-CZ-NH2	6.68	123.64	120.30
1	L	333	ARG	NE-CZ-NH2	6.68	123.64	120.30
1	D	333	ARG	NE-CZ-NH2	6.67	123.63	120.30
1	J	333	ARG	NE-CZ-NH2	6.67	123.63	120.30
1	I	215	ARG	NE-CZ-NH2	6.63	123.61	120.30
1	E	258	ARG	NE-CZ-NH2	6.62	123.61	120.30
1	A	215	ARG	NE-CZ-NH2	6.61	123.60	120.30
1	E	381	ARG	NE-CZ-NH2	6.58	123.59	120.30
1	K	381	ARG	NE-CZ-NH2	6.58	123.59	120.30
1	C	381	ARG	NE-CZ-NH2	6.56	123.58	120.30
1	I	381	ARG	NE-CZ-NH2	6.56	123.58	120.30
1	A	381	ARG	NE-CZ-NH2	6.55	123.57	120.30
1	G	381	ARG	NE-CZ-NH2	6.55	123.57	120.30
1	C	333	ARG	NE-CZ-NH2	6.54	123.57	120.30
1	I	333	ARG	NE-CZ-NH2	6.54	123.57	120.30
1	E	333	ARG	NE-CZ-NH2	6.50	123.55	120.30
1	K	333	ARG	NE-CZ-NH2	6.50	123.55	120.30
1	A	333	ARG	NE-CZ-NH2	6.46	123.53	120.30
1	G	333	ARG	NE-CZ-NH2	6.46	123.53	120.30
1	F	136	ARG	NE-CZ-NH2	6.44	123.52	120.30
1	L	136	ARG	NE-CZ-NH2	6.44	123.52	120.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	215	ARG	NE-CZ-NH2	6.42	123.51	120.30
1	D	258	ARG	NE-CZ-NH2	6.41	123.50	120.30
1	D	136	ARG	NE-CZ-NH2	6.41	123.50	120.30
1	J	136	ARG	NE-CZ-NH2	6.41	123.50	120.30
1	H	258	ARG	NE-CZ-NH1	-6.39	117.10	120.30
1	B	136	ARG	NE-CZ-NH2	6.38	123.49	120.30
1	H	136	ARG	NE-CZ-NH2	6.38	123.49	120.30
1	B	215	ARG	NE-CZ-NH2	6.32	123.46	120.30
1	H	215	ARG	NE-CZ-NH2	6.30	123.45	120.30
1	F	284	ARG	NE-CZ-NH2	6.30	123.45	120.30
1	K	215	ARG	NE-CZ-NH2	6.15	123.37	120.30
1	D	258	ARG	NE-CZ-NH1	-6.13	117.23	120.30
1	G	215	ARG	NE-CZ-NH2	6.08	123.34	120.30
1	E	284	ARG	NE-CZ-NH2	6.04	123.32	120.30
1	L	284	ARG	NE-CZ-NH2	5.99	123.30	120.30
1	A	165	ARG	NE-CZ-NH2	5.99	123.29	120.30
1	G	165	ARG	NE-CZ-NH2	5.99	123.29	120.30
1	H	284	ARG	NE-CZ-NH2	5.98	123.29	120.30
1	C	165	ARG	NE-CZ-NH2	5.98	123.29	120.30
1	I	165	ARG	NE-CZ-NH2	5.98	123.29	120.30
1	E	165	ARG	NE-CZ-NH2	5.96	123.28	120.30
1	K	165	ARG	NE-CZ-NH2	5.96	123.28	120.30
1	J	260	TRP	CA-CB-CG	5.96	125.01	113.70
1	B	284	ARG	NE-CZ-NH2	5.92	123.26	120.30
1	C	284	ARG	NE-CZ-NH2	5.92	123.26	120.30
1	A	136	ARG	NE-CZ-NH2	5.85	123.22	120.30
1	G	136	ARG	NE-CZ-NH2	5.85	123.22	120.30
1	B	56	ARG	NE-CZ-NH2	5.84	123.22	120.30
1	H	56	ARG	NE-CZ-NH2	5.84	123.22	120.30
1	A	56	ARG	NE-CZ-NH2	5.82	123.21	120.30
1	B	90	ARG	NE-CZ-NH2	5.82	123.21	120.30
1	F	56	ARG	NE-CZ-NH2	5.82	123.21	120.30
1	G	56	ARG	NE-CZ-NH2	5.82	123.21	120.30
1	H	90	ARG	NE-CZ-NH2	5.82	123.21	120.30
1	L	56	ARG	NE-CZ-NH2	5.82	123.21	120.30
1	G	258	ARG	NE-CZ-NH2	5.82	123.21	120.30
1	E	56	ARG	NE-CZ-NH2	5.81	123.20	120.30
1	K	56	ARG	NE-CZ-NH2	5.81	123.20	120.30
1	L	215	ARG	NE-CZ-NH2	5.80	123.20	120.30
1	D	56	ARG	NE-CZ-NH2	5.80	123.20	120.30
1	J	56	ARG	NE-CZ-NH2	5.80	123.20	120.30
1	F	90	ARG	NE-CZ-NH2	5.80	123.20	120.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	L	90	ARG	NE-CZ-NH2	5.80	123.20	120.30
1	D	90	ARG	NE-CZ-NH2	5.77	123.18	120.30
1	J	90	ARG	NE-CZ-NH2	5.77	123.18	120.30
1	C	136	ARG	NE-CZ-NH2	5.76	123.18	120.30
1	I	136	ARG	NE-CZ-NH2	5.76	123.18	120.30
1	E	136	ARG	NE-CZ-NH2	5.74	123.17	120.30
1	K	136	ARG	NE-CZ-NH2	5.74	123.17	120.30
1	C	101	ARG	NE-CZ-NH2	5.73	123.16	120.30
1	I	101	ARG	NE-CZ-NH2	5.73	123.16	120.30
1	I	284	ARG	NE-CZ-NH2	5.71	123.16	120.30
1	C	56	ARG	NE-CZ-NH2	5.70	123.15	120.30
1	I	56	ARG	NE-CZ-NH2	5.70	123.15	120.30
1	K	284	ARG	NE-CZ-NH2	5.69	123.14	120.30
1	D	284	ARG	NE-CZ-NH2	5.68	123.14	120.30
1	A	101	ARG	NE-CZ-NH2	5.67	123.13	120.30
1	G	101	ARG	NE-CZ-NH2	5.67	123.13	120.30
1	E	101	ARG	NE-CZ-NH2	5.65	123.13	120.30
1	K	101	ARG	NE-CZ-NH2	5.65	123.13	120.30
1	D	381	ARG	NE-CZ-NH2	5.63	123.11	120.30
1	J	381	ARG	NE-CZ-NH2	5.63	123.11	120.30
1	B	258	ARG	NE-CZ-NH2	5.62	123.11	120.30
1	B	381	ARG	NE-CZ-NH2	5.60	123.10	120.30
1	H	381	ARG	NE-CZ-NH2	5.60	123.10	120.30
1	F	381	ARG	NE-CZ-NH2	5.58	123.09	120.30
1	L	381	ARG	NE-CZ-NH2	5.58	123.09	120.30
1	C	350	ARG	NE-CZ-NH2	5.57	123.08	120.30
1	I	350	ARG	NE-CZ-NH2	5.57	123.08	120.30
1	J	284	ARG	NE-CZ-NH2	5.56	123.08	120.30
1	E	350	ARG	NE-CZ-NH2	5.53	123.06	120.30
1	K	350	ARG	NE-CZ-NH2	5.53	123.06	120.30
1	A	350	ARG	NE-CZ-NH2	5.48	123.04	120.30
1	G	350	ARG	NE-CZ-NH2	5.48	123.04	120.30
1	J	240	ARG	NE-CZ-NH2	5.41	123.00	120.30
1	D	101	ARG	NE-CZ-NH2	5.30	122.95	120.30
1	J	101	ARG	NE-CZ-NH2	5.30	122.95	120.30
1	A	284	ARG	NE-CZ-NH2	5.29	122.94	120.30
1	A	258	ARG	NE-CZ-NH2	5.28	122.94	120.30
1	H	258	ARG	CD-NE-CZ	5.26	130.97	123.60
1	A	240	ARG	NE-CZ-NH2	5.26	122.93	120.30
1	G	284	ARG	NE-CZ-NH2	5.26	122.93	120.30
1	F	101	ARG	NE-CZ-NH2	5.24	122.92	120.30
1	L	101	ARG	NE-CZ-NH2	5.24	122.92	120.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	240	ARG	NE-CZ-NH2	5.24	122.92	120.30
1	K	258	ARG	NE-CZ-NH2	5.23	122.91	120.30
1	B	101	ARG	NE-CZ-NH2	5.21	122.90	120.30
1	H	101	ARG	NE-CZ-NH2	5.21	122.90	120.30
1	I	258	ARG	NE-CZ-NH2	5.19	122.90	120.30
1	D	368	ARG	NE-CZ-NH2	5.18	122.89	120.30
1	F	388	ARG	NE-CZ-NH2	5.18	122.89	120.30
1	J	368	ARG	NE-CZ-NH2	5.18	122.89	120.30
1	L	388	ARG	NE-CZ-NH2	5.18	122.89	120.30
1	B	368	ARG	NE-CZ-NH2	5.18	122.89	120.30
1	H	368	ARG	NE-CZ-NH2	5.18	122.89	120.30
1	D	388	ARG	NE-CZ-NH2	5.17	122.88	120.30
1	J	388	ARG	NE-CZ-NH2	5.17	122.88	120.30
1	B	388	ARG	NE-CZ-NH2	5.15	122.87	120.30
1	H	388	ARG	NE-CZ-NH2	5.15	122.87	120.30
1	F	368	ARG	NE-CZ-NH2	5.12	122.86	120.30
1	L	368	ARG	NE-CZ-NH2	5.12	122.86	120.30
1	G	240	ARG	NE-CZ-NH2	5.09	122.85	120.30
1	H	240	ARG	NE-CZ-NH2	5.08	122.84	120.30
1	C	240	ARG	NE-CZ-NH2	5.00	122.80	120.30

There are no chirality outliers.

All (19) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	172	TYR	Sidechain
1	B	105	TYR	Sidechain
1	B	172	TYR	Sidechain
1	B	258	ARG	Sidechain
1	C	172	TYR	Sidechain
1	D	105	TYR	Sidechain
1	D	172	TYR	Sidechain
1	E	172	TYR	Sidechain
1	F	105	TYR	Sidechain
1	F	172	TYR	Sidechain
1	G	172	TYR	Sidechain
1	H	105	TYR	Sidechain
1	H	172	TYR	Sidechain
1	I	172	TYR	Sidechain
1	J	105	TYR	Sidechain
1	J	172	TYR	Sidechain
1	K	172	TYR	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
1	L	105	TYR	Sidechain
1	L	172	TYR	Sidechain

## 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2721	0	2699	15	0
1	B	2721	0	2701	12	0
1	C	2721	0	2699	12	0
1	D	2721	0	2701	12	0
1	E	2721	0	2699	13	0
1	F	2721	0	2701	16	0
1	G	2721	0	2699	12	0
1	H	2721	0	2701	13	0
1	I	2721	0	2699	13	0
1	J	2721	0	2701	13	0
1	K	2721	0	2699	14	0
1	L	2721	0	2701	14	0
All	All	32652	0	32400	90	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 1.

All (90) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:387:ARG:HH12	1:E:385:GLU:CD	2.02	0.64
1:B:387:ARG:HH12	1:C:385:GLU:CD	2.02	0.63
1:F:387:ARG:HH12	1:G:385:GLU:CD	2.01	0.63
1:A:385:GLU:CD	1:L:387:ARG:HH12	2.01	0.63
1:H:387:ARG:HH12	1:I:385:GLU:CD	2.02	0.63
1:J:387:ARG:HH12	1:K:385:GLU:CD	2.02	0.62
1:F:118:GLU:OE2	1:G:186:PHE:HA	1.99	0.62
1:H:118:GLU:OE2	1:I:186:PHE:HA	1.99	0.62
1:D:118:GLU:OE2	1:E:186:PHE:HA	1.99	0.62

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:J:118:GLU:OE2	1:K:186:PHE:HA	1.99	0.62
1:B:118:GLU:OE2	1:C:186:PHE:HA	1.99	0.61
1:A:230:THR:H	1:L:261:ILE:CD1	2.13	0.61
1:A:186:PHE:HA	1:L:118:GLU:OE2	1.99	0.61
1:E:260:TRP:CE3	1:F:230:THR:HG21	2.40	0.57
1:A:230:THR:H	1:L:261:ILE:HD11	1.69	0.56
1:D:308:SER:O	1:E:310:SER:HB3	2.07	0.55
1:A:310:SER:HB3	1:L:308:SER:O	2.07	0.54
1:J:308:SER:O	1:K:310:SER:HB3	2.07	0.54
1:B:308:SER:O	1:C:310:SER:HB3	2.07	0.54
1:F:308:SER:O	1:G:310:SER:HB3	2.07	0.54
1:H:308:SER:O	1:I:310:SER:HB3	2.07	0.54
1:F:228:LEU:HA	1:F:268:THR:HG22	1.89	0.53
1:D:318:GLN:HG3	1:E:311:TRP:HB2	1.91	0.53
1:F:318:GLN:HG3	1:G:311:TRP:HB2	1.91	0.53
1:H:318:GLN:HG3	1:I:311:TRP:HB2	1.91	0.53
1:B:318:GLN:HG3	1:C:311:TRP:HB2	1.91	0.52
1:H:115:GLU:OE1	1:I:184:LYS:CE	2.55	0.52
1:I:250:ILE:HD12	1:I:250:ILE:H	1.73	0.52
1:J:318:GLN:HG3	1:K:311:TRP:HB2	1.91	0.52
1:A:311:TRP:HB2	1:L:318:GLN:HG3	1.91	0.52
1:F:228:LEU:O	1:F:230:THR:HG23	2.10	0.52
1:B:318:GLN:NE2	1:C:311:TRP:HA	2.26	0.51
1:A:311:TRP:HA	1:L:318:GLN:NE2	2.26	0.51
1:J:318:GLN:NE2	1:K:311:TRP:HA	2.26	0.51
1:F:115:GLU:OE2	1:G:190:GLY:O	2.29	0.51
1:F:318:GLN:NE2	1:G:311:TRP:HA	2.26	0.51
1:D:318:GLN:NE2	1:E:311:TRP:HA	2.26	0.50
1:H:318:GLN:NE2	1:I:311:TRP:HA	2.26	0.50
1:B:228:LEU:HA	1:B:268:THR:HG22	1.92	0.50
1:D:115:GLU:OE2	1:E:190:GLY:O	2.29	0.50
1:H:115:GLU:OE2	1:I:190:GLY:O	2.29	0.50
1:J:115:GLU:OE2	1:K:190:GLY:O	2.29	0.50
1:J:115:GLU:OE1	1:K:184:LYS:CE	2.55	0.50
1:A:190:GLY:O	1:L:115:GLU:OE2	2.29	0.49
1:D:115:GLU:OE1	1:E:184:LYS:CE	2.55	0.49
1:B:115:GLU:OE2	1:C:190:GLY:O	2.29	0.49
1:H:228:LEU:HA	1:H:268:THR:HG22	1.95	0.49
1:F:115:GLU:OE1	1:G:184:LYS:CE	2.55	0.49
1:F:262:LEU:H	1:F:262:LEU:HD22	1.78	0.48
1:A:131:TYR:CE2	1:A:182:HIS:CD2	3.02	0.47

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:131:TYR:CE2	1:C:182:HIS:CD2	3.02	0.47
1:B:115:GLU:OE1	1:C:184:LYS:CE	2.55	0.47
1:J:387:ARG:NH2	1:K:385:GLU:OE2	2.46	0.47
1:A:262:LEU:HD22	1:A:262:LEU:H	1.79	0.47
1:A:184:LYS:CE	1:L:115:GLU:OE1	2.55	0.47
1:E:131:TYR:CE2	1:E:182:HIS:CD2	3.02	0.47
1:K:131:TYR:CE2	1:K:182:HIS:CD2	3.02	0.47
1:F:318:GLN:HE21	1:G:311:TRP:HA	1.80	0.47
1:A:311:TRP:HA	1:L:318:GLN:HE21	1.80	0.47
1:G:131:TYR:CE2	1:G:182:HIS:CD2	3.02	0.47
1:H:318:GLN:HE21	1:I:311:TRP:HA	1.80	0.47
1:I:131:TYR:CE2	1:I:182:HIS:CD2	3.02	0.47
1:D:318:GLN:HE21	1:E:311:TRP:HA	1.80	0.47
1:F:306:GLU:OE2	1:G:306:GLU:OE1	2.33	0.47
1:D:306:GLU:OE2	1:E:306:GLU:OE1	2.33	0.46
1:J:318:GLN:HE21	1:K:311:TRP:HA	1.80	0.46
1:H:306:GLU:OE2	1:I:306:GLU:OE1	2.33	0.46
1:B:306:GLU:OE2	1:C:306:GLU:OE1	2.33	0.46
1:H:387:ARG:NH2	1:I:385:GLU:OE2	2.46	0.46
1:B:318:GLN:HE21	1:C:311:TRP:HA	1.80	0.46
1:A:306:GLU:OE1	1:L:306:GLU:OE2	2.33	0.45
1:J:306:GLU:OE2	1:K:306:GLU:OE1	2.33	0.45
1:B:387:ARG:NH2	1:C:385:GLU:OE2	2.46	0.45
1:B:131:TYR:CE2	1:B:182:HIS:CD2	3.06	0.44
1:D:131:TYR:CE2	1:D:182:HIS:CD2	3.06	0.44
1:F:387:ARG:NH2	1:G:385:GLU:OE2	2.46	0.44
1:L:131:TYR:CE2	1:L:182:HIS:CD2	3.06	0.44
1:F:131:TYR:CE2	1:F:182:HIS:CD2	3.06	0.44
1:J:307:LYS:NZ	1:K:308:SER:N	2.63	0.44
1:F:307:LYS:NZ	1:G:308:SER:N	2.63	0.43
1:H:131:TYR:CE2	1:H:182:HIS:CD2	3.06	0.43
1:J:131:TYR:CE2	1:J:182:HIS:CD2	3.06	0.43
1:D:387:ARG:NH2	1:E:385:GLU:OE2	2.46	0.42
1:J:307:LYS:HZ3	1:K:308:SER:N	2.18	0.42
1:H:307:LYS:HZ3	1:I:308:SER:N	2.18	0.41
1:A:308:SER:N	1:L:307:LYS:NZ	2.63	0.41
1:K:298:PRO:HA	1:K:299:PRO:HD3	1.96	0.41
1:A:385:GLU:OE2	1:L:387:ARG:NH2	2.46	0.41
1:D:307:LYS:NZ	1:E:308:SER:N	2.63	0.41
1:C:298:PRO:HA	1:C:299:PRO:HD3	1.96	0.41

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	344/424 (81%)	319 (93%)	17 (5%)	8 (2%)	6	38
1	B	344/424 (81%)	306 (89%)	28 (8%)	10 (3%)	4	33
1	C	344/424 (81%)	317 (92%)	21 (6%)	6 (2%)	9	45
1	D	344/424 (81%)	309 (90%)	26 (8%)	9 (3%)	5	35
1	E	344/424 (81%)	317 (92%)	21 (6%)	6 (2%)	9	45
1	F	344/424 (81%)	306 (89%)	29 (8%)	9 (3%)	5	35
1	G	344/424 (81%)	317 (92%)	20 (6%)	7 (2%)	7	41
1	H	344/424 (81%)	304 (88%)	28 (8%)	12 (4%)	3	30
1	I	344/424 (81%)	318 (92%)	19 (6%)	7 (2%)	7	41
1	J	344/424 (81%)	308 (90%)	25 (7%)	11 (3%)	4	31
1	K	344/424 (81%)	319 (93%)	16 (5%)	9 (3%)	5	35
1	L	344/424 (81%)	308 (90%)	24 (7%)	12 (4%)	3	30
All	All	4128/5088 (81%)	3748 (91%)	274 (7%)	106 (3%)	8	35

All (106) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	248	LYS
1	H	248	LYS
1	J	248	LYS
1	A	182	HIS
1	A	305	VAL
1	B	263	GLU
1	B	305	VAL
1	C	182	HIS
1	C	280	MET
1	C	305	VAL
1	D	305	VAL
1	E	182	HIS

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	E	305	VAL
1	F	263	GLU
1	F	305	VAL
1	G	182	HIS
1	G	256	LYS
1	G	305	VAL
1	H	305	VAL
1	I	182	HIS
1	I	305	VAL
1	J	305	VAL
1	K	182	HIS
1	K	230	THR
1	K	280	MET
1	K	305	VAL
1	L	248	LYS
1	L	263	GLU
1	L	305	VAL
1	A	248	LYS
1	A	280	MET
1	B	169	ASP
1	B	182	HIS
1	B	184	LYS
1	B	311	TRP
1	D	169	ASP
1	D	182	HIS
1	D	184	LYS
1	D	263	GLU
1	D	311	TRP
1	F	169	ASP
1	F	182	HIS
1	F	184	LYS
1	F	255	VAL
1	F	311	TRP
1	H	169	ASP
1	H	182	HIS
1	H	184	LYS
1	H	256	LYS
1	H	263	GLU
1	H	311	TRP
1	I	248	LYS
1	J	169	ASP
1	J	182	HIS

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	J	184	LYS
1	J	277	ASP
1	J	311	TRP
1	L	169	ASP
1	L	182	HIS
1	L	184	LYS
1	L	259	LEU
1	L	311	TRP
1	A	169	ASP
1	A	274	THR
1	C	169	ASP
1	C	274	THR
1	D	264	ALA
1	E	169	ASP
1	G	169	ASP
1	G	248	LYS
1	I	169	ASP
1	I	259	LEU
1	I	274	THR
1	K	169	ASP
1	K	248	LYS
1	L	252	GLY
1	B	277	ASP
1	D	255	VAL
1	E	274	THR
1	E	280	MET
1	G	274	THR
1	I	255	VAL
1	J	247	PHE
1	K	274	THR
1	A	184	LYS
1	C	266	PHE
1	E	184	LYS
1	G	184	LYS
1	H	252	GLY
1	H	255	VAL
1	K	184	LYS
1	K	255	VAL
1	F	274	THR
1	B	376	GLY
1	D	376	GLY
1	F	376	GLY

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	H	376	GLY
1	J	376	GLY
1	L	376	GLY
1	B	274	THR
1	H	274	THR
1	A	255	VAL
1	J	274	THR
1	J	275	PRO
1	L	274	THR
1	L	275	PRO

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	294/357 (82%)	288 (98%)	6 (2%)	55 79
1	B	294/357 (82%)	284 (97%)	10 (3%)	37 69
1	C	294/357 (82%)	288 (98%)	6 (2%)	55 79
1	D	294/357 (82%)	286 (97%)	8 (3%)	44 73
1	E	294/357 (82%)	286 (97%)	8 (3%)	44 73
1	F	294/357 (82%)	285 (97%)	9 (3%)	40 71
1	G	294/357 (82%)	289 (98%)	5 (2%)	60 82
1	H	294/357 (82%)	286 (97%)	8 (3%)	44 73
1	I	294/357 (82%)	288 (98%)	6 (2%)	55 79
1	J	294/357 (82%)	284 (97%)	10 (3%)	37 69
1	K	294/357 (82%)	289 (98%)	5 (2%)	60 82
1	L	294/357 (82%)	287 (98%)	7 (2%)	49 75
All	All	3528/4284 (82%)	3440 (98%)	88 (2%)	50 75

All (88) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	85	ASP
1	A	228	LEU
1	A	244	GLU
1	A	248	LYS
1	A	279	GLU
1	A	311	TRP
1	B	85	ASP
1	B	156	LYS
1	B	229	SER
1	B	232	GLU
1	B	248	LYS
1	B	258	ARG
1	B	263	GLU
1	B	283	SER
1	B	327	LEU
1	B	364	ASP
1	C	85	ASP
1	C	243	VAL
1	C	248	LYS
1	C	257	LYS
1	C	279	GLU
1	C	311	TRP
1	D	85	ASP
1	D	156	LYS
1	D	232	GLU
1	D	248	LYS
1	D	263	GLU
1	D	283	SER
1	D	327	LEU
1	D	364	ASP
1	E	85	ASP
1	E	228	LEU
1	E	245	GLU
1	E	248	LYS
1	E	258	ARG
1	E	260	TRP
1	E	279	GLU
1	E	311	TRP
1	F	85	ASP
1	F	156	LYS
1	F	232	GLU
1	F	248	LYS
1	F	261	ILE

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	F	276	GLN
1	F	283	SER
1	F	327	LEU
1	F	364	ASP
1	G	85	ASP
1	G	248	LYS
1	G	257	LYS
1	G	279	GLU
1	G	311	TRP
1	H	85	ASP
1	H	156	LYS
1	H	248	LYS
1	H	255	VAL
1	H	263	GLU
1	H	283	SER
1	H	327	LEU
1	H	364	ASP
1	I	85	ASP
1	I	228	LEU
1	I	248	LYS
1	I	258	ARG
1	I	279	GLU
1	I	311	TRP
1	J	85	ASP
1	J	156	LYS
1	J	229	SER
1	J	232	GLU
1	J	245	GLU
1	J	248	LYS
1	J	263	GLU
1	J	283	SER
1	J	327	LEU
1	J	364	ASP
1	K	85	ASP
1	K	228	LEU
1	K	248	LYS
1	K	279	GLU
1	K	311	TRP
1	L	85	ASP
1	L	156	LYS
1	L	232	GLU
1	L	248	LYS

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type
1	L	283	SER
1	L	327	LEU
1	L	364	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

### 5.6 Ligand geometry [i](#)

There are no ligands in this entry.

### 5.7 Other polymers [i](#)

There are no such residues in this entry.

### 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


## 6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-29392. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

### 6.1 Orthogonal projections [i](#)


#### 6.1.1 Primary map



X




Y




Z


#### 6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

## 6.2 Central slices [i](#)


### 6.2.1 Primary map



X Index: 200




Y Index: 200




Z Index: 200


### 6.2.2 Raw map



X Index: 200



Y Index: 200




Z Index: 200


The images above show central slices of the map in three orthogonal directions.

## 6.3 Largest variance slices [i](#)


### 6.3.1 Primary map



X Index: 217




Y Index: 185




Z Index: 227


### 6.3.2 Raw map



X Index: 183



Y Index: 185




Z Index: 228

The images above show the largest variance slices of the map in three orthogonal directions.




## 6.4 Orthogonal standard-deviation projections (False-color) [i](#)


### 6.4.1 Primary map



X




Y




Z


### 6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


## 6.5 Orthogonal surface views [i](#)

### 6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.025. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

### 6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


## 6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

## 7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

### 7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.

## 7.2 Volume estimate [i](#)




The volume at the recommended contour level is 671 nm<sup>3</sup>; this corresponds to an approximate mass of 606 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.



### 7.3 Rotationally averaged power spectrum i




\*Reported resolution corresponds to spatial frequency of 0.278 Å<sup>-1</sup>

## 8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

### 8.1 FSC [i](#)



\*Reported resolution corresponds to spatial frequency of 0.278 Å<sup>-1</sup>

## 8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.60	-	-
Author-provided FSC curve	3.63	4.13	3.69
Unmasked-calculated*	4.84	7.56	5.80

\*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 4.84 differs from the reported value 3.6 by more than 10 %

## 9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-29392 and PDB model 8FQL. Per-residue inclusion information can be found in section 3 on page 5.

### 9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.025 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

## 9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

## 9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.025).



























## 9.4 Atom inclusion [i](#)



At the recommended contour level, 68% of all backbone atoms, 56% of all non-hydrogen atoms, are inside the map.

## 9.5 Map-model fit summary [i](#)

The table lists the average atom inclusion at the recommended contour level (0.025) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.5600	 0.3790
A	 0.5910	 0.4200
B	 0.5830	 0.4140
C	 0.5660	 0.4010
D	 0.5540	 0.3730
E	 0.5670	 0.3740
F	 0.5250	 0.3240
G	 0.5530	 0.3540
H	 0.5290	 0.3420
I	 0.5600	 0.3840
J	 0.5540	 0.3720
K	 0.5720	 0.3980
L	 0.5640	 0.3960

