



# Full wwPDB X-ray Structure Validation Report ⓘ

Aug 19, 2023 – 11:46 PM EDT

PDB ID : 2G25  
Title : E. Coli Pyruvate Dehydrogenase Phosphonolactylthiamin Diphosphate Complex  
Authors : Furey, W.; Arjunan, P.; Chandrasekhar, K.  
Deposited on : 2006-02-15  
Resolution : 2.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.35  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.35


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	5197 (2.10-2.10)
Clashscore	141614	5710 (2.10-2.10)
Ramachandran outliers	138981	5647 (2.10-2.10)
Sidechain outliers	138945	5648 (2.10-2.10)
RSRZ outliers	127900	5083 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	886	 2% (red), 71% (green), 20% (yellow), 6% (orange)
1	B	886	 % (red), 72% (green), 19% (yellow), 6% (orange)

## 2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 13841 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Pyruvate dehydrogenase E1 component.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	831	6591	4172	1140	1252	27	0	0	0
1	B	831	6591	4172	1140	1252	27	0	0	0

- Molecule 2 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total	Mg	0	0
			1	1		
2	B	1	Total	Mg	0	0
			1	1		

- Molecule 3 is PHOSPHATE ION (three-letter code: PO4) (formula: O<sub>4</sub>P).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total O P 5 4 1	0	0
3	A	1	Total O P 5 4 1	0	0
3	B	1	Total O P 5 4 1	0	0
3	B	1	Total O P 5 4 1	0	0
3	B	1	Total O P 5 4 1	0	0

- Molecule 4 is 3-[(4-AMINO-2-METHYLPYRIMIDIN-5-YL)METHYL]-2-[(1S)-1-HYDROXY-1-[(R)-HYDROXY(METHOXY)PHOSPHORYL]ETHYL]-5-(2-[(S)-HYDROXY(PHOSPHONOXY)PHOSPHORYL]OXY)ETHYL)-4-METHYL-1,3-THIAZOL-3-IUM (three-letter code: TDK) (formula: C<sub>15</sub>H<sub>26</sub>N<sub>4</sub>O<sub>11</sub>P<sub>3</sub>S).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total C N O P S 34 15 4 11 3 1	0	0
4	B	1	Total C N O P S 34 15 4 11 3 1	0	0

- Molecule 5 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	273	Total O 273 273	0	0

*Continued on next page...*


*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Residues</b>	<b>Atoms</b>		<b>ZeroOcc</b>	<b>AltConf</b>
5	B	291	Total 291	O 291	0	0


### 3 Residue-property plots


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Pyruvate dehydrogenase E1 component



- Molecule 1: Pyruvate dehydrogenase E1 component





## 4 Data and refinement statistics i

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	81.57Å 142.51Å 82.09Å 90.00° 102.37° 90.00°	Depositor
Resolution (Å)	8.00 – 2.10 39.18 – 2.10	Depositor EDS
% Data completeness (in resolution range)	94.0 (8.00-2.10) 93.7 (39.18-2.10)	Depositor EDS
$R_{merge}$	0.07	Depositor
$R_{sym}$	0.09	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	3.85 (at 2.10Å)	Xtrriage
Refinement program	X-PLOR 3.851	Depositor
R, $R_{free}$	0.185 , 0.244 0.178 , 0.230	Depositor DCC
$R_{free}$ test set	5035 reflections (5.05%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	10.8	Xtrriage
Anisotropy	0.092	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.35 , 52.8	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.46$ , $\langle L^2 \rangle = 0.29$	Xtrriage
Estimated twinning fraction	0.028 for l,-k,h	Xtrriage
$F_o, F_c$ correlation	0.93	EDS
Total number of atoms	13841	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	10.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.58% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MG, TDK, PO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.37	0/6741	0.61	1/9114 (0.0%)
1	B	0.38	0/6741	0.62	2/9114 (0.0%)
All	All	0.37	0/13482	0.62	3/18228 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	2

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed( $^{\circ}$ )	Ideal( $^{\circ}$ )
1	A	638	LEU	CA-CB-CG	5.31	127.52	115.30
1	B	638	LEU	CA-CB-CG	5.23	127.34	115.30
1	B	264	LEU	CA-CB-CG	5.04	126.88	115.30

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	598	TYR	Sidechain
1	B	686	TYR	Sidechain

## 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	6591	0	6422	143	0
1	B	6591	0	6422	135	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
3	A	10	0	0	0	0
3	B	15	0	0	2	0
4	A	34	0	22	2	0
4	B	34	0	22	4	0
5	A	273	0	0	6	0
5	B	291	0	0	4	0
All	All	13841	0	12888	270	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (270) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:550:ARG:HA	1:A:550:ARG:HH11	1.18	1.06
1:A:309:LYS:HG3	1:A:344:THR:HG23	1.52	0.91
1:A:549:ASP:HB3	1:A:555:TYR:HA	1.53	0.91
1:A:550:ARG:HH11	1:A:550:ARG:CA	1.87	0.88
1:A:550:ARG:HA	1:A:550:ARG:NH1	1.89	0.86
1:B:311:ILE:HA	1:B:314:MET:HE2	1.61	0.82
1:A:91:MET:O	1:A:95:ARG:HG3	1.84	0.77
1:B:506:LEU:HD13	1:B:515:LEU:HD12	1.67	0.77
1:A:507:LYS:HG2	1:A:507:LYS:O	1.84	0.76
1:B:428:VAL:HG12	1:B:439:ILE:HD11	1.67	0.75
1:B:323:GLN:O	1:B:326:LYS:HG3	1.86	0.75
1:A:88:ASN:O	1:A:92:THR:HG23	1.87	0.73
1:A:728:LEU:HD23	1:A:798:VAL:HG13	1.72	0.72
1:A:506:LEU:HD13	1:A:515:LEU:HD12	1.70	0.72
1:B:533:ARG:HE	1:B:554:ALA:H	1.36	0.71
1:A:160:GLU:HG2	1:A:161:GLN:N	2.07	0.69
1:B:707:GLU:O	1:B:711:LYS:HG2	1.93	0.68

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:426:VAL:HG12	1:B:428:VAL:HG13	1.77	0.67
4:A:887:TDK:OM4	1:B:106:HIS:HE1	1.78	0.67
1:A:309:LYS:HG2	1:A:343:GLU:HG3	1.76	0.67
1:A:494:THR:OG1	1:A:692:LEU:HG	1.94	0.67
1:B:76:GLU:CD	1:B:76:GLU:H	1.96	0.66
1:A:274:ILE:HG13	1:A:319:ASP:OD2	1.96	0.65
1:A:728:LEU:HD23	1:A:798:VAL:CG1	2.26	0.65
1:A:261:LEU:HD23	1:A:274:ILE:HD11	1.79	0.65
1:B:64:PRO:HB2	1:B:66:GLU:OE2	1.97	0.65
1:A:140:GLN:O	1:A:143:ILE:HG13	1.98	0.64
1:A:400:ALA:HB1	1:A:406:ALA:HA	1.78	0.64
1:A:638:LEU:HD22	1:A:828:PHE:HB3	1.79	0.64
1:A:290:ILE:HD11	1:A:375:LYS:HD2	1.80	0.64
1:A:150:ARG:NH2	5:A:956:HOH:O	2.32	0.63
1:A:832:ASP:OD2	1:B:169:VAL:HB	1.98	0.63
1:A:859:ARG:HD3	1:A:861:GLU:OE2	1.99	0.63
1:A:344:THR:HA	1:A:347:LEU:HD12	1.81	0.62
1:A:301:LEU:HD13	1:A:351:TRP:CZ2	2.34	0.62
1:A:177:TYR:CD2	1:A:192:VAL:HG11	2.35	0.62
1:A:300:GLU:HG3	1:A:301:LEU:N	2.15	0.61
1:A:261:LEU:HD12	1:A:323:GLN:HG2	1.82	0.61
1:A:536:GLY:HA2	1:A:557:LYS:HD2	1.82	0.60
1:A:297:ARG:HB3	1:A:359:LEU:HD23	1.83	0.60
1:B:128:ARG:HG3	1:B:128:ARG:HH11	1.67	0.60
1:A:434:GLU:H	1:A:434:GLU:CD	2.04	0.59
1:A:864:LYS:HE2	1:B:779:PRO:O	2.02	0.59
1:B:311:ILE:HA	1:B:314:MET:CE	2.32	0.59
1:B:326:LYS:HD3	1:B:391:ILE:HG23	1.84	0.59
1:A:304:LYS:HE2	1:A:347:LEU:HD23	1.84	0.59
1:B:287:TRP:CE3	1:B:385:VAL:HG22	2.37	0.58
1:A:309:LYS:HD2	1:A:341:TYR:CG	2.37	0.58
1:B:857:ALA:HB1	1:B:864:LYS:HD3	1.85	0.58
1:A:466:GLN:O	1:A:466:GLN:HG3	2.03	0.58
1:B:233:MET:O	1:B:239:LYS:HE3	2.04	0.58
1:A:821:ARG:HD2	1:A:855:GLU:CG	2.34	0.58
1:B:86:ARG:NH1	3:B:889:PO4:O2	2.37	0.58
1:B:863:ASP:OD1	1:B:865:LYS:HG3	2.05	0.57
1:A:536:GLY:HA3	1:A:557:LYS:NZ	2.18	0.57
1:B:323:GLN:HA	1:B:326:LYS:HE3	1.86	0.57
1:A:502:LEU:HA	1:A:505:MET:CE	2.34	0.57
1:A:400:ALA:HB2	1:A:409:VAL:HG21	1.85	0.57

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:851:ALA:O	1:A:855:GLU:HG3	2.05	0.57
1:A:550:ARG:HH12	1:A:555:TYR:HB2	1.70	0.57
1:B:638:LEU:HD22	1:B:828:PHE:HB3	1.87	0.57
1:A:863:ASP:OD1	1:A:863:ASP:N	2.35	0.57
1:B:90:ILE:CG2	1:B:94:LEU:HD22	2.36	0.56
1:A:106:HIS:HE1	4:B:887:TDK:OM4	1.87	0.56
1:A:532:PHE:O	1:A:536:GLY:HA2	2.06	0.56
1:B:506:LEU:CD1	1:B:515:LEU:HD12	2.36	0.56
1:A:550:ARG:NH1	1:A:555:TYR:HB2	2.21	0.55
1:A:692:LEU:HD22	1:A:733:SER:HB3	1.88	0.55
1:A:863:ASP:O	1:A:866:VAL:HB	2.07	0.55
1:A:197:GLY:N	1:A:198:PRO:HD2	2.21	0.55
1:B:856:LEU:HB3	1:B:862:ILE:HG13	1.89	0.55
1:B:72:PRO:HG3	1:B:370:TYR:CE1	2.42	0.55
1:B:326:LYS:HE2	1:B:361:ARG:NH1	2.22	0.55
1:A:512:LYS:HG3	1:A:513:ASP:N	2.21	0.55
1:A:656:ILE:HD11	1:A:685:VAL:HG21	1.89	0.55
1:A:855:GLU:O	1:A:859:ARG:HG3	2.06	0.55
1:A:508:ASN:O	1:A:512:LYS:HB3	2.07	0.54
1:A:113:SER:HB3	1:A:258:ASN:ND2	2.22	0.54
1:B:177:TYR:HB3	1:B:178:PRO:CD	2.37	0.54
1:B:765:ALA:O	1:B:769:GLN:HG3	2.07	0.54
1:A:450:TYR:O	1:A:454:GLN:HG2	2.07	0.54
1:A:622:PHE:CE1	1:A:677:MET:HE1	2.43	0.54
1:A:821:ARG:HD2	1:A:855:GLU:HG2	1.89	0.54
1:B:477:SER:O	1:B:480:ASP:HB2	2.07	0.54
1:B:664:TYR:CG	1:B:701:MET:HB2	2.42	0.54
1:B:532:PHE:O	1:B:536:GLY:HA2	2.07	0.53
1:B:140:GLN:O	1:B:143:ILE:HG13	2.09	0.53
1:B:326:LYS:HG2	1:B:361:ARG:NH2	2.22	0.53
1:B:197:GLY:N	1:B:198:PRO:HD2	2.24	0.53
1:B:859:ARG:HG3	1:B:861:GLU:HB2	1.90	0.53
1:A:502:LEU:HA	1:A:505:MET:HE2	1.91	0.53
1:A:528:MET:O	1:A:531:LEU:HB2	2.10	0.52
1:B:533:ARG:NH1	1:B:533:ARG:HB3	2.24	0.52
1:B:400:ALA:HB2	1:B:409:VAL:HG21	1.92	0.52
1:B:533:ARG:NE	1:B:554:ALA:H	2.05	0.52
1:A:547:PRO:O	1:A:550:ARG:HB2	2.10	0.51
1:A:82:ARG:O	1:A:86:ARG:HG3	2.11	0.51
1:A:160:GLU:HG3	1:A:172:ASN:ND2	2.26	0.51
1:A:304:LYS:HE2	1:A:347:LEU:CD2	2.40	0.51

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:334:ARG:NE	1:A:353:ASP:OD1	2.44	0.51
1:A:539:SER:O	1:A:560:GLU:HA	2.11	0.50
1:B:128:ARG:HG2	1:B:133:GLY:HA2	1.93	0.50
1:A:420:ILE:HG13	1:A:421:ARG:N	2.26	0.50
1:B:326:LYS:HE2	1:B:361:ARG:HH12	1.75	0.50
1:A:713:ILE:HB	1:A:764:LEU:HD11	1.92	0.50
5:A:893:HOH:O	1:B:192:VAL:HG22	2.10	0.50
1:A:294:TRP:HB3	1:A:298:TRP:CD1	2.47	0.50
1:B:264:LEU:C	1:B:264:LEU:HD12	2.32	0.50
1:A:773:ARG:HD3	5:A:954:HOH:O	2.11	0.50
1:B:287:TRP:HE3	1:B:385:VAL:HG22	1.76	0.50
1:B:512:LYS:HG3	1:B:513:ASP:N	2.27	0.50
1:B:549:ASP:HB2	1:B:552:GLN:HG2	1.94	0.50
1:A:103:LEU:O	1:A:166:ARG:HD3	2.12	0.49
1:A:524:ARG:HG3	1:B:265:ASP:OD1	2.11	0.49
1:B:264:LEU:HD12	1:B:264:LEU:O	2.12	0.49
1:A:585:TYR:O	1:A:589:ASN:HA	2.13	0.49
1:A:502:LEU:HD12	1:A:505:MET:HE3	1.93	0.49
1:A:177:TYR:HB3	1:A:178:PRO:CD	2.42	0.49
1:B:546:THR:HG23	1:B:546:THR:O	2.12	0.49
1:A:177:TYR:CG	1:A:192:VAL:HG11	2.48	0.49
1:B:539:SER:O	1:B:560:GLU:HA	2.12	0.49
1:B:811:VAL:O	1:B:815:VAL:HG23	2.13	0.49
1:B:128:ARG:HH11	1:B:128:ARG:CG	2.26	0.49
1:A:309:LYS:HD2	1:A:341:TYR:CD2	2.48	0.48
1:A:547:PRO:HD2	1:A:550:ARG:HG2	1.95	0.48
1:B:82:ARG:HG2	1:B:86:ARG:NH1	2.29	0.48
1:B:458:LEU:O	1:B:459:HIS:HB2	2.13	0.48
1:A:111:GLN:NE2	1:A:394:TYR:O	2.46	0.48
1:A:126:ARG:HH22	1:A:132:ASP:CG	2.15	0.48
1:B:508:ASN:O	1:B:512:LYS:HB3	2.13	0.48
1:A:274:ILE:HG13	1:A:274:ILE:H	1.46	0.48
1:A:857:ALA:HB1	1:A:864:LYS:HG2	1.95	0.48
1:B:279:GLU:O	1:B:283:GLU:HB2	2.14	0.48
1:B:553:VAL:O	1:B:554:ALA:HB3	2.14	0.48
1:B:199:ILE:HG12	1:B:237:GLU:HB2	1.95	0.48
1:B:547:PRO:O	1:B:550:ARG:HB2	2.14	0.47
1:B:490:LYS:HD3	1:B:492:ILE:CG2	2.43	0.47
1:B:550:ARG:HA	1:B:550:ARG:HD2	1.59	0.47
4:A:887:TDK:OM1	4:A:887:TDK:H7'1	2.14	0.47
1:A:304:LYS:NZ	1:A:347:LEU:O	2.44	0.47

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:780:LEU:HD23	1:B:864:LYS:HB2	1.95	0.47
1:B:569:ILE:HD11	4:B:887:TDK:H62	1.97	0.47
1:B:274:ILE:HG13	1:B:319:ASP:OD2	2.15	0.47
1:B:164:ASN:HB3	1:B:173:GLY:HA2	1.97	0.47
1:A:421:ARG:CG	1:A:428:VAL:HG13	2.45	0.46
1:B:713:ILE:HB	1:B:764:LEU:HD11	1.96	0.46
1:A:206:LYS:HD2	1:A:248:GLU:HG3	1.96	0.46
1:A:312:GLN:O	1:A:316:GLU:HG2	2.15	0.46
1:A:654:ASN:O	1:A:685:VAL:HG22	2.15	0.46
1:B:428:VAL:CG1	1:B:439:ILE:HD11	2.40	0.46
1:B:547:PRO:HG2	1:B:550:ARG:HD3	1.96	0.46
1:B:842:GLU:HA	1:B:847:TYR:CE2	2.50	0.46
1:A:352:THR:HG23	1:A:355:GLN:OE1	2.16	0.46
1:B:533:ARG:HB3	1:B:533:ARG:CZ	2.46	0.46
1:A:328:LYS:HG2	1:A:332:TYR:CD2	2.50	0.46
1:A:493:SER:HB2	1:A:692:LEU:HD12	1.98	0.46
1:A:536:GLY:O	1:A:564:ILE:HG23	2.16	0.46
1:B:177:TYR:HB3	1:B:178:PRO:HD2	1.97	0.46
1:A:400:ALA:HB1	1:A:406:ALA:CA	2.45	0.46
1:B:178:PRO:HA	1:B:187:TRP:CG	2.51	0.46
1:A:531:LEU:HD12	1:A:531:LEU:HA	1.80	0.45
1:A:550:ARG:HD3	1:A:550:ARG:C	2.36	0.45
1:B:506:LEU:O	1:B:512:LYS:NZ	2.48	0.45
1:B:800:SER:OG	1:B:843:VAL:HG22	2.16	0.45
1:B:245:ALA:HA	1:B:250:LEU:HD12	1.97	0.45
1:B:834:ARG:HD2	3:B:890:PO4:O3	2.15	0.45
1:B:842:GLU:HA	1:B:847:TYR:CD2	2.50	0.45
1:B:90:ILE:HG22	1:B:94:LEU:HD22	1.98	0.45
1:A:466:GLN:O	1:A:466:GLN:CG	2.65	0.45
1:A:543:GLN:NE2	1:A:547:PRO:HG3	2.32	0.45
1:A:878:ALA:HA	1:B:777:LEU:HG	1.99	0.45
1:B:844:ASP:HB2	5:B:1085:HOH:O	2.15	0.45
1:A:143:ILE:O	1:A:143:ILE:HD12	2.17	0.45
1:A:458:LEU:O	1:A:459:HIS:HB2	2.17	0.45
1:A:466:GLN:HE22	1:A:589:ASN:HB2	1.80	0.45
1:A:857:ALA:HA	1:A:862:ILE:HG13	1.98	0.45
1:B:723:LYS:HD3	1:B:749:TYR:O	2.17	0.45
1:A:471:GLU:OE2	1:A:591:PRO:HD2	2.17	0.45
1:B:361:ARG:HG2	1:B:389:HIS:ND1	2.32	0.45
1:B:193:SER:HB3	1:B:196:LEU:HD12	1.99	0.44
1:A:314:MET:HA	1:A:322:TYR:OH	2.17	0.43

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:564:ILE:HG13	1:A:565:LEU:N	2.32	0.43
1:A:838:ARG:HB3	1:A:844:ASP:HB3	2.00	0.43
1:B:723:LYS:HE3	1:B:862:ILE:HD13	1.99	0.43
1:B:85:ILE:CG1	1:B:153:LEU:HD23	2.49	0.43
1:B:106:HIS:HD2	5:B:1142:HOH:O	2.00	0.43
1:B:719:ILE:HD13	1:B:742:ALA:HB1	2.01	0.43
1:A:144:SER:N	1:A:145:PRO:CD	2.82	0.43
1:A:323:GLN:HE22	1:A:392:LYS:H	1.65	0.43
1:B:213:HIS:ND1	1:B:560:GLU:OE1	2.51	0.43
1:A:195:GLY:O	1:A:198:PRO:HG2	2.19	0.43
1:B:773:ARG:HD3	5:B:970:HOH:O	2.18	0.43
1:B:856:LEU:HB3	1:B:861:GLU:HB3	2.00	0.43
1:B:539:SER:HB2	1:B:558:GLU:HG2	2.01	0.43
1:B:63:ILE:HG23	1:B:67:GLU:OE2	2.19	0.43
1:B:851:ALA:O	1:B:855:GLU:HG3	2.19	0.43
1:A:374:LYS:HA	1:A:374:LYS:HD3	1.73	0.42
1:A:323:GLN:NE2	1:A:392:LYS:H	2.17	0.42
1:A:453:ALA:O	1:A:457:LYS:HD3	2.19	0.42
1:B:79:ARG:NH2	1:B:424:PHE:HA	2.34	0.42
1:B:864:LYS:HD3	1:B:864:LYS:N	2.34	0.42
4:B:887:TDK:OM1	4:B:887:TDK:N4'	2.45	0.42
1:A:711:LYS:HD2	1:A:787:TYR:CD1	2.54	0.42
1:A:725:LYS:NZ	1:A:754:ASP:OD2	2.51	0.42
1:B:63:ILE:HG23	1:B:67:GLU:CD	2.39	0.42
1:A:328:LYS:HD3	1:A:328:LYS:N	2.33	0.42
1:A:638:LEU:C	1:A:638:LEU:HD12	2.39	0.42
1:B:177:TYR:CD2	1:B:192:VAL:HG11	2.54	0.42
1:B:549:ASP:O	1:B:552:GLN:HG2	2.19	0.42
1:B:125:PHE:HB3	1:B:462:LEU:HD21	2.01	0.42
1:B:144:SER:N	1:B:145:PRO:CD	2.83	0.42
1:B:597:ILE:HA	1:B:624:ILE:O	2.20	0.42
1:A:635:GLY:HA3	1:B:103:LEU:O	2.19	0.42
1:B:522:GLU:OE2	4:B:887:TDK:H6'	2.20	0.42
1:A:320:GLY:HA3	1:B:545:TYR:CD2	2.54	0.41
1:A:323:GLN:HA	1:A:323:GLN:OE1	2.20	0.41
1:A:512:LYS:HG3	1:A:513:ASP:H	1.85	0.41
1:A:538:TYR:HB2	1:A:562:GLY:O	2.19	0.41
1:B:81:ILE:HA	1:B:441:PHE:HZ	1.85	0.41
1:B:856:LEU:O	1:B:859:ARG:HG2	2.20	0.41
1:A:245:ALA:HA	1:A:250:LEU:HD12	2.01	0.41
1:A:578:TRP:CD1	1:A:594:PRO:HB2	2.55	0.41

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:821:ARG:HH12	1:A:854:GLY:HA3	1.85	0.41
1:B:471:GLU:OE2	1:B:591:PRO:HD2	2.20	0.41
1:B:519:ILE:O	1:B:519:ILE:HG12	2.20	0.41
1:B:585:TYR:O	1:B:589:ASN:HA	2.20	0.41
1:B:711:LYS:HA	1:B:711:LYS:HD2	1.72	0.41
1:B:845:ALA:O	1:B:849:VAL:HG23	2.18	0.41
1:A:502:LEU:HA	1:A:505:MET:HE3	2.01	0.41
1:B:436:LEU:N	1:B:437:PRO:CD	2.83	0.41
1:B:777:LEU:HD12	1:B:777:LEU:HA	1.88	0.41
1:A:273:LYS:HG2	5:A:1079:HOH:O	2.20	0.41
1:A:487:GLU:HG3	1:A:488:GLN:N	2.35	0.41
1:B:262:GLN:HA	1:B:267:PRO:HA	2.03	0.41
1:B:408:GLN:O	1:B:410:LYS:HE2	2.19	0.41
1:B:856:LEU:CB	1:B:862:ILE:HG13	2.51	0.41
1:A:569:ILE:HD12	1:B:231:GLY:C	2.40	0.41
1:A:884:ARG:NH2	1:B:770:ASP:OD2	2.54	0.41
1:B:511:ILE:HD12	1:B:515:LEU:HD21	2.02	0.41
1:A:471:GLU:HG2	5:A:1116:HOH:O	2.20	0.41
1:B:91:MET:O	1:B:95:ARG:HG3	2.20	0.41
1:B:317:THR:HB	1:B:322:TYR:CE2	2.55	0.41
1:B:664:TYR:CD1	1:B:701:MET:HB2	2.56	0.41
1:A:92:THR:HG22	1:A:438:TYR:HE1	1.85	0.41
1:A:711:LYS:HD3	5:A:1067:HOH:O	2.20	0.41
1:B:189:PHE:HA	1:B:190:PRO:HD3	1.78	0.41
1:B:196:LEU:HA	1:B:199:ILE:HD11	2.02	0.41
1:B:405:ILE:H	1:B:405:ILE:HG13	1.73	0.41
1:A:87:TRP:CD2	1:A:426:VAL:HG11	2.56	0.41
1:A:87:TRP:CE3	1:A:420:ILE:HD11	2.56	0.41
1:A:550:ARG:HD3	1:A:550:ARG:O	2.20	0.41
1:B:128:ARG:CG	1:B:128:ARG:NH1	2.83	0.41
1:B:177:TYR:CG	1:B:192:VAL:HG11	2.55	0.41
1:B:348:VAL:HA	1:B:351:TRP:CD1	2.56	0.41
1:B:567:GLU:HG3	1:B:574:ALA:HA	2.03	0.41
1:B:716:LEU:HD13	1:B:739:ARG:CZ	2.51	0.41
1:B:164:ASN:CB	1:B:173:GLY:HA2	2.50	0.41
1:A:410:LYS:HE3	1:A:410:LYS:HB3	1.84	0.40
1:A:716:LEU:HD13	1:A:739:ARG:CZ	2.52	0.40
1:A:768:GLY:HA2	1:A:786:PRO:HB3	2.02	0.40
1:B:81:ILE:HA	1:B:441:PHE:CZ	2.57	0.40
1:B:214:ARG:HD3	5:B:1098:HOH:O	2.20	0.40
1:A:158:THR:OG1	1:A:160:GLU:CD	2.59	0.40

*Continued on next page...*



Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:627:THR:HB	1:A:633:LEU:HD13	2.03	0.40
1:A:726:VAL:O	1:A:753:SER:HA	2.22	0.40
1:A:177:TYR:HB2	1:A:192:VAL:HG21	2.04	0.40
1:A:263:ARG:HD2	1:B:521:ASP:CG	2.42	0.40
1:A:341:TYR:HB2	1:A:344:THR:OG1	2.21	0.40
1:A:385:VAL:HG13	1:A:385:VAL:O	2.22	0.40
1:B:90:ILE:HG23	1:B:94:LEU:HD22	2.02	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	829/886 (94%)	785 (95%)	40 (5%)	4 (0%)	29 26
1	B	829/886 (94%)	790 (95%)	38 (5%)	1 (0%)	51 54
All	All	1658/1772 (94%)	1575 (95%)	78 (5%)	5 (0%)	41 41

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	553	VAL
1	A	347	LEU
1	A	550	ARG
1	A	398	ASP
1	B	400	ALA

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	691/735 (94%)	624 (90%)	67 (10%)	8	5
1	B	691/735 (94%)	634 (92%)	57 (8%)	11	8
All	All	1382/1470 (94%)	1258 (91%)	124 (9%)	9	6

All (124) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	65	VAL
1	A	66	GLU
1	A	97	SER
1	A	98	LYS
1	A	126	ARG
1	A	150	ARG
1	A	153	LEU
1	A	160	GLU
1	A	168	GLU
1	A	192	VAL
1	A	216	LEU
1	A	274	ILE
1	A	278	LEU
1	A	297	ARG
1	A	300	GLU
1	A	302	LEU
1	A	306	THR
1	A	323	GLN
1	A	328	LYS
1	A	335	GLU
1	A	340	LYS
1	A	343	GLU
1	A	350	ASP
1	A	354	GLU
1	A	367	LYS
1	A	375	LYS
1	A	382	LYS
1	A	410	LYS
1	A	418	ARG
1	A	420	ILE
1	A	428	VAL
1	A	443	GLU
1	A	446	GLU

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	A	457	LYS
1	A	464	SER
1	A	472	LYS
1	A	486	GLU
1	A	487	GLU
1	A	506	LEU
1	A	507	LYS
1	A	512	LYS
1	A	521	ASP
1	A	531	LEU
1	A	533	ARG
1	A	546	THR
1	A	550	ARG
1	A	551	GLU
1	A	553	VAL
1	A	555	TYR
1	A	560	GLU
1	A	561	LYS
1	A	564	ILE
1	A	638	LEU
1	A	680	GLU
1	A	681	LYS
1	A	685	VAL
1	A	692	LEU
1	A	703	GLU
1	A	818	ASP
1	A	819	ASP
1	A	826	ASP
1	A	835	GLU
1	A	863	ASP
1	A	864	LYS
1	A	865	LYS
1	A	873	LYS
1	A	880	LYS
1	B	60	ILE
1	B	65	VAL
1	B	67	GLU
1	B	68	GLN
1	B	94	LEU
1	B	98	LYS
1	B	128	ARG
1	B	153	LEU

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	B	168	GLU
1	B	192	VAL
1	B	199	ILE
1	B	244	ILE
1	B	264	LEU
1	B	274	ILE
1	B	278	LEU
1	B	297	ARG
1	B	303	ARG
1	B	306	THR
1	B	309	LYS
1	B	326	LYS
1	B	328	LYS
1	B	334	ARG
1	B	385	VAL
1	B	398	ASP
1	B	401	GLU
1	B	403	LYS
1	B	411	LYS
1	B	428	VAL
1	B	430	ASP
1	B	456	GLN
1	B	475	LEU
1	B	479	GLN
1	B	484	LEU
1	B	490	LYS
1	B	506	LEU
1	B	512	LYS
1	B	519	ILE
1	B	550	ARG
1	B	560	GLU
1	B	577	SER
1	B	610	LEU
1	B	623	LEU
1	B	638	LEU
1	B	711	LYS
1	B	718	THR
1	B	720	GLU
1	B	777	LEU
1	B	784	ARG
1	B	814	TYR
1	B	818	ASP

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	843	VAL
1	B	858	LYS
1	B	859	ARG
1	B	861	GLU
1	B	862	ILE
1	B	864	LYS
1	B	873	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (10) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	106	HIS
1	A	131	GLN
1	A	159	GLN
1	A	419	HIS
1	A	466	GLN
1	A	552	GLN
1	A	737	HIS
1	B	106	HIS
1	B	448	HIS
1	B	737	HIS

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

Of 9 ligands modelled in this entry, 2 are monoatomic - leaving 7 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
3	PO4	A	890	-	4,4,4	0.88	0	6,6,6	0.83	0
3	PO4	A	889	-	4,4,4	0.85	0	6,6,6	0.86	0
4	TDK	A	887	2	29,35,35	1.74	4 (13%)	36,55,55	1.72	8 (22%)
3	PO4	B	890	-	4,4,4	1.14	0	6,6,6	0.77	0
4	TDK	B	887	2	29,35,35	1.67	5 (17%)	36,55,55	1.77	8 (22%)
3	PO4	B	891	-	4,4,4	1.01	0	6,6,6	0.84	0
3	PO4	B	889	-	4,4,4	1.10	0	6,6,6	0.67	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	TDK	A	887	2	-	4/26/35/35	0/2/2/2
4	TDK	B	887	2	-	4/26/35/35	0/2/2/2

All (9) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	887	TDK	C6-C5	-4.70	1.48	1.50
4	B	887	TDK	PC-OM3	-4.48	1.47	1.56
4	A	887	TDK	PC-OM3	-4.42	1.47	1.56
4	B	887	TDK	C6-C5	-3.58	1.49	1.50
4	B	887	TDK	PB-O1B	3.15	1.60	1.50
4	A	887	TDK	PB-O1B	3.12	1.60	1.50
4	A	887	TDK	C6'-C5'	-2.77	1.32	1.37
4	B	887	TDK	C6'-C5'	-2.55	1.32	1.37
4	B	887	TDK	PC-OM4	-2.10	1.47	1.51

All (16) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	B	887	TDK	OM4-PC-CMA	-4.85	108.59	113.53
4	A	887	TDK	OM4-PC-CMA	-4.48	108.97	113.53
4	A	887	TDK	C6-C5-C4	4.36	130.94	127.43
4	B	887	TDK	C6-C5-C4	4.34	130.92	127.43
4	B	887	TDK	PA-O3A-PB	-3.07	122.28	132.83
4	B	887	TDK	O3B-PB-O2B	2.90	118.70	107.64
4	A	887	TDK	O3B-PB-O2B	2.87	118.60	107.64
4	A	887	TDK	C6'-N1'-C2'	2.68	120.52	115.96
4	B	887	TDK	C6'-N1'-C2'	2.53	120.28	115.96
4	A	887	TDK	PA-O3A-PB	-2.51	124.22	132.83
4	B	887	TDK	C5-C4-N3	2.51	112.90	107.66
4	A	887	TDK	C5-C4-N3	2.43	112.73	107.66
4	B	887	TDK	OM2-PC-OM4	-2.42	109.34	114.58
4	A	887	TDK	OM2-PC-OM4	-2.42	109.35	114.58
4	B	887	TDK	OM3-PC-OM4	2.35	117.01	111.34
4	A	887	TDK	OM3-PC-OM4	2.25	116.78	111.34

There are no chirality outliers.

All (8) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	A	887	TDK	PA-O3A-PB-O2B
4	A	887	TDK	C4-C5-C6-C7
4	B	887	TDK	PA-O3A-PB-O2B
4	B	887	TDK	C4-C5-C6-C7
4	A	887	TDK	CMC-OM2-PC-OM4
4	B	887	TDK	CMC-OM2-PC-OM4
4	A	887	TDK	CMC-OM2-PC-CMA
4	B	887	TDK	CMC-OM2-PC-CMA


There are no ring outliers.

4 monomers are involved in 8 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	887	TDK	2	0
3	B	890	PO4	1	0
4	B	887	TDK	4	0
3	B	889	PO4	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will

also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	831/886 (93%)	-0.20	16 (1%) 66 71	2, 8, 29, 43	0
1	B	831/886 (93%)	-0.25	6 (0%) 87 89	2, 6, 24, 37	0
All	All	1662/1772 (93%)	-0.23	22 (1%) 77 80	2, 7, 28, 43	0

All (22) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	541	ASN	3.4
1	A	351	TRP	3.2
1	A	552	GLN	3.1
1	A	352	THR	2.9
1	A	341	TYR	2.9
1	B	551	GLU	2.8
1	B	862	ILE	2.8
1	A	550	ARG	2.8
1	A	555	TYR	2.8
1	A	354	GLU	2.7
1	A	349	ALA	2.6
1	B	818	ASP	2.4
1	A	342	PRO	2.4
1	A	549	ASP	2.4
1	A	350	ASP	2.3
1	B	430	ASP	2.2
1	A	551	GLU	2.2
1	A	304	LYS	2.2
1	A	875	ASN	2.1
1	B	414	MET	2.1
1	A	301	LEU	2.1
1	B	546	THR	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
2	MG	B	888	1/1	0.95	0.15	13,13,13,13	0
3	PO4	A	890	5/5	0.96	0.10	23,24,25,28	0
3	PO4	B	889	5/5	0.96	0.11	15,18,20,20	0
3	PO4	B	890	5/5	0.96	0.14	23,24,25,27	0
3	PO4	A	889	5/5	0.97	0.10	12,13,14,16	0
2	MG	A	888	1/1	0.97	0.16	10,10,10,10	0
3	PO4	B	891	5/5	0.97	0.12	24,24,27,28	0
4	TDK	A	887	34/34	0.97	0.11	2,3,13,14	0
4	TDK	B	887	34/34	0.97	0.10	4,7,15,16	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

**Electron density around TDK A 887:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)





## 6.5 Other polymers [i](#)

There are no such residues in this entry.