



wwPDB X-ray Structure Validation Summary Report ⓘ

Mar 5, 2024 – 01:17 PM EST

PDB ID : 2G9T
Title : Crystal structure of the SARS coronavirus nsp10 at 2.1A
Authors : Su, D.; Lou, Z.; Yang, H.; Sun, F.; Rao, Z.
Deposited on : 2006-03-07
Resolution : 2.10 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Xtriage (Phenix) : 1.13
EDS : 2.36
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	5197 (2.10-2.10)
Clashscore	141614	5710 (2.10-2.10)
Ramachandran outliers	138981	5647 (2.10-2.10)
Sidechain outliers	138945	5648 (2.10-2.10)
RSRZ outliers	127900	5083 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	152	<div style="display: flex; align-items: center;"> <div style="width: 2%; height: 10px; background-color: red; margin-right: 2px;"></div> <div style="width: 70%; height: 10px; background-color: green; margin-right: 2px;"></div> <div style="width: 5%; height: 10px; background-color: yellow; margin-right: 2px;"></div> <div style="width: 22%; height: 10px; background-color: grey; margin-right: 2px;"></div> </div> <p style="margin-left: 20px;">72% 5% • 22%</p>
1	B	152	<div style="display: flex; align-items: center;"> <div style="width: 3%; height: 10px; background-color: red; margin-right: 2px;"></div> <div style="width: 62%; height: 10px; background-color: green; margin-right: 2px;"></div> <div style="width: 10%; height: 10px; background-color: yellow; margin-right: 2px;"></div> <div style="width: 22%; height: 10px; background-color: grey; margin-right: 2px;"></div> </div> <p style="margin-left: 20px;">65% 10% • 22%</p>
1	C	152	<div style="display: flex; align-items: center;"> <div style="width: 3%; height: 10px; background-color: red; margin-right: 2px;"></div> <div style="width: 57%; height: 10px; background-color: green; margin-right: 2px;"></div> <div style="width: 16%; height: 10px; background-color: yellow; margin-right: 2px;"></div> <div style="width: 22%; height: 10px; background-color: grey; margin-right: 2px;"></div> </div> <p style="margin-left: 20px;">60% 16% • 22%</p>
1	D	152	<div style="display: flex; align-items: center;"> <div style="width: 4%; height: 10px; background-color: red; margin-right: 2px;"></div> <div style="width: 51%; height: 10px; background-color: green; margin-right: 2px;"></div> <div style="width: 19%; height: 10px; background-color: yellow; margin-right: 2px;"></div> <div style="width: 22%; height: 10px; background-color: grey; margin-right: 2px;"></div> </div> <p style="margin-left: 20px;">55% 19% • 22%</p>
1	E	152	<div style="display: flex; align-items: center;"> <div style="width: 3%; height: 10px; background-color: red; margin-right: 2px;"></div> <div style="width: 53%; height: 10px; background-color: green; margin-right: 2px;"></div> <div style="width: 18%; height: 10px; background-color: yellow; margin-right: 2px;"></div> <div style="width: 22%; height: 10px; background-color: grey; margin-right: 2px;"></div> </div> <p style="margin-left: 20px;">56% 18% • • 22%</p>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	152	 3% 61% 15% • 22%
1	G	152	 4% 61% 12% •• 22%
1	H	152	 5% 68% 7% •• 22%
1	I	152	 3% 62% 14% • 22%
1	J	152	 3% 61% 16% • 22%
1	K	152	 2% 59% 16% • 22%
1	L	152	 3% 65% 9% • 22%
1	M	152	 3% 56% 18% • 22%
1	N	152	 4% 66% 11% • 22%
1	O	152	 5% 58% 18% • 22%
1	P	152	 3% 65% 10% • 22%
1	Q	152	 3% 60% 16% • 22%
1	R	152	 2% 61% 14% • 22%
1	S	152	 3% 65% 9% •• 22%
1	T	152	 5% 62% 12% •• 22%
1	U	152	 5% 62% 12% •• 24%
1	V	152	 5% 59% 14% • 24%
1	W	152	 3% 65% 11% • 22%
1	X	152	 5% 56% 19% • 22%

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 22470 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called orfla polyprotein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	118	Total 873	C 544	N 147	O 167	S 15	0	0	0
1	B	119	Total 880	C 549	N 148	O 168	S 15	0	0	0
1	C	118	Total 873	C 544	N 147	O 167	S 15	0	0	0
1	D	118	Total 873	C 544	N 147	O 167	S 15	0	0	0
1	E	118	Total 873	C 544	N 147	O 167	S 15	0	0	0
1	F	117	Total 863	C 538	N 144	O 166	S 15	0	0	0
1	G	118	Total 873	C 544	N 147	O 167	S 15	0	0	0
1	H	118	Total 873	C 544	N 147	O 167	S 15	0	0	0
1	I	118	Total 873	C 544	N 147	O 167	S 15	0	0	0
1	J	118	Total 873	C 544	N 147	O 167	S 15	0	0	0
1	K	118	Total 873	C 544	N 147	O 167	S 15	0	0	0
1	L	118	Total 873	C 544	N 147	O 167	S 15	0	0	0
1	M	118	Total 873	C 544	N 147	O 167	S 15	0	0	0
1	N	118	Total 873	C 544	N 147	O 167	S 15	0	0	0
1	O	118	Total 873	C 544	N 147	O 167	S 15	0	0	0
1	P	118	Total 873	C 544	N 147	O 167	S 15	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	Q	118	Total	C	N	O	S	0	0	0
			873	544	147	167	15			
1	R	118	Total	C	N	O	S	0	0	0
			873	544	147	167	15			
1	S	118	Total	C	N	O	S	0	0	0
			873	544	147	167	15			
1	T	118	Total	C	N	O	S	0	0	0
			873	544	147	167	15			
1	U	116	Total	C	N	O	S	0	0	0
			856	534	143	164	15			
1	V	116	Total	C	N	O	S	0	0	0
			856	534	143	164	15			
1	W	118	Total	C	N	O	S	0	0	0
			873	544	147	167	15			
1	X	118	Total	C	N	O	S	0	0	0
			873	544	147	167	15			

- Molecule 2 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	2	Total	Zn	0	0
			2	2		
2	B	2	Total	Zn	0	0
			2	2		
2	C	2	Total	Zn	0	0
			2	2		
2	D	2	Total	Zn	0	0
			2	2		
2	E	2	Total	Zn	0	0
			2	2		
2	F	2	Total	Zn	0	0
			2	2		
2	G	2	Total	Zn	0	0
			2	2		
2	H	2	Total	Zn	0	0
			2	2		
2	I	2	Total	Zn	0	0
			2	2		
2	J	2	Total	Zn	0	0
			2	2		
2	K	2	Total	Zn	0	0
			2	2		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	L	2	Total 2	Zn 2	0	0
2	M	2	Total 2	Zn 2	0	0
2	N	2	Total 2	Zn 2	0	0
2	O	2	Total 2	Zn 2	0	0
2	P	2	Total 2	Zn 2	0	0
2	Q	2	Total 2	Zn 2	0	0
2	R	2	Total 2	Zn 2	0	0
2	S	2	Total 2	Zn 2	0	0
2	T	2	Total 2	Zn 2	0	0
2	U	2	Total 2	Zn 2	0	0
2	V	2	Total 2	Zn 2	0	0
2	W	2	Total 2	Zn 2	0	0
2	X	2	Total 2	Zn 2	0	0

- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	69	Total 69	O 69	0	0
3	B	59	Total 59	O 59	0	0
3	C	66	Total 66	O 66	0	0
3	D	63	Total 63	O 63	0	0
3	E	63	Total 63	O 63	0	0
3	F	58	Total 58	O 58	0	0

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	G	65	Total O 65 65	0	0
3	H	59	Total O 59 59	0	0
3	I	55	Total O 55 55	0	0
3	J	73	Total O 73 73	0	0
3	K	71	Total O 71 71	0	0
3	L	71	Total O 71 71	0	0
3	M	74	Total O 74 74	0	0
3	N	51	Total O 51 51	0	0
3	O	45	Total O 45 45	0	0
3	P	58	Total O 58 58	0	0
3	Q	81	Total O 81 81	0	0
3	R	61	Total O 61 61	0	0
3	S	67	Total O 67 67	0	0
3	T	62	Total O 62 62	0	0
3	U	77	Total O 77 77	0	0
3	V	49	Total O 49 49	0	0
3	W	45	Total O 45 45	0	0
3	X	65	Total O 65 65	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: orf1a polypeptide





- Molecule 1: orf1a polypeptide




- Molecule 1: orf1a polypeptide




- Molecule 1: orf1a polypeptide



- Molecule 1: orf1a polyprotein




- Molecule 1: orf1a polyprotein




- Molecule 1: orf1a polyprotein




- Molecule 1: orf1a polyprotein




- Molecule 1: orf1a polyprotein




• Molecule 1: orf1a polyprotein




• Molecule 1: orf1a polyprotein




• Molecule 1: orf1a polyprotein



• Molecule 1: orf1a polyprotein




• Molecule 1: orf1a polyprotein




SER
ALA
ASP
ALA
ALA
SER
THR
PHE
LEU
ASN
GLY
PHE
ALA
VAL

• Molecule 1: orf1a polyprotein



• Molecule 1: orf1a polyprotein



LEU
MET
GLN
SER
ALA
ALA
SER
THR
PHE
PHE
VAL

• Molecule 1: orf1a polyprotein




LEU
ARG
GLU
PRO
MET
LEU
GLN
SER
ALA
ASP
SER
THR
PHE
LEU
ASN
GLY
PHE
ALA
VAL

• Molecule 1: orf1a polyprotein



ARG
GLU
PRO
LEU
MET
GLN
SER
ALA
ASP
SER
THR
PHE
LEU
ASN
GLY
PHE
VAL

• Molecule 1: orf1a polyprotein



ALA
SER
THR
PHE
LEU
LEU
ASN
GLY
PHE
ALA
VAL

• Molecule 1: orf1a polyprotein



ALA
GLY
ASN
ALA
THR
GLU
VAL
PRO
A9
N10
F16
G34
N40
T47
H48
G52
P59
M63
D64
Q65
E66
C73
R78
P84
N85
PRO
LYS
GLY
F89
C90
K93
M105
D106
R113
C117
T118
Y119
G121
M122
W123
K124
C128
S129
CYS

ASP
GLN
LEU
ARG
ALA
GLU
PRO
LEU
MET
GLN
SER
ALA
SER
THR
PHE
LEU
LEU
ASN
GLY
PHE
ALA
VAL

• Molecule 1: orf1a polyprotein



ALA
GLY
ASN
ALA
THR
GLU
VAL
PRO
A9
N10
F16
K25
M40
C41
V42
L45
C46
T47
HIS
THR
G50
Q53
M63
S72
Y76
C77
R78
H83
R84
N85
PRO
LYS
GLY
F89
C90
M105
F110
T111
I112
R113
M122
W123
K124
S128
CYS
ASP
GLN

LEU
ARG
GLU
PRO
LEU
MET
GLN
SER
ALA
SER
THR
PHE
LEU
ASN
GLY
PHE
ALA
VAL

• Molecule 1: orf1a polyprotein



ALA
GLY
ASN
ALA
THR
GLU
VAL
PRO
A9
T39
V42
K43
C46
THR
HIS
T49
G52
A61
M62
M63
S67
F68
G69
G70
A71
S72
C73
C74
C77
R78
H83
P84
N85
PRO
LYS
GLY
F89
C90
L92
G109
R113
C120
G121
M122
W123
K124
G125
Y126

G127
C128
S129
CYS
ASP
GLN
LEU
ARG
LEU
PRO
MET
SER
SER
ALA
ASP
ALA
SER
THR
PHE
LEU
ASN
GLY
PHE
ALA
VAL

• Molecule 1: orf1a polyprotein




ALA
GLY
ASN
ALA
THR
GLU
VAL
PRO
A9
F16
V21
T39
N40
C41
V42
Q53
E60
S72
R78
D82
H83
P84
N85
PRO
LYS
GLY
F89
C90
L92
V97
Q98
I99
M122
W123
K124
S129
CYS
ASP
GLN
LEU
ARG
GLU
PRO
LEU
MET
SER
SER
ALA

ASP
ALA
SER
THR
PHE
LEU
ASN
GLY
PHE
ALA
VAL

• Molecule 1: orf1a polyprotein



ALA
GLY
ASN
ALA
THR
GLU
VAL
PRO
A9
F16
Q36
T39
N40
C41
V42
K43
M44
T49
G52
Q53
M62
M63
D64
Q65
F68
S72
C73
R78
H83
P84
N85
PRO
LYS
GLY
F89
D91
C90
L92
V97
Q98
I99
P100
M105
T111
L112
R113



4 Data and refinement statistics

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, α , β , γ	159.11Å 321.83Å 161.96Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	50.00 – 2.10 49.80 – 2.00	Depositor EDS
% Data completeness (in resolution range)	(Not available) (50.00-2.10) 97.4 (49.80-2.00)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.84 (at 2.00Å)	Xtrriage
Refinement program	CNS 1.1	Depositor
R, R_{free}	0.217 , 0.247 0.221 , 0.251	Depositor DCC
R_{free} test set	25972 reflections (4.84%)	wwPDB-VP
Wilson B-factor (Å ²)	27.5	Xtrriage
Anisotropy	0.059	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.42 , 56.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	22470	wwPDB-VP
Average B, all atoms (Å ²)	32.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 17.52% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section:
ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.65	0/892	0.82	1/1211 (0.1%)
1	B	0.63	0/900	0.82	1/1222 (0.1%)
1	C	0.61	0/892	0.84	3/1211 (0.2%)
1	D	0.63	0/892	0.86	2/1211 (0.2%)
1	E	0.68	1/892 (0.1%)	0.82	1/1211 (0.1%)
1	F	0.60	0/880	0.79	1/1193 (0.1%)
1	G	0.66	1/892 (0.1%)	0.90	3/1211 (0.2%)
1	H	0.62	0/892	0.81	1/1211 (0.1%)
1	I	0.66	0/892	0.87	3/1211 (0.2%)
1	J	0.65	0/892	0.87	3/1211 (0.2%)
1	K	0.61	0/892	0.89	2/1211 (0.2%)
1	L	0.67	1/892 (0.1%)	0.86	1/1211 (0.1%)
1	M	0.66	0/892	0.89	3/1211 (0.2%)
1	N	0.58	0/892	0.79	1/1211 (0.1%)
1	O	0.57	0/892	0.77	1/1211 (0.1%)
1	P	0.61	0/892	0.78	0/1211
1	Q	0.67	0/892	0.83	2/1211 (0.2%)
1	R	0.64	0/892	0.82	1/1211 (0.1%)
1	S	0.64	1/892 (0.1%)	0.77	0/1211
1	T	0.70	1/892 (0.1%)	0.86	2/1211 (0.2%)
1	U	0.64	0/873	0.84	2/1183 (0.2%)
1	V	0.60	0/873	0.83	2/1183 (0.2%)
1	W	0.62	0/892	0.88	2/1211 (0.2%)
1	X	0.68	0/892	0.95	5/1211 (0.4%)
All	All	0.64	5/21366 (0.0%)	0.84	43/29001 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	E	0	1
1	G	0	1
1	H	0	1
1	M	0	1
1	O	0	1
1	Q	0	1
All	All	0	7

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	T	120	CYS	CB-SG	-9.17	1.66	1.82
1	E	73	CYS	CB-SG	-8.22	1.68	1.82
1	S	46	CYS	CB-SG	7.25	1.94	1.82
1	L	73	CYS	CB-SG	-6.80	1.70	1.82
1	G	46	CYS	CB-SG	5.68	1.92	1.82

The worst 5 of 43 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	K	78	ARG	NE-CZ-NH2	-11.94	114.33	120.30
1	I	78	ARG	NE-CZ-NH2	-11.20	114.70	120.30
1	G	78	ARG	NE-CZ-NH2	-11.14	114.73	120.30
1	W	78	ARG	NE-CZ-NH2	-10.43	115.08	120.30
1	M	78	ARG	NE-CZ-NH2	-10.17	115.21	120.30

There are no chirality outliers.

5 of 7 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	96	TYR	Sidechain
1	E	76	TYR	Sidechain
1	G	76	TYR	Sidechain
1	H	76	TYR	Sidechain
1	M	76	TYR	Sidechain

5.2 Too-close contacts [\(i\)](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within

the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	873	0	829	7	0
1	B	880	0	837	19	0
1	C	873	0	829	27	0
1	D	873	0	829	37	0
1	E	873	0	829	30	0
1	F	863	0	821	30	0
1	G	873	0	829	27	0
1	H	873	0	829	13	0
1	I	873	0	829	21	0
1	J	873	0	829	20	0
1	K	873	0	829	30	0
1	L	873	0	829	19	0
1	M	873	0	829	32	0
1	N	873	0	829	10	0
1	O	873	0	829	23	0
1	P	873	0	829	25	0
1	Q	873	0	829	26	0
1	R	873	0	829	23	0
1	S	873	0	829	30	0
1	T	873	0	829	33	0
1	U	856	0	814	26	0
1	V	856	0	814	17	0
1	W	873	0	829	14	0
1	X	873	0	829	32	0
2	A	2	0	0	0	0
2	B	2	0	0	0	0
2	C	2	0	0	0	0
2	D	2	0	0	0	0
2	E	2	0	0	0	0
2	F	2	0	0	0	0
2	G	2	0	0	0	0
2	H	2	0	0	0	0
2	I	2	0	0	0	0
2	J	2	0	0	0	0
2	K	2	0	0	0	0
2	L	2	0	0	0	0
2	M	2	0	0	0	0
2	N	2	0	0	0	0
2	O	2	0	0	0	0
2	P	2	0	0	0	0
2	Q	2	0	0	0	0
2	R	2	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	S	2	0	0	0	0
2	T	2	0	0	0	0
2	U	2	0	0	0	0
2	V	2	0	0	0	0
2	W	2	0	0	0	0
2	X	2	0	0	0	0
3	A	69	0	0	4	0
3	B	59	0	0	4	0
3	C	66	0	0	5	0
3	D	63	0	0	4	0
3	E	63	0	0	8	0
3	F	58	0	0	6	0
3	G	65	0	0	12	0
3	H	59	0	0	2	0
3	I	55	0	0	8	0
3	J	73	0	0	5	0
3	K	71	0	0	15	0
3	L	71	0	0	0	0
3	M	74	0	0	11	0
3	N	51	0	0	1	0
3	O	45	0	0	7	0
3	P	58	0	0	11	0
3	Q	81	0	0	8	0
3	R	61	0	0	9	0
3	S	67	0	0	13	0
3	T	62	0	0	10	0
3	U	77	0	0	13	0
3	V	49	0	0	6	0
3	W	45	0	0	0	0
3	X	65	0	0	10	0
All	All	22470	0	19866	552	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 14.

The worst 5 of 552 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:47:THR:HG23	1:B:49:THR:H	1.14	1.08
1:P:14:LEU:HD11	1:P:78:ARG:HH12	1.22	1.00
1:S:72:SER:HB3	3:S:1026:HOH:O	1.63	0.99

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:Q:43:LYS:HD3	3:Q:1031:HOH:O	1.63	0.99
1:S:40:ASN:HB2	1:S:78:ARG:HH22	1.32	0.94

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	114/152 (75%)	110 (96%)	4 (4%)	0	100	100
1	B	115/152 (76%)	109 (95%)	5 (4%)	1 (1%)	17	12
1	C	114/152 (75%)	110 (96%)	3 (3%)	1 (1%)	17	12
1	D	114/152 (75%)	109 (96%)	4 (4%)	1 (1%)	17	12
1	E	114/152 (75%)	107 (94%)	5 (4%)	2 (2%)	8	4
1	F	111/152 (73%)	104 (94%)	6 (5%)	1 (1%)	17	12
1	G	114/152 (75%)	109 (96%)	4 (4%)	1 (1%)	17	12
1	H	114/152 (75%)	107 (94%)	6 (5%)	1 (1%)	17	12
1	I	114/152 (75%)	107 (94%)	7 (6%)	0	100	100
1	J	114/152 (75%)	111 (97%)	3 (3%)	0	100	100
1	K	114/152 (75%)	107 (94%)	6 (5%)	1 (1%)	17	12
1	L	114/152 (75%)	110 (96%)	3 (3%)	1 (1%)	17	12
1	M	114/152 (75%)	110 (96%)	2 (2%)	2 (2%)	8	4
1	N	114/152 (75%)	110 (96%)	4 (4%)	0	100	100
1	O	114/152 (75%)	105 (92%)	8 (7%)	1 (1%)	17	12
1	P	114/152 (75%)	107 (94%)	6 (5%)	1 (1%)	17	12
1	Q	114/152 (75%)	109 (96%)	4 (4%)	1 (1%)	17	12
1	R	114/152 (75%)	110 (96%)	3 (3%)	1 (1%)	17	12

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	S	114/152 (75%)	108 (95%)	5 (4%)	1 (1%)	17	12
1	T	114/152 (75%)	110 (96%)	3 (3%)	1 (1%)	17	12
1	U	110/152 (72%)	105 (96%)	4 (4%)	1 (1%)	17	12
1	V	110/152 (72%)	103 (94%)	6 (6%)	1 (1%)	17	12
1	W	114/152 (75%)	109 (96%)	4 (4%)	1 (1%)	17	12
1	X	114/152 (75%)	109 (96%)	4 (4%)	1 (1%)	17	12
All	All	2726/3648 (75%)	2595 (95%)	109 (4%)	22 (1%)	19	15

5 of 22 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	E	49	THR
1	H	84	PRO
1	P	84	PRO
1	S	84	PRO
1	T	84	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	97/123 (79%)	96 (99%)	1 (1%)	76	82
1	B	98/123 (80%)	94 (96%)	4 (4%)	30	31
1	C	97/123 (79%)	95 (98%)	2 (2%)	53	59
1	D	97/123 (79%)	94 (97%)	3 (3%)	40	43
1	E	97/123 (79%)	91 (94%)	6 (6%)	18	15
1	F	96/123 (78%)	94 (98%)	2 (2%)	53	59
1	G	97/123 (79%)	91 (94%)	6 (6%)	18	15
1	H	97/123 (79%)	94 (97%)	3 (3%)	40	43
1	I	97/123 (79%)	92 (95%)	5 (5%)	23	21
1	J	97/123 (79%)	96 (99%)	1 (1%)	76	82

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	K	97/123 (79%)	93 (96%)	4 (4%)	30	31
1	L	97/123 (79%)	94 (97%)	3 (3%)	40	43
1	M	97/123 (79%)	92 (95%)	5 (5%)	23	21
1	N	97/123 (79%)	95 (98%)	2 (2%)	53	59
1	O	97/123 (79%)	97 (100%)	0	100	100
1	P	97/123 (79%)	91 (94%)	6 (6%)	18	15
1	Q	97/123 (79%)	93 (96%)	4 (4%)	30	31
1	R	97/123 (79%)	93 (96%)	4 (4%)	30	31
1	S	97/123 (79%)	91 (94%)	6 (6%)	18	15
1	T	97/123 (79%)	92 (95%)	5 (5%)	23	21
1	U	95/123 (77%)	91 (96%)	4 (4%)	30	30
1	V	95/123 (77%)	92 (97%)	3 (3%)	39	41
1	W	97/123 (79%)	94 (97%)	3 (3%)	40	43
1	X	97/123 (79%)	94 (97%)	3 (3%)	40	43
All	All	2324/2952 (79%)	2239 (96%)	85 (4%)	34	35

5 of 85 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	R	44	MET
1	T	124	LYS
1	R	101	THR
1	S	105	ASN
1	U	124	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 59 such sidechains are listed below:

Mol	Chain	Res	Type
1	M	53	GLN
1	X	40	ASN
1	O	105	ASN
1	W	105	ASN
1	U	105	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 48 ligands modelled in this entry, 48 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	118/152 (77%)	0.07	2 (1%) 70 74	22, 28, 42, 54	0
1	B	119/152 (78%)	0.23	5 (4%) 36 42	21, 31, 44, 59	0
1	C	118/152 (77%)	0.22	4 (3%) 45 51	23, 31, 45, 59	0
1	D	118/152 (77%)	0.26	6 (5%) 28 33	21, 31, 47, 63	0
1	E	118/152 (77%)	0.25	4 (3%) 45 51	22, 31, 50, 61	0
1	F	117/152 (76%)	0.25	4 (3%) 45 51	24, 32, 46, 57	0
1	G	118/152 (77%)	0.28	6 (5%) 28 33	20, 29, 44, 59	0
1	H	118/152 (77%)	0.27	8 (6%) 17 21	23, 31, 47, 63	0
1	I	118/152 (77%)	0.14	4 (3%) 45 51	20, 27, 43, 52	0
1	J	118/152 (77%)	0.23	5 (4%) 36 42	22, 29, 44, 57	0
1	K	118/152 (77%)	0.21	3 (2%) 57 62	21, 31, 45, 62	0
1	L	118/152 (77%)	0.14	5 (4%) 36 42	20, 28, 41, 58	0
1	M	118/152 (77%)	0.22	4 (3%) 45 51	21, 29, 43, 60	0
1	N	118/152 (77%)	0.20	6 (5%) 28 33	25, 33, 46, 53	0
1	O	118/152 (77%)	0.36	7 (5%) 22 27	28, 37, 49, 62	0
1	P	118/152 (77%)	0.21	4 (3%) 45 51	23, 31, 44, 59	0
1	Q	118/152 (77%)	0.14	4 (3%) 45 51	18, 28, 42, 60	0
1	R	118/152 (77%)	0.09	3 (2%) 57 62	20, 28, 43, 62	0
1	S	118/152 (77%)	0.26	5 (4%) 36 42	24, 32, 45, 59	0
1	T	118/152 (77%)	0.29	7 (5%) 22 27	22, 31, 47, 58	0
1	U	116/152 (76%)	0.22	7 (6%) 21 27	19, 28, 47, 65	0
1	V	116/152 (76%)	0.44	8 (6%) 16 21	28, 34, 51, 61	0
1	W	118/152 (77%)	0.25	4 (3%) 45 51	22, 30, 45, 63	0
1	X	118/152 (77%)	0.27	8 (6%) 17 21	20, 28, 45, 59	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
All	All	2828/3648 (77%)	0.23	123 (4%) 35 41	18, 31, 46, 65	0

The worst 5 of 123 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	W	89	PHE	9.2
1	X	89	PHE	8.5
1	V	89	PHE	8.1
1	D	85	ASN	8.0
1	M	89	PHE	7.9

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	ZN	V	999	1/1	0.95	0.09	73,73,73,73	0
2	ZN	D	999	1/1	0.98	0.07	36,36,36,36	0
2	ZN	E	999	1/1	0.98	0.08	35,35,35,35	0
2	ZN	G	999	1/1	0.98	0.10	38,38,38,38	0
2	ZN	I	999	1/1	0.98	0.10	35,35,35,35	0
2	ZN	K	999	1/1	0.98	0.07	37,37,37,37	0
2	ZN	B	999	1/1	0.98	0.09	41,41,41,41	0
2	ZN	X	999	1/1	0.98	0.06	36,36,36,36	0
2	ZN	G	998	1/1	0.99	0.12	27,27,27,27	0
2	ZN	C	999	1/1	0.99	0.09	35,35,35,35	0
2	ZN	H	999	1/1	0.99	0.10	39,39,39,39	0
2	ZN	D	998	1/1	0.99	0.13	27,27,27,27	0
2	ZN	J	999	1/1	0.99	0.08	35,35,35,35	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
2	ZN	B	998	1/1	0.99	0.12	27,27,27,27	0
2	ZN	L	999	1/1	0.99	0.10	35,35,35,35	0
2	ZN	M	998	1/1	0.99	0.12	27,27,27,27	0
2	ZN	M	999	1/1	0.99	0.10	43,43,43,43	0
2	ZN	N	999	1/1	0.99	0.10	41,41,41,41	0
2	ZN	O	998	1/1	0.99	0.10	34,34,34,34	0
2	ZN	O	999	1/1	0.99	0.10	42,42,42,42	0
2	ZN	P	998	1/1	0.99	0.10	28,28,28,28	0
2	ZN	P	999	1/1	0.99	0.10	38,38,38,38	0
2	ZN	Q	999	1/1	0.99	0.07	37,37,37,37	0
2	ZN	R	999	1/1	0.99	0.09	34,34,34,34	0
2	ZN	T	999	1/1	0.99	0.10	43,43,43,43	0
2	ZN	U	999	1/1	0.99	0.10	33,33,33,33	0
2	ZN	V	998	1/1	0.99	0.09	29,29,29,29	0
2	ZN	A	999	1/1	0.99	0.07	36,36,36,36	0
2	ZN	F	999	1/1	0.99	0.09	38,38,38,38	0
2	ZN	E	998	1/1	1.00	0.11	27,27,27,27	0
2	ZN	K	998	1/1	1.00	0.11	29,29,29,29	0
2	ZN	C	998	1/1	1.00	0.12	27,27,27,27	0
2	ZN	Q	998	1/1	1.00	0.11	25,25,25,25	0
2	ZN	L	998	1/1	1.00	0.12	27,27,27,27	0
2	ZN	R	998	1/1	1.00	0.09	28,28,28,28	0
2	ZN	H	998	1/1	1.00	0.12	29,29,29,29	0
2	ZN	S	998	1/1	1.00	0.12	27,27,27,27	0
2	ZN	S	999	1/1	1.00	0.08	32,32,32,32	0
2	ZN	T	998	1/1	1.00	0.10	27,27,27,27	0
2	ZN	F	998	1/1	1.00	0.11	27,27,27,27	0
2	ZN	U	998	1/1	1.00	0.13	26,26,26,26	0
2	ZN	I	998	1/1	1.00	0.13	25,25,25,25	0
2	ZN	N	998	1/1	1.00	0.12	29,29,29,29	0
2	ZN	A	998	1/1	1.00	0.11	27,27,27,27	0
2	ZN	W	998	1/1	1.00	0.12	28,28,28,28	0
2	ZN	W	999	1/1	1.00	0.07	34,34,34,34	0
2	ZN	X	998	1/1	1.00	0.14	24,24,24,24	0
2	ZN	J	998	1/1	1.00	0.12	27,27,27,27	0

6.5 Other polymers [i](#)

There are no such residues in this entry.