



# Full wwPDB X-ray Structure Validation Report

Jun 15, 2020 – 12:13 am BST

PDB ID : 3GAM  
Title : Synthesis of Casimiroin and Optimization of Its Quinone Reductase 2 and Aromatase Inhibitory activity  
Authors : Sturdy, M.; Pegan, S.D.; Maiti, A.; Marler, L.; Mesecar, A.D.; Pezzuto, J.M.; Cushman, M.  
Deposited on : 2009-02-17  
Resolution : 1.98 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the  symbol.

---

The following versions of software and data (see [references](#) ) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.11  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.11


# 1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 1.98 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	11647 (2.00-1.96)
Clashscore	141614	1014 (1.98-1.98)
Ramachandran outliers	138981	1006 (1.98-1.98)
Sidechain outliers	138945	1006 (1.98-1.98)
RSRZ outliers	127900	11410 (2.00-1.96)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	231	
1	B	231	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	MXX	B	231	-	-	X	-
3	FAD	B	232	X	-	-	-

## 2 Entry composition [i](#)


There are 5 unique types of molecules in this entry. The entry contains 4217 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Ribosyldihyronicotinamide dehydrogenase [quinone].


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	230	Total 1891	C 1218	N 314	O 350	S 9	0	9	0
1	B	230	Total 1857	C 1196	N 307	O 345	S 9	0	4	0

- Molecule 2 is 5,8-dimethoxy-1,4-dimethylquinolin-2(1H)-one (three-letter code: MXX) (formula:  $C_{13}H_{15}NO_3$ ).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	N	O		
2	A	1	Total 17	C 13	N 1	O 3	0	0
2	B	1	Total 17	C 13	N 1	O 3	0	0

- Molecule 3 is FLAVIN-ADENINE DINUCLEOTIDE (three-letter code: FAD) (formula:  $C_{27}H_{33}N_9O_{15}P_2$ ).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
			Total	C	N	O			P
3	A	1	53	27	9	15	2	0	0
3	B	1	53	27	9	15	2	0	0

- Molecule 4 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	Zn		
4	B	1	1	1	0	0
4	A	1	1	1	0	0


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	O		
5	A	132	132	132	0	0
5	B	195	195	195	0	0


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Ribosyldihyronicotinamide dehydrogenase [quinone]



- Molecule 1: Ribosyldihyronicotinamide dehydrogenase [quinone]



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	56.35Å 83.89Å 106.70Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	65.49 – 1.98 27.24 – 1.98	Depositor EDS
% Data completeness (in resolution range)	98.8 (65.49-1.98) 98.8 (27.24-1.98)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	7.26 (at 1.98Å)	Xtrriage
Refinement program	REFMAC 5.5.0066	Depositor
R, $R_{free}$	0.187 , 0.239 0.180 , 0.229	Depositor DCC
$R_{free}$ test set	1788 reflections (5.02%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	22.0	Xtrriage
Anisotropy	0.516	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.38 , 59.4	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.50$ , $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	4217	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	25.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.12% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, FAD, MXX

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	1.02	0/1946	0.91	0/2640
1	B	1.06	0/1911	0.92	2/2591 (0.1%)
All	All	1.04	0/3857	0.91	2/5231 (0.0%)

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	127[A]	ASP	CB-CG-OD2	-5.18	113.64	118.30
1	B	127[B]	ASP	CB-CG-OD2	-5.18	113.64	118.30

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1891	0	1840	87	0
1	B	1857	0	1804	36	0
2	A	17	0	15	5	0
2	B	17	0	15	9	0
3	A	53	0	31	11	0
3	B	53	0	30	3	0
4	A	1	0	0	0	0

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	B	1	0	0	0	0
5	A	132	0	0	21	0
5	B	195	0	0	13	0
All	All	4217	0	3735	132	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 17.

All (132) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:130[A]:GLY:O	1:A:135:GLY:HA2	1.31	1.25
1:A:195:ALA:HB1	1:A:196:SER:HA	1.23	1.18
1:B:230:GLN:CA	1:B:230:GLN:HE21	1.56	1.17
2:B:231:MXX:O12	2:B:231:MXX:H16	1.43	1.12
1:A:195:ALA:HB1	1:A:196:SER:CA	1.83	1.07
1:B:230:GLN:HA	1:B:230:GLN:NE2	1.69	1.05
1:A:131:PHE:HZ	5:A:363:HOH:O	1.41	1.03
2:A:231:MXX:O12	2:A:231:MXX:H16	1.56	1.02
1:A:141:LEU:HD22	1:A:184:LEU:HD21	1.41	1.02
1:B:73[B]:GLU:HG2	5:B:337:HOH:O	1.59	1.01
1:A:195:ALA:CB	1:A:196:SER:HA	1.90	1.01
1:B:230:GLN:HA	1:B:230:GLN:HE21	0.83	0.99
1:A:131:PHE:CZ	5:A:363:HOH:O	2.13	0.99
3:B:232:FAD:H2B	5:B:392:HOH:O	1.65	0.96
1:A:128[B]:ILE:CG2	5:B:424:HOH:O	2.15	0.93
1:A:138:GLN:HG3	5:A:329:HOH:O	1.70	0.91
1:A:187:GLN:HE21	1:A:210:ARG:HH11	1.22	0.88
1:A:131:PHE:CE1	5:A:236:HOH:O	2.27	0.87
1:A:122:GLN:NE2	1:A:128[B]:ILE:HG12	1.91	0.85
1:A:153:GLU:O	1:A:156:THR:HG23	1.78	0.84
1:A:187:GLN:NE2	1:A:210:ARG:HH11	1.76	0.82
1:A:130[A]:GLY:HA2	1:A:134:SER:O	1.79	0.82
2:B:231:MXX:C16	2:B:231:MXX:O12	2.27	0.80
1:B:20:SER:O	1:B:24:VAL:HG13	1.84	0.78
1:B:151:THR:HG23	1:B:154:MET:HE3	1.66	0.76
1:A:200:ARG:NH1	3:A:232:FAD:H1B	2.03	0.73
1:A:195:ALA:HB1	1:A:196:SER:C	2.09	0.72
1:A:151:THR:OG1	1:A:154:MET:HG3	1.89	0.72
1:B:45:ASN:OD1	5:B:270:HOH:O	2.08	0.70
1:A:182:LYS:HG2	5:A:336:HOH:O	1.91	0.70

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:151:THR:HG23	1:A:154:MET:HE3	1.73	0.69
1:A:130[A]:GLY:C	1:A:135:GLY:HA2	2.17	0.64
1:A:230:GLN:HG3	5:A:323:HOH:O	1.97	0.64
1:B:150:GLY:N	2:B:231:MXX:H16A	2.14	0.63
1:B:169:TRP:HB3	1:B:170:PRO:HD3	1.81	0.63
1:B:73[B]:GLU:HG3	5:B:350:HOH:O	1.99	0.63
1:A:196:SER:CB	5:A:332:HOH:O	2.46	0.63
1:A:187:GLN:HE21	1:A:210:ARG:NH1	1.94	0.62
1:A:195:ALA:HB2	5:A:245:HOH:O	1.98	0.62
2:A:231:MXX:C16	2:A:231:MXX:O12	2.41	0.62
1:A:130[A]:GLY:CA	1:A:134:SER:O	2.48	0.62
1:A:200:ARG:NH1	3:A:232:FAD:C1B	2.63	0.62
1:B:151:THR:HG23	1:B:154:MET:CE	2.30	0.61
1:A:193:GLU:HB2	5:A:307:HOH:O	2.01	0.61
1:B:24:VAL:HG11	1:B:204:VAL:CG1	2.31	0.61
1:A:128[B]:ILE:HG23	5:B:424:HOH:O	1.93	0.60
1:A:128[B]:ILE:HG21	5:B:424:HOH:O	1.90	0.59
1:A:4:LYS:HD3	5:A:253:HOH:O	2.02	0.59
1:B:151:THR:H	1:B:154:MET:HE3	1.68	0.59
1:A:45[A]:ASN:ND2	5:A:286:HOH:O	2.32	0.59
1:A:200:ARG:HH11	3:A:232:FAD:C1B	2.15	0.59
1:B:230:GLN:CA	1:B:230:GLN:NE2	2.33	0.58
1:A:141:LEU:HD22	1:A:184:LEU:CD2	2.26	0.58
1:A:172:GLN:HE22	1:A:186:PRO:HD3	1.69	0.58
1:A:197:GLU:O	1:A:201:LYS:HG2	2.04	0.57
1:A:167:PHE:O	1:A:170:PRO:HD2	2.04	0.57
1:B:149:GLY:N	3:B:232:FAD:H2'	2.20	0.57
1:B:72:HIS:NE2	1:B:76:LYS:HE2	2.20	0.57
1:A:24[A]:VAL:HG13	5:A:337:HOH:O	2.05	0.56
1:A:196:SER:OG	1:A:199:GLU:HG3	2.06	0.56
1:A:177:HIS:HD2	1:A:177:HIS:O	1.89	0.56
1:A:59:LEU:C	1:A:61:ASN:H	2.08	0.56
1:A:1:ALA:N	1:A:2:GLY:HA2	2.21	0.56
1:A:122:GLN:HB2	1:A:126:PHE:CZ	2.41	0.55
1:B:151:THR:OG1	1:B:154:MET:HG3	2.06	0.55
1:B:73[B]:GLU:CG	5:B:337:HOH:O	2.33	0.55
1:A:200:ARG:HB3	3:A:232:FAD:H2A	1.89	0.54
1:A:15:LYS:O	3:A:232:FAD:H8A	2.08	0.54
1:A:200:ARG:HB3	3:A:232:FAD:C2A	2.38	0.54
1:B:24:VAL:HG11	1:B:204:VAL:HG13	1.88	0.54
1:A:150:GLY:N	2:A:231:MXX:H16A	2.23	0.54

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:59:LEU:O	1:A:61:ASN:N	2.41	0.53
1:A:25:ALA:HA	1:A:211:LEU:CD1	2.39	0.53
1:A:127[B]:ASP:O	1:A:130[B]:GLY:N	2.41	0.53
1:B:187:GLN:HE21	1:B:210:ARG:HH11	1.56	0.53
1:A:25:ALA:HA	1:A:211:LEU:HD13	1.91	0.52
5:A:360:HOH:O	3:B:232:FAD:HM72	2.08	0.52
1:B:230:GLN:OXT	1:B:230:GLN:CG	2.58	0.51
2:B:231:MXX:C15	2:B:231:MXX:O11	2.59	0.51
1:A:218:GLU:HA	5:A:359:HOH:O	2.09	0.50
1:A:197:GLU:HA	1:A:200:ARG:NH2	2.27	0.50
1:A:131:PHE:O	1:A:132:TYR:C	2.50	0.50
1:A:151:THR:HG23	1:A:154:MET:CE	2.40	0.49
1:A:200:ARG:HH12	3:A:232:FAD:H1B	1.77	0.49
1:B:230:GLN:OXT	1:B:230:GLN:HG3	2.13	0.48
1:A:200:ARG:O	1:A:203:MET:N	2.47	0.48
1:A:22:LYS:C	1:A:22:LYS:HD2	2.34	0.47
1:B:24:VAL:HG12	5:B:388:HOH:O	2.15	0.47
1:A:131:PHE:CE2	5:A:363:HOH:O	2.55	0.47
1:A:169:TRP:HB3	1:A:170:PRO:HD3	1.95	0.47
1:A:113:LYS:O	1:A:116[B]:MET:HB2	2.15	0.46
1:A:219:PRO:HD2	5:A:359:HOH:O	2.15	0.46
1:A:59:LEU:C	1:A:61:ASN:N	2.68	0.46
1:B:150:GLY:CA	2:B:231:MXX:H16A	2.46	0.46
1:B:106[B]:PHE:HE1	2:B:231:MXX:H15	1.81	0.45
2:A:231:MXX:C15	2:A:231:MXX:O11	2.65	0.45
1:A:200:ARG:NH1	3:A:232:FAD:N3A	2.65	0.45
1:A:165:ARG:HD3	1:A:226:TRP:CZ3	2.52	0.45
1:A:122:GLN:NE2	1:A:128[B]:ILE:CG1	2.73	0.45
1:A:177:HIS:CD2	1:A:177:HIS:O	2.70	0.45
1:B:53:LYS:HE2	1:B:53:LYS:N	2.32	0.45
1:A:131:PHE:HB2	1:A:132:TYR:H	1.69	0.44
1:A:150:GLY:CA	2:A:231:MXX:H16A	2.46	0.44
1:A:129[B]:PRO:HB2	5:A:362:HOH:O	2.16	0.44
1:B:172:GLN:HE22	1:B:186:PRO:HD3	1.83	0.44
1:A:24[A]:VAL:CG1	5:A:337:HOH:O	2.65	0.44
1:A:200:ARG:C	1:A:202:GLY:N	2.71	0.43
1:B:149:GLY:C	2:B:231:MXX:H16A	2.39	0.43
1:A:128[B]:ILE:HA	1:A:129[B]:PRO:HA	1.82	0.43
1:A:137:LEU:O	1:A:140:LYS:HG3	2.18	0.43
1:A:200:ARG:O	1:A:201:LYS:C	2.57	0.43
1:A:142:ALA:HB2	1:A:181:PHE:CD1	2.54	0.43

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:20:SER:OG	3:A:232:FAD:N7A	2.48	0.43
1:A:196:SER:OG	1:A:199:GLU:CG	2.66	0.43
1:B:105:TRP:CH2	2:B:231:MXX:H14	2.54	0.43
1:A:196:SER:HB3	5:A:332:HOH:O	2.16	0.42
1:B:25:ALA:HA	1:B:211:LEU:CD1	2.50	0.42
1:A:151:THR:OG1	1:A:153:GLU:HG3	2.19	0.42
1:B:4:LYS:HG2	1:B:35:THR:HB	2.00	0.42
1:A:22:LYS:HB3	1:A:22:LYS:HE3	1.88	0.42
1:B:188:ILE:HD12	5:B:289:HOH:O	2.18	0.42
1:B:105:TRP:CZ2	2:B:231:MXX:H14	2.55	0.41
1:B:24:VAL:CG1	5:B:388:HOH:O	2.67	0.41
1:B:73[B]:GLU:CG	5:B:350:HOH:O	2.64	0.41
1:A:116[A]:MET:H	1:A:116[A]:MET:HG3	1.69	0.41
1:B:182:LYS:HB2	1:B:182:LYS:HE2	1.71	0.41
1:A:192:PRO:HB2	3:A:232:FAD:H51A	2.02	0.41
1:A:53:LYS:HE2	5:A:330:HOH:O	2.19	0.41
1:A:112:LEU:O	1:A:116[A]:MET:HG3	2.20	0.40
1:A:193:GLU:HB2	5:A:303:HOH:O	2.21	0.40
3:A:232:FAD:HM72	5:B:286:HOH:O	2.21	0.40
1:A:63:GLU:HA	1:A:63:GLU:OE1	2.21	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	237/231 (103%)	218 (92%)	15 (6%)	4 (2%)	9 2
1	B	232/231 (100%)	222 (96%)	10 (4%)	0	100 100
All	All	469/462 (102%)	440 (94%)	25 (5%)	4 (1%)	17 8

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	195	ALA
1	A	229	GLY
1	A	60	SER
1	A	194	ILE

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	202/195 (104%)	194 (96%)	8 (4%)	31	19
1	B	198/195 (102%)	191 (96%)	7 (4%)	36	24
All	All	400/390 (103%)	385 (96%)	15 (4%)	37	21

All (15) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	22	LYS
1	A	60	SER
1	A	127[A]	ASP
1	A	127[B]	ASP
1	A	153	GLU
1	A	157	LYS
1	A	158	THR
1	A	209	GLN
1	B	60	SER
1	B	63	GLU
1	B	127[A]	ASP
1	B	127[B]	ASP
1	B	129	PRO
1	B	160	VAL
1	B	230	GLN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	122	GLN
1	A	138	GLN
1	A	172	GLN
1	A	187	GLN
1	A	212	GLN
1	A	225	HIS
1	B	172	GLN
1	B	187	GLN
1	B	230	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

### 5.6 Ligand geometry [i](#)

Of 6 ligands modelled in this entry, 2 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
3	FAD	B	232	-	51,58,58	1.89	10 (19%)	60,89,89	2.39	18 (30%)
2	MXX	B	231	-	17,18,18	1.66	3 (17%)	20,26,26	1.31	2 (10%)
3	FAD	A	232	-	51,58,58	1.96	10 (19%)	60,89,89	2.24	16 (26%)
2	MXX	A	231	-	17,18,18	1.41	3 (17%)	20,26,26	1.79	7 (35%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	FAD	B	232	-	4/4/9/9	14/30/50/50	0/6/6/6
2	MXX	B	231	-	-	0/4/4/4	0/2/2/2
3	FAD	A	232	-	-	1/30/50/50	0/6/6/6
2	MXX	A	231	-	-	0/4/4/4	0/2/2/2

All (26) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	232	FAD	C4X-C10	9.27	1.48	1.38
3	B	232	FAD	C4X-C10	7.25	1.46	1.38
3	B	232	FAD	C1'-N10	-4.48	1.43	1.48
3	B	232	FAD	C9A-N10	3.82	1.43	1.38
3	B	232	FAD	C8-C7	3.62	1.49	1.40
2	B	231	MXX	C4-C3	-3.60	1.37	1.42
3	A	232	FAD	C9A-C5X	3.58	1.49	1.42
3	A	232	FAD	C8-C7	3.56	1.49	1.40
3	A	232	FAD	C4-C4X	3.46	1.47	1.41
2	A	231	MXX	C7-C2	3.15	1.49	1.44
2	B	231	MXX	C7-C2	3.11	1.49	1.44
3	A	232	FAD	C10-N1	3.03	1.37	1.33
3	A	232	FAD	C5'-C4'	2.92	1.55	1.51
2	A	231	MXX	C4-C3	-2.88	1.38	1.42
2	B	231	MXX	C2-C3	-2.86	1.37	1.42
3	A	232	FAD	C2-N1	-2.81	1.32	1.38
3	B	232	FAD	C4-C4X	2.79	1.46	1.41
3	B	232	FAD	C9A-C5X	2.70	1.48	1.42
3	A	232	FAD	O4B-C1B	2.55	1.44	1.41
2	A	231	MXX	C1-C2	-2.50	1.37	1.42
3	A	232	FAD	C5A-C4A	2.48	1.47	1.40
3	A	232	FAD	C2B-C1B	-2.24	1.50	1.53
3	B	232	FAD	C2A-N3A	2.23	1.35	1.32
3	B	232	FAD	C4-N3	2.13	1.36	1.33
3	B	232	FAD	C4X-N5	2.12	1.36	1.33
3	B	232	FAD	C4'-C3'	2.02	1.57	1.53

All (43) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	232	FAD	C4-N3-C2	9.43	123.10	115.14
3	B	232	FAD	C4-C4X-C10	-8.50	114.33	119.95
3	A	232	FAD	C4-C4X-C10	-6.94	115.36	119.95
3	B	232	FAD	C4-N3-C2	6.48	120.61	115.14
3	B	232	FAD	O5B-C5B-C4B	-5.53	89.97	108.99
3	A	232	FAD	C1B-N9A-C4A	-4.77	118.27	126.64
3	B	232	FAD	C1'-N10-C10	4.70	122.62	118.41
3	B	232	FAD	O2'-C2'-C1'	4.48	120.39	109.59
3	B	232	FAD	C4-C4X-N5	3.81	122.96	118.60
3	B	232	FAD	C2B-C3B-C4B	-3.80	95.25	102.64
3	B	232	FAD	O4B-C1B-C2B	3.76	112.42	106.93
2	A	231	MXX	O11-C1-C6	-3.63	118.23	124.24
3	A	232	FAD	N3A-C2A-N1A	-3.59	123.06	128.68
3	A	232	FAD	C4X-C4-N3	-3.43	118.74	123.43
3	B	232	FAD	N3A-C2A-N1A	-3.43	123.32	128.68
3	A	232	FAD	C5X-C9A-N10	3.32	120.12	117.72
3	B	232	FAD	N6A-C6A-N1A	3.30	125.42	118.57
3	A	232	FAD	C4A-C5A-N7A	-3.29	105.97	109.40
2	A	231	MXX	O11-C1-C2	3.20	120.60	115.89
2	B	231	MXX	C16-N10-C3	3.19	122.22	118.06
3	B	232	FAD	C9A-N10-C10	-3.00	117.98	121.91
2	A	231	MXX	O12-C4-C3	2.98	119.87	115.38
2	A	231	MXX	O12-C4-C5	-2.87	119.48	124.24
3	A	232	FAD	O5B-C5B-C4B	-2.87	99.12	108.99
3	B	232	FAD	O4B-C4B-C5B	2.86	118.78	109.37
3	A	232	FAD	C10-C4X-N5	2.78	123.18	121.26
3	A	232	FAD	C1'-N10-C9A	2.74	120.45	118.29
3	B	232	FAD	C5A-C6A-N6A	-2.60	116.40	120.35
3	A	232	FAD	C4X-N5-C5X	2.50	119.27	116.77
3	A	232	FAD	C4-C4X-N5	2.49	121.45	118.60
2	A	231	MXX	C16-N10-C3	2.47	121.29	118.06
3	B	232	FAD	C4X-N5-C5X	2.38	119.15	116.77
3	A	232	FAD	C1'-N10-C10	2.37	120.53	118.41
3	A	232	FAD	C4X-C10-N10	-2.30	117.94	120.30
3	A	232	FAD	C9A-N10-C10	-2.25	118.96	121.91
2	A	231	MXX	C14-O11-C1	-2.25	114.61	117.75
2	B	231	MXX	O11-C1-C6	-2.18	120.63	124.24
3	B	232	FAD	C3B-C2B-C1B	-2.15	97.74	100.98
3	B	232	FAD	C5X-C9A-N10	2.14	119.27	117.72
3	B	232	FAD	C10-C4X-N5	2.10	122.71	121.26
3	B	232	FAD	O3'-C3'-C4'	2.10	113.88	108.81
3	A	232	FAD	C2A-N1A-C6A	2.07	122.29	118.75
2	A	231	MXX	C13-O12-C4	-2.06	114.86	117.75



All (4) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
3	B	232	FAD	C1B
3	B	232	FAD	C4B
3	B	232	FAD	C2'
3	B	232	FAD	C3'

All (15) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	B	232	FAD	C5B-O5B-PA-O1A
3	B	232	FAD	C5B-O5B-PA-O2A
3	B	232	FAD	C3B-C4B-C5B-O5B
3	B	232	FAD	N10-C1'-C2'-O2'
3	B	232	FAD	N10-C1'-C2'-C3'
3	B	232	FAD	C2'-C3'-C4'-O4'
3	B	232	FAD	O3'-C3'-C4'-O4'
3	B	232	FAD	O3'-C3'-C4'-C5'
3	B	232	FAD	C2'-C3'-C4'-C5'
3	B	232	FAD	O4B-C4B-C5B-O5B
3	B	232	FAD	C3'-C4'-C5'-O5'
3	B	232	FAD	C4B-C5B-O5B-PA
3	B	232	FAD	C5B-O5B-PA-O3P
3	B	232	FAD	C4'-C5'-O5'-P
3	A	232	FAD	C4'-C5'-O5'-P


There are no ring outliers.


4 monomers are involved in 28 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	B	232	FAD	3	0
2	B	231	MXX	9	0
3	A	232	FAD	11	0
2	A	231	MXX	5	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the

average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	230/231 (99%)	0.69	28 (12%) 4 4	9, 26, 49, 62	0
1	B	230/231 (99%)	0.31	16 (6%) 16 18	9, 20, 41, 55	0
All	All	460/462 (99%)	0.50	44 (9%) 8 9	9, 22, 46, 62	0

All (44) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	1	ALA	9.0
1	B	1	ALA	7.0
1	A	230	GLN	6.7
1	B	230	GLN	6.1
1	A	229	GLY	5.6
1	B	229	GLY	5.4
1	A	63	GLU	4.8
1	A	196	SER	4.0
1	B	198	GLU	3.8
1	A	198	GLU	3.8
1	A	158	THR	3.8
1	A	157	LYS	3.8
1	B	158	THR	3.5
1	A	2	GLY	3.3
1	A	131	PHE	3.3
1	B	63	GLU	3.3
1	A	225	HIS	3.3
1	A	57	GLY	3.2
1	A	197	GLU	3.2
1	A	128[A]	ILE	3.2
1	A	130[A]	GLY	3.1
1	A	78	ARG	3.1
1	A	201	LYS	3.0
1	B	157	LYS	2.8

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	195	ALA	2.8
1	B	153	GLU	2.8
1	B	160	VAL	2.8
1	B	2	GLY	2.7
1	A	153	GLU	2.6
1	A	133	ASP	2.5
1	A	228	PHE	2.5
1	B	129	PRO	2.4
1	B	201	LYS	2.4
1	B	209	GLN	2.3
1	A	226	TRP	2.3
1	A	159	GLY	2.2
1	B	194	ILE	2.2
1	B	195	ALA	2.2
1	A	151	THR	2.0
1	B	197	GLU	2.0
1	A	150	GLY	2.0
1	A	59	LEU	2.0
1	A	194	ILE	2.0
1	A	221	PRO	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
3	FAD	B	232	53/53	0.91	0.15	15,25,44,44	0
2	MXX	B	231	17/17	0.91	0.14	23,29,33,34	0
2	MXX	A	231	17/17	0.91	0.14	22,31,37,39	0


*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
3	FAD	A	232	53/53	0.92	0.15	13,24,55,57	0
4	ZN	A	233	1/1	0.98	0.05	35,35,35,35	0
4	ZN	B	233	1/1	0.99	0.03	23,23,23,23	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.





## 6.5 Other polymers [i](#)

There are no such residues in this entry.