



Full wwPDB X-ray Structure Validation Report ⓘ

Aug 27, 2023 – 12:19 AM EDT

PDB ID : 3GOS
Title : The crystal structure of 2,3,4,5-tetrahydropyridine-2-carboxylate N-succinyltransferase from *Yersinia pestis* CO92
Authors : Zhang, R.; Maltseva, N.; Kwon, K.; Anderson, W.; Joachimiak, A.; Center for Structural Genomics of Infectious Diseases (CSGID)
Deposited on : 2009-03-19
Resolution : 1.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Xtriage (Phenix) : 1.13
EDS : 2.35
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.35


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION




The reported resolution of this entry is 1.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	5950 (1.80-1.80)
Clashscore	141614	6793 (1.80-1.80)
Ramachandran outliers	138981	6697 (1.80-1.80)
Sidechain outliers	138945	6696 (1.80-1.80)
RSRZ outliers	127900	5850 (1.80-1.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	276	
1	B	276	
1	C	276	

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 6574 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 2,3,4,5-tetrahydropyridine-2,6-dicarboxylate N-succinyltransferase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	270	Total 2062	C 1298	N 360	O 395	S 9	0	0	0
1	B	276	Total 2111	C 1328	N 371	O 403	S 9	0	0	0
1	C	276	Total 2115	C 1330	N 371	O 405	S 9	0	0	0

There are 6 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-1	GLN	-	expression tag	UNP Q8ZH69
A	0	SER	-	expression tag	UNP Q8ZH69
B	-1	GLN	-	expression tag	UNP Q8ZH69
B	0	SER	-	expression tag	UNP Q8ZH69
C	-1	GLN	-	expression tag	UNP Q8ZH69
C	0	SER	-	expression tag	UNP Q8ZH69

- Molecule 2 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total 1	Mg 1	0	0


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	107	Total 107	O 107	0	0
3	B	89	Total 89	O 89	0	0
3	C	89	Total 89	O 89	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: 2,3,4,5-tetrahydropyridine-2,6-dicarboxylate N-succinyltransferase



- Molecule 1: 2,3,4,5-tetrahydropyridine-2,6-dicarboxylate N-succinyltransferase



- Molecule 1: 2,3,4,5-tetrahydropyridine-2,6-dicarboxylate N-succinyltransferase



4 Data and refinement statistics i

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	57.79Å 69.69Å 106.45Å 90.00° 105.28° 90.00°	Depositor
Resolution (Å)	57.64 – 1.80 30.08 – 1.80	Depositor EDS
% Data completeness (in resolution range)	98.2 (57.64-1.80) 97.8 (30.08-1.80)	Depositor EDS
R_{merge}	0.11	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.53 (at 1.79Å)	Xtrriage
Refinement program	REFMAC 5.5.0054	Depositor
R, R_{free}	0.227 , 0.272 0.232 , 0.285	Depositor DCC
R_{free} test set	3746 reflections (5.03%)	wwPDB-VP
Wilson B-factor (Å ²)	21.7	Xtrriage
Anisotropy	0.484	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 40.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtrriage
Estimated twinning fraction	0.033 for h,-k,-h-l	Xtrriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	6574	wwPDB-VP
Average B, all atoms (Å ²)	20.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.78% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	1.06	0/2096	0.95	1/2845 (0.0%)
1	B	1.06	4/2146 (0.2%)	1.01	9/2912 (0.3%)
1	C	0.99	0/2150	0.94	10/2917 (0.3%)
All	All	1.04	4/6392 (0.1%)	0.97	20/8674 (0.2%)

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	9	GLU	CG-CD	-5.96	1.43	1.51
1	B	191	VAL	CB-CG2	5.46	1.64	1.52
1	B	-1	GLN	N-CA	5.33	1.56	1.46
1	B	9	GLU	CB-CG	5.22	1.62	1.52

All (20) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	104	ARG	NE-CZ-NH2	-11.94	114.33	120.30
1	B	104	ARG	NE-CZ-NH1	10.19	125.40	120.30
1	B	187	ARG	NE-CZ-NH2	8.88	124.74	120.30
1	B	24	ASP	CB-CG-OD2	6.12	123.81	118.30
1	B	216	ASP	CB-CG-OD1	6.12	123.81	118.30
1	C	15	ARG	NE-CZ-NH2	-6.11	117.24	120.30
1	B	226	ARG	NE-CZ-NH2	5.86	123.23	120.30
1	C	81	ARG	NE-CZ-NH2	-5.86	117.37	120.30
1	C	81	ARG	NE-CZ-NH1	5.65	123.12	120.30
1	B	94	ASP	CB-CG-OD1	5.58	123.32	118.30
1	C	1	MET	CG-SD-CE	5.51	109.02	100.20
1	C	15	ARG	NE-CZ-NH1	5.48	123.04	120.30
1	C	180	ASP	CB-CG-OD1	5.38	123.14	118.30
1	B	216	ASP	CB-CG-OD2	-5.29	113.54	118.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	84	ASP	CB-CG-OD1	-5.27	113.56	118.30
1	C	168	LEU	CB-CG-CD2	-5.24	102.09	111.00
1	C	180	ASP	CB-CG-OD2	-5.21	113.61	118.30
1	B	187	ARG	NE-CZ-NH1	-5.17	117.72	120.30
1	C	141	ASP	CB-CG-OD2	-5.15	113.66	118.30
1	C	68	ARG	NE-CZ-NH1	5.01	122.81	120.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2062	0	2050	39	0
1	B	2111	0	2111	62	0
1	C	2115	0	2115	41	0
2	A	1	0	0	0	0
3	A	107	0	0	3	0
3	B	89	0	0	5	0
3	C	89	0	0	2	0
All	All	6574	0	6276	131	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (131) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:167:VAL:O	1:A:167:VAL:HG23	1.30	1.11
1:A:72:ASN:OD1	1:B:104:ARG:HD3	1.56	1.02
1:A:167:VAL:O	1:A:167:VAL:CG2	2.07	1.01
1:C:121:THR:HG22	1:C:138:THR:H	1.27	0.99
1:C:270:LEU:HD23	1:C:273:ILE:HD11	1.45	0.98
1:A:167:VAL:HG21	1:A:175:PRO:HA	1.50	0.90
1:A:1:MET:HA	1:A:1:MET:HE2	1.54	0.90

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:121:THR:HG22	1:A:138:THR:H	1.39	0.85
1:B:272:THR:HG22	1:B:272:THR:O	1.80	0.80
1:B:108:PRO:HD2	1:B:125:PRO:HB3	1.64	0.79
1:B:229:ALA:O	1:B:255:LYS:HE3	1.83	0.78
1:A:1:MET:HA	1:A:1:MET:CE	2.13	0.78
1:A:167:VAL:CG2	1:A:175:PRO:HA	2.16	0.75
1:B:88:MET:HE3	3:B:283:HOH:O	1.86	0.75
1:B:254:LYS:HZ3	1:B:272:THR:HG22	1.50	0.74
1:C:265:GLY:O	1:C:269:LEU:HD13	1.88	0.73
1:A:169:GLU:HA	1:A:170:PRO:C	2.10	0.72
1:C:270:LEU:CD2	1:C:273:ILE:HD11	2.19	0.71
1:C:48:LYS:O	1:C:49:ILE:HD13	1.89	0.70
1:B:242:ASP:HB3	1:B:244:SER:H	1.54	0.70
1:A:76:GLU:OE1	1:A:81:ARG:NH1	2.24	0.70
1:A:84:ASP:OD1	1:B:104:ARG:HD2	1.94	0.68
1:A:110:THR:HG22	1:A:111:VAL:H	1.60	0.67
1:C:148:SER:HB2	1:C:168:LEU:HD21	1.77	0.66
1:C:121:THR:HG22	1:C:138:THR:N	2.07	0.66
1:B:-1:GLN:HA	1:B:2:GLN:HE21	1.62	0.65
1:B:60:LYS:HE3	1:B:171:LEU:HA	1.77	0.65
1:A:203:SER:HB2	1:A:234:VAL:HG12	1.78	0.65
1:B:271:ARG:HD3	3:B:332:HOH:O	1.98	0.63
1:B:272:THR:O	1:B:272:THR:CG2	2.46	0.63
1:A:-1:GLN:H2	1:A:2:GLN:H	1.47	0.62
1:C:167:VAL:C	1:C:168:LEU:HD22	2.20	0.61
1:A:121:THR:HG21	1:A:135:ASP:O	2.00	0.60
1:B:197:GLU:OE2	1:B:226:ARG:NH2	2.33	0.60
1:C:168:LEU:HD22	1:C:168:LEU:N	2.14	0.60
1:A:187:ARG:NE	1:C:189:GLU:OE1	2.35	0.60
1:B:-1:GLN:HA	1:B:2:GLN:HB2	1.83	0.59
1:A:197:GLU:OE2	1:A:226:ARG:HD2	2.03	0.58
1:C:25:THR:HG23	3:C:349:HOH:O	2.02	0.58
1:C:43:LEU:HD13	1:C:59:LEU:HD21	1.85	0.58
1:B:254:LYS:NZ	1:B:272:THR:HG22	2.19	0.58
1:C:88:MET:CE	1:C:110:THR:HG21	2.35	0.57
1:A:1:MET:CE	1:A:1:MET:CA	2.82	0.57
1:B:74:VAL:HG23	1:C:95:GLU:CG	2.35	0.57
1:A:121:THR:HG22	1:A:138:THR:N	2.14	0.57
1:C:81:ARG:HH11	1:C:81:ARG:HG3	1.70	0.57
1:B:87:PRO:C	1:B:88:MET:HE2	2.25	0.56
1:B:242:ASP:CB	1:B:244:SER:H	2.17	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:273:ILE:HG23	1:C:247:LEU:HD13	1.86	0.56
1:B:86:VAL:O	1:B:88:MET:CE	2.54	0.56
1:B:108:PRO:HD2	1:B:125:PRO:CB	2.35	0.56
1:B:257:ASP:OD1	1:B:259:LYS:HD2	2.06	0.55
1:B:240:SER:OG	1:B:242:ASP:HB2	2.06	0.55
1:A:73:GLN:HG2	3:A:376:HOH:O	2.08	0.54
1:C:5:GLN:O	1:C:9:GLU:HG3	2.07	0.54
1:A:273:ILE:HG23	1:C:247:LEU:CD1	2.38	0.54
1:B:110:THR:HG22	1:B:111:VAL:H	1.72	0.54
1:A:48:LYS:O	1:A:49:ILE:HD13	2.09	0.53
1:B:187:ARG:HD2	1:B:187:ARG:N	2.22	0.53
1:A:88:MET:HE2	1:A:110:THR:HG21	1.89	0.53
1:C:76:GLU:OE2	1:C:81:ARG:CZ	2.57	0.53
1:C:168:LEU:N	1:C:168:LEU:CD2	2.71	0.52
1:C:88:MET:HE2	1:C:110:THR:HG21	1.92	0.52
1:C:28:ARG:NH2	1:C:69:ILE:O	2.42	0.52
1:B:36:ASP:OD1	1:B:113:LYS:NZ	2.39	0.52
1:B:254:LYS:NZ	1:B:272:THR:CG2	2.73	0.52
1:B:170:PRO:HG2	1:B:173:ALA:HB2	1.91	0.51
1:B:191:VAL:HG23	1:B:192:GLU:HG3	1.93	0.51
1:B:187:ARG:NE	3:B:363:HOH:O	2.35	0.51
1:C:4:LEU:HD11	1:C:33:HIS:HD2	1.75	0.51
1:A:88:MET:CE	1:A:110:THR:HG21	2.41	0.51
1:A:167:VAL:HG21	1:A:175:PRO:CA	2.32	0.51
1:B:254:LYS:HZ3	1:B:272:THR:CG2	2.20	0.51
1:B:74:VAL:HG23	1:C:95:GLU:HG3	1.92	0.50
1:B:60:LYS:NZ	1:B:173:ALA:O	2.39	0.50
1:C:264:VAL:HG12	1:C:268:GLU:OE1	2.12	0.50
1:C:167:VAL:O	1:C:168:LEU:HD22	2.11	0.49
1:C:254:LYS:HZ3	1:C:272:THR:HB	1.77	0.49
1:B:77:GLY:O	1:B:78:ALA:HB3	2.12	0.49
1:B:122:VAL:HG21	1:B:139:MET:HE1	1.95	0.49
1:B:139:MET:HG2	1:B:141:ASP:OD1	2.13	0.49
1:B:88:MET:HE2	1:B:88:MET:N	2.27	0.48
1:C:81:ARG:HH11	1:C:81:ARG:CG	2.26	0.48
1:C:98:PHE:O	3:C:302:HOH:O	2.20	0.48
1:C:177:ILE:HB	1:C:195:ILE:HG12	1.95	0.48
1:A:121:THR:CG2	1:A:135:ASP:O	2.60	0.47
1:B:25:THR:O	1:B:29:GLU:HG3	2.15	0.47
1:A:96:ALA:HA	1:A:99:GLN:HE21	1.80	0.46
1:B:-1:GLN:HE21	1:B:3:GLN:HG3	1.79	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:189:GLU:OE1	1:C:187:ARG:NE	2.43	0.46
1:A:84:ASP:OD1	1:B:104:ARG:CD	2.63	0.46
1:A:187:ARG:NH2	3:A:327:HOH:O	2.36	0.45
1:B:183:PHE:HE1	1:B:263:LYS:HD3	1.81	0.45
1:A:110:THR:HG22	1:A:111:VAL:N	2.31	0.45
1:A:72:ASN:OD1	1:B:104:ARG:CD	2.46	0.45
1:A:199:GLY:O	1:A:230:GLY:HA2	2.16	0.45
1:C:116:PHE:CE2	1:C:118:ALA:HB2	2.52	0.45
1:B:206:VAL:HA	1:B:248:TYR:OH	2.18	0.44
1:B:74:VAL:HG21	1:C:95:GLU:HB2	1.99	0.44
1:B:187:ARG:HG3	3:B:363:HOH:O	2.17	0.44
1:B:194:VAL:HG21	1:B:208:ILE:HG22	2.00	0.43
1:B:86:VAL:O	1:B:88:MET:HE3	2.17	0.43
1:A:-1:GLN:NE2	1:A:-1:GLN:HA	2.34	0.43
1:B:87:PRO:C	1:B:88:MET:CE	2.86	0.43
1:B:116:PHE:CE2	1:B:118:ALA:HB2	2.54	0.43
1:B:111:VAL:HG22	1:B:128:VAL:HB	2.01	0.43
1:C:76:GLU:OE2	1:C:81:ARG:NE	2.52	0.43
1:B:-1:GLN:O	1:B:3:GLN:HG3	2.19	0.43
1:A:-1:GLN:NE2	1:A:2:GLN:OE1	2.52	0.43
1:A:110:THR:HG21	3:A:315:HOH:O	2.19	0.43
1:B:108:PRO:HD2	1:B:125:PRO:CG	2.49	0.43
1:C:110:THR:HG22	1:C:111:VAL:H	1.84	0.43
1:C:197:GLU:OE2	1:C:226:ARG:HD2	2.17	0.43
1:B:125:PRO:O	1:B:142:THR:HA	2.18	0.42
1:C:88:MET:CE	1:C:110:THR:CG2	2.98	0.42
1:A:187:ARG:HA	1:A:187:ARG:HD3	1.83	0.42
1:B:191:VAL:CG2	1:B:192:GLU:HG3	2.50	0.42
1:B:162:VAL:HG22	1:B:185:GLY:O	2.20	0.41
1:C:175:PRO:C	1:C:193:GLY:HA2	2.41	0.41
1:A:23:VAL:HG13	1:A:28:ARG:NH2	2.35	0.41
1:A:203:SER:CB	1:A:234:VAL:HG12	2.47	0.41
1:B:43:LEU:HD13	1:B:59:LEU:HD21	2.02	0.41
1:B:49:ILE:HD13	1:B:49:ILE:HA	1.92	0.41
1:B:197:GLU:OE2	1:B:226:ARG:HD3	2.20	0.41
1:B:237:ASN:ND2	1:B:248:TYR:HA	2.36	0.41
1:C:233:VAL:HA	1:C:251:VAL:O	2.21	0.41
1:B:256:VAL:HG11	1:B:269:LEU:HD21	2.03	0.40
1:C:253:VAL:HG21	1:C:273:ILE:HG12	2.03	0.40
1:C:163:GLY:HA3	1:C:189:GLU:OE1	2.21	0.40
1:B:143:TRP:O	1:B:161:GLY:HA2	2.21	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:187:ARG:CG	3:B:363:HOH:O	2.68	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	266/276 (96%)	258 (97%)	6 (2%)	2 (1%)	19	7
1	B	274/276 (99%)	267 (97%)	6 (2%)	1 (0%)	34	21
1	C	274/276 (99%)	265 (97%)	8 (3%)	1 (0%)	34	21
All	All	814/828 (98%)	790 (97%)	20 (2%)	4 (0%)	29	15

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	78	ALA
1	A	271	ARG
1	C	78	ALA
1	A	78	ALA

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	221/229 (96%)	207 (94%)	14 (6%)	18	6
1	B	227/229 (99%)	213 (94%)	14 (6%)	18	6
1	C	228/229 (100%)	222 (97%)	6 (3%)	46	32
All	All	676/687 (98%)	642 (95%)	34 (5%)	24	10

All (34) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	1	MET
1	A	4	LEU
1	A	14	ARG
1	A	25	THR
1	A	110	THR
1	A	141	ASP
1	A	157	HIS
1	A	203	SER
1	A	237	ASN
1	A	255	LYS
1	A	257	ASP
1	A	272	THR
1	A	273	ILE
1	A	274	ASP
1	B	4	LEU
1	B	9	GLU
1	B	22	ASN
1	B	25	THR
1	B	33	HIS
1	B	68	ARG
1	B	110	THR
1	B	139	MET
1	B	172	GLN
1	B	187	ARG
1	B	237	ASN
1	B	255	LYS
1	B	257	ASP
1	B	274	ASP
1	C	25	THR
1	C	110	THR
1	C	141	ASP
1	C	157	HIS
1	C	217	ARG
1	C	259	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (10) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	6	ASN
1	A	99	GLN
1	B	-1	GLN
1	B	2	GLN
1	B	99	GLN
1	B	157	HIS
1	B	172	GLN
1	B	174	ASN
1	C	3	GLN
1	C	174	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 1 ligands modelled in this entry, 1 is monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	270/276 (97%)	0.10	7 (2%) 56 51	11, 17, 34, 69	0
1	B	276/276 (100%)	-0.06	4 (1%) 75 72	11, 18, 28, 42	0
1	C	276/276 (100%)	0.30	18 (6%) 18 15	11, 18, 64, 71	0
All	All	822/828 (99%)	0.12	29 (3%) 44 38	11, 17, 34, 71	0

All (29) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	264	VAL	12.3
1	C	263	LYS	7.3
1	C	258	ALA	6.9
1	C	260	THR	6.9
1	A	271	ARG	6.0
1	A	272	THR	6.0
1	A	273	ILE	5.9
1	C	262	SER	5.9
1	C	261	ARG	5.8
1	A	265	GLY	5.2
1	C	266	ILE	5.0
1	C	265	GLY	4.8
1	A	274	ASP	4.2
1	C	270	LEU	4.1
1	C	272	THR	3.6
1	C	267	ASN	3.4
1	B	274	ASP	3.3
1	B	218	GLU	3.2
1	C	259	LYS	3.0
1	C	273	ILE	3.0
1	C	268	GLU	3.0
1	C	274	ASP	2.9
1	B	-1	GLN	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	258	ALA	2.3
1	C	0	SER	2.3
1	B	242	ASP	2.2
1	C	271	ARG	2.2
1	A	257	ASP	2.0
1	C	269	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	MG	A	275	1/1	0.92	0.11	21,21,21,21	0

6.5 Other polymers [i](#)

There are no such residues in this entry.