



Full wwPDB X-ray Structure Validation Report ⓘ

Jan 8, 2024 – 01:00 pm GMT

PDB ID : 6GOP
Title : Yeast 20S Proteasome in complex with Homosalinosporamide A
Authors : Groll, M.; Romo, D.
Deposited on : 2018-06-01
Resolution : 2.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.4, CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.36
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1957 (2.90-2.90)
Clashscore	141614	2172 (2.90-2.90)
Ramachandran outliers	138981	2115 (2.90-2.90)
Sidechain outliers	138945	2117 (2.90-2.90)
RSRZ outliers	127900	1906 (2.90-2.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	250	<div style="display: flex; align-items: center;"> <div style="width: 2%; height: 10px; background-color: red; margin-right: 2px;"></div> <div style="width: 97%; height: 10px; background-color: green; margin-right: 2px;"></div> <div style="width: 1%; height: 10px; background-color: yellow; margin-right: 2px;"></div> <div style="width: 0%; height: 10px; background-color: orange; margin-right: 2px;"></div> <div style="width: 0%; height: 10px; background-color: grey;"></div> </div> <p style="text-align: center;">97%</p>
1	O	250	<div style="display: flex; align-items: center;"> <div style="width: 2%; height: 10px; background-color: red; margin-right: 2px;"></div> <div style="width: 97%; height: 10px; background-color: green; margin-right: 2px;"></div> <div style="width: 1%; height: 10px; background-color: yellow; margin-right: 2px;"></div> <div style="width: 0%; height: 10px; background-color: orange; margin-right: 2px;"></div> <div style="width: 0%; height: 10px; background-color: grey;"></div> </div> <p style="text-align: center;">97%</p>
2	B	258	<div style="display: flex; align-items: center;"> <div style="width: 2%; height: 10px; background-color: red; margin-right: 2px;"></div> <div style="width: 91%; height: 10px; background-color: green; margin-right: 2px;"></div> <div style="width: 5%; height: 10px; background-color: yellow; margin-right: 2px;"></div> <div style="width: 2%; height: 10px; background-color: orange; margin-right: 2px;"></div> <div style="width: 0%; height: 10px; background-color: grey;"></div> </div> <p style="text-align: center;">91% • 5%</p>
2	P	258	<div style="display: flex; align-items: center;"> <div style="width: 3%; height: 10px; background-color: red; margin-right: 2px;"></div> <div style="width: 90%; height: 10px; background-color: green; margin-right: 2px;"></div> <div style="width: 5%; height: 10px; background-color: yellow; margin-right: 2px;"></div> <div style="width: 2%; height: 10px; background-color: orange; margin-right: 2px;"></div> <div style="width: 0%; height: 10px; background-color: grey;"></div> </div> <p style="text-align: center;">90% • 5%</p>
3	C	254	<div style="display: flex; align-items: center;"> <div style="width: 4%; height: 10px; background-color: red; margin-right: 2px;"></div> <div style="width: 87%; height: 10px; background-color: green; margin-right: 2px;"></div> <div style="width: 6%; height: 10px; background-color: yellow; margin-right: 2px;"></div> <div style="width: 3%; height: 10px; background-color: orange; margin-right: 2px;"></div> <div style="width: 0%; height: 10px; background-color: grey;"></div> </div> <p style="text-align: center;">87% 6% • 6%</p>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	Q	254	4% 89% 5% • 6%
4	D	260	87% • 10%
4	R	260	% 87% • 10%
5	E	234	94% • •
5	S	234	% 95% • •
6	F	288	% 81% • 16%
6	T	288	% 81% • 16%
7	G	252	90% 6% •
7	U	252	90% 5% •
8	H	232	% 94% • •
8	V	232	3% 94% • •
9	I	205	95% 5%
9	W	205	% 95% 5%
10	J	198	% 92% 6% • •
10	X	198	2% 91% 6% • •
11	K	212	94% 6%
11	Y	212	92% 7%
12	L	222	96% •
12	Z	222	% 94% 6%
13	M	246	92% • 5%
13	a	246	92% • 5%
14	N	196	91% 7% •
14	b	196	% 96% •

2 Entry composition

There are 18 unique types of molecules in this entry. The entry contains 50199 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Proteasome subunit alpha type-2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	250	Total 1915	C 1219	N 315	O 377	S 4	0	0	0
1	O	250	Total 1915	C 1219	N 315	O 377	S 4	0	0	0

- Molecule 2 is a protein called Proteasome subunit alpha type-3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	244	Total 1904	C 1201	N 321	O 379	S 3	0	0	0
2	P	244	Total 1904	C 1201	N 321	O 379	S 3	0	0	0

- Molecule 3 is a protein called Proteasome subunit alpha type-4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
3	C	240	Total 1881	C 1176	N 329	O 372	S 4	0	0	0
3	Q	240	Total 1881	C 1176	N 329	O 372	S 4	0	0	0

- Molecule 4 is a protein called Proteasome subunit alpha type-5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
4	D	235	Total 1813	C 1136	N 304	O 366	S 7	0	0	0
4	R	235	Total 1813	C 1136	N 304	O 366	S 7	0	0	0

- Molecule 5 is a protein called Proteasome subunit alpha type-6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
5	E	231	1773	1114	307	348	4	0	0	0
5	S	231	1773	1114	307	348	4	0	0	0

- Molecule 6 is a protein called Probable proteasome subunit alpha type-7.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
6	F	243	1892	1203	329	356	4	0	0	0
6	T	243	1892	1203	329	356	4	0	0	0

- Molecule 7 is a protein called Proteasome subunit alpha type-1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
7	G	241	1907	1214	320	365	8	0	0	0
7	U	241	1907	1214	320	365	8	0	0	0

- Molecule 8 is a protein called Proteasome subunit beta type-2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
8	H	226	1719	1082	298	332	7	0	0	0
8	V	226	1719	1082	298	332	7	0	0	0

- Molecule 9 is a protein called Proteasome subunit beta type-3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
9	I	204	1581	1010	258	305	8	0	0	0
9	W	204	1581	1010	258	305	8	0	0	0

- Molecule 10 is a protein called Proteasome subunit beta type-4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
10	J	195	1561	992	264	299	6	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
10	X	195	1561	992	264	299	6	0	0	0

- Molecule 11 is a protein called Proteasome subunit beta type-5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
11	K	212	1644	1045	280	312	7	0	0	0
11	Y	212	1644	1045	280	312	7	0	0	0

- Molecule 12 is a protein called Proteasome subunit beta type-6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
12	L	222	1757	1115	303	335	4	0	0	0
12	Z	222	1757	1115	303	335	4	0	0	0

- Molecule 13 is a protein called Proteasome subunit beta type-7.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
13	M	233	1824	1154	312	351	7	0	0	0
13	a	233	1824	1154	312	351	7	0	0	0

- Molecule 14 is a protein called Proteasome subunit beta type-1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
14	N	196	1512	955	250	300	7	0	0	0
14	b	196	1512	955	250	300	7	0	0	0

- Molecule 15 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
15	G	1	Total	Mg	0	0
			1	1		
15	I	1	Total	Mg	0	0
			1	1		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
15	J	1	Total Mg 1 1	0	0
15	K	1	Total Mg 1 1	0	0
15	L	1	Total Mg 1 1	0	0
15	N	1	Total Mg 1 1	0	0
15	Z	1	Total Mg 1 1	0	0

- Molecule 16 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
16	G	1	Total Cl 1 1	0	0
16	N	1	Total Cl 1 1	0	0
16	U	1	Total Cl 1 1	0	0
16	b	1	Total Cl 1 1	0	0

- Molecule 17 is Homosalinosporamide A - bound form (three-letter code: F6K) (formula: C₁₆H₂₄ClNO₄).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
17	H	1	Total 22	C 16	Cl 1	N 1	O 4	0	0
17	K	1	Total 22	C 16	Cl 1	N 1	O 4	0	0
17	N	1	Total 22	C 16	Cl 1	N 1	O 4	0	0
17	V	1	Total 22	C 16	Cl 1	N 1	O 4	0	0
17	Y	1	Total 22	C 16	Cl 1	N 1	O 4	0	0
17	b	1	Total 22	C 16	Cl 1	N 1	O 4	0	0

- Molecule 18 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
18	A	24	Total 24	O 24	0	0
18	B	19	Total 19	O 19	0	0
18	C	14	Total 14	O 14	0	0
18	D	24	Total 24	O 24	0	0
18	E	11	Total 11	O 11	0	0
18	F	22	Total 22	O 22	0	0
18	G	35	Total 35	O 35	0	0
18	H	25	Total 25	O 25	0	0
18	I	31	Total 31	O 31	0	0
18	J	27	Total 27	O 27	0	0
18	K	32	Total 32	O 32	0	0
18	L	29	Total 29	O 29	0	0
18	M	30	Total 30	O 30	0	0
18	N	24	Total 24	O 24	0	0

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
18	O	20	Total 20	O 20	0	0
18	P	18	Total 18	O 18	0	0
18	Q	22	Total 22	O 22	0	0
18	R	21	Total 21	O 21	0	0
18	S	14	Total 14	O 14	0	0
18	T	22	Total 22	O 22	0	0
18	U	43	Total 43	O 43	0	0
18	V	24	Total 24	O 24	0	0
18	W	22	Total 22	O 22	0	0
18	X	19	Total 19	O 19	0	0
18	Y	22	Total 22	O 22	0	0
18	Z	36	Total 36	O 36	0	0
18	a	41	Total 41	O 41	0	0
18	b	19	Total 19	O 19	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Proteasome subunit alpha type-2




- Molecule 1: Proteasome subunit alpha type-2




- Molecule 2: Proteasome subunit alpha type-3




- Molecule 2: Proteasome subunit alpha type-3





- Molecule 3: Proteasome subunit alpha type-4




- Molecule 3: Proteasome subunit alpha type-4



- Molecule 4: Proteasome subunit alpha type-5



- Molecule 4: Proteasome subunit alpha type-5





- Molecule 5: Proteasome subunit alpha type-6




- Molecule 5: Proteasome subunit alpha type-6




- Molecule 6: Probable proteasome subunit alpha type-7




- Molecule 6: Probable proteasome subunit alpha type-7





● Molecule 7: Proteasome subunit alpha type-1



● Molecule 7: Proteasome subunit alpha type-1



● Molecule 8: Proteasome subunit beta type-2




● Molecule 8: Proteasome subunit beta type-2




● Molecule 9: Proteasome subunit beta type-3




● Molecule 9: Proteasome subunit beta type-3




- Molecule 10: Proteasome subunit beta type-4




- Molecule 10: Proteasome subunit beta type-4




- Molecule 11: Proteasome subunit beta type-5




- Molecule 11: Proteasome subunit beta type-5




- Molecule 12: Proteasome subunit beta type-6



- Molecule 12: Proteasome subunit beta type-6




- Molecule 13: Proteasome subunit beta type-7





- Molecule 13: Proteasome subunit beta type-7

Chain a:  92% • 5%




- Molecule 14: Proteasome subunit beta type-1

Chain N:  91% 7% •



- Molecule 14: Proteasome subunit beta type-1

Chain b:  % 96% •



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	135.04Å 299.81Å 144.41Å 90.00° 112.56° 90.00°	Depositor
Resolution (Å)	15.00 – 2.90 15.00 – 2.90	Depositor EDS
% Data completeness (in resolution range)	88.7 (15.00-2.90) 89.3 (15.00-2.90)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.03 (at 2.91Å)	Xtrriage
Refinement program	REFMAC 5.8.0158	Depositor
R, R_{free}	0.197 , 0.233 0.204 , 0.239	Depositor DCC
R_{free} test set	10353 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	42.6	Xtrriage
Anisotropy	0.375	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.28 , 35.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.34$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	50199	wwPDB-VP
Average B, all atoms (Å ²)	55.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.00% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: F6K, CL, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.36	0/1952	0.57	0/2642
1	O	0.36	0/1952	0.56	0/2642
2	B	0.38	0/1934	0.61	0/2618
2	P	0.37	0/1934	0.61	0/2618
3	C	0.37	0/1910	0.62	0/2586
3	Q	0.36	0/1910	0.62	0/2586
4	D	0.35	0/1837	0.58	0/2475
4	R	0.35	0/1837	0.58	0/2475
5	E	0.36	0/1800	0.58	0/2433
5	S	0.35	0/1800	0.58	0/2433
6	F	0.37	0/1932	0.56	0/2609
6	T	0.36	0/1932	0.56	0/2609
7	G	0.37	0/1945	0.58	0/2634
7	U	0.36	0/1945	0.58	0/2634
8	H	0.34	0/1750	0.60	0/2373
8	V	0.35	0/1750	0.58	0/2373
9	I	0.36	0/1611	0.59	0/2174
9	W	0.36	0/1611	0.59	0/2174
10	J	0.36	0/1589	0.61	0/2142
10	X	0.36	0/1589	0.61	0/2142
11	K	0.36	0/1681	0.60	0/2274
11	Y	0.35	0/1681	0.61	1/2274 (0.0%)
12	L	0.36	0/1795	0.59	0/2420
12	Z	0.37	0/1795	0.59	0/2420
13	M	0.37	0/1855	0.61	0/2514
13	a	0.37	0/1855	0.62	0/2514
14	N	0.35	0/1541	0.60	0/2087
14	b	0.34	0/1541	0.59	0/2087
All	All	0.36	0/50264	0.59	1/67962 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	Y	4	LEU	CA-CB-CG	7.08	131.58	115.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1915	0	1929	2	0
1	O	1915	0	1929	3	0
2	B	1904	0	1904	3	0
2	P	1904	0	1904	6	0
3	C	1881	0	1895	6	0
3	Q	1881	0	1895	3	0
4	D	1813	0	1797	1	0
4	R	1813	0	1797	0	0
5	E	1773	0	1775	2	0
5	S	1773	0	1775	1	0
6	F	1892	0	1883	3	0
6	T	1892	0	1883	3	0
7	G	1907	0	1901	4	0
7	U	1907	0	1901	3	0
8	H	1719	0	1718	1	0
8	V	1719	0	1718	2	0
9	I	1581	0	1574	5	0
9	W	1581	0	1574	5	0
10	J	1561	0	1569	4	0
10	X	1561	0	1569	6	0
11	K	1644	0	1594	5	0
11	Y	1644	0	1594	11	0
12	L	1757	0	1711	3	0
12	Z	1757	0	1711	4	0
13	M	1824	0	1832	1	0
13	a	1824	0	1832	0	0
14	N	1512	0	1480	7	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
14	b	1512	0	1480	0	0
15	G	1	0	0	0	0
15	I	1	0	0	0	0
15	J	1	0	0	0	0
15	K	1	0	0	0	0
15	L	1	0	0	0	0
15	N	1	0	0	0	0
15	Z	1	0	0	0	0
16	G	1	0	0	0	0
16	N	1	0	0	0	0
16	U	1	0	0	0	0
16	b	1	0	0	0	0
17	H	22	0	0	0	0
17	K	22	0	0	2	0
17	N	22	0	0	0	0
17	V	22	0	0	0	0
17	Y	22	0	0	3	0
17	b	22	0	0	0	0
18	A	24	0	0	0	0
18	B	19	0	0	0	0
18	C	14	0	0	0	0
18	D	24	0	0	0	0
18	E	11	0	0	1	0
18	F	22	0	0	0	0
18	G	35	0	0	0	0
18	H	25	0	0	0	0
18	I	31	0	0	0	0
18	J	27	0	0	0	0
18	K	32	0	0	0	0
18	L	29	0	0	0	0
18	M	30	0	0	0	0
18	N	24	0	0	0	0
18	O	20	0	0	0	0
18	P	18	0	0	4	0
18	Q	22	0	0	0	0
18	R	21	0	0	0	0
18	S	14	0	0	0	0
18	T	22	0	0	0	0
18	U	43	0	0	0	0
18	V	24	0	0	0	0
18	W	22	0	0	0	0
18	X	19	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
18	Y	22	0	0	0	0
18	Z	36	0	0	0	0
18	a	41	0	0	0	0
18	b	19	0	0	0	0
All	All	50199	0	49124	89	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 1.

All (89) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:P:93:HIS:HB3	18:P:301:HOH:O	1.81	0.81
12:L:31:THR:HG23	12:L:36:ASN:HD21	1.51	0.73
12:Z:31:THR:HG23	12:Z:36:ASN:HD21	1.55	0.71
11:K:7:ARG:NH1	11:K:110:PRO:O	2.24	0.70
11:Y:7:ARG:NH1	11:Y:110:PRO:O	2.23	0.70
14:N:44:CYS:HB2	14:N:98:ILE:HB	1.79	0.63
7:G:23:PHE:O	7:G:26:THR:HB	2.04	0.57
6:F:123:ASN:HD22	6:F:124:SER:N	2.02	0.57
11:Y:4:LEU:CD1	11:Y:161:ILE:HD11	2.36	0.55
17:Y:301:F6K:C16	17:Y:301:F6K:C14	2.85	0.55
6:T:123:ASN:HD22	6:T:124:SER:N	2.03	0.55
17:K:301:F6K:C16	17:K:301:F6K:C14	2.84	0.55
11:Y:9:GLN:NE2	11:Y:148:LEU:O	2.39	0.55
11:K:9:GLN:NE2	11:K:148:LEU:O	2.40	0.54
11:Y:4:LEU:HD12	11:Y:161:ILE:CD1	2.38	0.53
11:Y:4:LEU:CD1	11:Y:161:ILE:CD1	2.86	0.53
3:C:160:GLN:HE21	3:C:160:GLN:HA	1.74	0.53
11:Y:4:LEU:HD11	11:Y:161:ILE:HG12	1.92	0.52
7:U:23:PHE:O	7:U:26:THR:HB	2.09	0.51
1:O:12:PHE:H	2:P:20:GLN:HE22	1.59	0.51
3:Q:160:GLN:HE21	3:Q:160:GLN:HA	1.74	0.51
2:P:113:ARG:NE	18:P:301:HOH:O	2.29	0.50
5:E:147:GLN:HG2	18:E:310:HOH:O	2.12	0.49
10:J:50:ALA:O	11:K:91:LYS:NZ	2.46	0.48
11:K:4:LEU:HD11	11:K:15:ALA:HB3	1.95	0.48
11:Y:4:LEU:HD13	11:Y:15:ALA:O	2.14	0.47
10:X:16:ALA:HB2	10:X:161:LEU:HD21	1.96	0.47
1:A:1:MET:HG3	6:F:122:TYR:CZ	2.50	0.47
12:L:189:THR:HG22	8:V:196:ARG:HE	1.79	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
8:H:50:ALA:CB	9:I:126:ILE:HG23	2.46	0.46
2:B:12:PHE:H	3:C:17:GLN:HE22	1.62	0.46
10:J:16:ALA:HB2	10:J:161:LEU:HD21	1.97	0.46
11:K:20:ALA:HB2	11:K:31:VAL:HG21	1.98	0.46
3:C:35:LYS:HG2	3:C:158:SER:O	2.17	0.45
10:J:23:ARG:NH2	10:J:50:ALA:HB2	2.31	0.45
11:Y:20:ALA:HB2	11:Y:31:VAL:HG21	1.98	0.45
2:P:113:ARG:HD2	18:P:315:HOH:O	2.16	0.45
2:B:145:TYR:OH	2:B:217:LYS:N	2.50	0.45
7:G:167:GLN:HE21	7:G:171:THR:HG23	1.82	0.45
2:P:145:TYR:OH	2:P:217:LYS:N	2.50	0.44
9:W:9:GLY:HA3	9:W:41:LYS:HE2	1.99	0.44
14:N:39:ASP:OD2	14:N:39:ASP:N	2.50	0.44
9:I:9:GLY:HA3	9:I:41:LYS:HE2	2.00	0.44
9:W:10:ILE:HG21	9:W:141:ALA:HB3	2.00	0.43
10:X:23:ARG:NH2	10:X:50:ALA:HB2	2.33	0.43
6:T:123:ASN:HD22	6:T:123:ASN:C	2.22	0.43
9:W:36:SER:HB2	10:X:126:VAL:HG11	2.00	0.43
10:X:1:MET:HB3	10:X:34:LYS:HE3	2.01	0.43
9:I:10:ILE:HG21	9:I:141:ALA:HB3	2.00	0.43
3:Q:169:VAL:HG23	3:Q:196:SER:HB2	2.00	0.43
3:C:169:VAL:HG23	3:C:196:SER:HB2	2.00	0.43
10:J:1:MET:HB3	10:J:34:LYS:HE3	2.00	0.43
12:Z:3:ASN:HD22	12:Z:4:PRO:HD2	1.83	0.43
14:N:152:VAL:HA	14:N:175:MET:HE1	2.01	0.43
2:P:113:ARG:NH2	18:P:301:HOH:O	2.51	0.43
7:U:149:ASP:HB2	7:U:150:PRO:CD	2.49	0.43
11:Y:4:LEU:HD12	11:Y:161:ILE:HD11	2.00	0.42
7:G:149:ASP:HB2	7:G:150:PRO:CD	2.50	0.42
11:Y:51:ASP:HB3	11:Y:97:MET:HE2	2.01	0.42
12:L:42:LYS:HD2	12:L:55:ASN:HD22	1.84	0.42
13:M:48:ASN:HD22	13:M:48:ASN:H	1.67	0.42
9:I:94:LEU:HD11	9:I:106:PRO:HG2	2.01	0.42
12:Z:42:LYS:HD2	12:Z:55:ASN:HD22	1.85	0.42
3:C:201:VAL:O	3:C:202:GLN:CB	2.68	0.41
7:U:167:GLN:HE21	7:U:171:THR:HG23	1.86	0.41
9:W:94:LEU:HD11	9:W:106:PRO:HG2	2.01	0.41
5:S:87:LEU:HD21	5:S:107:ALA:HB1	2.03	0.41
17:Y:301:F6K:O5	17:Y:301:F6K:C1	2.68	0.41
5:E:87:LEU:HD21	5:E:107:ALA:HB1	2.03	0.41
9:I:141:ALA:HB2	9:I:177:ASP:HB2	2.02	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:O:1:MET:HG3	6:T:122:TYR:CZ	2.56	0.41
17:K:301:F6K:O5	17:K:301:F6K:C1	2.68	0.41
10:X:50:ALA:O	11:Y:91:LYS:NZ	2.53	0.41
2:B:50:LYS:HD3	2:B:50:LYS:HA	1.94	0.41
14:N:12:VAL:HG12	14:N:178:LEU:HB2	2.03	0.41
17:Y:301:F6K:O15	17:Y:301:F6K:C3	2.69	0.41
6:F:123:ASN:HD22	6:F:123:ASN:C	2.23	0.41
14:N:36:ARG:HG3	14:N:42:TRP:CZ2	2.56	0.41
3:Q:201:VAL:O	3:Q:202:GLN:CB	2.69	0.41
3:C:9:PHE:H	4:D:15:GLN:HE22	1.68	0.40
1:A:64:VAL:HG11	1:A:212:ALA:HB3	2.04	0.40
7:G:78:ILE:N	7:G:79:PRO:CD	2.84	0.40
1:O:64:VAL:HG11	1:O:212:ALA:HB3	2.04	0.40
10:X:3:ILE:HG23	10:X:18:SER:HB3	2.04	0.40
14:N:8:PHE:CE2	14:N:10:ASP:HB2	2.56	0.40
14:N:83:LYS:HG3	14:N:119:VAL:CG2	2.51	0.40
9:W:141:ALA:HB2	9:W:177:ASP:HB2	2.04	0.40
8:V:99:ILE:HG13	8:V:127:LEU:HD22	2.03	0.40
12:Z:8:ASN:HA	12:Z:30:ILE:O	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	248/250 (99%)	240 (97%)	7 (3%)	1 (0%)	34 66
1	O	248/250 (99%)	239 (96%)	8 (3%)	1 (0%)	34 66
2	B	242/258 (94%)	233 (96%)	6 (2%)	3 (1%)	13 40
2	P	242/258 (94%)	233 (96%)	6 (2%)	3 (1%)	13 40
3	C	238/254 (94%)	234 (98%)	1 (0%)	3 (1%)	12 37

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
3	Q	238/254 (94%)	233 (98%)	2 (1%)	3 (1%)	12	37
4	D	231/260 (89%)	224 (97%)	7 (3%)	0	100	100
4	R	231/260 (89%)	224 (97%)	7 (3%)	0	100	100
5	E	229/234 (98%)	221 (96%)	8 (4%)	0	100	100
5	S	229/234 (98%)	221 (96%)	8 (4%)	0	100	100
6	F	241/288 (84%)	238 (99%)	3 (1%)	0	100	100
6	T	241/288 (84%)	238 (99%)	3 (1%)	0	100	100
7	G	239/252 (95%)	236 (99%)	3 (1%)	0	100	100
7	U	239/252 (95%)	236 (99%)	3 (1%)	0	100	100
8	H	224/232 (97%)	220 (98%)	4 (2%)	0	100	100
8	V	224/232 (97%)	219 (98%)	5 (2%)	0	100	100
9	I	202/205 (98%)	195 (96%)	7 (4%)	0	100	100
9	W	202/205 (98%)	195 (96%)	7 (4%)	0	100	100
10	J	193/198 (98%)	188 (97%)	4 (2%)	1 (0%)	29	61
10	X	193/198 (98%)	188 (97%)	4 (2%)	1 (0%)	29	61
11	K	210/212 (99%)	206 (98%)	4 (2%)	0	100	100
11	Y	210/212 (99%)	206 (98%)	4 (2%)	0	100	100
12	L	220/222 (99%)	215 (98%)	5 (2%)	0	100	100
12	Z	220/222 (99%)	215 (98%)	5 (2%)	0	100	100
13	M	231/246 (94%)	222 (96%)	9 (4%)	0	100	100
13	a	231/246 (94%)	222 (96%)	9 (4%)	0	100	100
14	N	194/196 (99%)	190 (98%)	4 (2%)	0	100	100
14	b	194/196 (99%)	189 (97%)	5 (3%)	0	100	100
All	All	6284/6614 (95%)	6120 (97%)	148 (2%)	16 (0%)	41	71

All (16) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	2	THR
2	B	51	VAL
3	C	202	GLN
1	O	2	THR
2	P	51	VAL
3	Q	202	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	B	218	GLY
2	B	222	GLY
2	P	218	GLY
2	P	222	GLY
10	J	24	GLY
10	X	24	GLY
3	C	205	ALA
3	Q	205	ALA
3	C	183	PRO
3	Q	183	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	209/209 (100%)	206 (99%)	3 (1%)	67 89
1	O	209/209 (100%)	206 (99%)	3 (1%)	67 89
2	B	203/216 (94%)	200 (98%)	3 (2%)	65 87
2	P	203/216 (94%)	200 (98%)	3 (2%)	65 87
3	C	212/226 (94%)	204 (96%)	8 (4%)	33 67
3	Q	212/226 (94%)	203 (96%)	9 (4%)	30 63
4	D	194/215 (90%)	186 (96%)	8 (4%)	30 64
4	R	194/215 (90%)	186 (96%)	8 (4%)	30 64
5	E	190/193 (98%)	183 (96%)	7 (4%)	34 68
5	S	190/193 (98%)	183 (96%)	7 (4%)	34 68
6	F	201/239 (84%)	193 (96%)	8 (4%)	31 65
6	T	201/239 (84%)	193 (96%)	8 (4%)	31 65
7	G	206/210 (98%)	199 (97%)	7 (3%)	37 71
7	U	206/210 (98%)	199 (97%)	7 (3%)	37 71
8	H	185/190 (97%)	178 (96%)	7 (4%)	33 67
8	V	185/190 (97%)	179 (97%)	6 (3%)	39 73

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
9	I	172/173 (99%)	170 (99%)	2 (1%)	71	91
9	W	172/173 (99%)	170 (99%)	2 (1%)	71	91
10	J	173/175 (99%)	167 (96%)	6 (4%)	36	70
10	X	173/175 (99%)	167 (96%)	6 (4%)	36	70
11	K	169/169 (100%)	164 (97%)	5 (3%)	41	75
11	Y	169/169 (100%)	163 (96%)	6 (4%)	35	69
12	L	185/185 (100%)	181 (98%)	4 (2%)	52	81
12	Z	185/185 (100%)	180 (97%)	5 (3%)	44	77
13	M	199/208 (96%)	193 (97%)	6 (3%)	41	75
13	a	199/208 (96%)	193 (97%)	6 (3%)	41	75
14	N	162/162 (100%)	155 (96%)	7 (4%)	29	62
14	b	162/162 (100%)	155 (96%)	7 (4%)	29	62
All	All	5320/5540 (96%)	5156 (97%)	164 (3%)	40	74

All (164) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	122	THR
1	A	157	PHE
1	A	250	LEU
2	B	55	LEU
2	B	119	GLN
2	B	191	LEU
3	C	4	ARG
3	C	38	ASN
3	C	51	LYS
3	C	77	ASN
3	C	169	VAL
3	C	180	LYS
3	C	206	LYS
3	C	240	GLU
4	D	99	ILE
4	D	143	ASP
4	D	176	LEU
4	D	193	LEU
4	D	214	ILE
4	D	235	LEU
4	D	236	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
4	D	242	GLU
5	E	9	THR
5	E	29	LYS
5	E	71	LEU
5	E	116	GLN
5	E	184	ASN
5	E	188	LEU
5	E	202	ASP
6	F	117	GLN
6	F	123	ASN
6	F	139	LYS
6	F	171	GLU
6	F	181	GLU
6	F	202	ASP
6	F	214	TRP
6	F	240	GLN
7	G	83	ASN
7	G	115	LEU
7	G	117	GLN
7	G	122	ARG
7	G	125	MET
7	G	208	GLU
7	G	235	ARG
8	H	9	ASN
8	H	22	GLN
8	H	31	CYS
8	H	68	LEU
8	H	118	SER
8	H	127	LEU
8	H	196	ARG
9	I	37	ASN
9	I	171	LEU
10	J	3	ILE
10	J	23	ARG
10	J	35	THR
10	J	78	GLN
10	J	90	LYS
10	J	99	GLN
11	K	9	GLN
11	K	99	THR
11	K	104	TYR
11	K	107	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
11	K	140	LEU
12	L	23	LEU
12	L	108	HIS
12	L	136	CYS
12	L	150	LEU
13	M	2	GLN
13	M	48	ASN
13	M	70	LEU
13	M	104	ARG
13	M	161	ARG
13	M	187	ARG
14	N	9	LYS
14	N	22	THR
14	N	36	ARG
14	N	39	ASP
14	N	83	LYS
14	N	104	ASP
14	N	107	LYS
1	O	122	THR
1	O	157	PHE
1	O	250	LEU
2	P	55	LEU
2	P	119	GLN
2	P	191	LEU
3	Q	4	ARG
3	Q	38	ASN
3	Q	51	LYS
3	Q	77	ASN
3	Q	147	GLN
3	Q	169	VAL
3	Q	180	LYS
3	Q	206	LYS
3	Q	240	GLU
4	R	99	ILE
4	R	143	ASP
4	R	176	LEU
4	R	193	LEU
4	R	214	ILE
4	R	235	LEU
4	R	236	LYS
4	R	242	GLU
5	S	9	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
5	S	29	LYS
5	S	71	LEU
5	S	116	GLN
5	S	184	ASN
5	S	188	LEU
5	S	202	ASP
6	T	117	GLN
6	T	123	ASN
6	T	139	LYS
6	T	171	GLU
6	T	181	GLU
6	T	202	ASP
6	T	214	TRP
6	T	240	GLN
7	U	83	ASN
7	U	115	LEU
7	U	117	GLN
7	U	122	ARG
7	U	125	MET
7	U	208	GLU
7	U	235	ARG
8	V	9	ASN
8	V	22	GLN
8	V	31	CYS
8	V	68	LEU
8	V	118	SER
8	V	127	LEU
9	W	37	ASN
9	W	171	LEU
10	X	3	ILE
10	X	23	ARG
10	X	35	THR
10	X	78	GLN
10	X	90	LYS
10	X	99	GLN
11	Y	4	LEU
11	Y	9	GLN
11	Y	99	THR
11	Y	104	TYR
11	Y	107	LYS
11	Y	140	LEU
12	Z	23	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
12	Z	108	HIS
12	Z	130	SER
12	Z	136	CYS
12	Z	150	LEU
13	a	2	GLN
13	a	48	ASN
13	a	70	LEU
13	a	104	ARG
13	a	161	ARG
13	a	187	ARG
14	b	9	LYS
14	b	22	THR
14	b	36	ARG
14	b	39	ASP
14	b	83	LYS
14	b	104	ASP
14	b	107	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (133) such sidechains are listed below:

Mol	Chain	Res	Type
2	B	20	GLN
2	B	58	GLN
2	B	95	GLN
2	B	119	GLN
2	B	123	GLN
2	B	155	ASN
3	C	17	GLN
3	C	38	ASN
3	C	77	ASN
3	C	92	GLN
3	C	147	GLN
3	C	160	GLN
4	D	15	GLN
4	D	100	ASN
4	D	225	ASN
5	E	68	HIS
5	E	92	ASN
5	E	99	ASN
5	E	116	GLN
5	E	118	ASN
5	E	120	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
5	E	151	ASN
5	E	184	ASN
6	F	19	GLN
6	F	86	ASN
6	F	117	GLN
6	F	123	ASN
6	F	191	GLN
6	F	240	GLN
7	G	83	ASN
7	G	114	ASN
7	G	117	GLN
7	G	121	GLN
7	G	166	GLN
7	G	167	GLN
7	G	175	ASN
8	H	30	ASN
8	H	66	HIS
8	H	91	GLN
8	H	172	ASN
9	I	37	ASN
9	I	71	ASN
10	J	55	GLN
11	K	9	GLN
11	K	85	ASN
11	K	133	GLN
11	K	176	ASN
12	L	3	ASN
12	L	36	ASN
12	L	49	ASN
12	L	55	ASN
12	L	70	ASN
12	L	152	ASN
12	L	153	GLN
12	L	158	ASN
13	M	18	ASN
13	M	48	ASN
13	M	102	GLN
13	M	179	ASN
13	M	194	ASN
13	M	213	GLN
14	N	161	GLN
2	P	20	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	P	58	GLN
2	P	95	GLN
2	P	119	GLN
2	P	123	GLN
2	P	155	ASN
3	Q	17	GLN
3	Q	38	ASN
3	Q	77	ASN
3	Q	92	GLN
3	Q	116	GLN
3	Q	120	GLN
3	Q	147	GLN
3	Q	160	GLN
4	R	15	GLN
4	R	91	HIS
4	R	100	ASN
4	R	210	GLN
4	R	225	ASN
5	S	68	HIS
5	S	92	ASN
5	S	99	ASN
5	S	116	GLN
5	S	118	ASN
5	S	120	GLN
5	S	151	ASN
5	S	184	ASN
6	T	19	GLN
6	T	86	ASN
6	T	117	GLN
6	T	123	ASN
6	T	191	GLN
6	T	240	GLN
7	U	83	ASN
7	U	114	ASN
7	U	117	GLN
7	U	121	GLN
7	U	166	GLN
7	U	167	GLN
7	U	175	ASN
8	V	30	ASN
8	V	66	HIS
8	V	91	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
8	V	165	ASN
8	V	172	ASN
9	W	37	ASN
9	W	71	ASN
10	X	55	GLN
10	X	78	GLN
11	Y	9	GLN
11	Y	62	GLN
11	Y	85	ASN
11	Y	133	GLN
11	Y	176	ASN
12	Z	3	ASN
12	Z	49	ASN
12	Z	55	ASN
12	Z	70	ASN
12	Z	152	ASN
12	Z	153	GLN
12	Z	158	ASN
13	a	18	ASN
13	a	26	ASN
13	a	48	ASN
13	a	102	GLN
13	a	108	ASN
13	a	179	ASN
13	a	194	ASN
13	a	213	GLN
14	b	60	GLN
14	b	161	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry

Of 17 ligands modelled in this entry, 11 are monoatomic - leaving 6 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
17	F6K	b	201	14	19,23,23	2.55	4 (21%)	25,34,34	1.90	7 (28%)
17	F6K	N	201	14	19,23,23	2.60	4 (21%)	25,34,34	2.00	8 (32%)
17	F6K	V	301	8	19,23,23	2.74	5 (26%)	25,34,34	1.89	7 (28%)
17	F6K	Y	301	11	19,23,23	4.65	6 (31%)	25,34,34	2.59	10 (40%)
17	F6K	H	301	8	19,23,23	2.65	5 (26%)	25,34,34	1.84	8 (32%)
17	F6K	K	301	11	19,23,23	4.57	6 (31%)	25,34,34	2.69	9 (36%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
17	F6K	b	201	14	-	2/8/49/49	0/2/2/2
17	F6K	N	201	14	-	1/8/49/49	0/2/2/2
17	F6K	V	301	8	-	1/8/49/49	0/2/2/2
17	F6K	Y	301	11	-	1/8/49/49	0/2/2/2
17	F6K	H	301	8	-	1/8/49/49	0/2/2/2
17	F6K	K	301	11	-	2/8/49/49	0/2/2/2

All (30) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
17	Y	301	F6K	C4-C3	-12.16	1.44	1.55
17	Y	301	F6K	C3-C19	-11.86	1.35	1.52
17	K	301	F6K	C4-C3	-11.83	1.44	1.55
17	K	301	F6K	C3-C19	-11.18	1.36	1.52
17	K	301	F6K	C9-C10	-9.28	1.36	1.50
17	V	301	F6K	C3-C19	-8.96	1.39	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
17	Y	301	F6K	C9-C10	-8.61	1.37	1.50
17	H	301	F6K	C3-C19	-8.40	1.40	1.52
17	b	201	F6K	C3-C19	-8.32	1.40	1.52
17	N	201	F6K	C3-C19	-8.30	1.40	1.52
17	H	301	F6K	C9-C10	-5.78	1.41	1.50
17	V	301	F6K	C9-C10	-5.69	1.41	1.50
17	N	201	F6K	C9-C10	-5.69	1.41	1.50
17	b	201	F6K	C9-C10	-5.59	1.41	1.50
17	K	301	F6K	C12-C11	-4.11	1.33	1.48
17	Y	301	F6K	C12-C11	-3.91	1.34	1.48
17	N	201	F6K	C12-C11	-3.03	1.37	1.48
17	K	301	F6K	C13-C14	-2.91	1.45	1.53
17	b	201	F6K	C12-C11	-2.87	1.38	1.48
17	V	301	F6K	C12-C11	-2.74	1.38	1.48
17	H	301	F6K	C14-C9	-2.72	1.49	1.53
17	H	301	F6K	C12-C11	-2.71	1.38	1.48
17	K	301	F6K	C13-C12	-2.53	1.42	1.51
17	V	301	F6K	C14-C9	-2.49	1.49	1.53
17	b	201	F6K	C10-C11	2.28	1.38	1.32
17	N	201	F6K	C10-C11	2.28	1.38	1.32
17	V	301	F6K	C10-C11	2.20	1.38	1.32
17	Y	301	F6K	C13-C12	-2.18	1.43	1.51
17	H	301	F6K	C10-C11	2.16	1.37	1.32
17	Y	301	F6K	C13-C14	-2.09	1.47	1.53

All (49) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
17	K	301	F6K	C4-C3-C19	-7.15	98.17	104.23
17	K	301	F6K	C7-N18-C19	-6.00	109.27	115.42
17	Y	301	F6K	C7-N18-C19	-5.61	109.66	115.42
17	Y	301	F6K	C4-C3-C19	-5.47	99.59	104.23
17	N	201	F6K	C7-N18-C19	-4.92	110.38	115.42
17	V	301	F6K	C7-N18-C19	-4.76	110.54	115.42
17	K	301	F6K	O15-C8-C7	4.66	118.08	107.15
17	K	301	F6K	C14-C9-C10	4.65	115.52	108.28
17	H	301	F6K	C7-N18-C19	-4.55	110.76	115.42
17	Y	301	F6K	C14-C9-C10	4.50	115.29	108.28
17	b	201	F6K	C7-N18-C19	-4.43	110.88	115.42
17	Y	301	F6K	O15-C8-C7	4.38	117.42	107.15
17	b	201	F6K	C13-C14-C9	-4.24	103.67	111.67
17	N	201	F6K	C13-C14-C9	-4.17	103.80	111.67

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
17	N	201	F6K	C4-C3-C19	-3.76	101.05	104.23
17	Y	301	F6K	O5-C4-C3	3.60	118.68	109.62
17	H	301	F6K	C14-C9-C10	3.45	113.66	108.28
17	K	301	F6K	C7-C4-C3	-3.42	98.62	104.14
17	V	301	F6K	C14-C9-C10	3.36	113.52	108.28
17	b	201	F6K	C4-C3-C19	-3.26	101.47	104.23
17	N	201	F6K	C7-C4-C3	-3.19	98.98	104.14
17	H	301	F6K	C13-C14-C9	-3.05	105.91	111.67
17	b	201	F6K	C7-C4-C3	-3.03	99.25	104.14
17	V	301	F6K	C13-C14-C9	-2.99	106.02	111.67
17	Y	301	F6K	C7-C4-C3	-2.95	99.37	104.14
17	Y	301	F6K	C1-C21-CL	-2.95	97.05	112.23
17	Y	301	F6K	C1-C2-C3	-2.80	106.87	113.36
17	K	301	F6K	O5-C4-C3	2.68	116.36	109.62
17	K	301	F6K	C1-C2-C3	-2.50	107.55	113.36
17	H	301	F6K	C14-C9-C8	-2.46	107.41	113.36
17	V	301	F6K	C3-C19-N18	2.40	112.26	108.78
17	V	301	F6K	C14-C9-C8	-2.36	107.65	113.36
17	V	301	F6K	O20-C19-N18	-2.36	122.66	125.72
17	K	301	F6K	C1-C21-CL	-2.35	100.16	112.23
17	V	301	F6K	C2-C3-C4	-2.33	112.12	115.45
17	b	201	F6K	O15-C8-C7	2.30	112.55	107.15
17	H	301	F6K	C2-C3-C4	-2.30	112.18	115.45
17	b	201	F6K	C14-C9-C10	2.27	111.82	108.28
17	N	201	F6K	O15-C8-C7	2.19	112.28	107.15
17	N	201	F6K	C14-C9-C10	2.17	111.66	108.28
17	Y	301	F6K	C12-C11-C10	-2.17	119.74	123.61
17	N	201	F6K	O20-C19-N18	-2.15	122.92	125.72
17	b	201	F6K	C8-C9-C10	2.12	117.20	110.97
17	N	201	F6K	C8-C9-C10	2.11	117.17	110.97
17	H	301	F6K	C3-C19-N18	2.10	111.82	108.78
17	Y	301	F6K	C8-C9-C10	2.09	117.12	110.97
17	K	301	F6K	C14-C9-C8	2.08	118.39	113.36
17	H	301	F6K	O20-C19-N18	-2.03	123.08	125.72
17	H	301	F6K	O15-C8-C7	2.00	111.84	107.15

There are no chirality outliers.

All (8) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
17	K	301	F6K	C7-C8-C9-C14
17	b	201	F6K	O15-C8-C9-C10

Continued on next page...

Continued from previous page...



Mol	Chain	Res	Type	Atoms
17	H	301	F6K	C1-C2-C3-C19
17	K	301	F6K	C1-C2-C3-C19
17	N	201	F6K	C1-C2-C3-C19
17	V	301	F6K	C1-C2-C3-C19
17	Y	301	F6K	C1-C2-C3-C19
17	b	201	F6K	C1-C2-C3-C19



There are no ring outliers.



2 monomers are involved in 5 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
17	Y	301	F6K	3	0
17	K	301	F6K	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	250/250 (100%)	-0.47	5 (2%) 65 63	32, 47, 86, 123	0
1	O	250/250 (100%)	-0.42	6 (2%) 59 56	34, 53, 93, 134	0
2	B	244/258 (94%)	-0.43	4 (1%) 72 71	31, 52, 95, 160	0
2	P	244/258 (94%)	-0.38	7 (2%) 51 47	37, 56, 99, 152	0
3	C	240/254 (94%)	-0.29	10 (4%) 36 32	32, 55, 116, 142	0
3	Q	240/254 (94%)	-0.22	10 (4%) 36 32	40, 64, 138, 162	0
4	D	235/260 (90%)	-0.48	1 (0%) 92 93	36, 55, 85, 121	0
4	R	235/260 (90%)	-0.48	2 (0%) 84 84	39, 61, 96, 128	0
5	E	231/234 (98%)	-0.42	1 (0%) 92 93	36, 58, 92, 127	0
5	S	231/234 (98%)	-0.35	2 (0%) 84 84	39, 62, 100, 134	0
6	F	243/288 (84%)	-0.51	3 (1%) 79 79	30, 55, 101, 130	0
6	T	243/288 (84%)	-0.38	4 (1%) 72 71	31, 58, 107, 134	0
7	G	241/252 (95%)	-0.51	1 (0%) 92 93	30, 50, 86, 136	0
7	U	241/252 (95%)	-0.50	1 (0%) 92 93	33, 49, 84, 130	0
8	H	226/232 (97%)	-0.58	3 (1%) 77 77	28, 46, 79, 137	0
8	V	226/232 (97%)	-0.52	7 (3%) 49 44	28, 45, 78, 165	0
9	I	204/205 (99%)	-0.74	0 100 100	27, 43, 71, 97	0
9	W	204/205 (99%)	-0.68	2 (0%) 82 82	29, 45, 74, 99	0
10	J	195/198 (98%)	-0.66	1 (0%) 91 91	30, 45, 71, 107	0
10	X	195/198 (98%)	-0.59	3 (1%) 73 73	29, 47, 75, 126	0
11	K	212/212 (100%)	-0.70	0 100 100	25, 44, 70, 87	0
11	Y	212/212 (100%)	-0.66	0 100 100	29, 45, 76, 89	0
12	L	222/222 (100%)	-0.64	1 (0%) 91 91	26, 46, 86, 118	0
12	Z	222/222 (100%)	-0.64	2 (0%) 84 84	23, 46, 83, 115	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
13	M	233/246 (94%)	-0.66	0 100 100	26, 47, 70, 86	0
13	a	233/246 (94%)	-0.66	1 (0%) 92 93	26, 44, 67, 85	0
14	N	196/196 (100%)	-0.69	0 100 100	28, 42, 69, 101	0
14	b	196/196 (100%)	-0.69	1 (0%) 91 91	28, 43, 72, 101	0
All	All	6344/6614 (95%)	-0.53	78 (1%) 79 79	23, 50, 92, 165	0

All (78) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
8	V	224	GLN	5.6
1	O	2	THR	4.8
8	V	226	GLU	4.4
2	P	51	VAL	4.4
1	O	249	ALA	4.3
8	H	224	GLN	4.3
2	B	220	ASN	4.2
3	Q	239	GLN	4.1
2	B	51	VAL	4.1
1	A	2	THR	4.0
5	S	202	ASP	3.9
5	E	202	ASP	3.8
3	Q	49	THR	3.8
10	X	1	MET	3.7
3	Q	50	LEU	3.5
3	Q	238	LYS	3.5
9	W	1	SER	3.5
8	H	226	GLU	3.4
1	O	1	MET	3.4
2	B	221	ASP	3.3
12	L	174	TYR	3.3
4	R	125	LEU	3.3
4	D	242	GLU	3.2
3	C	240	GLU	3.2
8	V	225	GLU	3.2
3	Q	236	GLN	3.2
8	V	222	ASP	3.2
7	G	242	GLN	3.2
2	P	221	ASP	3.1
3	C	239	GLN	3.1
8	V	223	ILE	3.1
3	C	206	LYS	3.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	1	MET	3.0
3	Q	240	GLU	3.0
12	Z	174	TYR	2.9
13	a	1	THR	2.8
3	C	238	LYS	2.8
3	C	202	GLN	2.8
6	T	244	ASN	2.8
2	P	222	GLY	2.7
7	U	242	GLN	2.7
3	Q	48	SER	2.7
2	P	220	ASN	2.7
6	F	244	ASN	2.5
1	O	52	SER	2.5
6	F	205	GLU	2.5
3	C	236	GLN	2.5
3	C	50	LEU	2.5
3	C	203	THR	2.5
9	W	160	GLU	2.5
14	b	195	GLN	2.4
3	Q	206	LYS	2.4
1	A	249	ALA	2.4
6	T	241	LYS	2.3
2	P	203	SER	2.3
1	O	201	GLU	2.3
10	J	1	MET	2.3
6	F	181	GLU	2.3
3	C	49	THR	2.3
1	A	201	GLU	2.2
6	T	2	THR	2.2
3	Q	237	GLU	2.2
2	B	217	LYS	2.2
6	T	230	ASP	2.2
3	Q	225	GLU	2.2
4	R	230	GLU	2.2
5	S	3	ASN	2.2
1	O	50	LYS	2.2
1	A	250	LEU	2.2
10	X	194	ASP	2.1
8	H	198	GLU	2.1
2	P	219	ALA	2.1
8	V	145	ASP	2.1
12	Z	173	LYS	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	P	240	LYS	2.1
3	C	175	LYS	2.1
8	V	221	CYS	2.0
10	X	193	ASP	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.


6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
17	F6K	K	301	22/22	0.92	0.18	34,37,40,65	0
17	F6K	H	301	22/22	0.93	0.19	40,40,43,57	0
17	F6K	N	201	22/22	0.93	0.16	35,39,41,46	0
17	F6K	Y	301	22/22	0.93	0.17	34,39,41,68	0
17	F6K	b	201	22/22	0.93	0.14	36,39,41,44	0
15	MG	K	302	1/1	0.94	0.08	37,37,37,37	0
17	F6K	V	301	22/22	0.94	0.16	36,37,40,55	0
15	MG	L	301	1/1	0.97	0.09	56,56,56,56	0
15	MG	G	301	1/1	0.98	0.06	46,46,46,46	0
15	MG	N	202	1/1	0.98	0.06	30,30,30,30	0
15	MG	Z	301	1/1	0.98	0.06	35,35,35,35	0
16	CL	G	302	1/1	0.98	0.10	32,32,32,32	0
16	CL	N	203	1/1	0.98	0.07	39,39,39,39	0
16	CL	b	202	1/1	0.98	0.12	40,40,40,40	0
15	MG	J	201	1/1	0.99	0.08	34,34,34,34	0
16	CL	U	301	1/1	0.99	0.12	25,25,25,25	0
15	MG	I	301	1/1	0.99	0.10	39,39,39,39	0




The following is a graphical depiction of the model fit to experimental electron density of all

instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around F6K H 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around F6K N 201:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around F6K Y 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around F6K b 201:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.