



Full wwPDB X-ray Structure Validation Report ⓘ

Jan 7, 2024 – 09:55 pm GMT

PDB ID : 6GQF
Title : The structure of mouse AsterA (GramD1a) with 25-hydroxy cholesterol
Authors : Fairall, L.; Gurnett, J.E.; Vashi, D.; Sandhu, J.; Tontonoz, P.; Schwabe, J.W.R.
Deposited on : 2018-06-07
Resolution : 2.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.4, CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.36
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1957 (2.90-2.90)
Clashscore	141614	2172 (2.90-2.90)
Ramachandran outliers	138981	2115 (2.90-2.90)
Sidechain outliers	138945	2117 (2.90-2.90)
RSRZ outliers	127900	1906 (2.90-2.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	231	 % 67% 5% 27%
1	B	231	 2% 67% 29%
1	C	231	 2% 67% 6% 27%
1	D	231	 4% 66% 6% 28%

2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 5465 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called GRAM domain-containing protein 1A.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	168	1366	869	245	247	5	0	0	0
1	B	163	1280	816	228	231	5	0	0	0
1	C	168	1361	868	241	247	5	0	0	0
1	D	167	1318	838	235	240	5	0	0	0

There are 8 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	332	GLY	-	expression tag	UNP Q8VEF1
A	333	ALA	-	expression tag	UNP Q8VEF1
B	332	GLY	-	expression tag	UNP Q8VEF1
B	333	ALA	-	expression tag	UNP Q8VEF1
C	332	GLY	-	expression tag	UNP Q8VEF1
C	333	ALA	-	expression tag	UNP Q8VEF1
D	332	GLY	-	expression tag	UNP Q8VEF1
D	333	ALA	-	expression tag	UNP Q8VEF1

- Molecule 2 is 25-HYDROXYCHOLESTEROL (three-letter code: HC3) (formula: C₂₇H₄₆O₂).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total C O 29 27 2	0	0
2	B	1	Total C O 29 27 2	0	0
2	C	1	Total C O 29 27 2	0	0
2	D	1	Total C O 29 27 2	0	0

- Molecule 3 is GLYCEROL (three-letter code: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total 6	C 3	O 3	0	0
3	B	1	Total 6	C 3	O 3	0	0
3	C	1	Total 6	C 3	O 3	0	0
3	D	1	Total 6	C 3	O 3	0	0



4 Data and refinement statistics i

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	52.44Å 121.01Å 71.91Å 90.00° 110.84° 90.00°	Depositor
Resolution (Å)	67.20 – 2.90 67.20 – 2.90	Depositor EDS
% Data completeness (in resolution range)	98.8 (67.20-2.90) 96.4 (67.20-2.90)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.81 (at 2.91Å)	Xtrriage
Refinement program	PHENIX 1.9_1692	Depositor
R, R_{free}	0.201 , 0.258 0.206 , 0.256	Depositor DCC
R_{free} test set	845 reflections (4.59%)	wwPDB-VP
Wilson B-factor (Å ²)	78.3	Xtrriage
Anisotropy	0.393	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 49.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.30$	Xtrriage
Estimated twinning fraction	0.177 for h,-k,-h-l	Xtrriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	5465	wwPDB-VP
Average B, all atoms (Å ²)	80.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 7.29% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: HC3, GOL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.26	0/1397	0.44	0/1887
1	B	0.25	0/1309	0.43	0/1777
1	C	0.27	0/1391	0.44	0/1878
1	D	0.26	0/1349	0.41	0/1827
All	All	0.26	0/5446	0.43	0/7369

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	D	0	1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	D	530	ARG	Sidechain

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1366	0	1356	5	0
1	B	1280	0	1222	4	0
1	C	1361	0	1352	6	0
1	D	1318	0	1267	5	0
2	A	29	0	46	2	0
2	B	29	0	46	2	0
2	C	29	0	46	2	0
2	D	29	0	46	0	0
3	A	6	0	8	0	0
3	B	6	0	8	0	0
3	C	6	0	8	1	0
3	D	6	0	8	0	0
All	All	5465	0	5413	23	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (23) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:601:HC3:H212	2:B:601:HC3:H122	1.81	0.62
1:C:371:ARG:NH1	1:C:522:GLU:OE2	2.36	0.57
1:C:450:ARG:NH2	1:C:457:GLY:O	2.39	0.56
1:A:433:ASN:O	1:A:435:LEU:N	2.40	0.55
1:C:479:HIS:CE1	2:C:601:HC3:H6	2.43	0.54
1:B:479:HIS:CE1	2:B:601:HC3:H6	2.44	0.51
1:A:403:ARG:NH2	1:A:523:ASP:OD2	2.44	0.49
1:D:474:TYR:O	1:D:502:ARG:N	2.45	0.48
1:A:479:HIS:CE1	2:A:601:HC3:H6	2.49	0.47
1:D:505:PRO:HB2	1:D:509:VAL:CG2	2.44	0.47
1:D:367:ASP:OD1	1:D:496:SER:OG	2.20	0.46
1:B:482:CYS:HB3	1:B:494:ARG:HB2	1.99	0.44
3:C:602:GOL:O3	3:C:602:GOL:O1	2.36	0.44
1:A:505:PRO:HB2	1:A:509:VAL:HB	2.01	0.43
1:B:435:LEU:HD22	1:B:512:LEU:HD21	2.01	0.43
2:A:601:HC3:H183	2:A:601:HC3:H20	1.89	0.43
1:C:384:ARG:NH2	1:C:388:MET:SD	2.92	0.43
1:C:479:HIS:NE2	2:C:601:HC3:H6	2.35	0.42
1:C:486:LEU:HD12	1:C:490:LYS:HG2	2.02	0.41
1:A:367:ASP:OD2	1:A:494:ARG:NH2	2.51	0.41
1:D:505:PRO:HB2	1:D:509:VAL:HG23	2.03	0.40
1:B:485:GLY:HA2	1:B:491:ALA:HA	2.02	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:387:GLN:O	1:D:391:SER:OG	2.40	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	164/231 (71%)	154 (94%)	8 (5%)	2 (1%)	13	40
1	B	159/231 (69%)	143 (90%)	16 (10%)	0	100	100
1	C	162/231 (70%)	150 (93%)	10 (6%)	2 (1%)	13	40
1	D	163/231 (71%)	151 (93%)	11 (7%)	1 (1%)	25	58
All	All	648/924 (70%)	598 (92%)	45 (7%)	5 (1%)	19	51

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	434	GLN
1	D	370	GLY
1	C	369	SER
1	C	370	GLY
1	A	366	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	151/202 (75%)	148 (98%)	3 (2%)	55	82
1	B	133/202 (66%)	131 (98%)	2 (2%)	65	87
1	C	151/202 (75%)	149 (99%)	2 (1%)	69	90
1	D	139/202 (69%)	134 (96%)	5 (4%)	35	69
All	All	574/808 (71%)	562 (98%)	12 (2%)	53	81

All (12) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	410	LEU
1	A	433	ASN
1	A	460	VAL
1	B	484	LEU
1	B	531	GLU
1	C	365	LEU
1	C	458	CYS
1	D	416	ASP
1	D	420	HIS
1	D	473	ASP
1	D	526	HIS
1	D	530	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry i

8 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	GOL	B	602	-	5,5,5	0.35	0	5,5,5	0.12	0
2	HC3	B	601	-	32,32,32	3.86	10 (31%)	51,51,51	1.85	13 (25%)
2	HC3	D	601	-	32,32,32	3.90	9 (28%)	51,51,51	1.85	15 (29%)
3	GOL	D	602	-	5,5,5	0.34	0	5,5,5	0.24	0
2	HC3	A	601	-	32,32,32	3.80	10 (31%)	51,51,51	2.07	17 (33%)
2	HC3	C	601	-	32,32,32	3.83	10 (31%)	51,51,51	1.64	9 (17%)
3	GOL	A	602	-	5,5,5	0.38	0	5,5,5	0.11	0
3	GOL	C	602	-	5,5,5	0.32	0	5,5,5	0.17	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	GOL	B	602	-	-	2/4/4/4	-
2	HC3	B	601	-	-	6/11/69/69	0/4/4/4
2	HC3	D	601	-	-	4/11/69/69	0/4/4/4
3	GOL	D	602	-	-	0/4/4/4	-
2	HC3	A	601	-	-	6/11/69/69	0/4/4/4
2	HC3	C	601	-	-	5/11/69/69	0/4/4/4
3	GOL	A	602	-	-	4/4/4/4	-
3	GOL	C	602	-	-	0/4/4/4	-

All (39) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	D	601	HC3	C6-C5	15.48	1.67	1.33
2	B	601	HC3	C6-C5	15.09	1.66	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	601	HC3	C6-C5	14.88	1.65	1.33
2	A	601	HC3	C6-C5	14.76	1.65	1.33
2	A	601	HC3	C16-C15	6.70	1.72	1.54
2	B	601	HC3	C16-C15	6.69	1.72	1.54
2	C	601	HC3	C16-C15	6.57	1.72	1.54
2	D	601	HC3	C16-C15	6.45	1.71	1.54
2	D	601	HC3	C13-C17	6.24	1.66	1.55
2	A	601	HC3	C12-C13	-6.11	1.43	1.54
2	B	601	HC3	C20-C17	-6.02	1.43	1.54
2	B	601	HC3	C12-C13	-5.94	1.43	1.54
2	C	601	HC3	C12-C13	-5.94	1.43	1.54
2	C	601	HC3	C7-C8	5.85	1.63	1.53
2	A	601	HC3	C13-C17	5.85	1.66	1.55
2	C	601	HC3	C13-C17	5.84	1.66	1.55
2	D	601	HC3	C20-C17	-5.72	1.44	1.54
2	B	601	HC3	C13-C17	5.71	1.65	1.55
2	C	601	HC3	C20-C17	-5.68	1.44	1.54
2	B	601	HC3	C7-C8	5.61	1.62	1.53
2	D	601	HC3	C7-C8	5.57	1.62	1.53
2	D	601	HC3	C12-C13	-5.47	1.44	1.54
2	A	601	HC3	C7-C8	5.47	1.62	1.53
2	D	601	HC3	C12-C11	5.11	1.64	1.53
2	A	601	HC3	C12-C11	4.98	1.64	1.53
2	A	601	HC3	C20-C17	-4.92	1.45	1.54
2	C	601	HC3	C12-C11	4.82	1.63	1.53
2	B	601	HC3	C12-C11	4.74	1.63	1.53
2	A	601	HC3	C10-C9	4.15	1.63	1.56
2	D	601	HC3	C10-C9	4.12	1.63	1.56
2	B	601	HC3	C10-C9	4.06	1.62	1.56
2	C	601	HC3	C10-C9	3.91	1.62	1.56
2	B	601	HC3	C15-C14	3.75	1.62	1.54
2	C	601	HC3	C15-C14	3.70	1.62	1.54
2	D	601	HC3	C15-C14	3.68	1.62	1.54
2	A	601	HC3	C15-C14	3.55	1.61	1.54
2	A	601	HC3	C10-C5	-2.31	1.48	1.52
2	C	601	HC3	C10-C5	-2.21	1.48	1.52
2	B	601	HC3	C10-C5	-2.11	1.48	1.52

All (54) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	601	HC3	C7-C6-C5	-5.36	115.17	125.06

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	601	HC3	C7-C6-C5	-5.27	115.34	125.06
2	D	601	HC3	C12-C13-C17	4.75	123.67	116.57
2	A	601	HC3	C7-C6-C5	-4.70	116.38	125.06
2	A	601	HC3	C13-C17-C20	-4.44	112.54	119.49
2	D	601	HC3	C7-C6-C5	-4.33	117.07	125.06
2	C	601	HC3	C12-C13-C17	4.11	122.72	116.57
2	A	601	HC3	C7-C8-C9	3.93	114.48	109.71
2	B	601	HC3	C10-C5-C6	-3.91	116.92	122.90
2	D	601	HC3	C18-C13-C12	-3.81	104.57	110.59
2	A	601	HC3	C18-C13-C12	-3.79	104.61	110.59
2	D	601	HC3	C17-C13-C14	3.75	104.51	100.07
2	A	601	HC3	C24-C23-C22	-3.71	105.17	112.74
2	A	601	HC3	C8-C7-C6	-3.69	107.43	112.73
2	A	601	HC3	C21-C20-C17	-3.66	107.31	112.92
2	A	601	HC3	C17-C13-C14	3.62	104.37	100.07
2	B	601	HC3	C18-C13-C12	-3.60	104.90	110.59
2	A	601	HC3	C12-C13-C17	3.57	121.91	116.57
2	C	601	HC3	C18-C13-C12	-3.55	104.98	110.59
2	B	601	HC3	C12-C13-C17	3.51	121.82	116.57
2	A	601	HC3	C22-C20-C17	3.46	117.44	110.28
2	B	601	HC3	C17-C13-C14	3.37	104.07	100.07
2	D	601	HC3	C7-C8-C9	3.30	113.71	109.71
2	B	601	HC3	C13-C17-C20	-3.23	114.42	119.49
2	A	601	HC3	C19-C10-C9	-3.07	108.02	111.68
2	C	601	HC3	C17-C13-C14	3.05	103.69	100.07
2	B	601	HC3	C18-C13-C17	-2.92	106.26	111.71
2	B	601	HC3	C19-C10-C9	-2.85	108.28	111.68
2	D	601	HC3	C18-C13-C17	-2.85	106.39	111.71
2	D	601	HC3	C16-C17-C13	2.82	107.24	103.84
2	C	601	HC3	C18-C13-C17	-2.76	106.56	111.71
2	B	601	HC3	C7-C8-C9	2.75	113.04	109.71
2	D	601	HC3	C19-C10-C9	-2.75	108.41	111.68
2	A	601	HC3	C16-C17-C20	2.66	116.26	112.15
2	D	601	HC3	C1-C10-C5	2.64	113.59	108.75
2	D	601	HC3	C24-C23-C22	-2.57	107.49	112.74
2	D	601	HC3	C15-C14-C13	2.55	106.91	103.84
2	A	601	HC3	C10-C5-C6	-2.51	119.07	122.90
2	B	601	HC3	C12-C13-C14	2.49	111.14	107.27
2	D	601	HC3	C7-C8-C14	-2.46	107.35	110.91
2	D	601	HC3	C9-C10-C5	2.43	113.47	109.65
2	C	601	HC3	C19-C10-C9	-2.43	108.78	111.68
2	C	601	HC3	C7-C8-C9	2.29	112.48	109.71

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	601	HC3	C23-C22-C20	-2.27	108.51	115.03
2	A	601	HC3	C9-C10-C5	2.26	113.20	109.65
2	C	601	HC3	C24-C23-C22	-2.22	108.21	112.74
2	A	601	HC3	C18-C13-C14	-2.21	107.59	111.71
2	C	601	HC3	C14-C8-C9	2.15	111.97	109.09
2	A	601	HC3	C18-C13-C17	-2.15	107.71	111.71
2	D	601	HC3	C13-C17-C20	-2.09	116.22	119.49
2	D	601	HC3	C1-C10-C9	-2.06	105.85	108.73
2	A	601	HC3	C11-C9-C8	-2.04	108.82	111.75
2	B	601	HC3	C11-C9-C8	-2.02	108.85	111.75
2	B	601	HC3	C18-C13-C14	-2.00	107.98	111.71

There are no chirality outliers.

All (27) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	B	601	HC3	C23-C24-C25-C27
2	B	601	HC3	C23-C24-C25-O2
2	C	601	HC3	C23-C24-C25-C26
2	D	601	HC3	C23-C24-C25-C26
3	B	602	GOL	O1-C1-C2-C3
2	A	601	HC3	C21-C20-C22-C23
2	A	601	HC3	C13-C17-C20-C22
2	A	601	HC3	C13-C17-C20-C21
2	B	601	HC3	C17-C20-C22-C23
2	B	601	HC3	C21-C20-C22-C23
2	A	601	HC3	C16-C17-C20-C21
2	A	601	HC3	C17-C20-C22-C23
2	A	601	HC3	C16-C17-C20-C22
2	B	601	HC3	C23-C24-C25-C26
2	C	601	HC3	C23-C24-C25-C27
2	D	601	HC3	C23-C24-C25-C27
3	A	602	GOL	O1-C1-C2-C3
3	A	602	GOL	C1-C2-C3-O3
3	A	602	GOL	O2-C2-C3-O3
3	B	602	GOL	O1-C1-C2-O2
2	C	601	HC3	C23-C24-C25-O2
2	D	601	HC3	C23-C24-C25-O2
2	B	601	HC3	C22-C23-C24-C25
2	D	601	HC3	C21-C20-C22-C23
3	A	602	GOL	O1-C1-C2-O2
2	C	601	HC3	C13-C17-C20-C21

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
2	C	601	HC3	C21-C20-C22-C23


There are no ring outliers.

4 monomers are involved in 7 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	601	HC3	2	0
2	A	601	HC3	2	0
2	C	601	HC3	2	0
3	C	602	GOL	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	168/231 (72%)	0.44	2 (1%) 79 79	49, 71, 98, 112	0
1	B	163/231 (70%)	0.45	5 (3%) 49 44	58, 88, 119, 130	0
1	C	168/231 (72%)	0.39	4 (2%) 59 56	51, 69, 99, 110	0
1	D	167/231 (72%)	0.49	9 (5%) 25 22	58, 88, 110, 129	0
All	All	666/924 (72%)	0.44	20 (3%) 50 45	49, 79, 110, 130	0

All (20) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	506	TRP	3.4
1	D	471	TYR	3.0
1	B	375	ASN	2.8
1	B	528	LEU	2.7
1	D	371	ARG	2.6
1	D	497	SER	2.5
1	A	410	LEU	2.4
1	C	365	LEU	2.4
1	D	530	ARG	2.3
1	A	414	SER	2.3
1	B	373	LEU	2.2
1	B	399	PHE	2.1
1	C	493	LEU	2.1
1	D	493	LEU	2.1
1	C	417	SER	2.1
1	D	389	LEU	2.1
1	D	469	ILE	2.1
1	D	378	PHE	2.1
1	D	427	TYR	2.1
1	B	414	SER	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
2	HC3	D	601	29/29	0.89	0.58	76,84,91,93	0
3	GOL	B	602	6/6	0.89	0.39	83,88,90,92	0
3	GOL	A	602	6/6	0.91	0.38	63,72,77,85	0
3	GOL	D	602	6/6	0.91	0.75	76,88,94,99	0
2	HC3	C	601	29/29	0.94	0.39	55,65,84,97	0
2	HC3	B	601	29/29	0.95	0.45	56,65,78,84	0
3	GOL	C	602	6/6	0.97	0.39	61,70,74,77	0
2	HC3	A	601	29/29	0.97	0.36	43,51,67,76	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around HC3 D 601:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around HC3 C 601:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HC3 B 601:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around HC3 A 601:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.