



## Full wwPDB EM Validation Report ⓘ

Aug 21, 2023 – 01:36 PM JST

PDB ID : 8GRA  
EMDB ID : EMD-34087  
Title : Structure of Type VI secretion system cargo delivery vehicle Hcp-VgrG-PAAR  
Authors : Wen, Y.; He, W.; Zhu, L.  
Deposited on : 2022-09-01  
Resolution : 2.80 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev50  
MolProbity : 4.02b-467  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
MapQ : 1.9.9  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.35

# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:  
*ELECTRON MICROSCOPY*

The reported resolution of this entry is 2.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.







Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	158937	4297
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion  $< 40\%$ ). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	J	222	98%
1	J1	222	98%
1	J2	222	98%
2	A	129	91% 88% 10%
2	B	129	84% 90% 7%
2	C	129	67% 85% 12%
2	D	129	90% 84% 14%
2	E	129	91% 90% 9%

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
2	F	129	
3	G	616	
3	H	616	
3	I	616	

## 2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 20306 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Type VI secretion system spike protein Paar.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
1	J	5	24	14	5	5	0	0
1	J1	5	24	14	5	5	0	0
1	J2	5	24	14	5	5	0	0


- Molecule 2 is a protein called Bacterodales T6SS protein TssD (Hcp).

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
2	B	127	1001	633	167	197	4	0	0
2	A	126	992	628	166	194	4	0	0
2	F	127	1001	633	167	197	4	0	0
2	E	127	1001	633	167	197	4	0	0
2	D	126	992	628	166	194	4	0	0
2	C	126	992	628	166	194	4	0	0



- Molecule 3 is a protein called Type VI secretion system spike protein VgrG.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
3	I	613	4751	2978	813	940	20	0	0
3	H	613	4752	2979	813	940	20	0	0
3	G	613	4752	2979	813	940	20	0	0









• Molecule 2: Bacterodales T6SS protein TssD (Hcp)



• Molecule 2: Bacterodales T6SS protein TssD (Hcp)





• Molecule 2: Bacterodales T6SS protein TssD (Hcp)










• Molecule 2: Bacterodales T6SS protein TssD (Hcp)




• Molecule 2: Bacterodales T6SS protein TssD (Hcp)



• Molecule 2: Bacterodales T6SS protein TssD (Hcp)




• Molecule 3: Type VI secretion system spike protein VgrG










• Molecule 3: Type VI secretion system spike protein VgrG



G481
D482
W483
G484
I485
T486
L487
R488
D489
I490
N491
G492
N493
V494
I495
H496
L497
N498
S499
K500
D501
K502
N503
I504
D505
I506
T507
A508
P509
E510
T511
I512
T513
L514
T515
A516
K517
N518
V519
C520
I521
N522
T523
E524
E525
N526
V527
Q528
I529
T530
A531
K532
K533
N534
I535
D536
M537
T538
V539
E540
A541
D542
I543
N544
S545
S546
A547
K548
G549
N550
L551
L552
L553
Q554
A555
D556
K557
D558
V559
L560
T561
A562
A563
K564
G565
N566
V567
G568
I569
E570
A571
K572
S573
D574
I575
N576
M577
V578
G579
K580
N581
I582
A583
V584
E585
G586
N587
S588
K589
I590
T591
L592
N593
G594
G595
Q596
T597
Q598
V599
A600
G601
Q602
Q603
T604
T605
I606
Q607
G608
A609
A610
N611
K612
I613
E614
I615
MET

## 4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	354265	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ( $e^-/\text{\AA}^2$ )	20	Depositor
Minimum defocus (nm)	1200	Depositor
Maximum defocus (nm)	4300	Depositor
Magnification	Not provided	
Image detector	GATAN K3 BIOQUANTUM (6k x 4k)	Depositor
Maximum map value	0.765	Depositor
Minimum map value	-0.329	Depositor
Average map value	-0.000	Depositor
Map value standard deviation	0.015	Depositor
Recommended contour level	0.07	Depositor
Map size (Å)	440.32, 440.32, 440.32	wwPDB
Map dimensions	512, 512, 512	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.86, 0.86, 0.86	Depositor

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	J	0.24	0/23	0.43	0/30
1	J1	0.22	0/23	0.44	0/30
1	J2	0.21	0/23	0.39	0/30
2	A	0.29	0/1011	0.48	0/1362
2	B	0.28	0/1020	0.50	0/1374
2	C	0.30	0/1011	0.50	0/1362
2	D	0.28	0/1011	0.49	0/1362
2	E	0.28	0/1020	0.48	0/1374
2	F	0.29	0/1020	0.51	0/1374
3	G	0.31	0/4849	0.52	0/6575
3	H	0.32	0/4849	0.54	0/6575
3	I	0.31	0/4848	0.53	0/6573
All	All	0.31	0/20708	0.52	0/28021

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	J	24	0	10	0	0
1	J1	24	0	10	0	0
1	J2	24	0	10	0	0
2	A	992	0	970	7	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	B	1001	0	976	7	0
2	C	992	0	970	12	0
2	D	992	0	970	9	0
2	E	1001	0	976	6	0
2	F	1001	0	976	12	0
3	G	4752	0	4639	37	0
3	H	4752	0	4639	42	0
3	I	4751	0	4635	33	0
All	All	20306	0	19781	136	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (136) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:I:523:THR:HG22	3:I:525:GLU:H	1.43	0.84
3:I:502:LYS:HB3	3:G:509:PRO:HG2	1.66	0.76
3:I:539:VAL:HG12	3:I:541:ALA:H	1.54	0.72
2:F:47:GLU:OE2	2:F:103:GLN:NE2	2.25	0.69
3:I:499:SER:O	3:G:491:ASN:ND2	2.27	0.67
3:I:218:SER:OG	3:I:258:GLU:OE2	2.15	0.64
3:I:307:VAL:HG22	3:I:324:ARG:HG3	1.80	0.64
3:I:491:ASN:ND2	3:H:499:SER:O	2.31	0.64
2:D:70:VAL:HG22	2:D:82:GLU:HG3	1.82	0.61
3:I:33:THR:HG22	3:I:34:HIS:H	1.66	0.60
2:A:97:ILE:HG12	2:A:105:MET:HG2	1.83	0.60
2:E:81:LYS:HD3	2:E:118:ILE:HD11	1.83	0.59
3:G:167:SER:O	3:G:171:ARG:HG3	2.02	0.59
2:E:74:GLY:O	2:E:77:GLU:N	2.37	0.58
3:H:72:HIS:ND1	3:H:75:SER:OG	2.34	0.57
3:G:33:THR:HG22	3:G:34:HIS:H	1.68	0.57
2:B:128:PRO:HG2	3:H:200:ASP:HB3	1.87	0.56
3:H:290:GLN:HE21	3:H:347:VAL:HG12	1.70	0.56
3:G:87:ASP:OD1	3:G:103:GLU:HB2	2.05	0.56
2:D:99:ILE:HA	2:C:3:PHE:HE1	1.70	0.56
3:G:493:ASN:HB3	3:G:509:PRO:HD2	1.89	0.55
3:I:607:GLN:HG3	3:I:612:LYS:HE3	1.88	0.55
3:H:11:VAL:HG22	3:H:70:MET:HG2	1.88	0.55
2:C:97:ILE:HG12	2:C:105:MET:SD	2.47	0.54
3:H:189:PRO:HB2	3:H:191:ILE:HG12	1.89	0.54

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:H:218:SER:OG	3:H:258:GLU:OE2	2.23	0.54
3:G:588:SER:OG	3:G:589:LYS:NZ	2.40	0.54
3:H:72:HIS:HB2	3:H:298:CYS:SG	2.48	0.53
3:G:467:THR:HG22	3:G:468:ARG:H	1.73	0.53
2:F:2:ALA:O	2:F:74:GLY:N	2.40	0.53
3:G:523:THR:HG21	3:G:527:VAL:HG23	1.91	0.53
2:C:122:GLN:NE2	2:C:124:GLU:OE2	2.42	0.52
3:H:525:GLU:HG3	3:G:517:LYS:HG2	1.91	0.52
2:E:30:LYS:HD2	2:E:32:ARG:HH21	1.74	0.52
3:I:312:GLU:H	3:I:312:GLU:CD	2.12	0.52
3:I:590:ILE:HG21	3:G:592:LEU:HD12	1.91	0.52
3:G:238:LYS:HD2	3:G:352:PRO:HG3	1.91	0.52
2:B:72:LYS:HE2	2:B:79:LYS:HB2	1.91	0.51
2:A:75:ASP:N	2:A:75:ASP:OD1	2.43	0.51
3:H:33:THR:HG22	3:H:34:HIS:H	1.75	0.51
3:I:301:ARG:HB2	3:I:304:GLU:HG3	1.92	0.51
3:G:168:ARG:HG3	3:G:169:LEU:N	2.25	0.51
3:G:265:ARG:NH2	3:G:272:ASP:OD1	2.44	0.51
2:C:26:ASP:HB2	2:C:35:SER:HB3	1.91	0.51
2:F:72:LYS:HG2	2:F:79:LYS:HA	1.94	0.50
3:I:525:GLU:HB2	3:H:517:LYS:O	2.11	0.49
3:G:539:VAL:HG11	3:G:542:ASP:O	2.12	0.49
2:B:72:LYS:HD3	2:B:79:LYS:HA	1.93	0.49
2:B:48:SER:HB3	2:B:105:MET:HB3	1.94	0.49
2:B:55:LEU:HD12	2:B:93:PHE:CE1	2.47	0.49
3:G:249:LYS:HB3	3:G:249:LYS:HE3	1.59	0.49
2:D:49:THR:OG1	2:D:50:ASP:N	2.45	0.49
2:F:42:ILE:HD11	2:F:116:ILE:HD12	1.95	0.48
3:H:25:MET:HG2	3:H:334:VAL:HB	1.94	0.48
3:H:198:GLY:O	3:H:203:LEU:HB2	2.14	0.48
3:H:400:MET:HE2	3:H:443:VAL:HG23	1.96	0.48
2:D:117:LYS:HG2	2:D:122:GLN:HG3	1.96	0.47
3:H:192:ASP:OD1	3:H:192:ASP:N	2.47	0.47
3:H:11:VAL:HG11	3:H:25:MET:SD	2.54	0.47
3:G:212:ILE:HG23	3:G:251:SER:HB2	1.96	0.47
2:A:70:VAL:HG22	2:A:82:GLU:HG3	1.95	0.47
2:F:28:ASP:OD1	2:F:29:SER:N	2.47	0.47
3:I:502:LYS:O	3:G:510:GLU:HB2	2.15	0.47
2:F:73:LYS:O	2:F:77:GLU:N	2.48	0.46
3:H:212:ILE:O	3:G:113:ARG:NH1	2.43	0.46
2:F:52:THR:O	2:F:52:THR:OG1	2.32	0.46

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:H:605:THR:HB	3:H:612:LYS:HE3	1.98	0.46
3:H:607:GLN:HG3	3:H:612:LYS:HD3	1.98	0.46
2:F:18:ASP:OD1	2:F:19:CYS:N	2.48	0.45
2:B:128:PRO:HD2	2:A:32:ARG:HH12	1.81	0.45
3:I:594:GLY:HA3	3:H:590:ILE:HD12	1.97	0.45
3:H:539:VAL:HG21	3:H:543:ILE:HG13	1.99	0.45
2:C:12:LYS:NZ	2:C:51:ASP:OD2	2.24	0.45
3:I:297:TYR:O	3:I:342:ASN:ND2	2.50	0.45
3:G:337:LYS:HB3	3:G:337:LYS:HE2	1.62	0.44
2:A:92:GLU:HG3	2:F:24:LYS:HG3	1.99	0.44
3:H:114:ASP:N	3:H:114:ASP:OD1	2.51	0.44
2:D:104:PRO:HG3	2:C:3:PHE:CE2	2.53	0.44
2:C:126:ASN:OD1	2:C:126:ASN:N	2.43	0.44
3:G:114:ASP:OD1	3:G:114:ASP:N	2.51	0.44
3:I:517:LYS:O	3:G:523:THR:OG1	2.35	0.44
3:I:584:VAL:HB	3:G:592:LEU:HD13	2.00	0.44
3:H:49:SER:HB3	3:H:97:GLN:HB2	2.00	0.44
2:C:35:SER:OG	2:C:36:ASN:N	2.51	0.44
3:H:469:SER:OG	3:G:477:ASP:OD1	2.18	0.44
3:H:478:ASP:O	3:H:483:TRP:HB2	2.18	0.44
2:C:12:LYS:HE3	2:C:12:LYS:HB3	1.73	0.43
3:I:407:ALA:HB3	3:H:446:SER:HB3	1.99	0.43
3:H:57:VAL:O	3:H:60:LYS:HG2	2.18	0.43
3:G:11:VAL:HG22	3:G:70:MET:HG2	1.99	0.43
3:I:592:LEU:HD12	3:H:584:VAL:HB	2.00	0.43
3:H:58:ILE:O	3:H:61:GLN:HG2	2.19	0.43
3:H:557:LYS:HD2	3:G:549:GLY:HA2	2.01	0.43
2:C:115:VAL:HG22	2:C:124:GLU:HG2	2.01	0.43
3:I:44:ARG:NH2	3:I:46:ASP:OD2	2.49	0.43
3:I:460:ASN:O	3:G:468:ARG:NH2	2.52	0.43
2:B:115:VAL:HG22	2:B:124:GLU:OE1	2.20	0.42
2:C:75:ASP:N	2:C:75:ASP:OD1	2.51	0.42
2:A:48:SER:HB3	2:A:107:ILE:HG13	2.00	0.42
3:H:141:ASN:OD1	3:H:141:ASN:N	2.51	0.42
2:D:6:THR:OG1	2:D:13:GLU:OE1	2.28	0.42
3:H:517:LYS:HG2	3:G:510:GLU:O	2.20	0.42
2:F:26:ASP:OD1	2:F:38:TYR:OH	2.29	0.42
2:F:102:SER:OG	2:F:103:GLN:N	2.53	0.42
3:G:295:SER:OG	3:G:296:ARG:N	2.52	0.42
3:I:5:ASN:HB2	2:E:36:ASN:HB2	2.01	0.42
3:H:47:LYS:HB3	3:H:47:LYS:HE2	1.80	0.42

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:G:96:ASN:OD1	3:G:97:GLN:N	2.53	0.42
2:C:12:LYS:HE2	2:C:14:PHE:CZ	2.55	0.42
3:H:33:THR:HG22	3:H:34:HIS:N	2.35	0.41
3:H:197:ALA:HB1	3:H:203:LEU:HG	2.01	0.41
2:D:112:SER:O	2:D:112:SER:OG	2.35	0.41
2:D:115:VAL:HG22	2:D:124:GLU:OE1	2.19	0.41
3:I:295:SER:OG	3:I:296:ARG:N	2.53	0.41
2:E:88:GLY:HA2	2:E:113:ALA:HA	2.02	0.41
3:H:550:ASN:HB2	3:G:542:ASP:OD2	2.21	0.41
3:I:589:LYS:HA	3:G:595:GLY:O	2.20	0.41
3:H:563:ALA:HA	3:G:555:ALA:O	2.21	0.41
3:I:70:MET:HE2	3:I:79:THR:HB	2.03	0.41
3:I:209:ASN:HB3	3:H:89:HIS:CD2	2.56	0.41
3:I:434:GLU:O	3:I:434:GLU:HG3	2.21	0.41
3:I:589:LYS:HB3	3:I:589:LYS:HE2	1.91	0.41
3:G:123:GLN:HB3	3:G:127:THR:OG1	2.21	0.41
3:G:145:ASN:O	3:G:145:ASN:ND2	2.53	0.41
2:D:52:THR:O	2:D:56:GLU:HG3	2.21	0.41
3:I:535:ILE:HG12	3:H:527:VAL:HB	2.03	0.40
3:H:89:HIS:ND1	3:H:103:GLU:OE2	2.46	0.40
3:I:279:ALA:O	3:I:353:ILE:HD11	2.20	0.40
3:G:25:MET:HG2	3:G:26:GLU:N	2.36	0.40
2:F:83:LEU:HB2	2:F:118:ILE:HD13	2.04	0.40
3:H:386:GLN:HG3	3:H:395:GLY:O	2.21	0.40
2:E:63:LYS:HE3	2:E:63:LYS:HB3	1.91	0.40
3:I:11:VAL:HG22	3:I:70:MET:HG2	2.03	0.40
2:A:48:SER:OG	2:A:105:MET:HB3	2.21	0.40
3:I:478:ASP:O	3:I:483:TRP:HB2	2.21	0.40
3:H:254:ILE:HD13	3:G:110:LEU:HD13	2.03	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.



Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	J	3/222 (1%)	2 (67%)	1 (33%)	0	100	100
1	J1	3/222 (1%)	3 (100%)	0	0	100	100
1	J2	3/222 (1%)	2 (67%)	1 (33%)	0	100	100
2	A	122/129 (95%)	116 (95%)	6 (5%)	0	100	100
2	B	123/129 (95%)	114 (93%)	9 (7%)	0	100	100
2	C	122/129 (95%)	117 (96%)	5 (4%)	0	100	100
2	D	122/129 (95%)	111 (91%)	11 (9%)	0	100	100
2	E	123/129 (95%)	117 (95%)	6 (5%)	0	100	100
2	F	123/129 (95%)	114 (93%)	9 (7%)	0	100	100
3	G	611/616 (99%)	588 (96%)	23 (4%)	0	100	100
3	H	611/616 (99%)	590 (97%)	21 (3%)	0	100	100
3	I	611/616 (99%)	589 (96%)	22 (4%)	0	100	100
All	All	2577/3288 (78%)	2463 (96%)	114 (4%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	A	110/113 (97%)	106 (96%)	4 (4%)	35	69
2	B	111/113 (98%)	107 (96%)	4 (4%)	35	69
2	C	110/113 (97%)	108 (98%)	2 (2%)	59	86
2	D	110/113 (97%)	107 (97%)	3 (3%)	44	78
2	E	111/113 (98%)	110 (99%)	1 (1%)	78	94
2	F	111/113 (98%)	108 (97%)	3 (3%)	44	78
3	G	523/525 (100%)	517 (99%)	6 (1%)	73	92
3	H	523/525 (100%)	513 (98%)	10 (2%)	57	85
3	I	523/525 (100%)	516 (99%)	7 (1%)	69	91
All	All	2232/2253 (99%)	2192 (98%)	40 (2%)	61	86

All (40) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
2	B	85	TRP
2	B	99	ILE
2	B	105	MET
2	B	124	GLU
3	I	25	MET
3	I	50	VAL
3	I	123	GLN
3	I	134	ASP
3	I	329	GLU
3	I	391	GLU
3	I	434	GLU
3	H	87	ASP
3	H	132	ILE
3	H	140	MET
3	H	195	SER
3	H	251	SER
3	H	272	ASP
3	H	291	ILE
3	H	295	SER
3	H	534	ASN
3	H	613	ILE
3	G	24	THR
3	G	35	HIS
3	G	206	VAL
3	G	234	SER
3	G	291	ILE
3	G	465	MET
2	A	3	PHE
2	A	29	SER
2	A	80	MET
2	A	115	VAL
2	F	48	SER
2	F	75	ASP
2	F	84	THR
2	E	23	LEU
2	D	44	LEU
2	D	57	ASN
2	D	63	LYS
2	C	15	ASP
2	C	18	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such

sidechains are listed below:

Mol	Chain	Res	Type
3	H	290	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

### 5.6 Ligand geometry [i](#)

There are no ligands in this entry.

### 5.7 Other polymers [i](#)

There are no such residues in this entry.

### 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


## 6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-34087. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

### 6.1 Orthogonal projections [i](#)


#### 6.1.1 Primary map



X




Y




Z


#### 6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

## 6.2 Central slices [i](#)


### 6.2.1 Primary map



X Index: 256




Y Index: 256




Z Index: 256


### 6.2.2 Raw map



X Index: 256



Y Index: 256




Z Index: 256


The images above show central slices of the map in three orthogonal directions.

## 6.3 Largest variance slices [i](#)


### 6.3.1 Primary map



X Index: 245



Y Index: 263




Z Index: 251


### 6.3.2 Raw map



X Index: 246



Y Index: 262




Z Index: 251

The images above show the largest variance slices of the map in three orthogonal directions.




## 6.4 Orthogonal standard-deviation projections (False-color) [i](#)


### 6.4.1 Primary map



X




Y




Z


### 6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


## 6.5 Orthogonal surface views [i](#)

### 6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.07. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

### 6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.

## 6.6 Mask visualisation [i](#)


This section was not generated. No masks/segmentation were deposited.



## 7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

### 7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


## 7.2 Volume estimate [i](#)



The volume at the recommended contour level is 223 nm<sup>3</sup>; this corresponds to an approximate mass of 201 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

### 7.3 Rotationally averaged power spectrum i




\*Reported resolution corresponds to spatial frequency of 0.357 Å<sup>-1</sup>

## 8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

### 8.1 FSC [i](#)



\*Reported resolution corresponds to spatial frequency of 0.357 Å<sup>-1</sup>

## 8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	2.80	-	-
Author-provided FSC curve	2.79	3.18	2.85
Unmasked-calculated*	3.46	7.16	3.59

\*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 3.46 differs from the reported value 2.8 by more than 10 %

## 9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-34087 and PDB model 8GRA. Per-residue inclusion information can be found in section [3](#) on page [5](#).

### 9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.07 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

## 9.2 Q-score mapped to coordinate model [\(i\)](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

## 9.3 Atom inclusion mapped to coordinate model [\(i\)](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.07).

## 9.4 Atom inclusion [i](#)





























At the recommended contour level, 17% of all backbone atoms, 17% of all non-hydrogen atoms, are inside the map.



## 9.5 Map-model fit summary [i](#)

The table lists the average atom inclusion at the recommended contour level (0.07) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.1700	 -0.0090
A	 0.0780	 0.0050
B	 0.1390	 -0.0030
C	 0.2640	 -0.0020
D	 0.0570	 0.0010
E	 0.0790	 -0.0110
F	 0.0850	 -0.0190
G	 0.1670	 -0.0010
H	 0.1870	 -0.0250
I	 0.2270	 -0.0050
J	 0.0000	 0.1460
J1	 0.0000	 -0.0820
J2	 0.0000	 -0.1450

