



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 18, 2024 – 09:47 PM EST

PDB ID : 4GZ6  
Title : Crystal structure of human O-GlcNAc Transferase with UDP-5SGlcNAc  
Authors : Lazarus, M.B.; Jiang, J.; Gloster, T.M.; Zandberg, W.F.; Vocadlo, D.J.; Walker, S.  
Deposited on : 2012-09-06  
Resolution : 2.98 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.36  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.36


# 1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.98 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	2754 (3.00-2.96)
Clashscore	141614	3103 (3.00-2.96)
Ramachandran outliers	138981	2993 (3.00-2.96)
Sidechain outliers	138945	2996 (3.00-2.96)
RSRZ outliers	127900	2644 (3.00-2.96)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	723	<div style="display: flex; align-items: center;"> <div style="width: 3%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 84%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 12%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 3%; height: 10px; background-color: grey; margin-right: 5px;"></div> <div style="width: 100%; height: 10px; background-color: red; margin-right: 5px;"></div> </div> <p>3% 84% 12% .</p>
1	B	723	<div style="display: flex; align-items: center;"> <div style="width: 0%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 87%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 10%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 3%; height: 10px; background-color: grey; margin-right: 5px;"></div> <div style="width: 100%; height: 10px; background-color: red; margin-right: 5px;"></div> </div> <p>% 87% 10% .</p>
1	C	723	<div style="display: flex; align-items: center;"> <div style="width: 3%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 85%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 12%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 3%; height: 10px; background-color: grey; margin-right: 5px;"></div> <div style="width: 100%; height: 10px; background-color: red; margin-right: 5px;"></div> </div> <p>3% 85% 12% .</p>
1	D	723	<div style="display: flex; align-items: center;"> <div style="width: 2%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 89%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 7%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 3%; height: 10px; background-color: grey; margin-right: 5px;"></div> <div style="width: 100%; height: 10px; background-color: red; margin-right: 5px;"></div> </div> <p>2% 89% 7% .</p>

## 2 Entry composition i

There are 4 unique types of molecules in this entry. The entry contains 22407 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called UDP-N-acetylglucosamine--peptide N-acetylglucosaminyltransferase 110 kDa subunit.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	700	5528	3508	967	1014	39	0	0	0
1	B	700	5528	3508	967	1014	39	0	0	0
1	C	700	5528	3508	967	1014	39	0	0	0
1	D	700	5528	3508	967	1014	39	0	0	0

There are 16 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	309	GLY	-	expression tag	UNP O15294
A	310	PRO	-	expression tag	UNP O15294
A	311	GLY	-	expression tag	UNP O15294
A	312	SER	-	expression tag	UNP O15294
B	309	GLY	-	expression tag	UNP O15294
B	310	PRO	-	expression tag	UNP O15294
B	311	GLY	-	expression tag	UNP O15294
B	312	SER	-	expression tag	UNP O15294
C	309	GLY	-	expression tag	UNP O15294
C	310	PRO	-	expression tag	UNP O15294
C	311	GLY	-	expression tag	UNP O15294
C	312	SER	-	expression tag	UNP O15294
D	309	GLY	-	expression tag	UNP O15294
D	310	PRO	-	expression tag	UNP O15294
D	311	GLY	-	expression tag	UNP O15294
D	312	SER	-	expression tag	UNP O15294


- Molecule 2 is (2S,3R,4R,5S,6R)-3-(acetylamino)-4,5-dihydroxy-6-(hydroxymethyl)tetrahydro-2H-thiopyran-2-yl [(2R,3S,4R,5R)-5-(2,4-dioxo-3,4-dihydropyrimidin-1(2H)-yl)-3,4-dihydroxytetrahydrofuran-2-yl]methyl dihydrogen diphosphate (three-letter code: 12V) (formula:

$C_{17}H_{27}N_3O_{16}P_2S$ ).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	
			Total	C	N	O	P			S
2	A	1	Total	C	N	O	P	S	0	0
			39	17	3	16	2	1		
2	B	1	Total	C	N	O	P	S	0	0
			39	17	3	16	2	1		
2	C	1	Total	C	N	O	P	S	0	0
			39	17	3	16	2	1		
2	D	1	Total	C	N	O	P	S	0	0
			39	17	3	16	2	1		

- Molecule 3 is SULFATE ION (three-letter code: SO4) (formula:  $O_4S$ ).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total 5 O 4 S 1	0	0
3	A	1	Total 5 O 4 S 1	0	0
3	A	1	Total 5 O 4 S 1	0	0
3	A	1	Total 5 O 4 S 1	0	0
3	B	1	Total 5 O 4 S 1	0	0
3	B	1	Total 5 O 4 S 1	0	0
3	B	1	Total 5 O 4 S 1	0	0
3	B	1	Total 5 O 4 S 1	0	0
3	B	1	Total 5 O 4 S 1	0	0
3	B	1	Total 5 O 4 S 1	0	0
3	C	1	Total 5 O 4 S 1	0	0
3	C	1	Total 5 O 4 S 1	0	0
3	C	1	Total 5 O 4 S 1	0	0
3	C	1	Total 5 O 4 S 1	0	0
3	D	1	Total 5 O 4 S 1	0	0
3	D	1	Total 5 O 4 S 1	0	0
3	D	1	Total 5 O 4 S 1	0	0
3	D	1	Total 5 O 4 S 1	0	0

- Molecule 4 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	16	Total 16 O 16	0	0
4	B	13	Total 13 O 13	0	0
4	C	7	Total 7 O 7	0	0

*Continued on next page...*


*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Residues</b>	<b>Atoms</b>		<b>ZeroOcc</b>	<b>AltConf</b>
4	D	18	Total	O	0	0
			18	18		


### 3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: UDP-N-acetylglucosamine--peptide N-acetylglucosaminyltransferase 110 kDa subunit




- Molecule 1: UDP-N-acetylglucosamine--peptide N-acetylglucosaminyltransferase 110 kDa subunit





- Molecule 1: UDP-N-acetylglucosamine--peptide N-acetylglucosaminyltransferase 110 kDa subunit





- Molecule 1: UDP-N-acetylglucosamine--peptide N-acetylglucosaminyltransferase 110 kDa subunit





## 4 Data and refinement statistics

Property	Value	Source
Space group	P 3 2 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	272.34Å 272.34Å 143.46Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	39.41 – 2.98 39.41 – 2.98	Depositor EDS
% Data completeness (in resolution range)	98.0 (39.41-2.98) 98.0 (39.41-2.98)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.07 (at 3.01Å)	Xtrriage
Refinement program	PHENIX (phenix.refine: 1.7.3_928)	Depositor
R, $R_{free}$	0.197 , 0.223 0.192 , 0.220	Depositor DCC
$R_{free}$ test set	6155 reflections (5.04%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	66.5	Xtrriage
Anisotropy	0.359	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.32 , 34.7	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.46$ , $\langle L^2 \rangle = 0.29$	Xtrriage
Estimated twinning fraction	0.029 for -h,-k,l	Xtrriage
$F_o, F_c$ correlation	0.94	EDS
Total number of atoms	22407	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	77.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.73% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: 12V, SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.21	0/5655	0.37	0/7668
1	B	0.21	0/5655	0.37	0/7668
1	C	0.21	0/5655	0.36	0/7668
1	D	0.21	0/5655	0.38	0/7668
All	All	0.21	0/22620	0.37	0/30672

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5528	0	5507	49	0
1	B	5528	0	5507	39	0
1	C	5528	0	5507	42	0
1	D	5528	0	5507	25	0
2	A	39	0	25	2	0
2	B	39	0	25	1	0
2	C	39	0	25	2	0
2	D	39	0	25	1	0
3	A	20	0	0	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	B	25	0	0	1	0
3	C	20	0	0	0	0
3	D	20	0	0	0	0
4	A	16	0	0	1	0
4	B	13	0	0	0	0
4	C	7	0	0	0	0
4	D	18	0	0	0	0
All	All	22407	0	22128	149	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (149) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:557:ASN:HB2	1:C:589:THR:HG21	1.78	0.66
1:D:722:ASN:OD1	1:D:723:ARG:NH1	2.29	0.65
1:D:557:ASN:HB2	1:D:589:THR:HG21	1.78	0.65
1:A:722:ASN:ND2	1:A:909:ASP:OD1	2.31	0.64
1:C:928:TRP:O	1:C:991:ARG:NH1	2.31	0.63
1:A:583:LEU:HD22	1:A:637:ARG:HD3	1.80	0.63
1:B:401:VAL:HG13	1:C:382:PRO:HG2	1.81	0.63
1:C:1005:GLU:HG2	1:C:1008:ARG:HH12	1.65	0.61
1:A:772:ILE:HG23	1:A:789:ILE:HD13	1.83	0.61
1:A:426:ALA:HB2	1:A:441:SER:HB2	1.84	0.60
1:A:364:GLN:HB3	1:A:527:VAL:HG21	1.83	0.59
1:B:410:ARG:NH1	3:B:1506:SO4:O2	2.36	0.58
1:C:722:ASN:OD1	1:C:723:ARG:NH1	2.37	0.57
1:C:772:ILE:HG23	1:C:789:ILE:HD13	1.85	0.57
1:A:413:GLN:OE1	1:B:413:GLN:NE2	2.38	0.56
1:C:857:ARG:HD2	1:C:971:VAL:HG11	1.88	0.56
1:A:738:LEU:HD22	1:A:772:ILE:HD13	1.87	0.55
1:B:722:ASN:OD1	1:B:723:ARG:NH1	2.39	0.55
1:C:426:ALA:HB2	1:C:441:SER:HB2	1.89	0.55
1:B:953:LEU:HD21	1:B:987:VAL:HG13	1.88	0.55
1:A:877:GLN:O	1:A:881:GLN:HG2	2.07	0.55
1:B:557:ASN:HB2	1:B:589:THR:HG21	1.88	0.55
1:B:852:ALA:HA	1:B:885:LEU:HD11	1.89	0.55
1:D:649:GLN:NE2	1:D:663:PHE:O	2.40	0.54
1:A:723:ARG:NE	1:A:829:GLU:O	2.34	0.54
1:A:669:THR:OG1	1:A:670:ASP:N	2.41	0.54

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:710:VAL:HG11	1:A:721:ASP:HA	1.89	0.54
1:A:953:LEU:HD21	1:A:987:VAL:HG13	1.90	0.54
1:C:552:SER:HB2	1:C:629:MET:HB2	1.88	0.54
1:D:583:LEU:HD22	1:D:637:ARG:HD3	1.91	0.53
1:B:364:GLN:HB3	1:B:527:VAL:HG21	1.91	0.53
1:C:669:THR:OG1	1:C:670:ASP:N	2.41	0.53
1:C:649:GLN:NE2	1:C:663:PHE:O	2.42	0.53
1:D:669:THR:OG1	1:D:670:ASP:N	2.42	0.52
1:B:836:ASN:HD21	1:B:914:THR:HG23	1.74	0.52
1:C:553:SER:HB3	1:C:583:LEU:HB2	1.92	0.51
1:A:480:VAL:HG22	1:A:505:LEU:HD23	1.91	0.51
1:A:382:PRO:HG2	1:C:401:VAL:HG13	1.93	0.51
1:D:710:VAL:HG11	1:D:721:ASP:HA	1.93	0.51
1:B:325:ASN:OD1	1:B:340:TYR:OH	2.27	0.51
1:B:836:ASN:ND2	1:B:912:LEU:O	2.44	0.51
1:D:988:TRP:O	1:D:991:ARG:NH1	2.42	0.50
1:B:426:ALA:HB2	1:B:441:SER:HB2	1.94	0.50
1:B:405:LEU:HD13	1:B:428:ILE:HG21	1.92	0.49
1:B:324:ALA:HB2	1:B:339:LEU:HB2	1.95	0.49
1:D:405:LEU:HD13	1:D:428:ILE:HG21	1.95	0.49
1:A:836:ASN:HD21	1:A:914:THR:HG23	1.77	0.49
1:B:710:VAL:HG11	1:B:721:ASP:HA	1.94	0.49
1:C:364:GLN:HB3	1:C:527:VAL:HG21	1.95	0.49
1:B:877:GLN:O	1:B:881:GLN:HG2	2.13	0.48
1:C:464:GLN:HG2	1:C:502:LEU:HD13	1.95	0.48
1:C:822:ARG:HB3	1:C:827:LEU:HB2	1.94	0.48
1:A:328:ARG:HH22	1:A:359:SER:HB3	1.79	0.48
1:A:726:LEU:HD22	1:A:819:VAL:HG22	1.96	0.48
1:A:828:PRO:HG2	1:A:831:ALA:HB3	1.95	0.48
1:B:669:THR:OG1	1:B:670:ASP:N	2.46	0.48
1:A:557:ASN:HB2	1:A:589:THR:HG21	1.95	0.48
1:D:838:ASN:HB3	1:D:842:LYS:HD2	1.96	0.47
1:C:480:VAL:HG22	1:C:505:LEU:HD23	1.96	0.47
1:A:341:ARG:NH2	1:A:369:GLU:OE2	2.44	0.47
1:A:644:ARG:HH11	1:A:663:PHE:HA	1.79	0.47
1:A:489:LYS:HD3	1:A:491:ARG:HH22	1.79	0.47
1:B:855:LEU:O	1:B:889:ARG:NH2	2.42	0.47
1:C:836:ASN:ND2	1:C:912:LEU:O	2.46	0.47
1:C:328:ARG:HH22	1:C:359:SER:HB3	1.80	0.47
1:C:886:PRO:HD2	1:C:889:ARG:HG3	1.96	0.47
1:D:773:ALA:O	1:D:777:ILE:HG12	2.15	0.47

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:867:ARG:HB3	1:A:870:ALA:HA	1.98	0.46
1:C:341:ARG:NH2	1:C:369:GLU:OE2	2.45	0.46
1:A:401:VAL:HG13	1:B:382:PRO:HG2	1.98	0.46
1:B:928:TRP:O	1:B:991:ARG:NH1	2.48	0.46
1:C:867:ARG:HB3	1:C:870:ALA:HA	1.97	0.46
1:C:937:PRO:HG3	1:C:947:ALA:HB2	1.97	0.46
1:D:921:THR:N	2:D:1501:12V:O2B	2.48	0.46
1:A:413:GLN:NE2	1:C:409:THR:O	2.48	0.46
1:B:724:ILE:HG23	1:B:821:THR:HG22	1.97	0.46
1:C:852:ALA:HA	1:C:885:LEU:HD11	1.99	0.45
1:D:877:GLN:O	1:D:881:GLN:HG2	2.16	0.45
1:C:898:LYS:NZ	2:C:1501:12V:O2'	2.50	0.45
1:A:384:PHE:CE1	1:A:386:ASP:HB3	2.52	0.45
1:D:434:ASN:N	1:D:434:ASN:OD1	2.49	0.45
1:C:991:ARG:HG3	1:C:992:ILE:HG12	1.98	0.45
1:D:456:TYR:CZ	1:D:478:LYS:HD3	2.50	0.45
1:B:563:LEU:HD21	1:B:921:THR:HG23	1.99	0.44
1:A:724:ILE:HG23	1:A:821:THR:HG22	1.99	0.44
1:A:921:THR:N	2:A:1501:12V:O2B	2.49	0.44
1:B:401:VAL:HG23	1:B:428:ILE:HD12	1.99	0.44
1:C:546:LEU:HD22	1:C:1011:LEU:HD23	1.98	0.44
1:A:822:ARG:HB3	1:A:827:LEU:HB2	1.99	0.44
1:C:855:LEU:HD11	1:C:863:LEU:HB2	1.99	0.44
1:B:492:LEU:HD12	1:B:493:PRO:HD2	2.00	0.44
1:A:324:ALA:HB2	1:A:339:LEU:HB2	1.99	0.44
1:A:325:ASN:O	1:A:329:GLU:HG2	2.18	0.44
1:D:426:ALA:HB2	1:D:441:SER:HB2	1.99	0.44
1:A:773:ALA:O	1:A:777:ILE:HG12	2.18	0.44
1:A:897:PRO:HD3	1:B:314:PRO:HG2	1.99	0.44
1:C:710:VAL:HG11	1:C:721:ASP:HA	1.99	0.44
1:B:366:LYS:HD2	1:B:527:VAL:HG11	1.99	0.43
1:B:867:ARG:HB3	1:B:870:ALA:HA	1.98	0.43
1:D:480:VAL:HG22	1:D:505:LEU:HD23	2.00	0.43
1:A:682:TYR:HE1	1:A:941:LEU:HD12	1.83	0.43
1:C:525:ILE:HB	1:C:643:LEU:HD21	2.00	0.43
1:A:667:ILE:HG22	1:A:684:GLU:HB2	2.00	0.43
1:B:490:ASN:HA	1:B:516:ARG:HH21	1.83	0.43
1:D:340:TYR:CZ	1:D:356:ASN:HB3	2.54	0.43
1:D:772:ILE:HG23	1:D:789:ILE:HD13	2.01	0.43
1:A:706:LYS:HE3	1:A:706:LYS:HB2	1.83	0.43
1:B:317:ALA:HB2	1:B:346:VAL:HB	2.01	0.43

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:694:PHE:CZ	1:D:920:HIS:HB3	2.54	0.43
1:C:857:ARG:HD2	1:C:971:VAL:HG21	2.00	0.42
1:C:953:LEU:HD21	1:C:987:VAL:HG13	2.01	0.42
1:A:530:LYS:HA	1:A:531:PRO:HD3	1.88	0.42
1:D:674:SER:O	1:D:688:TYR:OH	2.31	0.42
1:C:313:CYS:HA	1:C:314:PRO:HD3	1.86	0.42
1:C:820:THR:HG22	1:C:907:LEU:HD11	2.01	0.42
1:C:921:THR:N	2:C:1501:12V:O2B	2.49	0.42
1:A:675:PRO:HG2	1:A:678:VAL:HG22	2.02	0.42
1:A:463:LEU:HB3	1:A:468:ASP:HB3	2.01	0.42
1:B:357:LEU:HD23	1:B:373:HIS:CD2	2.54	0.42
1:A:836:ASN:ND2	1:A:912:LEU:O	2.53	0.42
1:A:838:ASN:HB3	1:A:842:LYS:HD2	2.01	0.42
1:B:572:ASN:HA	1:B:573:PRO:HD3	1.88	0.42
1:B:858:VAL:HA	1:B:859:PRO:HD2	1.83	0.42
1:C:572:ASN:HA	1:C:573:PRO:HD3	1.89	0.42
1:D:914:THR:HA	1:D:915:PRO:HD3	1.86	0.42
1:A:937:PRO:HG3	1:A:947:ALA:HB2	2.00	0.42
1:B:456:TYR:CZ	1:B:478:LYS:HD3	2.54	0.42
1:C:773:ALA:O	1:C:777:ILE:HG12	2.20	0.42
1:B:642:ALA:HA	1:B:663:PHE:CG	2.55	0.41
1:B:991:ARG:HG3	1:B:992:ILE:HG12	2.02	0.41
1:C:877:GLN:O	1:C:881:GLN:HG2	2.19	0.41
1:A:366:LYS:HE3	1:A:527:VAL:HG11	2.02	0.41
1:C:408:TYR:CZ	1:C:424:ASN:HB3	2.56	0.41
1:C:439:ILE:HG23	1:C:459:LEU:HD11	2.01	0.41
1:A:559:PRO:HG3	2:A:1501:12V:H4B	2.03	0.41
1:A:901:HIS:HD2	4:A:1603:HOH:O	2.03	0.41
1:D:364:GLN:HB3	1:D:527:VAL:HG21	2.03	0.41
1:A:347:PHE:CE1	1:A:349:GLU:HB2	2.56	0.41
1:B:834:TYR:O	1:B:864:TRP:N	2.49	0.41
1:A:492:LEU:HA	1:A:493:PRO:HD3	1.95	0.41
1:B:898:LYS:NZ	2:B:1501:12V:O2'	2.43	0.41
1:D:323:LEU:HD23	1:D:326:ILE:HD12	2.02	0.41
1:A:461:HIS:O	1:A:465:ILE:HG13	2.21	0.40
1:A:568:PRO:HA	1:A:571:HIS:HD2	1.85	0.40
1:D:572:ASN:HA	1:D:573:PRO:HD3	1.88	0.40
1:B:914:THR:HA	1:B:915:PRO:HD3	1.89	0.40
1:B:952:CYS:SG	1:B:995:PRO:HG2	2.61	0.40
1:D:675:PRO:HG2	1:D:678:VAL:HG22	2.03	0.40
1:C:624:HIS:HD2	1:C:1014:TRP:CH2	2.40	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	694/723 (96%)	671 (97%)	23 (3%)	0	100	100
1	B	694/723 (96%)	667 (96%)	26 (4%)	1 (0%)	51	83
1	C	694/723 (96%)	670 (96%)	23 (3%)	1 (0%)	51	83
1	D	694/723 (96%)	670 (96%)	24 (4%)	0	100	100
All	All	2776/2892 (96%)	2678 (96%)	96 (4%)	2 (0%)	51	83

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	859	PRO
1	B	859	PRO

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	601/618 (97%)	595 (99%)	6 (1%)	76	91
1	B	601/618 (97%)	593 (99%)	8 (1%)	69	88
1	C	601/618 (97%)	592 (98%)	9 (2%)	65	86
1	D	601/618 (97%)	592 (98%)	9 (2%)	65	86
All	All	2404/2472 (97%)	2372 (99%)	32 (1%)	69	88

All (32) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	315	THR
1	A	350	PHE
1	A	384	PHE
1	A	452	PHE
1	A	561	SER
1	A	868	PHE
1	B	315	THR
1	B	350	PHE
1	B	384	PHE
1	B	452	PHE
1	B	561	SER
1	B	694	PHE
1	B	763	ASN
1	B	868	PHE
1	C	315	THR
1	C	350	PHE
1	C	384	PHE
1	C	452	PHE
1	C	561	SER
1	C	630	ASN
1	C	762	LEU
1	C	868	PHE
1	C	1026	MET
1	D	315	THR
1	D	350	PHE
1	D	384	PHE
1	D	434	ASN
1	D	452	PHE
1	D	561	SER
1	D	694	PHE
1	D	770	ASN
1	D	868	PHE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	901	HIS
1	D	424	ASN



### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

21 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
3	SO4	A	1503	-	4,4,4	0.14	0	6,6,6	0.06	0
3	SO4	C	1502	-	4,4,4	0.14	0	6,6,6	0.05	0
3	SO4	D	1504	-	4,4,4	0.14	0	6,6,6	0.04	0
3	SO4	D	1505	-	4,4,4	0.14	0	6,6,6	0.06	0
3	SO4	B	1505	-	4,4,4	0.15	0	6,6,6	0.05	0
3	SO4	B	1502	-	4,4,4	0.14	0	6,6,6	0.05	0
3	SO4	B	1503	-	4,4,4	0.14	0	6,6,6	0.04	0
3	SO4	D	1503	-	4,4,4	0.14	0	6,6,6	0.04	0
3	SO4	A	1502	-	4,4,4	0.14	0	6,6,6	0.04	0
3	SO4	B	1506	-	4,4,4	0.14	0	6,6,6	0.04	0
3	SO4	D	1502	-	4,4,4	0.14	0	6,6,6	0.05	0
3	SO4	B	1504	-	4,4,4	0.14	0	6,6,6	0.06	0
2	12V	B	1501	-	36,41,41	2.29	7 (19%)	50,62,62	2.29	12 (24%)
3	SO4	A	1504	-	4,4,4	0.14	0	6,6,6	0.06	0
2	12V	D	1501	-	36,41,41	2.25	7 (19%)	50,62,62	2.30	12 (24%)
3	SO4	C	1503	-	4,4,4	0.14	0	6,6,6	0.04	0
2	12V	A	1501	-	36,41,41	2.25	8 (22%)	50,62,62	2.31	12 (24%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
3	SO4	C	1505	-	4,4,4	0.14	0	6,6,6	0.06	0
3	SO4	A	1505	-	4,4,4	0.14	0	6,6,6	0.05	0
3	SO4	C	1504	-	4,4,4	0.14	0	6,6,6	0.05	0
2	12V	C	1501	-	36,41,41	2.24	6 (16%)	50,62,62	2.28	11 (22%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	12V	D	1501	-	-	2/25/63/63	0/3/3/3
2	12V	A	1501	-	-	5/25/63/63	0/3/3/3
2	12V	C	1501	-	-	2/25/63/63	0/3/3/3
2	12V	B	1501	-	-	3/25/63/63	0/3/3/3

All (28) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	1501	12V	PB-O1'	8.65	1.83	1.60
2	D	1501	12V	PB-O1'	8.33	1.82	1.60
2	A	1501	12V	PB-O1'	8.23	1.82	1.60
2	C	1501	12V	PB-O1'	7.84	1.81	1.60
2	A	1501	12V	O4-C4	6.28	1.36	1.24
2	C	1501	12V	O4-C4	6.26	1.36	1.24
2	B	1501	12V	O4-C4	6.23	1.36	1.24
2	D	1501	12V	O4-C4	6.22	1.36	1.24
2	C	1501	12V	PA-O5B	4.01	1.75	1.59
2	D	1501	12V	PA-O5B	3.82	1.74	1.59
2	C	1501	12V	C2-N1	3.72	1.44	1.38
2	A	1501	12V	PA-O5B	3.65	1.74	1.59
2	A	1501	12V	C2-N1	3.58	1.44	1.38
2	B	1501	12V	C4-N3	-3.55	1.32	1.38
2	B	1501	12V	PA-O5B	3.52	1.73	1.59
2	C	1501	12V	C4-N3	-3.51	1.32	1.38
2	A	1501	12V	C4-N3	-3.49	1.32	1.38
2	B	1501	12V	C2-N1	3.49	1.44	1.38
2	D	1501	12V	C4-N3	-3.48	1.32	1.38
2	D	1501	12V	C2-N1	3.33	1.43	1.38
2	C	1501	12V	C2-N3	2.21	1.41	1.38
2	B	1501	12V	O5B-C5B	-2.21	1.36	1.44

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	1501	12V	O5B-C5B	-2.18	1.36	1.44
2	D	1501	12V	C2-N3	2.18	1.41	1.38
2	A	1501	12V	C3'-C2'	2.17	1.57	1.53
2	A	1501	12V	C2-N3	2.11	1.41	1.38
2	B	1501	12V	C2-N3	2.11	1.41	1.38
2	D	1501	12V	O5B-C5B	-2.00	1.37	1.44

All (47) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	1501	12V	C5-C4-N3	8.01	126.82	114.84
2	C	1501	12V	C5-C4-N3	7.96	126.74	114.84
2	D	1501	12V	C5-C4-N3	7.90	126.65	114.84
2	B	1501	12V	C5-C4-N3	7.89	126.64	114.84
2	D	1501	12V	C4-N3-C2	-7.29	116.96	126.58
2	A	1501	12V	C4-N3-C2	-7.29	116.97	126.58
2	B	1501	12V	C4-N3-C2	-7.28	116.98	126.58
2	C	1501	12V	C4-N3-C2	-7.24	117.02	126.58
2	A	1501	12V	O1'-C1'-C2'	5.62	115.97	107.47
2	D	1501	12V	O1'-C1'-C2'	5.56	115.88	107.47
2	B	1501	12V	O1'-C1'-C2'	5.38	115.61	107.47
2	C	1501	12V	O1'-C1'-C2'	5.34	115.54	107.47
2	C	1501	12V	O4-C4-C5	-5.27	115.88	125.16
2	D	1501	12V	O4-C4-C5	-5.27	115.89	125.16
2	B	1501	12V	O4-C4-C5	-5.24	115.94	125.16
2	A	1501	12V	O4-C4-C5	-5.23	115.96	125.16
2	D	1501	12V	C4'-C3'-C2'	3.53	115.52	110.34
2	B	1501	12V	C4'-C3'-C2'	3.47	115.42	110.34
2	A	1501	12V	C4'-C3'-C2'	3.47	115.42	110.34
2	B	1501	12V	O2A-PA-O1A	3.43	129.20	112.24
2	C	1501	12V	O2A-PA-O1A	3.40	129.05	112.24
2	A	1501	12V	O2A-PA-O1A	3.38	128.97	112.24
2	D	1501	12V	O2A-PA-O1A	3.36	128.87	112.24
2	C	1501	12V	O2B-PB-O1B	3.03	127.22	112.24
2	C	1501	12V	C4'-C3'-C2'	3.01	114.75	110.34
2	D	1501	12V	O2B-PB-O1B	2.99	127.02	112.24
2	A	1501	12V	O2B-PB-O1B	2.99	127.00	112.24
2	D	1501	12V	N3-C2-N1	2.97	118.83	114.89
2	B	1501	12V	O2B-PB-O1B	2.97	126.92	112.24
2	B	1501	12V	N3-C2-N1	2.95	118.80	114.89
2	C	1501	12V	N3-C2-N1	2.88	118.71	114.89
2	A	1501	12V	N3-C2-N1	2.87	118.70	114.89

*Continued on next page...*

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	1501	12V	O3'-C3'-C4'	-2.84	103.79	110.35
2	B	1501	12V	O3'-C3'-C4'	-2.82	103.83	110.35
2	A	1501	12V	C6-C5-C4	-2.72	115.80	119.52
2	D	1501	12V	C6-C5-C4	-2.69	115.85	119.52
2	D	1501	12V	O3'-C3'-C4'	-2.68	104.16	110.35
2	C	1501	12V	C6-C5-C4	-2.67	115.86	119.52
2	B	1501	12V	C6-C5-C4	-2.67	115.87	119.52
2	A	1501	12V	O3'-C3'-C4'	-2.61	104.33	110.35
2	C	1501	12V	O3B-C3B-C2B	-2.20	104.70	111.82
2	A	1501	12V	O3B-C3B-C2B	-2.20	104.71	111.82
2	D	1501	12V	O3B-C3B-C2B	-2.17	104.81	111.82
2	D	1501	12V	O2-C2-N1	-2.14	119.94	122.79
2	B	1501	12V	O3B-C3B-C2B	-2.07	105.12	111.82
2	A	1501	12V	O4B-C1B-N1	2.03	113.00	108.36
2	B	1501	12V	O2-C2-N1	-2.02	120.11	122.79

There are no chirality outliers.

All (12) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	1501	12V	C5B-O5B-PA-O1A
2	A	1501	12V	C5B-O5B-PA-O3A
2	A	1501	12V	C3B-C4B-C5B-O5B
2	B	1501	12V	C3B-C4B-C5B-O5B
2	B	1501	12V	O4B-C4B-C5B-O5B
2	C	1501	12V	C3B-C4B-C5B-O5B
2	C	1501	12V	O4B-C4B-C5B-O5B
2	D	1501	12V	C3B-C4B-C5B-O5B
2	D	1501	12V	O4B-C4B-C5B-O5B
2	A	1501	12V	O4B-C4B-C5B-O5B
2	A	1501	12V	C5B-O5B-PA-O2A
2	B	1501	12V	C1'-O1'-PB-O1B

There are no ring outliers.

5 monomers are involved in 7 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	B	1506	SO4	1	0
2	B	1501	12V	1	0
2	D	1501	12V	1	0
2	A	1501	12V	2	0


Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	C	1501	12V	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





## 5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	700/723 (96%)	0.03	24 (3%) 45 27	51, 69, 108, 144	0
1	B	700/723 (96%)	-0.02	9 (1%) 77 59	49, 72, 109, 130	0
1	C	700/723 (96%)	0.14	24 (3%) 45 27	58, 86, 118, 142	0
1	D	700/723 (96%)	-0.02	11 (1%) 72 52	47, 67, 108, 154	0
All	All	2800/2892 (96%)	0.03	68 (2%) 59 39	47, 73, 113, 154	0

All (68) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	747	LYS	5.2
1	C	748	CYS	5.1
1	D	747	LYS	4.5
1	B	748	CYS	3.8
1	C	357	LEU	3.4
1	A	742	LYS	3.4
1	D	326	ILE	3.3
1	D	748	CYS	3.3
1	A	344	LEU	3.3
1	C	344	LEU	3.2
1	C	746	MET	3.0
1	B	338	ARG	2.9
1	C	713	PHE	2.9
1	A	324	ALA	2.9
1	A	338	ARG	2.9
1	D	330	GLN	2.8
1	C	489	LYS	2.7
1	A	340	TYR	2.7
1	A	741	VAL	2.7
1	C	320	LEU	2.7
1	C	345	GLU	2.7

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	713	PHE	2.7
1	A	748	CYS	2.7
1	A	346	VAL	2.6
1	A	768	PRO	2.6
1	C	338	ARG	2.6
1	A	339	LEU	2.6
1	B	488	GLU	2.6
1	A	769	MET	2.6
1	A	740	ASP	2.6
1	A	712	ASP	2.6
1	A	313	CYS	2.5
1	C	313	CYS	2.5
1	C	720	TYR	2.5
1	A	345	GLU	2.5
1	B	489	LYS	2.5
1	C	1019	ALA	2.5
1	A	743	ILE	2.5
1	B	885	LEU	2.4
1	C	747	LYS	2.4
1	D	321	ASN	2.4
1	B	330	GLN	2.4
1	A	761	ALA	2.4
1	D	338	ARG	2.4
1	A	719	ILE	2.4
1	D	345	GLU	2.3
1	D	337	VAL	2.3
1	A	738	LEU	2.3
1	C	330	GLN	2.3
1	A	772	ILE	2.3
1	C	360	VAL	2.2
1	C	677	GLU	2.2
1	C	537	LYS	2.2
1	B	747	LYS	2.2
1	C	740	ASP	2.2
1	A	766	VAL	2.2
1	C	878	GLN	2.2
1	C	676	ALA	2.2
1	B	887	GLN	2.1
1	C	680	GLU	2.1
1	A	384	PHE	2.1
1	B	491	ARG	2.1
1	C	328	ARG	2.1

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	D	342	LYS	2.1
1	C	541	LEU	2.0
1	C	350	PHE	2.0
1	D	488	GLU	2.0
1	D	334	GLU	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
3	SO4	B	1505	5/5	0.85	0.17	125,125,125,125	0
3	SO4	C	1502	5/5	0.90	0.27	115,115,116,116	0
3	SO4	C	1505	5/5	0.90	0.19	142,142,142,142	0
3	SO4	D	1502	5/5	0.90	0.30	131,131,131,131	0
3	SO4	C	1504	5/5	0.91	0.15	154,154,154,154	0
3	SO4	B	1504	5/5	0.92	0.12	126,127,127,127	0
3	SO4	B	1503	5/5	0.92	0.11	128,128,128,129	0
3	SO4	D	1504	5/5	0.92	0.12	113,114,114,114	0
3	SO4	D	1505	5/5	0.92	0.19	141,141,141,141	0
3	SO4	C	1503	5/5	0.93	0.16	128,128,129,129	0
3	SO4	D	1503	5/5	0.93	0.15	107,107,107,108	0
3	SO4	A	1505	5/5	0.93	0.18	121,121,122,122	0
3	SO4	B	1502	5/5	0.93	0.19	113,113,113,113	0
3	SO4	A	1503	5/5	0.94	0.13	114,115,115,115	0
3	SO4	A	1502	5/5	0.94	0.22	121,121,121,121	0
3	SO4	A	1504	5/5	0.96	0.18	120,120,120,120	0
2	12V	B	1501	39/39	0.96	0.22	41,58,73,74	0
2	12V	C	1501	39/39	0.96	0.21	58,71,84,84	0

*Continued on next page...*

*Continued from previous page...*




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
3	SO4	B	1506	5/5	0.96	0.14	122,122,122,123	0
2	12V	A	1501	39/39	0.97	0.20	38,59,71,72	0
2	12V	D	1501	39/39	0.98	0.18	41,50,62,69	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.







**Electron density around 12V C 1501:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)

**Electron density around 12V A 1501:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)





## 6.5 Other polymers [i](#)

There are no such residues in this entry.