



Full wwPDB X-ray Structure Validation Report ⓘ

Sep 25, 2023 – 04:08 PM JST

PDB ID : 8H0O
Title : Crystal structure of human serum albumin and ruthenium PZA complex adduct
Authors : Gong, W.J.; Wang, Y.; Bai, H.H.; Wang, W.M.; Wang, H.F.
Deposited on : 2022-09-30
Resolution : 2.48 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtrriage (Phenix) : 1.13
EDS : 2.35.1
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.35.1


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.48 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	5857 (2.50-2.46)
Clashscore	141614	6594 (2.50-2.46)
Ramachandran outliers	138981	6469 (2.50-2.46)
Sidechain outliers	138945	6471 (2.50-2.46)
RSRZ outliers	127900	5738 (2.50-2.46)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	585	

2 Entry composition [i](#)


There are 7 unique types of molecules in this entry. The entry contains 4765 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Albumin.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	583	4586	2895	780	870	41	0	0	0

- Molecule 2 is PALMITIC ACID (three-letter code: PLM) (formula: $C_{16}H_{32}O_2$).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
			Total	C	O		
2	A	1	18	16	2	0	0
2	A	1	18	16	2	0	0
2	A	1	18	16	2	0	0
2	A	1	18	16	2	0	0
2	A	1	18	16	2	0	0

- Molecule 3 is NITRIC OXIDE (three-letter code: NO) (formula: NO).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
			Total	N	O		
3	A	1	2	1	1	0	0

- Molecule 4 is PYRAZINE-2-CARBOXAMIDE (three-letter code: PZA) (formula: C₅H₅N₃O) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	N	O		
4	A	1	9	5	3	1	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	C	N	O	0	0
			9	5	3	1		

- Molecule 5 is RUTHENIUM ION (three-letter code: RU) (formula: Ru).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	2	Total	Ru	0	0
			2	2		

- Molecule 6 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	3	Total	Cl	0	0
			3	3		


- Molecule 7 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	64	Total	O	0	0
			64	64		

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Albumin



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	182.44Å 38.33Å 95.04Å 90.00° 105.10° 90.00°	Depositor
Resolution (Å)	36.94 – 2.48 36.94 – 2.48	Depositor EDS
% Data completeness (in resolution range)	91.0 (36.94-2.48) 91.0 (36.94-2.48)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.97 (at 2.48Å)	Xtrriage
Refinement program	PHENIX 1.10.1_2155	Depositor
R, R_{free}	0.240 , 0.294 0.245 , 0.290	Depositor DCC
R_{free} test set	1993 reflections (9.47%)	wwPDB-VP
Wilson B-factor (Å ²)	44.4	Xtrriage
Anisotropy	0.684	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 49.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.34$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	4765	wwPDB-VP
Average B, all atoms (Å ²)	52.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.93% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: PLM, NO, RU, CL, PZA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.51	0/4676	0.66	0/6315

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4586	0	4469	91	0
2	A	90	0	155	15	0
3	A	2	0	0	0	0
4	A	18	0	9	3	0
5	A	2	0	0	0	0
6	A	3	0	0	0	0
7	A	64	0	0	9	0
All	All	4765	0	4633	96	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (96) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:272:SER:HB3	1:A:275:LEU:HD11	1.36	1.07
1:A:67:HIS:HB2	4:A:608:PZA:H2	1.48	0.77
1:A:23:VAL:HG11	1:A:46:VAL:HG21	1.70	0.73
1:A:6:GLU:OE2	4:A:608:PZA:H5	1.89	0.72
1:A:464:HIS:HE1	1:A:474:THR:HG22	1.55	0.71
1:A:218:ARG:NH2	1:A:295:ASN:OD1	2.26	0.68
1:A:464:HIS:CE1	1:A:474:THR:HG22	2.29	0.67
1:A:24:LEU:HD23	1:A:139:LEU:HD12	1.77	0.66
1:A:80:LEU:HD21	1:A:88:ALA:HA	1.79	0.65
1:A:286:LYS:O	1:A:290:ILE:HG12	1.97	0.64
1:A:475:LYS:NZ	7:A:703:HOH:O	2.29	0.64
1:A:80:LEU:CD2	1:A:88:ALA:HA	2.28	0.64
1:A:25:ILE:CG1	1:A:139:LEU:HD11	2.28	0.64
1:A:214:TRP:CD1	1:A:343:VAL:HG11	2.33	0.63
1:A:10:ARG:NH2	1:A:255:ASP:OD1	2.32	0.63
1:A:132:GLU:HG3	1:A:136:LYS:HD3	1.79	0.63
1:A:108:ASP:HB2	1:A:148:TYR:HE2	1.65	0.61
1:A:281:LYS:NZ	7:A:706:HOH:O	2.33	0.61
1:A:336:ARG:NH2	7:A:702:HOH:O	2.22	0.60
1:A:160:ARG:NH2	1:A:188:GLU:OE2	2.22	0.60
1:A:260:LEU:O	1:A:264:ILE:HD12	2.02	0.60
1:A:272:SER:HB3	1:A:275:LEU:CD1	2.22	0.59
1:A:119:GLU:CD	7:A:701:HOH:O	2.42	0.58
1:A:351:LYS:HD2	2:A:604:PLM:HG1	1.85	0.58
1:A:430:LEU:HA	1:A:433:VAL:HG12	1.86	0.57
1:A:278:CYS:HB3	1:A:290:ILE:HD13	1.87	0.56
1:A:141:GLU:OE2	1:A:144:ARG:NH1	2.38	0.56
1:A:442:GLU:HA	1:A:445:ARG:HD2	1.88	0.55
1:A:49:PHE:O	1:A:52:THR:HG22	2.07	0.55
1:A:485:ARG:HD2	1:A:485:ARG:C	2.27	0.54
1:A:25:ILE:HG13	1:A:139:LEU:HD11	1.90	0.53
1:A:470:SER:O	1:A:474:THR:HG23	2.09	0.53
1:A:464:HIS:HE1	1:A:474:THR:CG2	2.21	0.53
1:A:138:TYR:O	1:A:142:ILE:HG12	2.10	0.51
1:A:257:ARG:HH12	2:A:605:PLM:HG2	1.74	0.51
1:A:87:MET:HE2	1:A:105:HIS:HB3	1.93	0.51
1:A:141:GLU:HG3	1:A:145:ARG:NH1	2.25	0.51
1:A:331:LEU:HD13	1:A:350:ALA:HB2	1.93	0.51
1:A:576:VAL:HG12	1:A:580:GLN:OE1	2.12	0.49
1:A:372:LYS:HB3	1:A:375:ASP:OD2	2.12	0.49
2:A:605:PLM:H21	7:A:755:HOH:O	2.13	0.49
1:A:576:VAL:O	1:A:580:GLN:HG3	2.13	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:222:ARG:NH2	2:A:605:PLM:O2	2.46	0.48
1:A:216:VAL:CG2	1:A:235:VAL:HG21	2.44	0.47
1:A:342:SER:HB2	1:A:450:GLU:CD	2.35	0.47
1:A:460:LEU:HD11	2:A:602:PLM:HC2	1.96	0.47
1:A:27:PHE:CD2	1:A:42:LEU:HD11	2.49	0.47
1:A:50:ALA:O	1:A:54:VAL:HG23	2.14	0.47
1:A:114:ARG:HH12	1:A:116:VAL:HG22	1.79	0.47
1:A:464:HIS:CD2	2:A:602:PLM:HE2	2.50	0.46
1:A:30:TYR:CZ	1:A:106:LYS:HE3	2.50	0.46
1:A:77:VAL:HG12	1:A:80:LEU:HB2	1.98	0.46
2:A:601:PLM:H71	2:A:601:PLM:HA1	1.76	0.46
1:A:277:GLU:H	1:A:277:GLU:CD	2.19	0.46
1:A:532:LEU:HD13	2:A:603:PLM:H21	1.98	0.45
1:A:114:ARG:NH1	1:A:116:VAL:HG22	2.31	0.45
1:A:283:LEU:CD2	2:A:601:PLM:H41	2.47	0.45
1:A:351:LYS:HD2	2:A:604:PLM:CG	2.46	0.45
1:A:414:LYS:HA	1:A:493:VAL:HA	1.99	0.45
1:A:224:PRO:HD2	1:A:296:ASP:HB3	1.99	0.45
1:A:345:LEU:HB3	1:A:446:MET:HE1	1.99	0.45
1:A:367:HIS:O	1:A:371:ALA:HB2	2.16	0.45
1:A:485:ARG:HD2	1:A:485:ARG:O	2.17	0.45
1:A:216:VAL:HG23	1:A:235:VAL:HG21	1.99	0.44
1:A:464:HIS:HD2	2:A:602:PLM:HE2	1.82	0.44
1:A:119:GLU:OE1	7:A:701:HOH:O	2.20	0.44
1:A:137:LYS:HE2	4:A:607:PZA:H4	2.00	0.44
2:A:605:PLM:H91	2:A:605:PLM:H62	1.43	0.44
1:A:502:PHE:CD1	1:A:503:ASN:N	2.86	0.43
1:A:51:LYS:HE2	7:A:743:HOH:O	2.16	0.43
1:A:305:LEU:HD21	1:A:333:GLU:HB3	1.99	0.43
1:A:357:LEU:O	1:A:361:CYS:HB2	2.18	0.43
1:A:345:LEU:O	1:A:349:LEU:HG	2.19	0.43
1:A:466:LYS:O	1:A:468:PRO:HD3	2.19	0.43
1:A:41:LYS:HA	1:A:41:LYS:HD3	1.68	0.42
1:A:74:LEU:HD23	1:A:74:LEU:HA	1.70	0.42
1:A:502:PHE:HD1	1:A:503:ASN:N	2.15	0.42
1:A:141:GLU:HG3	1:A:145:ARG:HH12	1.82	0.42
1:A:108:ASP:HB2	1:A:148:TYR:CE2	2.49	0.42
1:A:173:ASP:HB3	1:A:176:ALA:HB3	2.01	0.42
1:A:276:LYS:O	1:A:280:GLU:HG2	2.20	0.42
1:A:325:VAL:O	1:A:329:MET:HG3	2.19	0.42
1:A:398:LEU:HB3	1:A:402:LYS:HB2	2.02	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:274:LYS:HE3	1:A:296:ASP:HA	2.02	0.42
1:A:387:LEU:HD23	1:A:387:LEU:HA	1.82	0.42
1:A:32:GLN:HE21	1:A:110:PRO:HG3	1.85	0.41
1:A:299:PRO:HG2	7:A:702:HOH:O	2.20	0.41
1:A:184:GLU:O	1:A:188:GLU:HG3	2.20	0.41
1:A:23:VAL:HG11	1:A:46:VAL:CG2	2.45	0.41
1:A:63:ASP:OD1	1:A:63:ASP:N	2.51	0.41
2:A:604:PLM:HG3	7:A:734:HOH:O	2.19	0.41
1:A:29:GLN:HG2	1:A:147:PRO:HA	2.03	0.41
1:A:473:VAL:HG11	2:A:602:PLM:HD1	2.04	0.40
1:A:67:HIS:NE2	1:A:249:ASP:OD2	2.54	0.40
1:A:274:LYS:O	1:A:293:VAL:HG21	2.21	0.40
2:A:602:PLM:H22	2:A:602:PLM:H52	1.29	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	581/585 (99%)	561 (97%)	20 (3%)	0	100 100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	496/511 (97%)	457 (92%)	39 (8%)	12 22

All (39) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	4	LYS
1	A	37	GLU
1	A	41	LYS
1	A	65	SER
1	A	81	ARG
1	A	83	THR
1	A	119	GLU
1	A	138	TYR
1	A	140	TYR
1	A	153	GLU
1	A	156	PHE
1	A	190	LYS
1	A	192	SER
1	A	195	LYS
1	A	198	LEU
1	A	202	SER
1	A	206	PHE
1	A	334	TYR
1	A	336	ARG
1	A	382	GLU
1	A	394	LEU
1	A	415	VAL
1	A	419	SER
1	A	425	GLU
1	A	436	LYS
1	A	439	LYS
1	A	479	GLU
1	A	481	LEU
1	A	503	ASN
1	A	513	ILE
1	A	517	SER
1	A	519	LYS
1	A	521	ARG
1	A	524	LYS
1	A	541	LYS
1	A	554	PHE
1	A	557	LYS
1	A	560	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	566	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	33	GLN
1	A	404	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 13 ligands modelled in this entry, 5 are monoatomic - leaving 8 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	PLM	A	605	-	17,17,17	0.69	0	17,17,17	0.84	2 (11%)
2	PLM	A	601	-	17,17,17	1.12	1 (5%)	17,17,17	0.84	2 (11%)
2	PLM	A	603	-	17,17,17	0.98	1 (5%)	17,17,17	0.77	1 (5%)
2	PLM	A	602	-	17,17,17	0.54	0	17,17,17	0.51	0
3	NO	A	606	5,6	0,1,1	-	-	-	-	-

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	PZA	A	608	-	9,9,9	3.80	5 (55%)	11,11,11	2.69	4 (36%)
2	PLM	A	604	-	17,17,17	1.05	1 (5%)	17,17,17	0.71	1 (5%)
4	PZA	A	607	5	9,9,9	4.26	5 (55%)	11,11,11	2.67	2 (18%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	PLM	A	605	-	-	9/15/15/15	-
2	PLM	A	601	-	-	10/15/15/15	-
2	PLM	A	603	-	-	7/15/15/15	-
2	PLM	A	602	-	-	11/15/15/15	-
4	PZA	A	608	-	-	0/4/4/4	0/1/1/1
2	PLM	A	604	-	-	10/15/15/15	-
4	PZA	A	607	5	-	0/4/4/4	0/1/1/1

All (13) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	607	PZA	C4-C	-10.66	1.36	1.50
4	A	608	PZA	C4-C	-9.51	1.38	1.50
4	A	607	PZA	C4-N3	-3.75	1.28	1.34
2	A	601	PLM	C2-C1	3.64	1.59	1.50
4	A	607	PZA	C1-N3	-3.50	1.27	1.34
4	A	608	PZA	C3-N2	-3.46	1.26	1.34
2	A	604	PLM	C2-C1	3.33	1.58	1.50
4	A	607	PZA	C3-N2	-3.17	1.27	1.34
4	A	608	PZA	C1-N3	-2.90	1.28	1.34
2	A	603	PLM	C2-C1	2.59	1.56	1.50
4	A	608	PZA	C4-N3	-2.31	1.30	1.34
4	A	607	PZA	C2-N2	-2.24	1.27	1.33
4	A	608	PZA	C2-N2	-2.09	1.27	1.33

All (12) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	607	PZA	O-C-C4	7.91	126.23	119.61
4	A	608	PZA	O-C-C4	6.27	124.85	119.61

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	608	PZA	C-C4-N3	4.36	123.42	117.76
4	A	608	PZA	O-C-N1	-2.79	118.61	122.58
2	A	603	PLM	O1-C1-O2	2.52	129.58	123.30
4	A	607	PZA	C4-C-N1	-2.47	113.81	116.25
2	A	605	PLM	O1-C1-O2	2.45	129.41	123.30
4	A	608	PZA	C3-C4-N3	-2.15	119.05	121.61
2	A	601	PLM	O1-C1-O2	2.15	128.66	123.30
2	A	605	PLM	O2-C1-C2	-2.11	116.30	123.08
2	A	601	PLM	O2-C1-C2	-2.06	116.46	123.08
2	A	604	PLM	O1-C1-O2	2.04	128.40	123.30

There are no chirality outliers.

All (47) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	602	PLM	C2-C3-C4-C5
2	A	601	PLM	C7-C8-C9-CA
2	A	605	PLM	C9-CA-CB-CC
2	A	605	PLM	C3-C4-C5-C6
2	A	601	PLM	C5-C6-C7-C8
2	A	605	PLM	C6-C7-C8-C9
2	A	602	PLM	C1-C2-C3-C4
2	A	604	PLM	C1-C2-C3-C4
2	A	601	PLM	C9-CA-CB-CC
2	A	604	PLM	C7-C8-C9-CA
2	A	603	PLM	C2-C3-C4-C5
2	A	604	PLM	C4-C5-C6-C7
2	A	604	PLM	C8-C9-CA-CB
2	A	602	PLM	C7-C8-C9-CA
2	A	602	PLM	C8-C9-CA-CB
2	A	603	PLM	C1-C2-C3-C4
2	A	605	PLM	CD-CE-CF-CG
2	A	605	PLM	CC-CD-CE-CF
2	A	605	PLM	C7-C8-C9-CA
2	A	602	PLM	C5-C6-C7-C8
2	A	602	PLM	CD-CE-CF-CG
2	A	603	PLM	C6-C7-C8-C9
2	A	604	PLM	C3-C4-C5-C6
2	A	603	PLM	CA-CB-CC-CD
2	A	604	PLM	C2-C3-C4-C5
2	A	601	PLM	CB-CC-CD-CE
2	A	602	PLM	C3-C4-C5-C6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	A	601	PLM	CC-CD-CE-CF
2	A	603	PLM	CD-CE-CF-CG
2	A	604	PLM	CB-CC-CD-CE
2	A	603	PLM	CB-CC-CD-CE
2	A	602	PLM	CB-CC-CD-CE
2	A	602	PLM	C6-C7-C8-C9
2	A	602	PLM	C9-CA-CB-CC
2	A	601	PLM	C4-C5-C6-C7
2	A	602	PLM	C4-C5-C6-C7
2	A	601	PLM	O2-C1-C2-C3
2	A	603	PLM	C7-C8-C9-CA
2	A	604	PLM	CD-CE-CF-CG
2	A	605	PLM	O2-C1-C2-C3
2	A	605	PLM	O1-C1-C2-C3
2	A	601	PLM	O1-C1-C2-C3
2	A	601	PLM	C8-C9-CA-CB
2	A	604	PLM	O1-C1-C2-C3
2	A	601	PLM	C3-C4-C5-C6
2	A	604	PLM	O2-C1-C2-C3
2	A	605	PLM	C8-C9-CA-CB


There are no ring outliers.




7 monomers are involved in 18 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	605	PLM	4	0
2	A	601	PLM	2	0
2	A	603	PLM	1	0
2	A	602	PLM	5	0
4	A	608	PZA	2	0
2	A	604	PLM	3	0
4	A	607	PZA	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and

any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	583/585 (99%)	0.24	10 (1%) 70 71	32, 50, 72, 92	0

All (10) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	302	LEU	4.1
1	A	362	ALA	3.4
1	A	301	ASP	2.9
1	A	497	TYR	2.8
1	A	502	PHE	2.7
1	A	560	LYS	2.6
1	A	459	GLN	2.1
1	A	513	ILE	2.1
1	A	269	ASP	2.1
1	A	568	PHE	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)


There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
2	PLM	A	605	18/18	0.79	0.35	48,56,64,67	0
4	PZA	A	608	9/9	0.79	0.22	53,59,65,66	0
2	PLM	A	603	18/18	0.81	0.32	44,51,60,61	0
2	PLM	A	602	18/18	0.82	0.36	45,53,65,67	0
2	PLM	A	604	18/18	0.87	0.28	40,48,63,75	0
2	PLM	A	601	18/18	0.89	0.33	39,44,55,56	0
6	CL	A	613	1/1	0.89	0.32	78,78,78,78	0
5	RU	A	609	1/1	0.93	0.07	47,47,47,47	1
4	PZA	A	607	9/9	0.95	0.19	58,60,64,66	0
3	NO	A	606	2/2	0.96	0.13	62,62,62,68	0
6	CL	A	612	1/1	0.97	0.08	67,67,67,67	0
5	RU	A	610	1/1	0.97	0.18	71,71,71,71	1
6	CL	A	611	1/1	0.98	0.20	73,73,73,73	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around PZA A 608:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around PLM A 603:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around PLM A 602:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around PLM A 604:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







6.5 Other polymers [i](#)

There are no such residues in this entry.