



wwPDB EM Validation Summary Report ⓘ

Nov 7, 2022 – 01:00 PM JST

PDB ID : 5H5U
EMDB ID : EMD-6667
Title : Mechanistic insights into the alternative translation termination by ArfA and RF2
Authors : Ma, C.; Kurita, D.; Li, N.; Chen, Y.; Himeno, H.; Gao, N.
Deposited on : 2016-11-09
Resolution : 3.00 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev43
MolProbity : 4.02b-467
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ : 1.9.9
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.31.2

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 3.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	158937	4297
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826
RNA backbone	4643	859

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	1	86	95%
2	2	70	71%
3	3	72	43%
4	4	365	9%
5	5	76	71%
6	7	6	50%
7	A	2903	78%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
8	B	120	84% 16%
9	C	272	84% 14%
10	D	209	87% 11%
11	E	201	96%
12	F	178	87% 11%
13	G	176	91% 9%
14	H	149	36% 91% 7%
15	I	164	55% 76% 5% 18%
16	J	141	10% 45% 50%
17	K	142	96%
18	L	123	92% 7%
19	M	144	85% 14%
20	N	136	92% 7%
21	O	127	89% 9%
22	P	117	92% 7%
23	Q	114	93% 7%
24	R	117	92% 6%
25	S	103	77% 20%
26	T	110	86% 12%
27	U	100	80% 12% 7%
28	V	103	78% 18%
29	W	94	87% 12%
30	X	84	83% 6% 10%
31	Y	77	81% 16%
32	Z	63	92% 6%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
33	a	58	97%
34	b	56	89% 11%
35	c	54	85% 9% 6%
36	d	46	91% 9%
37	e	64	94% 6%
38	f	38	97%
39	h	1534	81% 19%
40	i	240	84% 9% 7%
41	j	232	82% 6% 11%
42	k	205	95% 5%
43	l	166	84% 10% 7%
44	m	135	70% 7% 21%
45	n	178	75% 9% 15%
46	o	129	93% 6%
47	p	129	81% 15%
48	q	103	85% 10%
49	r	128	77% 13% 9%
50	s	123	89% 10%
51	t	117	87% 9%
52	u	100	90% 9%
53	v	88	94% 6%
54	w	82	89% 10%
55	x	83	87% 10%
56	y	74	70% 26%
57	z	91	79% 7% 13%

2 Entry composition

There are 57 unique types of molecules in this entry. The entry contains 148128 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 30S ribosomal protein S20.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	1	86	670	414	138	115	3	0	0

- Molecule 2 is a protein called 30S ribosomal protein S21.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
2	2	56	465	290	96	78	1	0	0

- Molecule 3 is a protein called Alternative ribosome-rescue factor A.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
3	3	45	369	229	76	63	1	0	0

- Molecule 4 is a protein called Peptide chain release factor 2.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
4	4	357	2829	1740	499	580	10	0	0

- Molecule 5 is a RNA chain called P-site tRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
5	5	76	1620	723	294	528	75	0	0

- Molecule 6 is a RNA chain called mRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
6	7	6	127	57	22	42	6	0	0

- Molecule 7 is a RNA chain called 23S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
7	A	2897	62240	27765	11457	20119	2899	3	0

- Molecule 8 is a RNA chain called 5S Ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
8	B	120	2569	1144	468	837	120	0	0

- Molecule 9 is a protein called 50S ribosomal protein L2.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
9	C	271	2082	1288	423	364	7	0	0

- Molecule 10 is a protein called 50S ribosomal protein L3.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
10	D	209	1565	979	288	294	4	0	0

- Molecule 11 is a protein called 50S ribosomal protein L4.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
11	E	201	1552	974	283	290	5	0	0

- Molecule 12 is a protein called 50S ribosomal protein L5.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
12	F	177	1410	899	249	256	6	0	0

- Molecule 13 is a protein called 50S ribosomal protein L6.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
13	G	176	1323	832	243	246	2	0	0

- Molecule 14 is a protein called 50S ribosomal protein L9.

Mol	Chain	Residues	Atoms					AltConf	Trace
14	H	148	Total	C	N	O	S	0	0
			1101	694	196	210	1		

- Molecule 15 is a protein called 50S ribosomal protein L10.

Mol	Chain	Residues	Atoms					AltConf	Trace
15	I	135	Total	C	N	O	S	0	0
			1023	649	179	192	3		

- Molecule 16 is a protein called 50S ribosomal protein L11.

Mol	Chain	Residues	Atoms					AltConf	Trace
16	J	71	Total	C	N	O	S	0	0
			509	313	93	100	3		

- Molecule 17 is a protein called 50S ribosomal protein L13.

Mol	Chain	Residues	Atoms					AltConf	Trace
17	K	142	Total	C	N	O	S	0	0
			1129	714	212	199	4		

- Molecule 18 is a protein called 50S ribosomal protein L14.

Mol	Chain	Residues	Atoms					AltConf	Trace
18	L	123	Total	C	N	O	S	0	0
			946	593	181	166	6		

- Molecule 19 is a protein called 50S ribosomal protein L15.

Mol	Chain	Residues	Atoms					AltConf	Trace
19	M	144	Total	C	N	O	S	0	0
			1053	654	207	190	2		

- Molecule 20 is a protein called 50S ribosomal protein L16.

Mol	Chain	Residues	Atoms					AltConf	Trace
20	N	136	Total	C	N	O	S	1	0
			1082	691	208	177	6		

- Molecule 21 is a protein called 50S ribosomal protein L17.

Mol	Chain	Residues	Atoms					AltConf	Trace
21	O	125	Total	C	N	O	S	0	0
			993	613	202	173	5		

- Molecule 22 is a protein called 50S ribosomal protein L18.

Mol	Chain	Residues	Atoms					AltConf	Trace
22	P	117	Total	C	N	O	S	0	0
			900	557	179	163	1		

- Molecule 23 is a protein called 50S ribosomal protein L19.

Mol	Chain	Residues	Atoms					AltConf	Trace
23	Q	114	Total	C	N	O	S	0	0
			917	574	179	163	1		

- Molecule 24 is a protein called 50S ribosomal protein L20.

Mol	Chain	Residues	Atoms				AltConf	Trace
24	R	117	Total	C	N	O	0	0
			947	604	192	151		

- Molecule 25 is a protein called 50S ribosomal protein L21.

Mol	Chain	Residues	Atoms					AltConf	Trace
25	S	103	Total	C	N	O	S	0	0
			816	516	153	145	2		

- Molecule 26 is a protein called 50S ribosomal protein L22.

Mol	Chain	Residues	Atoms					AltConf	Trace
26	T	110	Total	C	N	O	S	0	0
			857	532	166	156	3		

- Molecule 27 is a protein called 50S ribosomal protein L23.

Mol	Chain	Residues	Atoms					AltConf	Trace
27	U	93	Total	C	N	O	S	0	0
			738	466	139	131	2		

- Molecule 28 is a protein called 50S ribosomal protein L24.

Mol	Chain	Residues	Atoms				AltConf	Trace
28	V	102	Total	C	N	O	0	0
			779	492	146	141		

- Molecule 29 is a protein called 50S ribosomal protein L25.

Mol	Chain	Residues	Atoms					AltConf	Trace
29	W	94	Total	C	N	O	S	0	0
			753	479	137	134	3		

- Molecule 30 is a protein called 50S ribosomal protein L27.

Mol	Chain	Residues	Atoms					AltConf	Trace
30	X	76	Total	C	N	O	S	1	0
			591	365	121	104	1		

- Molecule 31 is a protein called 50S ribosomal protein L28.

Mol	Chain	Residues	Atoms					AltConf	Trace
31	Y	77	Total	C	N	O	S	0	0
			625	388	129	106	2		

- Molecule 32 is a protein called 50S ribosomal protein L29.

Mol	Chain	Residues	Atoms					AltConf	Trace
32	Z	62	Total	C	N	O	S	0	0
			501	308	98	94	1		

- Molecule 33 is a protein called 50S ribosomal protein L30.

Mol	Chain	Residues	Atoms					AltConf	Trace
33	a	58	Total	C	N	O	S	2	0
			463	290	90	81	2		

- Molecule 34 is a protein called 50S ribosomal protein L32.

Mol	Chain	Residues	Atoms					AltConf	Trace
34	b	56	Total	C	N	O	S	0	0
			444	269	94	80	1		

- Molecule 35 is a protein called 50S ribosomal protein L33.

Mol	Chain	Residues	Atoms				AltConf	Trace
35	c	51	Total	C	N	O	0	0
			414	266	76	72		

- Molecule 36 is a protein called 50S ribosomal protein L34.

Mol	Chain	Residues	Atoms					AltConf	Trace
36	d	46	Total	C	N	O	S	0	0
			377	228	90	57	2		

- Molecule 37 is a protein called 50S ribosomal protein L35.

Mol	Chain	Residues	Atoms					AltConf	Trace
37	e	64	Total	C	N	O	S	0	0
			504	323	105	74	2		

- Molecule 38 is a protein called 50S ribosomal protein L36.

Mol	Chain	Residues	Atoms					AltConf	Trace
38	f	38	Total	C	N	O	S	0	0
			302	185	65	48	4		

- Molecule 39 is a RNA chain called 16S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
39	h	1534	Total	C	N	O	P	0	0
			32917	14681	6041	10661	1534		

- Molecule 40 is a protein called 30S ribosomal protein S2.

Mol	Chain	Residues	Atoms					AltConf	Trace
40	i	224	Total	C	N	O	S	0	0
			1753	1109	315	321	8		

- Molecule 41 is a protein called 30S ribosomal protein S3.

Mol	Chain	Residues	Atoms					AltConf	Trace
41	j	206	Total	C	N	O	S	0	0
			1624	1028	305	288	3		

- Molecule 42 is a protein called 30S ribosomal protein S4.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
42	k	205	1643	1026	315	298	4	0	0

- Molecule 43 is a protein called 30S ribosomal protein S5.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
43	l	155	1144	711	216	211	6	0	0

- Molecule 44 is a protein called 30S ribosomal protein S6.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
44	m	106	862	545	156	154	7	0	0

- Molecule 45 is a protein called 30S ribosomal protein S7.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
45	n	151	1181	735	227	215	4	0	0

- Molecule 46 is a protein called 30S ribosomal protein S8.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
46	o	129	979	616	173	184	6	0	0

- Molecule 47 is a protein called 30S ribosomal protein S9.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
47	p	127	1022	634	206	179	3	0	0

- Molecule 48 is a protein called 30S ribosomal protein S10.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
48	q	99	795	498	152	144	1	0	0

- Molecule 49 is a protein called 30S ribosomal protein S11.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
49	r	117	877	540	174	160	3	0	0

- Molecule 50 is a protein called 30S ribosomal protein S12.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
50	s	123	955	590	196	165	4	0	0

- Molecule 51 is a protein called 30S ribosomal protein S13.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
51	t	114	883	546	178	156	3	0	0

- Molecule 52 is a protein called 30S ribosomal protein S14.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
52	u	100	805	499	164	139	3	0	0

- Molecule 53 is a protein called 30S ribosomal protein S15.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
53	v	88	714	439	144	130	1	0	0

- Molecule 54 is a protein called 30S ribosomal protein S16.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
54	w	82	649	406	128	114	1	0	0

- Molecule 55 is a protein called 30S ribosomal protein S17.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
55	x	80	648	411	121	113	3	0	0

- Molecule 56 is a protein called 30S ribosomal protein S18.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
56	y	55	455	288	86	81	0	0


- Molecule 57 is a protein called 30S ribosomal protein S19.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
57	z	79	637	408	120	107	2	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: 30S ribosomal protein S20




- Molecule 2: 30S ribosomal protein S21



- Molecule 3: Alternative ribosome-rescue factor A




- Molecule 4: Peptide chain release factor 2





- Molecule 5: P-site tRNA




• Molecule 6: mRNA





• Molecule 7: 23S rRNA








• Molecule 8: 5S Ribosomal RNA




• Molecule 9: 50S ribosomal protein L2




• Molecule 10: 50S ribosomal protein L3




• Molecule 16: 50S ribosomal protein L11




• Molecule 17: 50S ribosomal protein L13




• Molecule 18: 50S ribosomal protein L14




• Molecule 19: 50S ribosomal protein L15




• Molecule 20: 50S ribosomal protein L16



• Molecule 21: 50S ribosomal protein L17



• Molecule 22: 50S ribosomal protein L18







- Molecule 23: 50S ribosomal protein L19





- Molecule 24: 50S ribosomal protein L20




- Molecule 25: 50S ribosomal protein L21




- Molecule 26: 50S ribosomal protein L22




- Molecule 27: 50S ribosomal protein L23



- Molecule 28: 50S ribosomal protein L24





- Molecule 29: 50S ribosomal protein L25







- Molecule 30: 50S ribosomal protein L27



- Molecule 31: 50S ribosomal protein L28




- Molecule 32: 50S ribosomal protein L29





- Molecule 33: 50S ribosomal protein L30




- Molecule 34: 50S ribosomal protein L32



- Molecule 35: 50S ribosomal protein L33




- Molecule 36: 50S ribosomal protein L34





• Molecule 37: 50S ribosomal protein L35



• Molecule 38: 50S ribosomal protein L36




• Molecule 39: 16S rRNA







- Molecule 40: 30S ribosomal protein S2




- Molecule 41: 30S ribosomal protein S3




- Molecule 42: 30S ribosomal protein S4




- Molecule 43: 30S ribosomal protein S5




- Molecule 44: 30S ribosomal protein S6




- Molecule 45: 30S ribosomal protein S7





- Molecule 46: 30S ribosomal protein S8





• Molecule 47: 30S ribosomal protein S9




• Molecule 48: 30S ribosomal protein S10





• Molecule 49: 30S ribosomal protein S11




• Molecule 50: 30S ribosomal protein S12



• Molecule 51: 30S ribosomal protein S13




• Molecule 52: 30S ribosomal protein S14



- Molecule 53: 30S ribosomal protein S15

Chain v:  94% 6%




- Molecule 54: 30S ribosomal protein S16

Chain w:  89% 10%




- Molecule 55: 30S ribosomal protein S17

Chain x:  87% 10%




- Molecule 56: 30S ribosomal protein S18

Chain y:  70% 26%



- Molecule 57: 30S ribosomal protein S19

Chain z:  79% 7% 13%



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	13693	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	NONE	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	2	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	Not provided	
Image detector	FEI FALCON II (4k x 4k)	Depositor
Maximum map value	0.456	Depositor
Minimum map value	-0.203	Depositor
Average map value	0.002	Depositor
Map value standard deviation	0.018	Depositor
Recommended contour level	0.026	Depositor
Map size (\AA)	388.80002, 388.80002, 388.80002	wwPDB
Map dimensions	360, 360, 360	wwPDB
Map angles ($^\circ$)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (\AA)	1.08, 1.08, 1.08	Depositor

5 Model quality i

5.1 Standard geometry i

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	1	0.38	0/676	0.62	0/895
2	2	0.49	0/472	0.73	0/627
3	3	0.43	0/375	0.81	0/494
4	4	0.43	0/2868	0.61	0/3861
5	5	0.27	0/1810	0.72	2/2821 (0.1%)
6	7	0.49	0/141	0.90	0/217
7	A	0.33	2/69735 (0.0%)	0.71	11/108791 (0.0%)
8	B	0.26	0/2872	0.69	0/4478
9	C	0.41	0/2121	0.76	1/2852 (0.0%)
10	D	0.42	0/1586	0.68	0/2134
11	E	0.38	0/1571	0.60	0/2113
12	F	0.40	0/1434	0.58	0/1926
13	G	0.38	0/1343	0.58	0/1816
14	H	0.42	0/1112	0.52	0/1503
15	I	0.44	0/1037	0.53	0/1402
16	J	0.41	0/511	0.49	0/683
17	K	0.40	0/1152	0.64	0/1551
18	L	0.40	0/955	0.71	0/1279
19	M	0.41	0/1062	0.68	0/1413
20	N	0.44	0/1104	0.69	0/1474
21	O	0.43	0/1006	0.75	0/1345
22	P	0.37	0/910	0.64	0/1219
23	Q	0.42	0/929	0.70	0/1242
24	R	0.42	0/960	0.72	0/1278
25	S	0.42	0/829	0.61	0/1107
26	T	0.41	0/864	0.67	0/1156
27	U	0.41	0/744	0.65	0/994
28	V	0.39	0/787	0.56	0/1051
29	W	0.39	0/766	0.61	0/1025
30	X	0.46	0/598	0.75	0/790
31	Y	0.42	0/635	0.66	0/848
32	Z	0.37	0/502	0.68	0/667
33	a	0.35	0/467	0.65	0/623
34	b	0.40	0/450	0.74	0/599

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
35	c	0.42	0/421	0.72	0/561
36	d	0.49	0/380	0.91	0/498
37	e	0.38	0/513	0.65	0/676
38	f	0.36	0/303	0.72	0/397
39	h	0.31	0/36859	0.72	3/57501 (0.0%)
40	i	0.41	0/1784	0.60	0/2403
41	j	0.42	0/1651	0.68	0/2225
42	k	0.41	0/1665	0.61	0/2227
43	l	0.44	0/1157	0.70	0/1557
44	m	0.42	0/881	0.66	0/1189
45	n	0.42	0/1195	0.70	0/1602
46	o	0.41	0/989	0.67	0/1326
47	p	0.42	0/1034	0.76	1/1375 (0.1%)
48	q	0.40	0/805	0.69	0/1089
49	r	0.42	0/893	0.70	0/1205
50	s	0.44	0/969	0.77	2/1300 (0.2%)
51	t	0.41	0/892	0.68	0/1193
52	u	0.44	0/817	0.71	0/1088
53	v	0.39	0/722	0.64	0/964
54	w	0.47	0/659	0.75	1/884 (0.1%)
55	x	0.39	0/657	0.64	0/881
56	y	0.46	0/462	0.71	0/621
57	z	0.45	0/652	0.64	1/877 (0.1%)
All	All	0.35	2/160744 (0.0%)	0.70	22/239913 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	1	0	1
2	2	0	1
3	3	0	4
4	4	0	6
9	C	0	6
10	D	0	3
11	E	0	3
12	F	0	4
13	G	0	6
14	H	0	1
15	I	0	3

Continued on next page...

Continued from previous page...

Mol	Chain	#Chirality outliers	#Planarity outliers
18	L	0	1
19	M	0	2
20	N	0	2
21	O	0	1
22	P	0	1
23	Q	0	2
25	S	0	3
26	T	0	1
27	U	0	3
28	V	0	1
29	W	0	1
31	Y	0	2
32	Z	0	1
35	c	0	2
36	d	0	1
40	i	0	4
41	j	0	4
42	k	0	4
43	l	0	1
44	m	0	2
45	n	0	3
46	o	0	4
47	p	0	5
48	q	0	3
49	r	0	4
50	s	0	1
51	t	0	4
52	u	0	3
53	v	0	1
54	w	0	2
55	x	0	1
56	y	0	1
57	z	0	2
All	All	0	111

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
7	A	1607	C	O3'-P	5.24	1.67	1.61
7	A	2498	C	O3'-P	-5.23	1.54	1.61

The worst 5 of 22 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
39	h	560	A	O5'-P-OP1	-8.87	97.72	105.70
7	A	1607	C	C2'-C3'-O3'	7.92	126.92	109.50
54	w	70	ARG	NE-CZ-NH1	7.05	123.83	120.30
7	A	2498	C	C2'-C3'-O3'	6.74	124.48	113.70
7	A	1494	A	C2'-C3'-O3'	6.68	124.38	113.70

There are no chirality outliers.

5 of 111 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	1	42	GLY	Peptide
2	2	55	ARG	Peptide
3	3	2	SER	Peptide
3	3	35	GLY	Peptide
3	3	36	LYS	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	1	670	0	719	0	0
2	2	465	0	491	1	0
3	3	369	0	381	3	0
4	4	2829	0	2734	42	0
5	5	1620	0	826	0	0
6	7	127	0	65	0	0
7	A	62240	0	31297	86	0
8	B	2569	0	1301	1	0
9	C	2082	0	2154	13	0
10	D	1565	0	1616	26	0
11	E	1552	0	1619	0	0
12	F	1410	0	1444	7	0
13	G	1323	0	1371	9	0
14	H	1101	0	1142	3	0
15	I	1023	0	1052	3	0
16	J	509	0	547	4	0
17	K	1129	0	1162	3	0
18	L	946	0	1023	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
19	M	1053	0	1129	23	0
20	N	1082	0	1170	6	0
21	O	993	0	1034	3	0
22	P	900	0	935	5	0
23	Q	917	0	962	2	0
24	R	947	0	1019	4	0
25	S	816	0	839	35	0
26	T	857	0	922	12	0
27	U	738	0	807	4	0
28	V	779	0	831	12	0
29	W	753	0	780	4	0
30	X	591	0	606	4	0
31	Y	625	0	652	8	0
32	Z	501	0	531	1	0
33	a	463	0	504	0	0
34	b	444	0	458	0	0
35	c	414	0	442	0	0
36	d	377	0	418	0	0
37	e	504	0	572	0	0
38	f	302	0	343	0	0
39	h	32917	0	16564	0	0
40	i	1753	0	1780	0	0
41	j	1624	0	1696	0	0
42	k	1643	0	1707	0	0
43	l	1144	0	1185	0	0
44	m	862	0	864	0	0
45	n	1181	0	1238	0	0
46	o	979	0	1031	0	0
47	p	1022	0	1070	0	0
48	q	795	0	836	0	0
49	r	877	0	885	0	0
50	s	955	0	1016	0	0
51	t	883	0	941	0	0
52	u	805	0	844	0	0
53	v	714	0	734	0	0
54	w	649	0	666	0	0
55	x	648	0	691	0	0
56	y	455	0	478	0	0
57	z	637	0	665	0	0
All	All	148128	0	100789	297	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

The worst 5 of 297 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
25:S:37:GLU:CB	25:S:53:PHE:HE1	1.04	1.67
25:S:37:GLU:HB3	25:S:53:PHE:CE1	1.25	1.64
25:S:37:GLU:CB	25:S:53:PHE:CE1	1.88	1.39
7:A:1061:U:H1'	7:A:1070:A:C1'	1.54	1.34
25:S:37:GLU:CG	25:S:53:PHE:CE1	2.13	1.31

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	1	84/86 (98%)	79 (94%)	4 (5%)	1 (1%)	13	48
2	2	54/70 (77%)	51 (94%)	3 (6%)	0	100	100
3	3	43/72 (60%)	32 (74%)	8 (19%)	3 (7%)	1	6
4	4	353/365 (97%)	316 (90%)	31 (9%)	6 (2%)	9	39
9	C	269/272 (99%)	245 (91%)	24 (9%)	0	100	100
10	D	207/209 (99%)	189 (91%)	16 (8%)	2 (1%)	15	53
11	E	199/201 (99%)	188 (94%)	10 (5%)	1 (0%)	29	68
12	F	175/178 (98%)	157 (90%)	15 (9%)	3 (2%)	9	39
13	G	174/176 (99%)	156 (90%)	18 (10%)	0	100	100
14	H	146/149 (98%)	131 (90%)	13 (9%)	2 (1%)	11	43
15	I	133/164 (81%)	116 (87%)	14 (10%)	3 (2%)	6	30
16	J	69/141 (49%)	61 (88%)	7 (10%)	1 (1%)	11	43
17	K	140/142 (99%)	133 (95%)	7 (5%)	0	100	100
18	L	121/123 (98%)	108 (89%)	11 (9%)	2 (2%)	9	39

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
19	M	142/144 (99%)	127 (89%)	14 (10%)	1 (1%)	22	60
20	N	135/136 (99%)	125 (93%)	6 (4%)	4 (3%)	4	24
21	O	123/127 (97%)	110 (89%)	12 (10%)	1 (1%)	19	57
22	P	115/117 (98%)	112 (97%)	2 (2%)	1 (1%)	17	55
23	Q	112/114 (98%)	99 (88%)	13 (12%)	0	100	100
24	R	115/117 (98%)	112 (97%)	3 (3%)	0	100	100
25	S	101/103 (98%)	93 (92%)	6 (6%)	2 (2%)	7	34
26	T	108/110 (98%)	101 (94%)	7 (6%)	0	100	100
27	U	91/100 (91%)	83 (91%)	4 (4%)	4 (4%)	2	15
28	V	100/103 (97%)	88 (88%)	8 (8%)	4 (4%)	3	17
29	W	92/94 (98%)	83 (90%)	8 (9%)	1 (1%)	14	50
30	X	75/84 (89%)	66 (88%)	9 (12%)	0	100	100
31	Y	75/77 (97%)	66 (88%)	6 (8%)	3 (4%)	3	17
32	Z	60/63 (95%)	56 (93%)	4 (7%)	0	100	100
33	a	57/58 (98%)	52 (91%)	5 (9%)	0	100	100
34	b	54/56 (96%)	51 (94%)	3 (6%)	0	100	100
35	c	49/54 (91%)	45 (92%)	4 (8%)	0	100	100
36	d	44/46 (96%)	40 (91%)	4 (9%)	0	100	100
37	e	62/64 (97%)	59 (95%)	3 (5%)	0	100	100
38	f	36/38 (95%)	35 (97%)	1 (3%)	0	100	100
40	i	222/240 (92%)	196 (88%)	17 (8%)	9 (4%)	3	16
41	j	204/232 (88%)	176 (86%)	25 (12%)	3 (2%)	10	42
42	k	203/205 (99%)	193 (95%)	10 (5%)	0	100	100
43	l	153/166 (92%)	130 (85%)	20 (13%)	3 (2%)	7	34
44	m	104/135 (77%)	91 (88%)	11 (11%)	2 (2%)	8	36
45	n	149/178 (84%)	130 (87%)	16 (11%)	3 (2%)	7	34
46	o	127/129 (98%)	117 (92%)	10 (8%)	0	100	100
47	p	125/129 (97%)	106 (85%)	14 (11%)	5 (4%)	3	17
48	q	97/103 (94%)	87 (90%)	8 (8%)	2 (2%)	7	33
49	r	115/128 (90%)	94 (82%)	17 (15%)	4 (4%)	3	20
50	s	121/123 (98%)	106 (88%)	13 (11%)	2 (2%)	9	39

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
51	t	112/117 (96%)	94 (84%)	12 (11%)	6 (5%)	2	11
52	u	98/100 (98%)	83 (85%)	10 (10%)	5 (5%)	2	12
53	v	86/88 (98%)	78 (91%)	8 (9%)	0	100	100
54	w	80/82 (98%)	69 (86%)	10 (12%)	1 (1%)	12	45
55	x	78/83 (94%)	73 (94%)	5 (6%)	0	100	100
56	y	53/74 (72%)	49 (92%)	3 (6%)	1 (2%)	8	36
57	z	77/91 (85%)	69 (90%)	7 (9%)	1 (1%)	12	45
All	All	6117/6556 (93%)	5506 (90%)	519 (8%)	92 (2%)	14	42

5 of 92 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
11	E	73	ILE
14	H	50	ARG
19	M	132	ARG
20	N	81	ARG
27	U	2	ILE

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	1	65/65 (100%)	62 (95%)	3 (5%)	27	64
2	2	48/60 (80%)	45 (94%)	3 (6%)	18	51
3	3	38/59 (64%)	31 (82%)	7 (18%)	1	9
4	4	303/311 (97%)	277 (91%)	26 (9%)	10	37
9	C	216/217 (100%)	198 (92%)	18 (8%)	11	39
10	D	164/164 (100%)	150 (92%)	14 (8%)	10	38
11	E	165/165 (100%)	161 (98%)	4 (2%)	49	79
12	F	148/149 (99%)	138 (93%)	10 (7%)	16	48
13	G	137/137 (100%)	135 (98%)	2 (2%)	65	87

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
14	H	113/114 (99%)	106 (94%)	7 (6%)	18	52
15	I	103/122 (84%)	102 (99%)	1 (1%)	76	91
16	J	53/109 (49%)	50 (94%)	3 (6%)	20	56
17	K	116/116 (100%)	111 (96%)	5 (4%)	29	66
18	L	104/104 (100%)	97 (93%)	7 (7%)	16	49
19	M	103/103 (100%)	98 (95%)	5 (5%)	25	61
20	N	110/109 (101%)	108 (98%)	2 (2%)	59	85
21	O	102/103 (99%)	98 (96%)	4 (4%)	32	69
22	P	87/87 (100%)	87 (100%)	0	100	100
23	Q	99/99 (100%)	96 (97%)	3 (3%)	41	75
24	R	89/89 (100%)	83 (93%)	6 (7%)	16	49
25	S	84/84 (100%)	77 (92%)	7 (8%)	11	39
26	T	93/93 (100%)	91 (98%)	2 (2%)	52	81
27	U	80/84 (95%)	77 (96%)	3 (4%)	33	69
28	V	83/84 (99%)	74 (89%)	9 (11%)	6	26
29	W	78/78 (100%)	75 (96%)	3 (4%)	33	69
30	X	58/62 (94%)	55 (95%)	3 (5%)	23	59
31	Y	67/67 (100%)	61 (91%)	6 (9%)	9	35
32	Z	54/55 (98%)	53 (98%)	1 (2%)	57	84
33	a	49/48 (102%)	47 (96%)	2 (4%)	30	67
34	b	47/47 (100%)	41 (87%)	6 (13%)	4	19
35	c	45/48 (94%)	42 (93%)	3 (7%)	16	49
36	d	38/38 (100%)	35 (92%)	3 (8%)	12	41
37	e	51/51 (100%)	47 (92%)	4 (8%)	12	42
38	f	34/34 (100%)	33 (97%)	1 (3%)	42	76
40	i	186/198 (94%)	174 (94%)	12 (6%)	17	50
41	j	170/189 (90%)	161 (95%)	9 (5%)	22	58
42	k	172/172 (100%)	165 (96%)	7 (4%)	30	67
43	l	118/125 (94%)	106 (90%)	12 (10%)	7	28
44	m	92/116 (79%)	84 (91%)	8 (9%)	10	37
45	n	124/146 (85%)	112 (90%)	12 (10%)	8	31

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
46	o	104/104 (100%)	98 (94%)	6 (6%)	20	55
47	p	105/106 (99%)	89 (85%)	16 (15%)	3	14
48	q	87/90 (97%)	80 (92%)	7 (8%)	12	40
49	r	90/98 (92%)	79 (88%)	11 (12%)	5	21
50	s	103/103 (100%)	93 (90%)	10 (10%)	8	31
51	t	92/95 (97%)	89 (97%)	3 (3%)	38	73
52	u	83/83 (100%)	80 (96%)	3 (4%)	35	70
53	v	76/76 (100%)	72 (95%)	4 (5%)	22	58
54	w	65/65 (100%)	59 (91%)	6 (9%)	9	34
55	x	74/77 (96%)	67 (90%)	7 (10%)	8	32
56	y	48/64 (75%)	47 (98%)	1 (2%)	53	82
57	z	70/78 (90%)	66 (94%)	4 (6%)	20	56
All	All	5083/5340 (95%)	4762 (94%)	321 (6%)	21	51

5 of 321 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
45	n	5	ARG
50	s	52	VAL
45	n	72	THR
47	p	89	GLU
53	v	13	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 28 such sidechains are listed below:

Mol	Chain	Res	Type
23	Q	115	ASN
53	v	20	ASN
29	W	87	GLN
44	m	46	GLN
27	U	91	GLN

5.3.3 RNA [i](#)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
39	h	1533/1534 (99%)	287 (18%)	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
5	5	75/76 (98%)	20 (26%)	2 (2%)
6	7	5/6 (83%)	3 (60%)	1 (20%)
7	A	2892/2903 (99%)	533 (18%)	62 (2%)
8	B	119/120 (99%)	17 (14%)	0
All	All	4624/4639 (99%)	860 (18%)	65 (1%)

5 of 860 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
5	5	9	G
5	5	14	A
5	5	17(A)	U
5	5	18	G
5	5	19	G

5 of 65 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
7	A	2468	A
7	A	2498	C
7	A	961	C
7	A	871	U
7	A	2529	G

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-6667. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 180



Y Index: 180




Z Index: 180


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 222



Y Index: 200




Z Index: 191


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal surface views [i](#)


6.4.1 Primary map



X



Y



Z

The images above show the 3D surface view of the map at the recommended contour level 0.026. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.5 Mask visualisation

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 1587 nm³; this corresponds to an approximate mass of 1434 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum [i](#)



*Reported resolution corresponds to spatial frequency of 0.332 Å⁻¹


8 Fourier-Shell correlation

This section was not generated. No FSC curve or half-maps provided.

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-6667 and PDB model 5H5U. Per-residue inclusion information can be found in section 3 on page 14.

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.026 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.026).







































































9.4 Atom inclusion [i](#)



At the recommended contour level, 98% of all backbone atoms, 96% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary















































The table lists the average atom inclusion at the recommended contour level (0.026) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.9601	 0.5380
1	 0.9496	 0.5340
2	 0.8649	 0.4780
3	 0.9276	 0.5630
4	 0.7590	 0.4140
5	 0.9685	 0.5080
7	 0.9449	 0.5010
A	 0.9897	 0.5540
B	 0.9969	 0.5480
C	 0.9489	 0.5760
D	 0.9486	 0.5650
E	 0.9184	 0.5210
F	 0.9097	 0.4490
G	 0.9306	 0.4730
H	 0.5516	 0.3180
I	 0.2924	 0.1140
J	 0.6083	 0.2110
K	 0.9418	 0.5560
L	 0.9349	 0.5560
M	 0.9395	 0.5520
N	 0.9443	 0.5670
O	 0.9340	 0.5600
P	 0.9403	 0.5130
Q	 0.9234	 0.5450
R	 0.9670	 0.5710
S	 0.9348	 0.5390
T	 0.9366	 0.5590
U	 0.9321	 0.5310
V	 0.9465	 0.5100
W	 0.9350	 0.5250
X	 0.9450	 0.5750
Y	 0.9368	 0.5140
Z	 0.9284	 0.5000
a	 0.9268	 0.5480
b	 0.9416	 0.5590



Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
c	 0.9236	 0.5430
d	 0.9465	 0.5780
e	 0.9552	 0.5850
f	 0.9384	 0.5540
h	 0.9937	 0.5600
i	 0.9204	 0.4840
j	 0.9347	 0.5260
k	 0.8862	 0.5080
l	 0.9501	 0.5460
m	 0.9168	 0.4940
n	 0.8977	 0.4740
o	 0.9469	 0.5590
p	 0.9346	 0.5120
q	 0.8896	 0.4800
r	 0.9449	 0.5310
s	 0.9359	 0.5660
t	 0.9260	 0.4920
u	 0.9109	 0.5210
v	 0.9362	 0.5250
w	 0.9490	 0.5500
x	 0.9130	 0.4990
y	 0.9358	 0.5340
z	 0.9436	 0.4940