



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 13, 2024 – 05:49 AM EST

PDB ID : 3HGU
Title : Structure of Phenazine Antibiotic Biosynthesis Protein
Authors : Bera, A.K.; Atanasova, V.; Parsons, J.F.
Deposited on : 2009-05-14
Resolution : 1.95 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Xtriage (Phenix) : 1.13
EDS : 2.36
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.95 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	2580 (1.96-1.96)
Clashscore	141614	2705 (1.96-1.96)
Ramachandran outliers	138981	2678 (1.96-1.96)
Sidechain outliers	138945	2678 (1.96-1.96)
RSRZ outliers	127900	2539 (1.96-1.96)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	369	
1	B	369	

2 Entry composition [i](#)

There are 2 unique types of molecules in this entry. The entry contains 5930 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called EhpF.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	350	2795	1780	479	525	11	0	7	0
1	B	347	2741	1742	472	518	9	0	1	0

There are 6 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-2	GLY	-	expression tag	UNP Q8GPH0
A	-1	SER	-	expression tag	UNP Q8GPH0
A	0	HIS	-	expression tag	UNP Q8GPH0
B	-2	GLY	-	expression tag	UNP Q8GPH0
B	-1	SER	-	expression tag	UNP Q8GPH0
B	0	HIS	-	expression tag	UNP Q8GPH0

- Molecule 2 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	229	Total	O	0	0
			229	229		
2	B	165	Total	O	0	0
			165	165		

4 Data and refinement statistics i

Property	Value	Source
Space group	P 31 2 1	Depositor
Cell constants a, b, c, α , β , γ	89.85Å 89.85Å 188.56Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	30.00 – 1.95 29.41 – 1.95	Depositor EDS
% Data completeness (in resolution range)	99.7 (30.00-1.95) 99.7 (29.41-1.95)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	4.27 (at 1.95Å)	Xtrriage
Refinement program	REFMAC 5.2.0019	Depositor
R, R_{free}	0.193 , 0.249 0.194 , 0.251	Depositor DCC
R_{free} test set	3289 reflections (5.06%)	wwPDB-VP
Wilson B-factor (Å ²)	37.3	Xtrriage
Anisotropy	0.114	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 46.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.34$	Xtrriage
Estimated twinning fraction	0.019 for -h,-k,l	Xtrriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	5930	wwPDB-VP
Average B, all atoms (Å ²)	43.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.56% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality i

5.1 Standard geometry i

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.79	5/2881 (0.2%)	0.77	0/3916
1	B	0.69	0/2808	0.73	4/3821 (0.1%)
All	All	0.74	5/5689 (0.1%)	0.75	4/7737 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	B	0	3
All	All	0	4

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	109[A]	TYR	CZ-OH	-9.62	1.21	1.37
1	A	109[B]	TYR	CZ-OH	-9.62	1.21	1.37
1	A	89[A]	SER	C-N	-5.89	1.20	1.34
1	A	89[B]	SER	C-N	-5.89	1.20	1.34
1	A	90	HIS	C-N	-5.73	1.23	1.34

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	214	ARG	NE-CZ-NH2	-5.27	117.67	120.30
1	B	102	ALA	C-N-CD	-5.21	109.13	120.60
1	B	216	LEU	CA-CB-CG	5.07	126.97	115.30
1	B	214	ARG	NE-CZ-NH1	5.03	122.81	120.30

There are no chirality outliers.

All (4) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	102	ALA	Peptide
1	B	102	ALA	Peptide
1	B	338	GLY	Peptide
1	B	339	VAL	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2795	0	2780	52	0
1	B	2741	0	2708	73	0
2	A	229	0	0	11	0
2	B	165	0	0	7	0
All	All	5930	0	5488	112	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (112) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:339:VAL:CG1	1:B:341:GLY:H	1.44	1.30
1:B:96:SER:HB3	1:B:265:THR:HG21	1.30	1.12
1:B:339:VAL:HG13	1:B:341:GLY:N	1.64	1.12
1:B:339:VAL:HG13	1:B:341:GLY:H	0.98	1.09
1:B:316:THR:HG22	1:B:326:ARG:H	1.34	0.92
1:A:160:MET:HE1	1:B:77:VAL:HG23	1.49	0.91
1:B:265:THR:HG23	2:B:489:HOH:O	1.71	0.90
1:B:339:VAL:CG1	1:B:341:GLY:N	2.24	0.89
1:A:89[B]:SER:HB3	1:A:109[B]:TYR:CE1	2.08	0.88
1:A:193:GLN:HE21	1:B:169:ARG:HH11	1.22	0.87
1:B:339:VAL:HG12	1:B:341:GLY:H	1.39	0.87
1:A:146:VAL:HG21	2:A:379:HOH:O	1.77	0.85
1:A:103:PRO:HD2	2:A:558:HOH:O	1.77	0.84
1:B:338:GLY:C	1:B:339:VAL:HG23	1.99	0.84

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:339:VAL:HG13	1:B:341:GLY:CA	2.08	0.83
1:B:214:ARG:HD3	1:B:244:GLU:OE2	1.81	0.81
1:A:309:GLU:HG3	2:A:373:HOH:O	1.83	0.78
1:B:338:GLY:O	1:B:339:VAL:HB	1.84	0.77
1:A:160:MET:CE	1:B:77:VAL:HG23	2.15	0.77
1:A:165:ASP:H	1:A:193:GLN:HE22	1.31	0.76
1:B:12:MET:HE2	1:B:320:PRO:HG2	1.69	0.74
1:A:160:MET:HE1	1:B:77:VAL:CG2	2.16	0.74
1:B:96:SER:HB3	1:B:265:THR:CG2	2.14	0.74
1:A:89[B]:SER:HB3	1:A:109[B]:TYR:CD1	2.21	0.74
1:A:160:MET:CE	1:B:77:VAL:CG2	2.67	0.72
1:B:165:ASP:H	1:B:193:GLN:HE22	1.37	0.71
1:B:12:MET:CE	1:B:320:PRO:HG2	2.21	0.70
1:B:316:THR:HG23	2:B:441:HOH:O	1.91	0.70
1:B:338:GLY:O	1:B:339:VAL:CB	2.42	0.68
1:A:96:SER:HB3	1:A:265:THR:HG21	1.76	0.67
1:A:169:ARG:HH11	1:B:193:GLN:HE21	1.40	0.67
1:B:89:SER:O	1:B:90:HIS:HB3	1.93	0.67
1:B:96:SER:CB	1:B:265:THR:HG21	2.17	0.67
1:B:70:HIS:CE1	2:B:501:HOH:O	2.48	0.67
1:B:316:THR:CG2	1:B:326:ARG:H	2.08	0.67
1:A:265:THR:HG21	2:A:549:HOH:O	1.95	0.67
1:B:191:VAL:HG13	1:B:216:LEU:HD13	1.77	0.66
1:A:265:THR:CG2	2:A:549:HOH:O	2.44	0.65
1:A:217:LEU:HD23	1:A:226:MET:HE1	1.79	0.64
1:A:193:GLN:NE2	1:B:169:ARG:HH11	1.92	0.64
1:A:109[A]:TYR:CE1	2:A:368:HOH:O	2.51	0.63
1:A:193:GLN:HE21	1:B:169:ARG:NH1	1.95	0.62
1:B:316:THR:HG22	1:B:326:ARG:N	2.11	0.62
1:A:160:MET:HE3	1:B:77:VAL:HG21	1.82	0.61
1:A:109[A]:TYR:HE1	2:A:368:HOH:O	1.82	0.60
1:A:90:HIS:CE1	1:B:155:LEU:HD13	2.37	0.59
1:B:12:MET:CE	1:B:320:PRO:CG	2.81	0.59
1:B:285:TYR:CE1	1:B:350:ILE:HD12	2.39	0.57
1:B:338:GLY:C	1:B:339:VAL:CG2	2.64	0.56
1:A:228:GLN:HG3	2:A:588:HOH:O	2.05	0.55
1:B:12:MET:HE2	1:B:320:PRO:CG	2.36	0.55
1:A:121[B]:MET:SD	1:A:156:ARG:HB2	2.47	0.55
1:B:124:TYR:CE1	1:B:130:ARG:HB2	2.42	0.54
1:A:165:ASP:H	1:A:193:GLN:NE2	2.05	0.54
1:B:27:LEU:HD13	1:B:318:LEU:HD22	1.91	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:169:ARG:HH11	1:B:193:GLN:NE2	2.06	0.52
1:A:217:LEU:HD23	1:A:226:MET:CE	2.40	0.52
1:B:163[B]:SER:HB3	2:B:385:HOH:O	2.10	0.52
1:B:12:MET:HE3	1:B:320:PRO:CD	2.40	0.51
1:B:316:THR:HB	1:B:325:PRO:HA	1.92	0.51
1:B:339:VAL:HG12	1:B:341:GLY:N	2.09	0.51
1:B:126:HIS:NE2	2:B:396:HOH:O	2.33	0.50
1:B:342:PHE:HD2	2:B:520:HOH:O	1.96	0.49
1:B:217:LEU:HD23	1:B:226:MET:CE	2.43	0.48
1:A:89[B]:SER:HB3	1:A:109[B]:TYR:HE1	1.71	0.48
1:A:89[B]:SER:CB	1:A:109[B]:TYR:CE1	2.92	0.48
1:B:214:ARG:CD	1:B:244:GLU:OE2	2.59	0.48
1:B:217:LEU:HD23	1:B:226:MET:HE3	1.96	0.48
1:A:330:ARG:HG2	1:A:353:LEU:HD12	1.96	0.48
1:A:96:SER:CB	1:A:265:THR:HG21	2.44	0.47
1:B:12:MET:CE	1:B:320:PRO:CD	2.91	0.47
1:A:127:ARG:HB3	2:A:570:HOH:O	2.13	0.47
1:B:338:GLY:CA	1:B:339:VAL:HG23	2.45	0.47
1:B:12:MET:HE3	1:B:320:PRO:HD2	1.95	0.47
1:A:77:VAL:H	1:B:201:GLN:HE22	1.62	0.46
1:A:160:MET:HE3	1:B:77:VAL:CG2	2.39	0.46
1:B:336:LEU:HB2	1:B:346:ARG:HB3	1.96	0.46
1:A:91:PRO:HB3	1:A:107:VAL:HG11	1.97	0.46
1:A:339:VAL:HG13	1:A:340:SER:N	2.29	0.46
1:B:139:ILE:HD12	1:B:139:ILE:O	2.15	0.46
1:B:267:ALA:HA	1:B:317:HIS:HB2	1.97	0.46
1:B:298:ASP:OD1	1:B:301:THR:HG23	2.16	0.45
1:B:12:MET:HE3	1:B:320:PRO:HG2	1.97	0.45
1:B:285:TYR:CE1	1:B:350:ILE:CD1	3.00	0.45
1:A:223:VAL:HA	1:A:226:MET:HE2	1.99	0.44
1:A:17:ILE:HG22	1:A:17:ILE:O	2.18	0.44
1:A:129:GLY:HA2	2:A:587:HOH:O	2.17	0.44
1:B:117:ILE:HD13	1:B:117:ILE:HA	1.88	0.43
1:B:191:VAL:HG21	1:B:215:GLU:HB2	2.00	0.43
1:A:81:VAL:HG13	1:A:109[B]:TYR:OH	2.18	0.43
1:B:228:GLN:HG3	2:B:526:HOH:O	2.18	0.43
1:B:283:VAL:O	1:B:348:ALA:HA	2.19	0.43
1:A:194:VAL:HG11	1:A:216:LEU:HD11	2.01	0.43
1:A:205:PHE:HD2	1:A:232:GLN:HB3	1.84	0.43
1:A:339:VAL:HG12	2:A:383:HOH:O	2.18	0.43
1:B:195:GLN:NE2	1:B:221:GLU:OE2	2.52	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:90:HIS:HA	1:A:91:PRO:HD2	1.95	0.42
1:A:261:SER:OG	1:A:270:VAL:HG21	2.18	0.42
1:B:194:VAL:HG11	1:B:216:LEU:HD21	2.01	0.42
1:A:73:ARG:HE	1:A:102:ALA:N	2.17	0.42
1:A:191:VAL:HG21	1:A:215:GLU:HB3	2.00	0.42
1:A:96:SER:HB3	1:A:265:THR:CG2	2.47	0.42
1:A:225:GLN:HE21	1:A:229:SER:HB3	1.85	0.42
1:B:338:GLY:O	1:B:339:VAL:CG2	2.68	0.42
1:B:273:SER:HA	1:B:284:ILE:O	2.20	0.41
1:B:89:SER:O	1:B:90:HIS:CB	2.65	0.41
1:A:98:GLY:HA3	1:A:103:PRO:HB3	2.01	0.41
1:A:124:TYR:O	1:A:130:ARG:HD3	2.21	0.41
1:B:286:ASP:OD1	1:B:346:ARG:HG3	2.21	0.40
1:B:314:ILE:HD13	1:B:328:ALA:HA	2.02	0.40
1:B:29:ARG:O	1:B:33:SER:OG	2.34	0.40
1:A:217:LEU:CD2	1:A:226:MET:HE3	2.52	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	353/369 (96%)	342 (97%)	10 (3%)	1 (0%)	41	30
1	B	344/369 (93%)	326 (95%)	15 (4%)	3 (1%)	17	8
All	All	697/738 (94%)	668 (96%)	25 (4%)	4 (1%)	25	14

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	339	VAL
1	B	90	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	90	HIS
1	B	103	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	310/318 (98%)	302 (97%)	8 (3%)	46	36
1	B	302/318 (95%)	290 (96%)	12 (4%)	31	19
All	All	612/636 (96%)	592 (97%)	20 (3%)	38	26

All (20) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	18	ASN
1	A	54	LYS
1	A	88	ASP
1	A	127	ARG
1	A	195	GLN
1	A	318	LEU
1	A	339	VAL
1	A	353	LEU
1	B	5	SER
1	B	33	SER
1	B	93	VAL
1	B	176	SER
1	B	180	THR
1	B	185	LYS
1	B	216	LEU
1	B	299	SER
1	B	301	THR
1	B	316	THR
1	B	318	LEU
1	B	340	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	18	ASN
1	A	79	ASN
1	A	90	HIS
1	A	193	GLN
1	A	225	GLN
1	A	312	ASN
1	B	79	ASN
1	B	193	GLN
1	B	201	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	350/369 (94%)	0.00	7 (2%) 65 73	25, 37, 55, 70	10 (2%)
1	B	347/369 (94%)	0.55	26 (7%) 14 22	25, 45, 73, 81	14 (4%)
All	All	697/738 (94%)	0.28	33 (4%) 31 41	25, 41, 68, 81	24 (3%)

All (33) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	128	PRO	13.3
1	B	339	VAL	7.4
1	B	127	ARG	5.9
1	B	125	GLN	5.4
1	B	124	TYR	5.3
1	B	126	HIS	5.2
1	A	102	ALA	4.8
1	B	87	ALA	4.6
1	B	129	GLY	4.4
1	A	354	LYS	4.3
1	B	6	LEU	3.9
1	B	4	TYR	3.9
1	B	353	LEU	3.8
1	B	53	ILE	3.7
1	B	35	GLU	3.7
1	B	88	ASP	3.4
1	B	90	HIS	3.3
1	A	90	HIS	3.2
1	B	34	LYS	3.2
1	A	2	LYS	3.2
1	B	46	GLU	3.1
1	B	49	ASN	3.1
1	B	102	ALA	3.0
1	A	178	GLY	2.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	322	ALA	2.7
1	B	5	SER	2.7
1	B	48	LEU	2.6
1	B	3	ASP	2.4
1	A	129	GLY	2.4
1	B	300	ILE	2.4
1	B	42	LEU	2.3
1	A	175	LEU	2.3
1	B	330	ARG	2.2

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.