



# Full wwPDB X-ray Structure Validation Report ⓘ

Sep 9, 2023 – 03:54 PM EDT

PDB ID : 4HIH  
Title : Anti-Streptococcus pneumoniae 23F Fab 023.102 with bound rhamnose.  
Authors : Bryson, S.; Risnes, L.; Damgupta, S.; Thomson, C.A.; Schrader, J.W.; Pai, E.F.  
Deposited on : 2012-10-11  
Resolution : 2.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.35.1  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.35.1


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	8085 (2.00-2.00)
Clashscore	141614	9178 (2.00-2.00)
Ramachandran outliers	138981	9054 (2.00-2.00)
Sidechain outliers	138945	9053 (2.00-2.00)
RSRZ outliers	127900	7900 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	220	 5% 71% 21% • •
1	C	220	 6% 74% 15% 6% 5%
2	B	231	 2% 70% 16% • 12%
2	D	231	 3% 65% 19% • 12%

## 2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 6652 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Fab 023.102.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	212	Total 1635	C 1021	N 283	O 327	S 4	0	0	0
1	C	208	Total 1607	C 1005	N 278	O 320	S 4	0	0	0

- Molecule 2 is a protein called Antibody 023.102.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	203	Total 1538	C 972	N 261	O 299	S 6	0	0	0
2	D	203	Total 1538	C 972	N 261	O 299	S 6	0	0	0

- Molecule 3 is alpha-L-rhamnopyranose (three-letter code: RAM) (formula: C<sub>6</sub>H<sub>12</sub>O<sub>5</sub>).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			11	6	5		
3	D	1	Total	C	O	0	0
			11	6	5		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	71	Total	O	0	0
			71	71		
4	B	75	Total	O	0	0
			75	75		
4	C	84	Total	O	0	0
			84	84		
4	D	82	Total	O	0	0
			82	82		


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Fab 023.102



- Molecule 1: Fab 023.102




- Molecule 2: Antibody 023.102



- Molecule 2: Antibody 023.102





## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	73.79Å 66.68Å 109.28Å 90.00° 101.28° 90.00°	Depositor
Resolution (Å)	17.00 – 2.00 17.00 – 2.00	Depositor EDS
% Data completeness (in resolution range)	(Not available) (17.00-2.00) 95.4 (17.00-2.00)	Depositor EDS
$R_{merge}$	0.05	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.51 (at 2.00Å)	Xtrriage
Refinement program	CNS	Depositor
R, $R_{free}$	0.224 , 0.236 0.210 , 0.223	Depositor DCC
$R_{free}$ test set	6416 reflections (5.01%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	34.3	Xtrriage
Anisotropy	0.187	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.33 , 37.1	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	6652	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	36.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 52.40 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 4.8894e-05. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: RAM

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.39	0/1672	0.74	0/2274
1	C	0.43	0/1643	0.78	1/2233 (0.0%)
2	B	0.41	0/1572	0.74	1/2136 (0.0%)
2	D	0.38	0/1572	0.71	0/2136
All	All	0.40	0/6459	0.75	2/8779 (0.0%)

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	66	ARG	NE-CZ-NH2	-5.67	117.46	120.30
1	C	114	SER	N-CA-C	-5.17	97.05	111.00

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1635	0	1584	38	0
1	C	1607	0	1556	33	0
2	B	1538	0	1498	25	0
2	D	1538	0	1498	45	0
3	A	11	0	12	0	0

*Continued on next page...*



Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	D	11	0	12	0	0
4	A	71	0	0	0	0
4	B	75	0	0	3	0
4	C	84	0	0	1	0
4	D	82	0	0	4	0
All	All	6652	0	6160	133	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (133) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:190:LYS:HD3	1:A:210:ASN:HD21	1.06	1.09
1:A:190:LYS:HD3	1:A:210:ASN:ND2	1.66	1.08
2:D:150:VAL:CG2	2:D:178:LEU:CD2	2.33	1.05
2:D:150:VAL:CG2	2:D:178:LEU:HD21	1.90	0.96
2:D:55:ARG:HG3	2:D:55:ARG:HH11	1.28	0.96
2:D:150:VAL:HG21	2:D:178:LEU:CD2	1.96	0.94
1:C:190:LYS:HD3	1:C:210:ASN:ND2	1.83	0.94
1:A:190:LYS:CD	1:A:210:ASN:HD21	1.88	0.85
2:D:150:VAL:HG21	2:D:178:LEU:HD21	1.52	0.83
2:D:55:ARG:HG3	2:D:55:ARG:NH1	1.93	0.82
2:D:150:VAL:CG2	2:D:178:LEU:HD23	2.11	0.81
2:D:150:VAL:HG23	2:D:178:LEU:HD21	1.69	0.74
2:B:192:GLN:HA	2:B:192:GLN:OE1	1.93	0.69
2:D:56:THR:CG2	4:D:478:HOH:O	2.39	0.68
2:D:150:VAL:HG21	2:D:178:LEU:HD23	1.70	0.68
1:A:124:GLN:O	1:A:127:SER:HB3	1.95	0.67
2:D:66:ARG:NH2	2:D:86:ASP:OD2	2.28	0.67
1:A:143:GLU:CD	1:A:143:GLU:H	1.98	0.67
2:D:178:LEU:C	2:D:178:LEU:HD12	2.16	0.65
1:A:107:LYS:HG3	1:A:108:ARG:N	2.11	0.65
2:D:184:VAL:O	2:D:184:VAL:HG13	1.95	0.65
1:C:54:ARG:HD2	1:C:62:PHE:O	1.97	0.65
1:A:147:GLN:OE1	1:A:149:LYS:HE2	1.97	0.64
1:C:137:ASN:HD21	2:D:164:HIS:HD2	1.43	0.64
1:C:94:TRP:HA	1:C:95:PRO:C	2.18	0.64
1:A:32:TYR:HB3	1:A:51:ALA:HB2	1.79	0.63
2:D:196:CYS:SG	2:D:209:LYS:HB3	2.39	0.63
1:C:11:LEU:HG	1:C:13:LEU:HD22	1.81	0.63

Continued on next page...

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:190:LYS:CD	1:A:210:ASN:ND2	2.52	0.63
2:B:13:GLN:HG3	4:B:347:HOH:O	1.98	0.63
1:C:142:ARG:NH1	4:C:312:HOH:O	2.32	0.63
2:B:119:PRO:HB3	2:B:145:TYR:HB3	1.81	0.62
2:D:142:VAL:HB	2:D:178:LEU:HG	1.81	0.62
1:C:190:LYS:CD	1:C:210:ASN:ND2	2.61	0.61
1:C:147:GLN:OE1	1:C:149:LYS:HE2	2.01	0.61
1:C:190:LYS:HD3	1:C:210:ASN:HD22	1.66	0.61
1:A:47:LEU:HD23	1:A:58:ILE:HD12	1.82	0.60
1:C:105:GLU:HG2	1:C:106:ILE:N	2.15	0.60
1:A:142:ARG:NH1	1:A:163:VAL:HG21	2.16	0.60
1:A:94:TRP:HA	1:A:95:PRO:C	2.22	0.59
1:C:125:LEU:O	1:C:183:LYS:HD2	2.02	0.59
2:D:193:THR:HG22	4:D:423:HOH:O	2.01	0.59
1:A:37:GLN:HB2	1:A:47:LEU:HD11	1.84	0.58
1:A:21:LEU:HD23	1:A:21:LEU:N	2.19	0.57
1:C:137:ASN:HD21	2:D:164:HIS:CD2	2.21	0.57
1:A:105:GLU:HG2	1:A:106:ILE:N	2.18	0.57
1:C:183:LYS:O	1:C:187:GLU:HG2	2.04	0.57
2:B:19:ARG:HD3	2:D:16:ARG:CZ	2.35	0.57
1:A:137:ASN:HD21	2:B:164:HIS:HD2	1.53	0.56
1:C:21:LEU:N	1:C:21:LEU:HD23	2.19	0.56
1:C:4:LEU:HD21	1:C:90:GLN:HB2	1.86	0.56
2:B:209:LYS:HE2	4:B:359:HOH:O	2.05	0.56
1:A:75:ILE:HG21	1:A:78:LEU:HD23	1.88	0.55
2:B:193:THR:HG22	4:B:375:HOH:O	2.06	0.55
1:A:122:ASP:O	1:A:126:LYS:HG2	2.07	0.55
1:C:11:LEU:HG	1:C:13:LEU:CD2	2.37	0.55
1:C:143:GLU:H	1:C:143:GLU:CD	2.12	0.53
2:B:1:LEU:HD13	2:B:26:GLY:O	2.08	0.53
1:A:162:SER:OG	2:B:167:PRO:HD2	2.09	0.53
1:C:31:ASN:O	1:C:32:TYR:CD1	2.61	0.53
2:D:56:THR:HG22	4:D:478:HOH:O	2.03	0.53
2:B:145:TYR:CE2	2:B:150:VAL:HG13	2.44	0.52
1:A:105:GLU:HG3	1:A:173:TYR:OH	2.10	0.52
2:B:72:ASP:CG	2:B:75:LYS:HD2	2.30	0.52
1:A:85:VAL:HG22	1:A:103:LYS:HG2	1.91	0.52
2:B:66:ARG:NH2	2:B:86:ASP:OD2	2.40	0.52
1:C:147:GLN:HG3	1:C:154:LEU:HD21	1.92	0.52
2:D:2:ILE:HD12	2:D:102:TYR:CE2	2.45	0.52
2:B:178:LEU:HD12	2:B:178:LEU:C	2.30	0.52

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:20:LEU:HG	2:D:107:THR:HG21	1.92	0.52
1:C:167:ASP:OD1	1:C:169:LYS:HG3	2.10	0.51
2:D:138:LEU:C	2:D:138:LEU:HD12	2.31	0.51
1:C:33:LEU:HG	1:C:71:PHE:CG	2.46	0.50
2:D:119:PRO:HB3	2:D:145:TYR:HB3	1.93	0.50
1:A:137:ASN:HD21	2:B:164:HIS:CD2	2.28	0.50
2:D:66:ARG:HD3	4:D:480:HOH:O	2.12	0.50
1:A:211:ARG:HG2	1:A:211:ARG:HH11	1.76	0.50
2:B:192:GLN:OE1	2:B:192:GLN:CA	2.60	0.49
2:D:145:TYR:CE2	2:D:150:VAL:HG13	2.47	0.49
2:D:28:THR:HG21	2:D:31:ARG:NH1	2.28	0.49
1:A:4:LEU:HG	1:A:23:CYS:SG	2.52	0.49
1:C:12:SER:O	1:C:13:LEU:HD13	2.13	0.49
1:C:67:SER:O	1:C:70:ASP:HB2	2.13	0.48
1:A:183:LYS:O	1:A:187:GLU:HG2	2.14	0.47
2:B:20:LEU:HG	2:B:107:THR:HG21	1.96	0.47
1:A:107:LYS:CG	1:A:108:ARG:N	2.77	0.47
1:A:36:TYR:HE2	1:A:89:GLN:HB3	1.80	0.47
1:A:175:LEU:C	1:A:175:LEU:HD23	2.35	0.47
2:D:150:VAL:HG23	2:D:178:LEU:CD2	2.28	0.47
2:B:184:VAL:HG21	2:B:194:TYR:OH	2.15	0.47
1:A:11:LEU:HG	1:A:13:LEU:HD22	1.97	0.46
2:D:150:VAL:HG22	2:D:178:LEU:HD23	1.92	0.46
1:C:186:TYR:CE2	1:C:211:ARG:HD3	2.51	0.46
2:B:1:LEU:CD1	2:B:26:GLY:O	2.63	0.46
1:C:37:GLN:HB2	1:C:47:LEU:HD11	1.98	0.45
2:D:50:VAL:HG22	2:D:51:VAL:N	2.31	0.45
1:A:113:PRO:HB3	1:A:139:PHE:HB3	1.98	0.45
1:C:68:GLY:C	1:C:70:ASP:H	2.19	0.45
2:D:87:THR:O	2:D:88:ALA:HB2	2.16	0.45
2:D:29:PHE:CD2	2:D:76:ASN:HA	2.52	0.45
1:A:32:TYR:HB3	1:A:51:ALA:CB	2.46	0.45
2:D:55:ARG:HH11	2:D:55:ARG:CG	2.10	0.44
1:C:142:ARG:O	1:C:142:ARG:HG2	2.16	0.44
1:A:163:VAL:HG22	1:A:175:LEU:HD12	1.99	0.43
1:C:32:TYR:HD1	1:C:32:TYR:HA	1.52	0.43
2:D:66:ARG:HH22	2:D:86:ASP:CG	2.20	0.43
1:A:12:SER:O	1:A:13:LEU:HD13	2.18	0.43
1:A:143:GLU:CD	1:A:143:GLU:N	2.70	0.43
2:D:29:PHE:HB3	2:D:76:ASN:HD22	1.84	0.43
2:B:36:TRP:NE1	2:B:80:LEU:HB2	2.34	0.43

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:160:GLN:HE22	2:B:171:GLN:HA	1.84	0.43
1:C:31:ASN:HB3	1:C:51:ALA:CB	2.49	0.43
2:D:150:VAL:HG22	2:D:178:LEU:CD2	2.40	0.42
1:C:32:TYR:HD1	1:C:50:GLY:HA2	1.84	0.42
2:D:28:THR:HG21	2:D:31:ARG:HH11	1.85	0.42
1:C:31:ASN:O	1:C:32:TYR:HD1	2.02	0.42
2:D:201:LYS:O	2:D:202:PRO:C	2.58	0.41
2:B:29:PHE:CD2	2:B:76:ASN:HA	2.55	0.41
2:D:24:ALA:HB1	2:D:27:PHE:CE1	2.55	0.41
2:B:52(A):SER:HA	2:B:71:ARG:NH1	2.35	0.41
1:C:175:LEU:HD23	1:C:175:LEU:C	2.41	0.41
2:D:192:GLN:HG3	2:D:193:THR:N	2.36	0.41
1:A:169:LYS:HG2	1:A:170:ASP:N	2.36	0.41
2:B:6:GLU:OE2	2:B:90:PHE:O	2.39	0.41
1:C:211:ARG:CZ	1:C:211:ARG:HB3	2.51	0.41
2:D:52(A):SER:HA	2:D:71:ARG:NH1	2.36	0.41
2:D:162:GLY:O	2:D:182:VAL:HA	2.20	0.41
1:A:8:PRO:HG3	1:A:11:LEU:HD13	2.03	0.41
2:B:16:ARG:CZ	2:D:19:ARG:HD3	2.51	0.41
2:D:147:PRO:HD2	2:D:202:PRO:HB3	2.01	0.41
1:A:107:LYS:HB3	1:A:107:LYS:HE2	1.99	0.40
2:D:13:GLN:HA	2:D:112:SER:O	2.21	0.40
2:B:138:LEU:HD12	2:B:138:LEU:C	2.42	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	210/220 (96%)	206 (98%)	4 (2%)	0	100	100
1	C	204/220 (93%)	198 (97%)	6 (3%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	B	197/231 (85%)	192 (98%)	4 (2%)	1 (0%)	29	23
2	D	197/231 (85%)	193 (98%)	4 (2%)	0	100	100
All	All	808/902 (90%)	789 (98%)	18 (2%)	1 (0%)	51	49

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	B	30	SER

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	182/185 (98%)	165 (91%)	17 (9%)	9	5
1	C	178/185 (96%)	159 (89%)	19 (11%)	6	3
2	B	170/196 (87%)	156 (92%)	14 (8%)	11	7
2	D	170/196 (87%)	152 (89%)	18 (11%)	6	3
All	All	700/762 (92%)	632 (90%)	68 (10%)	8	4

All (68) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	4	LEU
1	A	13	LEU
1	A	21	LEU
1	A	24	ARG
1	A	28	SER
1	A	30	THR
1	A	39	LYS
1	A	45	ARG
1	A	95(A)	PRO
1	A	103	LYS
1	A	108	ARG

Continued on next page...

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	A	126	LYS
1	A	137	ASN
1	A	143	GLU
1	A	152	ASN
1	A	154	LEU
1	A	210	ASN
2	B	1	LEU
2	B	12	VAL
2	B	31	ARG
2	B	43	LYS
2	B	56	THR
2	B	75	LYS
2	B	108	LEU
2	B	135	THR
2	B	141	LEU
2	B	149	PRO
2	B	178	LEU
2	B	184	VAL
2	B	192	GLN
2	B	212	GLU
1	C	3	GLN
1	C	4	LEU
1	C	13	LEU
1	C	21	LEU
1	C	30	THR
1	C	31	ASN
1	C	67	SER
1	C	70	ASP
1	C	90	GLN
1	C	95(A)	PRO
1	C	103	LYS
1	C	107	LYS
1	C	137	ASN
1	C	143	GLU
1	C	152	ASN
1	C	154	LEU
1	C	169	LYS
1	C	190	LYS
1	C	211	ARG
2	D	3	ASN
2	D	12	VAL
2	D	20	LEU

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
2	D	31	ARG
2	D	43	LYS
2	D	55	ARG
2	D	56	THR
2	D	100	LYS
2	D	108	LEU
2	D	141	LEU
2	D	149	PRO
2	D	161	SER
2	D	178	LEU
2	D	179	SER
2	D	192	GLN
2	D	193	THR
2	D	204	ASN
2	D	212	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (16) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	42	GLN
1	A	124	GLN
1	A	137	ASN
1	A	138	ASN
1	A	160	GLN
1	A	199	GLN
1	A	210	ASN
2	B	13	GLN
2	B	76	ASN
1	C	42	GLN
1	C	124	GLN
1	C	137	ASN
1	C	160	GLN
1	C	210	ASN
2	D	76	ASN
2	D	204	ASN

### 5.3.3 RNA

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
3	RAM	D	301	-	11,11,11	1.02	0	15,16,16	0.84	1 (6%)
3	RAM	A	301	-	11,11,11	0.85	0	15,16,16	0.87	1 (6%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	RAM	D	301	-	-	-	0/1/1/1
3	RAM	A	301	-	-	-	0/1/1/1

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	301	RAM	C6-C5-C4	-2.34	108.75	113.07
3	D	301	RAM	C6-C5-C4	-2.08	109.23	113.07

There are no chirality outliers.



There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	212/220 (96%)	0.10	12 (5%) 23 23	25, 36, 51, 61	0
1	C	208/220 (94%)	0.09	13 (6%) 20 19	23, 34, 51, 60	0
2	B	203/231 (87%)	0.00	4 (1%) 65 63	26, 35, 49, 60	0
2	D	203/231 (87%)	0.02	8 (3%) 39 38	25, 34, 49, 64	0
All	All	826/902 (91%)	0.05	37 (4%) 33 32	23, 35, 51, 64	0

All (37) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	67	SER	6.0
1	C	2	GLY	5.5
1	C	32	TYR	5.4
2	D	135	THR	4.2
2	B	1	LEU	4.1
2	B	135	THR	4.0
1	A	2	GLY	3.6
2	D	1	LEU	3.5
2	D	184	VAL	3.3
1	C	3	GLN	3.3
2	D	192	GLN	3.2
1	A	57	GLY	3.1
1	A	3	GLN	3.1
1	C	30	THR	3.0
2	D	204	ASN	2.9
1	A	56	THR	2.8
2	B	192	GLN	2.8
1	A	27	GLN	2.8
1	C	169	LYS	2.8
1	A	126	LYS	2.8
2	B	55	ARG	2.7

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
2	D	178	LEU	2.7
1	C	31	ASN	2.6
1	C	57	GLY	2.6
1	C	56	THR	2.5
1	A	26	SER	2.5
1	A	28	SER	2.5
1	A	168	SER	2.4
1	C	34	ALA	2.4
2	D	55	ARG	2.3
1	A	29	VAL	2.3
1	C	68	GLY	2.2
1	A	30	THR	2.2
1	C	139	PHE	2.2
1	C	33	LEU	2.1
2	D	74	SER	2.1
1	A	34	ALA	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
3	RAM	A	301	11/11	0.89	0.12	32,36,37,39	0
3	RAM	D	301	11/11	0.89	0.13	29,31,32,34	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.