



# Full wwPDB X-ray Structure Validation Report ⓘ

Aug 27, 2023 – 07:24 PM EDT

PDB ID : 3IKC  
Title : Structure of S67-27 in Complex with Kdo(2.8)-7-O-methyl-Kdo  
Authors : Brooks, C.L.; Blackler, R.J.; Evans, S.V.  
Deposited on : 2009-08-05  
Resolution : 2.60 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtrriage (Phenix) : 1.13  
EDS : 2.35  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.35


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	3163 (2.60-2.60)
Clashscore	141614	3518 (2.60-2.60)
Ramachandran outliers	138981	3455 (2.60-2.60)
Sidechain outliers	138945	3455 (2.60-2.60)
RSRZ outliers	127900	3104 (2.60-2.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	218	80% 19% .
1	C	218	4% 74% 23% .
2	B	226	72% 23% . .
2	D	226	75% 20% . .
3	E	2	100%

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
3	F	2	 50% 50%

## 2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 7181 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Immunoglobulin light chain (IGG3).

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	217	Total 1685	C 1045	N 290	O 343	S 7	0	1	0
1	C	217	Total 1695	C 1050	N 293	O 345	S 7	0	3	0

- Molecule 2 is a protein called Immunoglobulin heavy chain (IGG3).

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	221	Total 1698	C 1085	N 279	O 326	S 8	0	2	0
2	D	221	Total 1698	C 1085	N 279	O 326	S 8	0	2	0

- Molecule 3 is an oligosaccharide called 3-deoxy-alpha-D-manno-oct-2-ulopyranosonic acid-(2-8)-(1E)-prop-1-en-1-yl 3-deoxy-7-O-methyl-alpha-D-manno-oct-2-ulopyranosidonic acid.

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	Trace
			Total	C	O			
3	E	2	Total 35	C 20	O 15	0	0	0
3	F	2	Total 35	C 20	O 15	0	0	0

- Molecule 4 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	Mg		
4	B	1	Total 1	Mg 1	0	0
4	D	1	Total 1	Mg 1	0	0


- Molecule 5 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	95	Total O 95 95	0	0
5	B	90	Total O 90 90	0	0
5	C	60	Total O 60 60	0	0
5	D	88	Total O 88 88	0	0


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Immunoglobulin light chain (IGG3)




- Molecule 1: Immunoglobulin light chain (IGG3)



- Molecule 2: Immunoglobulin heavy chain (IGG3)



- Molecule 2: Immunoglobulin heavy chain (IGG3)





- Molecule 3: 3-deoxy-alpha-D-manno-oct-2-ulopyranosonic acid-(2-8)-(1E)-prop-1-en-1-yl 3-deoxy-7-O-methyl-alpha-D-manno-oct-2-ulopyranosidonic acid

Chain E:  100%

KME1  
KDD2

- Molecule 3: 3-deoxy-alpha-D-manno-oct-2-ulopyranosonic acid-(2-8)-(1E)-prop-1-en-1-yl 3-deoxy-7-O-methyl-alpha-D-manno-oct-2-ulopyranosidonic acid

Chain F:  50%  50%

KME1  
KDD2

## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	46.24Å 127.59Å 155.51Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	19.96 – 2.60 19.96 – 2.60	Depositor EDS
% Data completeness (in resolution range)	91.6 (19.96-2.60) 91.7 (19.96-2.60)	Depositor EDS
$R_{merge}$	0.09	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	3.37 (at 2.59Å)	Xtrriage
Refinement program	PHENIX 1.4_4	Depositor
R, $R_{free}$	0.235 , 0.291 0.220 , 0.275	Depositor DCC
$R_{free}$ test set	1348 reflections (5.05%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	39.0	Xtrriage
Anisotropy	0.667	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.32 , 37.9	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.56$ , $\langle L^2 \rangle = 0.41$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.94	EDS
Total number of atoms	7181	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	34.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.47% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: KME, MG, KDO

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.27	0/1726	0.48	0/2336
1	C	0.26	0/1746	0.46	0/2362
2	B	0.27	0/1750	0.48	0/2385
2	D	0.28	0/1750	0.49	0/2385
All	All	0.27	0/6972	0.48	0/9468

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1685	0	1635	33	0
1	C	1695	0	1642	50	0
2	B	1698	0	1666	50	0
2	D	1698	0	1666	44	0
3	E	35	0	30	3	0
3	F	35	0	30	4	0
4	B	1	0	0	0	0
4	D	1	0	0	0	0
5	A	95	0	0	1	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	B	90	0	0	3	0
5	C	60	0	0	3	0
5	D	88	0	0	2	0
All	All	7181	0	6669	166	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

All (166) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:96:ILE:HD12	2:D:98:PRO:HG3	1.55	0.86
1:A:38:GLN:HE22	2:B:39:GLN:HE22	1.22	0.85
2:B:116:THR:H	1:C:125:THR:HG21	1.43	0.83
3:F:1:KME:H11	3:F:1:KME:H3A	1.59	0.83
2:D:83:ARG:HG2	2:D:83:ARG:HH11	1.43	0.83
1:C:37:GLN:HB2	1:C:47:LEU:HD11	1.61	0.82
2:D:33:TYR:HB2	2:D:95:ASP:HB3	1.61	0.82
2:D:83:ARG:HH11	2:D:83:ARG:CG	1.93	0.81
1:A:31:ASN:HD21	1:A:68:GLY:H	1.27	0.80
2:B:71:ARG:HE	2:B:73:ASN:HD21	1.27	0.80
1:A:31:ASN:ND2	1:A:68:GLY:H	1.81	0.79
2:B:119:PRO:HB3	2:B:145:TYR:HB3	1.66	0.78
2:D:22:CYS:HB3	2:D:78:LEU:HB3	1.69	0.73
1:C:189:ASN:ND2	1:C:211:ASN:H	1.86	0.73
2:B:38:ARG:HB3	2:B:48:LEU:HD11	1.70	0.72
2:B:115:THR:HA	1:C:125:THR:HG23	1.71	0.71
2:B:117:THR:HG21	2:B:174:PHE:HE1	1.55	0.71
2:B:205:GLU:HB2	2:D:207:ILE:HG12	1.72	0.71
2:B:33:TYR:HB2	2:B:95:ASP:HB3	1.74	0.67
1:C:33:LEU:HD22	1:C:71:PHE:CG	2.29	0.67
1:C:38:GLN:HE22	2:D:39:GLN:HE22	1.42	0.67
1:C:107:ARG:HD3	1:C:108:ALA:O	1.95	0.66
2:B:105:GLN:NE2	2:B:105:GLN:H	1.94	0.66
1:C:189:ASN:HD21	1:C:211:ASN:H	1.40	0.66
2:D:83:ARG:HG2	2:D:83:ARG:NH1	2.07	0.66
2:B:116:THR:N	1:C:125:THR:HG21	2.10	0.65
1:A:19:VAL:HG12	1:A:75:ILE:HB	1.78	0.65
2:B:116:THR:H	1:C:125:THR:CG2	2.11	0.64
1:C:184:GLU:HG2	1:C:187[A]:ARG:NH2	2.11	0.64
1:C:120:SER:CB	2:D:123:PRO:HD2	2.28	0.63

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:96:ILE:HD12	2:B:98:PRO:HG3	1.80	0.63
2:B:61:ALA:HA	2:B:64:LYS:HE2	1.79	0.63
1:A:27(F):ARG:NH2	3:E:2:KDO:H82	2.14	0.62
2:D:159:LEU:HD22	2:D:181:VAL:HG21	1.80	0.62
2:D:33:TYR:CB	2:D:95:ASP:HB3	2.30	0.61
2:B:47:TRP:CH2	2:B:49:GLY:HA2	2.35	0.61
2:D:34:MET:HB3	2:D:78:LEU:HD22	1.82	0.61
1:A:33:LEU:HD22	1:A:71:PHE:CG	2.37	0.59
2:D:50:PHE:HD1	2:D:50:PHE:C	2.06	0.59
2:D:83:ARG:HH11	2:D:83:ARG:CB	2.15	0.59
2:B:82:MET:HB3	2:B:82(C):LEU:HD21	1.85	0.59
3:F:1:KME:H3A	3:F:1:KME:C11	2.30	0.58
2:B:115:THR:O	2:B:117:THR:HG22	2.03	0.58
2:D:50:PHE:C	2:D:50:PHE:CD1	2.77	0.58
2:D:140[B]:CYS:SG	2:D:210:ILE:HD11	2.45	0.57
2:D:187:THR:HG23	2:D:191:GLN:NE2	2.20	0.57
2:B:139:GLY:HA2	2:B:154:TRP:CH2	2.39	0.57
1:A:38:GLN:NE2	2:B:39:GLN:HE22	1.99	0.56
1:A:11:LEU:HD11	1:A:19:VAL:HG23	1.86	0.56
1:A:11:LEU:HD11	1:A:19:VAL:CG2	2.36	0.56
2:D:177:LEU:C	2:D:177:LEU:HD12	2.27	0.56
1:C:136:ASN:ND2	1:C:173:SER:OG	2.39	0.55
2:D:105:GLN:NE2	2:D:105:GLN:H	2.04	0.55
2:B:29:PHE:CD2	2:B:76:SER:HA	2.42	0.55
1:A:61:ARG:NH1	1:A:82:ASP:OD2	2.40	0.55
2:B:3:MET:O	2:B:4:LEU:HD12	2.07	0.55
2:D:108:LEU:HD23	5:D:290:HOH:O	2.06	0.55
1:C:123:GLN:HE22	1:C:130:SER:H	1.55	0.55
1:A:17:GLU:O	1:A:78:VAL:HG13	2.08	0.53
1:C:80:ALA:O	1:C:83:LEU:HD13	2.08	0.53
1:A:123:GLN:HE22	1:A:130:SER:H	1.56	0.53
1:C:149:ILE:HD12	1:C:154:ARG:HG3	1.90	0.53
1:A:139:TYR:CG	1:A:140:PRO:HA	2.44	0.52
1:C:83:LEU:HD12	1:C:105:ILE:HG12	1.90	0.52
2:B:50:PHE:C	2:B:50:PHE:CD1	2.83	0.52
2:D:13:GLN:NE2	2:D:113:ALA:HA	2.24	0.52
2:B:22:CYS:HB3	2:B:78:LEU:HB3	1.92	0.52
3:E:1:KME:O8	3:E:1:KME:H9A	2.09	0.52
1:A:20:THR:HG22	5:A:227:HOH:O	2.10	0.52
1:A:38:GLN:HE22	2:B:39:GLN:NE2	1.98	0.52
2:D:110:THR:HG22	5:D:290:HOH:O	2.10	0.51

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:47:TRP:CH2	2:D:49:GLY:HA2	2.46	0.51
1:C:139:TYR:O	1:C:197:HIS:HE1	1.93	0.51
1:A:135:LEU:HD23	1:A:143:ILE:HD13	1.92	0.51
1:C:120:SER:HB3	2:D:123:PRO:HD2	1.92	0.51
2:D:110:THR:HG21	2:D:147:PRO:HB2	1.93	0.51
2:B:50:PHE:C	2:B:50:PHE:HD1	2.14	0.51
1:C:139:TYR:CG	1:C:140:PRO:HA	2.47	0.50
2:B:96:ILE:CD1	2:B:98:PRO:HG3	2.42	0.50
2:B:177:LEU:C	2:B:177:LEU:HD12	2.32	0.50
1:C:31:ASN:ND2	1:C:68:GLY:H	2.10	0.50
2:B:119:PRO:CB	2:B:145:TYR:HB3	2.38	0.50
1:C:33:LEU:HG	1:C:34:ALA:N	2.26	0.50
2:B:13:GLN:NE2	2:B:113:ALA:HA	2.27	0.50
2:B:71:ARG:HE	2:B:73:ASN:ND2	2.04	0.49
1:A:5:THR:CG2	1:A:24:LYS:HB3	2.42	0.49
2:B:71:ARG:NE	2:B:73:ASN:HD21	2.02	0.49
2:D:154:TRP:CH2	2:D:195:CYS:HB3	2.47	0.49
2:B:2:VAL:HG11	2:B:102:TYR:CG	2.48	0.49
1:A:24:LYS:HE2	1:A:70:ASP:OD2	2.12	0.49
2:D:148:GLU:HB3	2:D:149:PRO:HA	1.94	0.49
2:B:33:TYR:CB	2:B:95:ASP:HB3	2.43	0.48
2:B:20:LEU:HG	2:B:82:MET:HE2	1.95	0.48
2:D:36:TRP:CE2	2:D:80:LEU:HB2	2.48	0.48
1:A:211:ASN:O	1:A:212:GLU:HG2	2.14	0.48
3:F:1:KME:H9B	3:F:1:KME:C5	2.43	0.48
1:A:125:THR:HG22	2:D:116:THR:HB	1.95	0.48
1:C:183:ASP:O	1:C:187[B]:ARG:HG2	2.13	0.48
2:D:194:ILE:HD13	2:D:207:ILE:HD12	1.95	0.47
2:B:156:TYR:CE2	2:B:196:ASN:ND2	2.81	0.47
2:D:32:TYR:CD1	2:D:97:SER:HB3	2.49	0.47
2:B:143:LYS:HE2	2:B:143:LYS:HB3	1.55	0.47
1:C:183:ASP:O	1:C:187[A]:ARG:HG3	2.16	0.46
1:C:33:LEU:HD22	1:C:71:PHE:CD2	2.50	0.46
3:F:1:KME:H9B	3:F:1:KME:H5	1.97	0.46
1:A:132:VAL:HG22	1:A:177:THR:HG23	1.96	0.46
2:D:145:TYR:CE2	2:D:150:VAL:HG13	2.50	0.46
1:C:8:PRO:O	1:C:101:THR:HG23	2.16	0.46
1:A:54:ARG:HG2	1:A:58:VAL:HB	1.97	0.46
2:B:3:MET:HA	2:B:3:MET:CE	2.46	0.46
1:A:123:GLN:NE2	1:A:130:SER:H	2.14	0.45
2:D:9:GLY:HA3	2:D:107:THR:OG1	2.15	0.45

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:21:MET:HB3	5:C:214:HOH:O	2.16	0.45
1:C:47:LEU:HA	1:C:58:VAL:HG21	1.97	0.45
1:C:197:HIS:ND1	1:C:199:THR:HG23	2.32	0.45
1:A:20:THR:HG23	1:A:72:THR:CG2	2.47	0.45
2:D:47:TRP:CZ2	2:D:49:GLY:HA2	2.52	0.45
2:B:157:GLY:HA2	5:B:217:HOH:O	2.17	0.44
1:A:89:LYS:HE2	1:A:89:LYS:HB3	1.81	0.44
1:C:135:LEU:HD23	1:C:143:ILE:HD13	1.99	0.44
1:C:44:PRO:HG2	2:D:103:TRP:CZ3	2.52	0.44
2:B:110:THR:HG21	2:B:147:PRO:HB2	1.99	0.44
1:A:20:THR:HG23	1:A:72:THR:HG23	1.99	0.44
1:C:146:LYS:HA	5:C:220:HOH:O	2.16	0.44
2:D:154:TRP:CZ3	2:D:195:CYS:HB3	2.53	0.44
2:B:38:ARG:HG2	2:B:48:LEU:HD21	2.00	0.43
1:A:136:ASN:ND2	1:A:173:SER:OG	2.47	0.43
1:C:135:LEU:HD12	1:C:135:LEU:N	2.33	0.43
2:B:9:GLY:HA3	2:B:107:THR:OG1	2.19	0.43
2:D:29:PHE:CD2	2:D:76:SER:HA	2.54	0.43
1:C:149:ILE:O	1:C:150:ASP:HB2	2.19	0.43
1:C:160:ASN:HB3	1:C:174:MET:CE	2.48	0.43
2:B:207:ILE:HG12	2:D:205:GLU:HB3	2.01	0.43
1:C:83:LEU:CD1	1:C:105:ILE:HG12	2.48	0.43
1:C:135:LEU:HD23	1:C:143:ILE:CD1	2.49	0.43
2:D:150:VAL:HG12	2:D:199:HIS:HD2	1.84	0.43
2:B:3:MET:HA	2:B:3:MET:HE2	2.02	0.42
2:B:52:ARG:O	2:B:55:TYR:HA	2.19	0.42
1:A:27(F):ARG:HH21	3:E:2:KDO:H82	1.83	0.42
2:B:124:LEU:HD23	5:B:277:HOH:O	2.19	0.42
2:D:48:LEU:HD22	2:D:63:VAL:HG11	2.02	0.42
1:A:54:ARG:CG	1:A:58:VAL:HB	2.50	0.42
2:B:47:TRP:CZ2	2:B:49:GLY:HA2	2.55	0.42
1:C:31:ASN:HD21	1:C:68:GLY:H	1.67	0.42
1:C:109:ASP:HB3	1:C:199:THR:HG22	2.01	0.42
1:C:135:LEU:N	1:C:135:LEU:CD1	2.84	0.41
2:D:83:ARG:CG	2:D:83:ARG:NH1	2.62	0.41
1:A:136:ASN:HD21	2:B:164:ARG:HG3	1.85	0.41
1:C:21:MET:O	1:C:72:THR:HA	2.20	0.41
1:C:58:VAL:HA	5:C:294:HOH:O	2.20	0.41
2:D:35:SER:OG	2:D:50:PHE:HB3	2.20	0.41
2:B:150:VAL:HG23	2:B:177:LEU:HD21	2.03	0.41
1:C:11:LEU:HD11	1:C:19:VAL:CG2	2.50	0.41

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:82(B):THR:HG22	2:B:82(B):THR:O	2.21	0.41
1:C:150:ASP:OD2	1:C:188:HIS:HB3	2.21	0.41
1:C:15:ALA:HA	1:C:78:VAL:HG23	2.03	0.41
1:C:160:ASN:HD22	1:C:176:SER:HA	1.86	0.41
1:A:124:LEU:O	1:A:182[A]:LYS:HD2	2.21	0.40
2:B:162:GLY:N	5:B:321:HOH:O	2.53	0.40
1:A:189:ASN:HD21	1:A:211:ASN:HB3	1.85	0.40
1:C:122[A]:GLU:CD	2:D:208:LYS:HZ1	2.24	0.40
2:D:150:VAL:HG12	2:D:199:HIS:CD2	2.56	0.40
1:C:34:ALA:O	1:C:88:CYS:HA	2.21	0.40
1:A:58:VAL:HA	1:A:59:PRO:HD3	1.88	0.40
1:C:27(B):LEU:HD22	1:C:90:GLN:HB2	2.03	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	216/218 (99%)	204 (94%)	12 (6%)	0	100	100
1	C	218/218 (100%)	207 (95%)	10 (5%)	1 (0%)	29	52
2	B	219/226 (97%)	213 (97%)	6 (3%)	0	100	100
2	D	219/226 (97%)	214 (98%)	5 (2%)	0	100	100
All	All	872/888 (98%)	838 (96%)	33 (4%)	1 (0%)	51	75

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	68	GLY

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	194/194 (100%)	187 (96%)	7 (4%)	35	61
1	C	196/194 (101%)	189 (96%)	7 (4%)	35	61
2	B	189/192 (98%)	178 (94%)	11 (6%)	20	40
2	D	189/192 (98%)	180 (95%)	9 (5%)	25	49
All	All	768/772 (100%)	734 (96%)	34 (4%)	30	53

All (34) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	78	VAL
1	A	83	LEU
1	A	93	ASN
1	A	136	ASN
1	A	154	ARG
1	A	168	LYS
1	A	199	THR
2	B	50	PHE
2	B	68	THR
2	B	83	ARG
2	B	105	GLN
2	B	110	THR
2	B	117	THR
2	B	140[A]	CYS
2	B	140[B]	CYS
2	B	143	LYS
2	B	159	LEU
2	B	205	GLU
1	C	13	VAL
1	C	20	THR
1	C	79	GLN
1	C	107	ARG
1	C	125	THR
1	C	136	ASN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	C	154	ARG
2	D	4	LEU
2	D	50	PHE
2	D	68	THR
2	D	83	ARG
2	D	105	GLN
2	D	110	THR
2	D	140[A]	CYS
2	D	140[B]	CYS
2	D	207	ILE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (24) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	31	ASN
1	A	38	GLN
1	A	42	GLN
1	A	93	ASN
1	A	123	GLN
1	A	136	ASN
1	A	156	ASN
1	A	160	ASN
1	A	189	ASN
2	B	13	GLN
2	B	73	ASN
2	B	105	GLN
1	C	31	ASN
1	C	38	GLN
1	C	79	GLN
1	C	93	ASN
1	C	123	GLN
1	C	136	ASN
1	C	160	ASN
1	C	189	ASN
2	D	13	GLN
2	D	73	ASN
2	D	105	GLN
2	D	191	GLN



### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

4 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
3	KME	E	1	3	20,20,20	1.08	2 (10%)	25,28,28	1.44	4 (16%)
3	KDO	E	2	3	15,15,16	1.01	1 (6%)	19,21,24	1.12	2 (10%)
3	KME	F	1	3	20,20,20	1.07	3 (15%)	25,28,28	1.94	5 (20%)
3	KDO	F	2	3	15,15,16	1.13	1 (6%)	19,21,24	1.05	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	KME	E	1	3	-	1/15/37/37	0/1/1/1
3	KDO	E	2	3	-	0/10/26/30	0/1/1/1
3	KME	F	1	3	-	6/15/37/37	0/1/1/1
3	KDO	F	2	3	-	2/10/26/30	0/1/1/1

All (7) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	F	2	KDO	C2-C1	2.63	1.54	1.52

*Continued on next page...*

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	E	1	KME	C12-C11	-2.52	1.39	1.49
3	F	1	KME	C12-C11	-2.34	1.40	1.49
3	E	2	KDO	O6-C2	2.26	1.46	1.43
3	F	1	KME	O2-C10	2.24	1.45	1.39
3	E	1	KME	O2-C10	2.08	1.44	1.39
3	F	1	KME	C6-C7	2.01	1.55	1.52

All (11) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	F	1	KME	O7-C7-C6	7.38	125.16	107.63
3	E	1	KME	C2-O2-C10	-3.93	108.12	117.84
3	F	1	KME	C3-C4-C5	-3.64	107.27	110.84
3	E	1	KME	C3-C4-C5	-2.68	108.22	110.84
3	E	1	KME	O7-C7-C8	2.61	116.21	110.36
3	E	2	KDO	O1A-C1-C2	-2.41	116.88	122.57
3	F	1	KME	O8-C8-C7	-2.35	103.22	111.29
3	F	1	KME	C2-O2-C10	-2.33	112.09	117.84
3	F	1	KME	O1A-C1-C2	-2.26	116.42	123.70
3	E	2	KDO	C3-C4-C5	-2.07	107.68	110.69
3	E	1	KME	O1A-C1-C2	-2.01	117.23	123.70

There are no chirality outliers.

All (9) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	F	1	KME	O1B-C1-C2-O2
3	F	1	KME	O1B-C1-C2-C3
3	F	1	KME	O1B-C1-C2-O6
3	E	1	KME	C11-C10-O2-C2
3	F	1	KME	O1A-C1-C2-O2
3	F	1	KME	O7-C7-C8-O8
3	F	2	KDO	O1A-C1-C2-O6
3	F	1	KME	O1A-C1-C2-C3
3	F	2	KDO	O1A-C1-C2-C3

There are no ring outliers.

3 monomers are involved in 7 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	E	2	KDO	2	0


Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	E	1	KME	1	0
3	F	1	KME	4	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.





## 5.6 Ligand geometry [i](#)

Of 2 ligands modelled in this entry, 2 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	217/218 (99%)	-0.19	1 (0%) 91 89	19, 29, 48, 61	0
1	C	217/218 (99%)	0.06	8 (3%) 41 34	26, 39, 57, 66	0
2	B	221/226 (97%)	-0.18	1 (0%) 91 89	20, 31, 45, 61	0
2	D	221/226 (97%)	-0.11	1 (0%) 91 89	22, 34, 57, 67	0
All	All	876/888 (98%)	-0.10	11 (1%) 77 73	19, 34, 53, 67	0

All (11) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	211	ASN	3.8
1	C	201	THR	2.9
2	D	209	ARG	2.6
1	A	131	VAL	2.5
1	C	169	ASP	2.4
1	C	155	GLN	2.3
1	C	27(F)	ARG	2.3
2	B	74	SER	2.2
1	C	212	GLU	2.1
1	C	187[A]	ARG	2.0
1	C	57	GLY	2.0

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.


### 6.3 Carbohydrates [i](#)


In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum,

median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
3	KME	F	1	20/20	0.82	0.28	37,51,70,71	0
3	KME	E	1	20/20	0.90	0.20	33,44,54,60	0
3	KDO	E	2	15/16	0.92	0.14	26,29,36,47	0
3	KDO	F	2	15/16	0.94	0.14	20,32,39,45	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.





## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
4	MG	B	215	1/1	0.87	0.11	28,28,28,28	0
4	MG	D	215	1/1	0.96	0.11	27,27,27,27	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.