



# Full wwPDB X-ray Structure Validation Report ⓘ

Nov 15, 2023 – 01:08 AM JST

PDB ID : 6IPX  
Title : Crystal structure of the apo form transcription factor  
Authors : Oy, S.Y.; Zhen, X.; Zhou, H.; Ding, W.  
Deposited on : 2018-11-05  
Resolution : 2.63 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Xtrriage (Phenix) : 1.13  
EDS : 2.36  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.36


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.63 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	1426 (2.66-2.62)
Clashscore	141614	1472 (2.66-2.62)
Ramachandran outliers	138981	1446 (2.66-2.62)
Sidechain outliers	138945	1446 (2.66-2.62)
RSRZ outliers	127900	1408 (2.66-2.62)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	390	
1	B	390	

## 2 Entry composition

There is only 1 type of molecule in this entry. The entry contains 6415 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called AimR transcriptional regulator.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	390	3216	2054	532	609	21	0	0	0
1	B	388	3199	2044	530	605	20	0	0	0


There are 8 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	387	LEU	-	expression tag	UNP O64094
A	388	GLU	-	expression tag	UNP O64094
A	389	TYR	-	expression tag	UNP O64094
A	390	ALA	-	expression tag	UNP O64094
B	387	LEU	-	expression tag	UNP O64094
B	388	GLU	-	expression tag	UNP O64094
B	389	TYR	-	expression tag	UNP O64094
B	390	ALA	-	expression tag	UNP O64094


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: AimR transcriptional regulator



- Molecule 1: AimR transcriptional regulator



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 2	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	120.46Å 214.71Å 33.70Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	107.36 – 2.63 107.36 – 2.63	Depositor EDS
% Data completeness (in resolution range)	99.2 (107.36-2.63) 96.1 (107.36-2.63)	Depositor EDS
$R_{merge}$	0.07	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.78 (at 2.62Å)	Xtrriage
Refinement program	PHENIX (1.11.1_2575: ???)	Depositor
R, $R_{free}$	0.230 , 0.282 0.226 , 0.278	Depositor DCC
$R_{free}$ test set	1988 reflections (7.42%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	57.5	Xtrriage
Anisotropy	0.528	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.35 , 46.5	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.50$ , $\langle L^2 \rangle = 0.34$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.93	EDS
Total number of atoms	6415	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	72.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.03% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.48	0/3274	0.70	3/4405 (0.1%)
1	B	0.52	0/3257	0.74	4/4383 (0.1%)
All	All	0.50	0/6531	0.72	7/8788 (0.1%)

There are no bond length outliers.

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	218	LYS	CD-CE-NZ	9.68	133.97	111.70
1	A	29	LYS	CD-CE-NZ	-7.39	94.70	111.70
1	B	386	LEU	CA-CB-CG	6.82	130.98	115.30
1	B	133	PHE	CB-CG-CD2	-6.54	116.22	120.80
1	A	138	ARG	NE-CZ-NH1	-5.72	117.44	120.30
1	B	324	LEU	CA-CB-CG	5.16	127.17	115.30
1	B	157	LEU	CB-CG-CD2	5.15	119.75	111.00

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3216	0	3210	65	0
1	B	3199	0	3192	122	1
All	All	6415	0	6402	183	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 14.

All (183) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:349:TYR:OH	1:B:376:GLU:OE2	1.81	0.97
1:A:105:ILE:HD13	1:A:117:LYS:HG3	1.53	0.90
1:B:4:ILE:HD12	1:B:8:MET:HE3	1.52	0.90
1:B:261:VAL:HG13	1:B:262:GLN:NE2	1.88	0.88
1:B:4:ILE:CD1	1:B:8:MET:HE3	2.07	0.84
1:B:76:VAL:HG13	1:B:104:MET:HG2	1.58	0.83
1:B:107:CYS:O	1:B:113:LYS:NZ	2.12	0.83
1:A:349:TYR:OH	1:A:376:GLU:OE2	1.96	0.83
1:B:109:ASN:HD21	1:B:111:LYS:NZ	1.80	0.80
1:B:123:ARG:NH2	1:B:127:ASN:OD1	2.15	0.80
1:B:8:MET:HG3	1:B:38:LEU:HD21	1.64	0.78
1:B:40:HIS:HB2	1:B:43:LYS:HG3	1.67	0.77
1:B:71:CYS:HB2	1:B:96:ILE:HD11	1.67	0.77
1:B:82:ARG:NH1	1:B:112:SER:OG	2.19	0.76
1:A:76:VAL:HG23	1:A:104:MET:HG2	1.67	0.74
1:B:131:THR:HG23	1:B:134:GLU:H	1.52	0.74
1:B:109:ASN:HD21	1:B:111:LYS:HZ2	1.35	0.74
1:B:261:VAL:HG13	1:B:262:GLN:HE21	1.49	0.73
1:B:56:LYS:NZ	1:B:225:ASN:O	2.22	0.72
1:B:148:GLU:HG3	1:B:182:ILE:HG12	1.70	0.71
1:B:9:LYS:HE3	1:B:38:LEU:HB3	1.70	0.71
1:B:4:ILE:HD13	1:B:66:LEU:HD13	1.73	0.70
1:B:82:ARG:NH2	1:B:111:LYS:HE2	2.06	0.70
1:B:4:ILE:O	1:B:8:MET:HE3	1.92	0.69
1:B:82:ARG:HH22	1:B:111:LYS:HE2	1.57	0.69
1:A:133:PHE:O	1:A:137:LYS:HG2	1.93	0.68
1:B:33:PRO:HA	1:B:36:ASP:HB3	1.77	0.66
1:A:100:LEU:O	1:A:104:MET:HG3	1.95	0.66
1:B:26:ALA:HB1	1:B:50:SER:HB3	1.78	0.66
1:B:214:ARG:O	1:B:218:LYS:HG2	1.96	0.65
1:B:285:ASN:HD22	1:B:287:TRP:H	1.45	0.65
1:A:2:GLU:N	1:A:2:GLU:OE1	2.31	0.64
1:B:82:ARG:CZ	1:B:111:LYS:HG3	2.26	0.64
1:B:138:ARG:O	1:B:142:LEU:HD13	1.97	0.64
1:B:76:VAL:HG21	1:B:103:SER:OG	1.98	0.62
1:A:8:MET:HG3	1:A:38:LEU:HD21	1.80	0.62
1:B:4:ILE:CD1	1:B:8:MET:CE	2.79	0.61

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:4:ILE:O	1:A:8:MET:HG2	2.01	0.61
1:B:5:ARG:HA	1:B:8:MET:HG2	1.82	0.61
1:A:76:VAL:CG2	1:A:104:MET:HG2	2.31	0.60
1:B:9:LYS:O	1:B:13:GLU:HG3	2.00	0.60
1:B:154:ARG:HG2	1:B:173:LEU:HD11	1.84	0.60
1:B:9:LYS:HA	1:B:12:LEU:HB2	1.84	0.60
1:B:121:ILE:HD13	1:B:139:LEU:HG	1.82	0.59
1:B:260:SER:HB2	1:B:266:TYR:HB2	1.84	0.59
1:B:97:GLU:HA	1:B:100:LEU:HB2	1.84	0.59
1:A:26:ALA:HB1	1:A:50:SER:HB3	1.83	0.59
1:B:109:ASN:OD1	1:B:111:LYS:HG2	2.02	0.59
1:B:4:ILE:O	1:B:8:MET:CE	2.51	0.59
1:A:40:HIS:HB2	1:A:43:LYS:HG3	1.84	0.59
1:B:100:LEU:O	1:B:104:MET:HG3	2.03	0.58
1:B:279:ASN:ND2	1:B:300:GLU:OE1	2.33	0.58
1:B:93:PHE:HB3	1:B:96:ILE:HG22	1.84	0.58
1:B:61:ASP:HB2	1:B:62:ARG:HG3	1.86	0.58
1:A:1:MET:HB3	1:A:6:ILE:HD11	1.86	0.58
1:A:208:ASN:HB2	1:A:361:LYS:HG3	1.85	0.58
1:B:4:ILE:HD12	1:B:8:MET:CE	2.31	0.57
1:A:4:ILE:HG12	1:A:51:ILE:HD11	1.86	0.57
1:B:71:CYS:CB	1:B:96:ILE:HD11	2.33	0.55
1:B:98:ASP:OD1	1:B:123:ARG:HD3	2.06	0.55
1:A:267:ASN:OD1	1:A:271:GLN:NE2	2.39	0.55
1:B:28:LEU:HD11	1:B:45:PHE:HE1	1.71	0.55
1:A:71:CYS:HA	1:A:74:LEU:CD1	2.37	0.54
1:A:286:LYS:NZ	1:B:145:LYS:O	2.39	0.54
1:A:154:ARG:HG2	1:A:173:LEU:HD11	1.90	0.54
1:A:352:ILE:HG23	1:A:364:ILE:HD11	1.89	0.54
1:B:289:ASN:HD22	1:B:289:ASN:C	2.11	0.54
1:A:361:LYS:O	1:A:361:LYS:HD2	2.09	0.53
1:B:228:ARG:HG2	1:B:228:ARG:O	2.09	0.53
1:A:28:LEU:HD11	1:A:45:PHE:CE1	2.44	0.53
1:B:285:ASN:ND2	1:B:287:TRP:H	2.07	0.53
1:B:51:ILE:HA	1:B:54:ILE:HD12	1.91	0.53
1:B:77:LYS:HB2	1:B:109:ASN:HB2	1.92	0.52
1:B:345:LYS:HG2	1:B:374:MET:CE	2.39	0.52
1:B:310:GLU:HB3	1:B:313:LYS:HG3	1.91	0.52
1:A:77:LYS:HB2	1:A:109:ASN:HB2	1.90	0.52
1:A:197:HIS:CE1	1:A:219:LYS:HG2	2.45	0.52
1:B:28:LEU:HD11	1:B:45:PHE:CE1	2.45	0.52

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:66:LEU:HD12	1:B:67:MET:HG2	1.91	0.52
1:B:34:LEU:HD13	1:B:45:PHE:HZ	1.75	0.51
1:A:30:ASN:OD1	1:A:32:ASN:HB2	2.10	0.51
1:B:55:VAL:HG21	1:B:66:LEU:HD11	1.93	0.51
1:A:28:LEU:HD11	1:A:45:PHE:HE1	1.74	0.51
1:A:256:GLY:HA3	1:A:270:PHE:CZ	2.45	0.51
1:A:18:LEU:HD13	1:A:22:TRP:CZ2	2.46	0.50
1:B:12:LEU:HD21	1:B:19:MET:HG2	1.92	0.50
1:B:77:LYS:HB2	1:B:109:ASN:CB	2.42	0.50
1:A:5:ARG:NH2	1:A:41:ASP:OD1	2.45	0.49
1:A:17:SER:O	1:A:21:LYS:HG3	2.12	0.49
1:A:114:GLU:HG3	1:A:149:MET:HG3	1.95	0.49
1:B:161:TYR:HB3	1:B:166:ASN:O	2.13	0.49
1:B:83:SER:OG	1:B:185:ASN:ND2	2.45	0.49
1:B:25:VAL:HG11	1:B:57:SER:OG	2.13	0.48
1:B:91:ASN:HB3	1:B:93:PHE:CE1	2.49	0.48
1:B:105:ILE:HG13	1:B:117:LYS:HG2	1.95	0.48
1:B:5:ARG:HA	1:B:8:MET:CG	2.44	0.48
1:B:326:HIS:HB3	1:B:330:GLU:HB2	1.95	0.48
1:B:105:ILE:CG1	1:B:117:LYS:HG2	2.44	0.47
1:B:289:ASN:ND2	1:B:291:GLU:H	2.12	0.47
1:B:18:LEU:HD13	1:B:22:TRP:CZ2	2.50	0.47
1:B:124:GLU:OE1	1:B:138:ARG:NH1	2.43	0.47
1:A:344:ASN:OD1	1:A:346:ALA:N	2.48	0.47
1:A:346:ALA:HA	1:A:349:TYR:HD2	1.79	0.47
1:B:5:ARG:HH22	1:B:41:ASP:CG	2.17	0.47
1:B:132:GLU:HB2	1:B:160:HIS:CE1	2.50	0.47
1:A:71:CYS:HA	1:A:74:LEU:HD11	1.96	0.47
1:A:148:GLU:HG3	1:A:182:ILE:HG12	1.96	0.46
1:B:379:LYS:HA	1:B:379:LYS:HD2	1.81	0.46
1:B:154:ARG:NH1	1:B:176:GLN:OE1	2.48	0.46
1:B:9:LYS:HE3	1:B:38:LEU:CB	2.43	0.46
1:B:285:ASN:HD22	1:B:285:ASN:C	2.19	0.46
1:A:133:PHE:CZ	1:A:137:LYS:HE3	2.51	0.46
1:A:179:LEU:O	1:A:189:ARG:HD2	2.15	0.46
1:A:16:ASN:O	1:A:16:ASN:OD1	2.34	0.46
1:B:30:ASN:O	1:B:32:ASN:N	2.49	0.46
1:B:256:GLY:HA3	1:B:270:PHE:CZ	2.51	0.46
1:B:323:LEU:O	1:B:324:LEU:HD12	2.16	0.45
1:A:8:MET:HE1	1:A:54:ILE:HG21	1.96	0.45
1:A:287:TRP:HA	1:B:145:LYS:HE3	1.99	0.45

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:101:ILE:O	1:B:105:ILE:HD12	2.17	0.45
1:B:335:TYR:CE2	1:B:354:TYR:HE1	2.36	0.44
1:A:335:TYR:HE1	1:A:354:TYR:HE1	1.64	0.44
1:A:217:SER:O	1:A:220:ALA:HB3	2.17	0.44
1:B:136:VAL:HG22	1:B:157:LEU:HD11	1.99	0.44
1:A:1:MET:HB3	1:A:6:ILE:CD1	2.48	0.44
1:A:71:CYS:O	1:A:74:LEU:HD12	2.18	0.44
1:A:323:LEU:O	1:A:324:LEU:HD23	2.18	0.44
1:B:78:THR:HG22	1:B:79:LYS:H	1.82	0.44
1:A:313:LYS:O	1:A:317:VAL:HG23	2.18	0.44
1:B:8:MET:HG2	1:B:8:MET:H	1.66	0.44
1:B:178:ASP:OD1	1:B:180:SER:OG	2.31	0.44
1:A:16:ASN:OD1	1:A:16:ASN:C	2.56	0.43
1:A:71:CYS:HA	1:A:74:LEU:HD12	2.00	0.43
1:A:267:ASN:O	1:A:271:GLN:HB2	2.18	0.43
1:A:115:TYR:HA	1:A:149:MET:SD	2.58	0.43
1:B:345:LYS:HG2	1:B:374:MET:HE3	1.99	0.43
1:B:5:ARG:NH2	1:B:41:ASP:OD1	2.39	0.43
1:B:48:PHE:HB2	1:B:83:SER:CB	2.48	0.43
1:B:56:LYS:HE2	1:B:63:GLU:OE2	2.18	0.43
1:B:70:TYR:CE2	1:B:74:LEU:HD21	2.54	0.43
1:B:180:SER:HA	1:B:189:ARG:HH12	1.83	0.43
1:B:96:ILE:HD13	1:B:96:ILE:HG21	1.77	0.43
1:B:174:ILE:HG13	1:B:177:ILE:HD12	2.01	0.43
1:B:22:TRP:HB3	1:B:34:LEU:HD21	2.00	0.43
1:A:92:MET:HE1	1:A:266:TYR:HE1	1.83	0.42
1:A:332:ALA:HB1	1:A:355:PHE:CD2	2.54	0.42
1:A:171:ALA:O	1:A:175:LYS:HE2	2.18	0.42
1:A:62:ARG:NH2	1:A:66:LEU:HD11	2.35	0.42
1:A:286:LYS:CE	1:B:145:LYS:O	2.67	0.42
1:B:312:SER:O	1:B:316:GLU:HG3	2.19	0.42
1:B:356:LYS:NZ	1:B:387:LEU:O	2.47	0.42
1:A:208:ASN:CB	1:A:361:LYS:HG3	2.50	0.42
1:A:332:ALA:HB1	1:A:355:PHE:CE2	2.55	0.42
1:B:289:ASN:HD22	1:B:290:PHE:N	2.18	0.42
1:B:335:TYR:HE2	1:B:354:TYR:HE1	1.68	0.42
1:A:101:ILE:HG21	1:A:120:LYS:HD3	2.02	0.42
1:B:31:PRO:HB2	1:B:35:TYR:CE2	2.54	0.42
1:B:97:GLU:O	1:B:101:ILE:N	2.42	0.42
1:A:12:LEU:HD12	1:A:15:ASP:O	2.19	0.41
1:B:384:LEU:HD23	1:B:384:LEU:HA	1.87	0.41

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:152:PHE:HA	1:B:155:LEU:HB2	2.03	0.41
1:B:279:ASN:ND2	1:B:303:HIS:HB3	2.36	0.41
1:B:82:ARG:NH1	1:B:111:LYS:HG3	2.36	0.41
1:B:88:ALA:HB3	1:B:97:GLU:HB3	2.03	0.41
1:A:231:VAL:HG13	1:A:270:PHE:CE2	2.56	0.41
1:A:174:ILE:HD11	1:A:196:VAL:HG13	2.02	0.41
1:A:209:SER:OG	1:A:212:GLU:OE2	2.39	0.41
1:A:286:LYS:HE3	1:B:145:LYS:HA	2.03	0.41
1:A:288:ILE:HD11	1:A:304:CYS:CB	2.51	0.41
1:B:29:LYS:HD2	1:B:29:LYS:HA	1.92	0.41
1:B:32:ASN:HB3	1:B:33:PRO:HD3	2.03	0.41
1:B:67:MET:HA	1:B:70:TYR:HB3	2.02	0.41
1:B:115:TYR:O	1:B:119:TYR:HD1	2.04	0.41
1:A:318:LEU:HD12	1:A:341:LEU:HD22	2.02	0.41
1:B:289:ASN:C	1:B:289:ASN:ND2	2.75	0.41
1:B:55:VAL:HG21	1:B:67:MET:HE2	2.03	0.40
1:B:336:TYR:CE1	1:B:366:LEU:HB3	2.55	0.40
1:B:187:TYR:O	1:B:191:THR:HG23	2.21	0.40
1:B:28:LEU:O	1:B:29:LYS:HB2	2.22	0.40
1:B:70:TYR:CZ	1:B:74:LEU:HD21	2.56	0.40
1:B:50:SER:O	1:B:54:ILE:HG13	2.20	0.40
1:B:179:LEU:O	1:B:189:ARG:NH1	2.54	0.40
1:A:101:ILE:HD11	1:A:119:TYR:HB3	2.03	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:262:GLN:NE2	1:B:286:LYS:O[2_555]	2.16	0.04

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	388/390 (100%)	374 (96%)	13 (3%)	1 (0%)	41	56
1	B	386/390 (99%)	369 (96%)	16 (4%)	1 (0%)	41	56
All	All	774/780 (99%)	743 (96%)	29 (4%)	2 (0%)	41	56

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	31	PRO
1	A	31	PRO

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	363/363 (100%)	357 (98%)	6 (2%)	60	76
1	B	361/363 (99%)	351 (97%)	10 (3%)	43	61
All	All	724/726 (100%)	708 (98%)	16 (2%)	52	70

All (16) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	11	ASP
1	A	19	MET
1	A	108	SER
1	A	113	LYS
1	A	228	ARG
1	A	271	GLN
1	B	11	ASP
1	B	36	ASP
1	B	49	SER
1	B	61	ASP
1	B	112	SER
1	B	189	ARG
1	B	285	ASN
1	B	289	ASN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	338	LYS
1	B	376	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	265	ASN
1	A	267	ASN
1	A	271	GLN
1	B	109	ASN
1	B	160	HIS
1	B	262	GLN
1	B	285	ASN
1	B	289	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

### 5.6 Ligand geometry [i](#)

There are no ligands in this entry.

### 5.7 Other polymers [i](#)

There are no such residues in this entry.

### 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	390/390 (100%)	0.28	3 (0%) <span style="border: 1px solid blue; padding: 2px;">86</span> <span style="border: 1px solid blue; padding: 2px;">85</span>	45, 69, 93, 105	0
1	B	388/390 (99%)	0.80	61 (15%) <span style="border: 1px solid red; padding: 2px;">2</span> <span style="border: 1px solid red; padding: 2px;">1</span>	36, 69, 126, 138	0
All	All	778/780 (99%)	0.54	64 (8%) <span style="border: 1px solid red; padding: 2px;">11</span> <span style="border: 1px solid red; padding: 2px;">9</span>	36, 69, 113, 138	0

All (64) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	37	PHE	8.3
1	B	19	MET	7.1
1	B	42	GLY	6.7
1	B	72	LEU	6.4
1	B	52	VAL	6.3
1	B	102	ASP	6.0
1	B	81	ALA	5.6
1	B	51	ILE	5.3
1	B	6	ILE	5.3
1	B	45	PHE	5.3
1	B	133	PHE	5.3
1	B	95	GLU	5.2
1	B	28	LEU	4.4
1	B	22	TRP	4.1
1	B	43	LYS	4.0
1	B	14	ASN	3.9
1	B	71	CYS	3.8
1	B	16	ASN	3.6
1	B	97	GLU	3.4
1	B	18	LEU	3.4
1	B	85	LEU	3.4
1	B	98	ASP	3.4
1	B	65	GLU	3.4
1	B	110	MET	3.2

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
1	B	94	PHE	3.1
1	B	35	TYR	3.1
1	B	121	ILE	3.1
1	B	13	GLU	3.1
1	B	74	LEU	2.9
1	B	105	ILE	2.8
1	B	77	LYS	2.8
1	B	165	GLY	2.7
1	B	48	PHE	2.7
1	B	82	ARG	2.7
1	B	41	ASP	2.6
1	B	84	ALA	2.6
1	B	29	LYS	2.6
1	B	149	MET	2.5
1	B	59	TYR	2.5
1	B	20	ASN	2.5
1	B	56	LYS	2.4
1	B	34	LEU	2.4
1	A	261	VAL	2.4
1	B	69	ASP	2.4
1	B	101	ILE	2.4
1	B	23	ALA	2.3
1	B	44	THR	2.3
1	B	185	ASN	2.3
1	B	99	VAL	2.3
1	B	3	LEU	2.3
1	A	100	LEU	2.2
1	B	78	THR	2.2
1	B	161	TYR	2.2
1	B	324	LEU	2.2
1	B	4	ILE	2.2
1	B	177	ILE	2.1
1	B	139	LEU	2.1
1	B	153	SER	2.1
1	B	38	LEU	2.1
1	B	33	PRO	2.1
1	B	192	TYR	2.1
1	B	49	SER	2.1
1	B	130	ILE	2.0
1	A	161	TYR	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 6.4 Ligands [i](#)

There are no ligands in this entry.

## 6.5 Other polymers [i](#)

There are no such residues in this entry.