



# Full wwPDB EM Validation Report (i)

Apr 6, 2025 – 12:41 AM JST

PDB ID : 9IP4 / pdb\_00009ip4  
EMDB ID : EMD-60757  
Title : Cryo-EM structure of the RNA-dependent RNA polymerase complex from Marburg virus  
Authors : Li, G.; Du, T.; Wang, J.; Wu, S.; Ru, H.  
Deposited on : 2024-07-10  
Resolution : 2.84 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at  
<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references \(i\)](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev117  
MolProbit : 4.02b-467  
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)  
MapQ : 1.9.13  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.42

# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:  
**ELECTRON MICROSCOPY**


The reported resolution of this entry is 2.84 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	210492	15764
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5%. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion < 40%). The numeric value is given above the bar.



## 2 Entry composition (i)

There are 3 unique types of molecules in this entry. The entry contains 13615 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called RNA-directed RNA polymerase L,Maltose/maltodextrin-binding periplasmic protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	A	1364	11049	7110	1874	2013	52	0	0

There are 64 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	489	ALA	LEU	conflict	UNP P31352
A	979	GLY	ARG	conflict	UNP P31352
A	1426	SER	-	linker	UNP P31352
A	1427	ARG	-	linker	UNP P31352
A	1428	GLU	-	linker	UNP P31352
A	1429	ASN	-	linker	UNP P31352
A	1430	LEU	-	linker	UNP P31352
A	1431	TYR	-	linker	UNP P31352
A	1432	PHE	-	linker	UNP P31352
A	1433	GLN	-	linker	UNP P31352
A	1434	GLY	-	linker	UNP P31352
A	1435	SER	-	linker	UNP P31352
A	1436	GLY	-	linker	UNP P31352
A	1437	TRP	-	linker	UNP P31352
A	1438	SER	-	linker	UNP P31352
A	1439	HIS	-	linker	UNP P31352
A	1440	PRO	-	linker	UNP P31352
A	1441	GLN	-	linker	UNP P31352
A	1442	PHE	-	linker	UNP P31352
A	1443	GLU	-	linker	UNP P31352
A	1444	LYS	-	linker	UNP P31352
A	1445	GLY	-	linker	UNP P31352
A	1446	GLY	-	linker	UNP P31352
A	1447	GLY	-	linker	UNP P31352
A	1448	SER	-	linker	UNP P31352
A	1449	GLY	-	linker	UNP P31352
A	1450	GLY	-	linker	UNP P31352

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
A	1451	GLY	-	linker	UNP P31352
A	1452	SER	-	linker	UNP P31352
A	1453	GLY	-	linker	UNP P31352
A	1454	GLY	-	linker	UNP P31352
A	1455	SER	-	linker	UNP P31352
A	1456	ALA	-	linker	UNP P31352
A	1457	TRP	-	linker	UNP P31352
A	1458	SER	-	linker	UNP P31352
A	1459	HIS	-	linker	UNP P31352
A	1460	PRO	-	linker	UNP P31352
A	1461	GLN	-	linker	UNP P31352
A	1462	PHE	-	linker	UNP P31352
A	1463	GLU	-	linker	UNP P31352
A	1464	LYS	-	linker	UNP P31352
A	1465	GLY	-	linker	UNP P31352
A	1466	SER	-	linker	UNP P31352
A	1467	ALA	-	linker	UNP P31352
A	1468	SER	-	linker	UNP P31352
A	1469	HIS	-	linker	UNP P31352
A	1470	HIS	-	linker	UNP P31352
A	1471	HIS	-	linker	UNP P31352
A	1472	HIS	-	linker	UNP P31352
A	1473	HIS	-	linker	UNP P31352
A	1474	HIS	-	linker	UNP P31352
A	1475	GLY	-	linker	UNP P31352
A	1476	THR	-	linker	UNP P31352
A	1477	LYS	-	linker	UNP P31352
A	1478	THR	-	linker	UNP P31352
A	1843	GLY	-	expression tag	UNP P0AEX9
A	1844	ASP	-	expression tag	UNP P0AEX9
A	1845	TYR	-	expression tag	UNP P0AEX9
A	1846	LYS	-	expression tag	UNP P0AEX9
A	1847	ASP	-	expression tag	UNP P0AEX9
A	1848	ASP	-	expression tag	UNP P0AEX9
A	1849	ASP	-	expression tag	UNP P0AEX9
A	1850	ASP	-	expression tag	UNP P0AEX9
A	1851	LYS	-	expression tag	UNP P0AEX9

- Molecule 2 is a protein called Maltose/maltodextrin-binding periplasmic protein, Polymerase cofactor VP35.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	B	217	Total	C	N	O	S	0	0
			1649	1048	285	308	8		
2	C	63	Total	C	N	O	S	0	0
			471	301	80	87	3		
2	D	32	Total	C	N	O	S	0	0
			244	156	40	45	3		
2	E	26	Total	C	N	O	S	0	0
			201	128	34	36	3		

There are 140 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	-341	MET	-	initiating methionine	UNP P0AEX9
B	-340	GLY	-	expression tag	UNP P0AEX9
B	-339	SER	-	expression tag	UNP P0AEX9
B	-338	SER	-	expression tag	UNP P0AEX9
B	-337	HIS	-	expression tag	UNP P0AEX9
B	-336	HIS	-	expression tag	UNP P0AEX9
B	-335	HIS	-	expression tag	UNP P0AEX9
B	-334	HIS	-	expression tag	UNP P0AEX9
B	-333	HIS	-	expression tag	UNP P0AEX9
B	-332	HIS	-	expression tag	UNP P0AEX9
B	-331	GLY	-	expression tag	UNP P0AEX9
B	-330	THR	-	expression tag	UNP P0AEX9
B	-329	LYS	-	expression tag	UNP P0AEX9
B	-328	THR	-	expression tag	UNP P0AEX9
B	37	GLY	-	linker	UNP P0AEX9
B	38	THR	-	linker	UNP P0AEX9
B	39	ASP	-	linker	UNP P0AEX9
B	40	TYR	-	linker	UNP P0AEX9
B	41	ASP	-	linker	UNP P0AEX9
B	42	ILE	-	linker	UNP P0AEX9
B	43	PRO	-	linker	UNP P0AEX9
B	44	THR	-	linker	UNP P0AEX9
B	45	THR	-	linker	UNP P0AEX9
B	46	LEU	-	linker	UNP P0AEX9
B	47	GLU	-	linker	UNP P0AEX9
B	48	VAL	-	linker	UNP P0AEX9
B	49	LEU	-	linker	UNP P0AEX9
B	50	PHE	-	linker	UNP P0AEX9
B	51	GLN	-	linker	UNP P0AEX9
B	52	GLY	-	linker	UNP P0AEX9
B	53	PRO	-	linker	UNP P0AEX9

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
B	54	LEU	-	linker	UNP P0AEX9
B	55	GLY	-	linker	UNP P0AEX9
B	56	SER	-	linker	UNP P0AEX9
B	296	CYS	SER	conflict	UNP P35259
C	-341	MET	-	initiating methionine	UNP P0AEX9
C	-340	GLY	-	expression tag	UNP P0AEX9
C	-339	SER	-	expression tag	UNP P0AEX9
C	-338	SER	-	expression tag	UNP P0AEX9
C	-337	HIS	-	expression tag	UNP P0AEX9
C	-336	HIS	-	expression tag	UNP P0AEX9
C	-335	HIS	-	expression tag	UNP P0AEX9
C	-334	HIS	-	expression tag	UNP P0AEX9
C	-333	HIS	-	expression tag	UNP P0AEX9
C	-332	HIS	-	expression tag	UNP P0AEX9
C	-331	GLY	-	expression tag	UNP P0AEX9
C	-330	THR	-	expression tag	UNP P0AEX9
C	-329	LYS	-	expression tag	UNP P0AEX9
C	-328	THR	-	expression tag	UNP P0AEX9
C	37	GLY	-	linker	UNP P0AEX9
C	38	THR	-	linker	UNP P0AEX9
C	39	ASP	-	linker	UNP P0AEX9
C	40	TYR	-	linker	UNP P0AEX9
C	41	ASP	-	linker	UNP P0AEX9
C	42	ILE	-	linker	UNP P0AEX9
C	43	PRO	-	linker	UNP P0AEX9
C	44	THR	-	linker	UNP P0AEX9
C	45	THR	-	linker	UNP P0AEX9
C	46	LEU	-	linker	UNP P0AEX9
C	47	GLU	-	linker	UNP P0AEX9
C	48	VAL	-	linker	UNP P0AEX9
C	49	LEU	-	linker	UNP P0AEX9
C	50	PHE	-	linker	UNP P0AEX9
C	51	GLN	-	linker	UNP P0AEX9
C	52	GLY	-	linker	UNP P0AEX9
C	53	PRO	-	linker	UNP P0AEX9
C	54	LEU	-	linker	UNP P0AEX9
C	55	GLY	-	linker	UNP P0AEX9
C	56	SER	-	linker	UNP P0AEX9
C	296	CYS	SER	conflict	UNP P35259
D	-341	MET	-	initiating methionine	UNP P0AEX9
D	-340	GLY	-	expression tag	UNP P0AEX9
D	-339	SER	-	expression tag	UNP P0AEX9

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
D	-338	SER	-	expression tag	UNP P0AEX9
D	-337	HIS	-	expression tag	UNP P0AEX9
D	-336	HIS	-	expression tag	UNP P0AEX9
D	-335	HIS	-	expression tag	UNP P0AEX9
D	-334	HIS	-	expression tag	UNP P0AEX9
D	-333	HIS	-	expression tag	UNP P0AEX9
D	-332	HIS	-	expression tag	UNP P0AEX9
D	-331	GLY	-	expression tag	UNP P0AEX9
D	-330	THR	-	expression tag	UNP P0AEX9
D	-329	LYS	-	expression tag	UNP P0AEX9
D	-328	THR	-	expression tag	UNP P0AEX9
D	37	GLY	-	linker	UNP P0AEX9
D	38	THR	-	linker	UNP P0AEX9
D	39	ASP	-	linker	UNP P0AEX9
D	40	TYR	-	linker	UNP P0AEX9
D	41	ASP	-	linker	UNP P0AEX9
D	42	ILE	-	linker	UNP P0AEX9
D	43	PRO	-	linker	UNP P0AEX9
D	44	THR	-	linker	UNP P0AEX9
D	45	THR	-	linker	UNP P0AEX9
D	46	LEU	-	linker	UNP P0AEX9
D	47	GLU	-	linker	UNP P0AEX9
D	48	VAL	-	linker	UNP P0AEX9
D	49	LEU	-	linker	UNP P0AEX9
D	50	PHE	-	linker	UNP P0AEX9
D	51	GLN	-	linker	UNP P0AEX9
D	52	GLY	-	linker	UNP P0AEX9
D	53	PRO	-	linker	UNP P0AEX9
D	54	LEU	-	linker	UNP P0AEX9
D	55	GLY	-	linker	UNP P0AEX9
D	56	SER	-	linker	UNP P0AEX9
D	296	CYS	SER	conflict	UNP P35259
E	-341	MET	-	initiating methionine	UNP P0AEX9
E	-340	GLY	-	expression tag	UNP P0AEX9
E	-339	SER	-	expression tag	UNP P0AEX9
E	-338	SER	-	expression tag	UNP P0AEX9
E	-337	HIS	-	expression tag	UNP P0AEX9
E	-336	HIS	-	expression tag	UNP P0AEX9
E	-335	HIS	-	expression tag	UNP P0AEX9
E	-334	HIS	-	expression tag	UNP P0AEX9
E	-333	HIS	-	expression tag	UNP P0AEX9
E	-332	HIS	-	expression tag	UNP P0AEX9

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
E	-331	GLY	-	expression tag	UNP P0AEX9
E	-330	THR	-	expression tag	UNP P0AEX9
E	-329	LYS	-	expression tag	UNP P0AEX9
E	-328	THR	-	expression tag	UNP P0AEX9
E	37	GLY	-	linker	UNP P0AEX9
E	38	THR	-	linker	UNP P0AEX9
E	39	ASP	-	linker	UNP P0AEX9
E	40	TYR	-	linker	UNP P0AEX9
E	41	ASP	-	linker	UNP P0AEX9
E	42	ILE	-	linker	UNP P0AEX9
E	43	PRO	-	linker	UNP P0AEX9
E	44	THR	-	linker	UNP P0AEX9
E	45	THR	-	linker	UNP P0AEX9
E	46	LEU	-	linker	UNP P0AEX9
E	47	GLU	-	linker	UNP P0AEX9
E	48	VAL	-	linker	UNP P0AEX9
E	49	LEU	-	linker	UNP P0AEX9
E	50	PHE	-	linker	UNP P0AEX9
E	51	GLN	-	linker	UNP P0AEX9
E	52	GLY	-	linker	UNP P0AEX9
E	53	PRO	-	linker	UNP P0AEX9
E	54	LEU	-	linker	UNP P0AEX9
E	55	GLY	-	linker	UNP P0AEX9
E	56	SER	-	linker	UNP P0AEX9
E	296	CYS	SER	conflict	UNP P35259


- Molecule 3 is ZINC ION (CCD ID: ZN) (formula: Zn) (labeled as "Ligand of Interest" by depositor).


Mol	Chain	Residues	Atoms	AltConf
3	A	1	Total 1      1	0

### 3 Residue-property plots [\(i\)](#)



These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: RNA-directed RNA polymerase L,Maltose/maltodextrin-binding periplasmic protein






- Molecule 2: Maltose/maltodextrin-binding periplasmic protein, Polymerase cofactor VP35



- Molecule 2: Maltose/maltodextrin-binding periplasmic protein, Polymerase cofactor VP35



ALA VAL GLU ALA LEU SER ILE TYR ASN LYS ASP PRO ASN LYS THR TRP GLU GLU TLE PRO ALA LEU ASP LYS GLU LEU LYS ALA LYS GLY LYS SER ALA LEU MET PHE ASN LEU GLN GLU PRO TYR PHE THR TRP PRO LEU ILE ALA ALA ASP GLY GLY TYR ALA

LYL EU LILU AL SN SY SP SYS YR ILU AL EU YS ER TET ROR RRG LLA YS SP RRO RRG SN LLA LLM SYL LLL ET ETE RRO ISN LLE RRO LLM ET ER LA THE TEP RRP YR LA AL RRG THR LA AL LE

NSN  
LA  
LA  
LA  
LA  
LY  
RG  
LN  
HR  
AL  
AL  
LU  
LA  
EU  
SY  
SP  
LN  
HR  
LY  
HR  
SP  
SP  
LE  
PRO  
HR  
EU  
LU  
VAL  
EU  
HE  
LN  
LY  
RO  
EU  
EU  
LY  
ER  
ER  
HR  
SP  
SP  
LE  
LE  
LRP  
SP  
LN  
EU  
LE  
LA  
SP  
EU  
EU

A horizontal bar chart with 10 categories. The values are: 0 (red), 1 (green), 2 (red), 2 (green), 3 (red), 4 (green), 5 (red), 6 (green), 7 (red), 8 (green), 9 (red), 0 (green), 1 (orange), 2 (orange), 3 (orange), 4 (orange), 0 (yellow), 2 (green).

ASASN  
ALALA  
LTHTR  
ASASP  
ALALA  
LYSPL  
ASASP  
ALALA  
LYSMET  
ESER  
ESER  
ESER  
GIGLU  
GIGLU  
LTHTR  
PHIPHE  
GIGLU  
LEU  
PRO  
ASASN  
LEU  
ESER  
ALALA  
LYSPL  
ASASP  
LEU  
ALALA  
LEU  
LEU  
LEU  
LEU  
LTHTR  
HIS  
LEU  
PRO  
HIS  
ASASN  
LEU  
LTHTR  
HIS  
PHIPHE  
HIS  
LEU  
ESER  
ESER  
ESER

HAL  
HRO  
HRO  
HNS  
HRO  
HRI  
HRE  
HRE  
HSP  
HSS  
HLY  
HPP  
HAL  
HSS  
HAL  
HVR  
HVR  
HER  
HER  
HLL  
HLL  
HLY  
HLL  
HRR  
HRR  
HRC  
HRC  
HMA  
HEU  
HSS  
HLE

- Molecule 2: Maltose/maltodextrin-binding periplasmic protein, Polymerase cofactor VP35


Chain D: 



- Molecule 2: Maltose/maltodextrin-binding periplasmic protein, Polymerase cofactor VP35

Chain E: . . .

96%



## 4 Experimental information (i)

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	178297	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	TFS KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ( $e^-/\text{\AA}^2$ )	52.52	Depositor
Minimum defocus (nm)	1000	Depositor
Maximum defocus (nm)	1500	Depositor
Magnification	Not provided	
Image detector	GATAN K3 BIOQUANTUM (6k x 4k)	Depositor
Maximum map value	1.487	Depositor
Minimum map value	-0.913	Depositor
Average map value	0.001	Depositor
Map value standard deviation	0.044	Depositor
Recommended contour level	0.135	Depositor
Map size (Å)	217.856, 217.856, 217.856	wwPDB
Map dimensions	256, 256, 256	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.851, 0.851, 0.851	Depositor

## 5 Model quality i

### 5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.33	0/11326	0.62	9/15360 (0.1%)
2	B	0.34	0/1684	0.54	1/2283 (0.0%)
2	C	0.42	0/481	0.61	1/652 (0.2%)
2	D	0.43	0/246	0.79	1/329 (0.3%)
2	E	0.29	0/202	0.61	0/267
All	All	0.34	0/13939	0.62	12/18891 (0.1%)

There are no bond length outliers.

All (12) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	743	MET	CG-SD-CE	11.11	117.97	100.20
1	A	296	LYS	CD-CE-NZ	-10.38	87.82	111.70
1	A	828	LEU	CB-CG-CD2	-9.10	95.53	111.00
1	A	794	GLU	CA-CB-CG	7.17	129.17	113.40
1	A	605	LYS	CB-CG-CD	-5.90	96.26	111.60
1	A	486	LYS	CB-CG-CD	5.74	126.53	111.60
2	C	124	MET	CB-CG-SD	-5.71	95.28	112.40
1	A	597	MET	CB-CG-SD	5.62	129.27	112.40
2	D	124	MET	CG-SD-CE	-5.53	91.35	100.20
1	A	478	ILE	CB-CA-C	-5.52	100.56	111.60
1	A	1306	MET	CB-CG-SD	-5.26	96.61	112.40
2	B	194	LYS	CD-CE-NZ	-5.21	99.72	111.70

There are no chirality outliers.

There are no planarity outliers.

## 5.2 Too-close contacts [\(i\)](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	11049	0	10953	130	0
2	B	1649	0	1679	10	0
2	C	471	0	479	4	0
2	D	244	0	264	8	0
2	E	201	0	216	4	0
3	A	1	0	0	0	0
All	All	13615	0	13591	150	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (150) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1040:ARG:NH1	1:A:1246:GLU:OE1	2.07	0.88
1:A:743:MET:HE3	1:A:803:TYR:HB3	1.58	0.85
1:A:498:ASP:OD2	1:A:694:ARG:HD2	1.82	0.79
1:A:1260:ASP:OD2	1:A:1263:LYS:NZ	2.17	0.77
1:A:743:MET:HG2	1:A:744:GLY:H	1.50	0.76
2:B:260:GLU:OE2	2:B:268:ARG:NH1	2.19	0.75
1:A:513:ARG:CZ	1:A:514:PHE:CE1	2.70	0.75
1:A:743:MET:CE	1:A:803:TYR:HB3	2.18	0.73
1:A:490:THR:OG1	1:A:517:LYS:O	2.07	0.72
1:A:1262:GLU:O	1:A:1266:ILE:HD12	1.89	0.72
1:A:513:ARG:NH1	1:A:514:PHE:CE1	2.59	0.69
1:A:636:LEU:HD11	1:A:747:GLN:HB3	1.73	0.68
1:A:623:GLU:N	1:A:623:GLU:OE1	2.26	0.68
1:A:389:LEU:HD11	1:A:679:VAL:HG23	1.77	0.67
1:A:1269:LEU:HD11	1:A:1280:VAL:HG21	1.75	0.67
1:A:514:PHE:CZ	1:A:517:LYS:HD2	2.31	0.66
1:A:609:LEU:HD13	1:A:623:GLU:HG3	1.79	0.65
1:A:535:LEU:O	1:A:539:GLU:HG2	1.96	0.65
1:A:1189:TYR:HB3	1:A:1372:MET:HE2	1.79	0.65
2:B:149:ASP:OD1	2:B:153:ASN:ND2	2.30	0.64
2:D:110:VAL:HA	2:D:113:MET:SD	2.38	0.63

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:75:ILE:HG22	1:A:79:ILE:HG13	1.81	0.63
2:B:123:GLY:HA3	2:C:124:MET:CE	2.29	0.63
1:A:1199:VAL:HG12	1:A:1200:GLN:HG2	1.80	0.62
1:A:1191:SER:OG	1:A:1320:SER:OG	2.16	0.62
1:A:162:ILE:HG13	1:A:173:TRP:HD1	1.65	0.61
1:A:1237:PRO:O	1:A:1242:LYS:NZ	2.32	0.61
1:A:185:ILE:HG13	1:A:186:ALA:H	1.66	0.61
1:A:496:CYS:HB3	1:A:512:VAL:HG13	1.82	0.61
1:A:972:PRO:HG3	1:A:1035:ALA:HB2	1.82	0.60
1:A:39:LYS:HD2	1:A:685:PRO:HG2	1.83	0.60
1:A:1255:THR:HG22	1:A:1256:GLN:H	1.66	0.60
1:A:645:TYR:O	1:A:649:ARG:HG3	2.02	0.60
1:A:602:ARG:NH2	1:A:1312:ASN:HD22	2.01	0.59
1:A:488:ARG:HB2	1:A:519:VAL:HG21	1.84	0.58
1:A:771:ASN:OD1	1:A:774:ARG:NH1	2.37	0.58
1:A:1149:LEU:HD23	1:A:1367:VAL:HG22	1.86	0.58
2:C:130:LYS:HD3	2:D:131:TYR:CZ	2.39	0.58
1:A:1050:LEU:O	1:A:1054:GLU:HG3	2.04	0.57
1:A:513:ARG:NH1	1:A:514:PHE:CZ	2.73	0.56
1:A:627:VAL:HG22	1:A:754:LEU:HD23	1.86	0.56
1:A:628:ARG:NH1	1:A:764:GLN:OE1	2.39	0.56
1:A:110:ASN:ND2	1:A:862:TRP:HD1	2.02	0.55
1:A:551:PHE:CZ	1:A:711:ILE:HD13	2.42	0.55
1:A:1292:ILE:H	1:A:1292:ILE:HD12	1.71	0.55
1:A:217:ARG:CZ	1:A:217:ARG:HB3	2.36	0.54
1:A:1148:ASN:HB3	1:A:1368:THR:HG22	1.90	0.54
1:A:903:LEU:O	1:A:907:ILE:HG12	2.08	0.53
2:B:271:ARG:HH11	2:B:271:ARG:HG3	1.74	0.53
1:A:478:ILE:HD11	1:A:481:LEU:HA	1.90	0.53
1:A:1008:PHE:HD1	1:A:1008:PHE:N	2.07	0.52
1:A:1027:ASN:HB3	1:A:1028:PRO:HD3	1.91	0.52
1:A:1262:GLU:HG2	1:A:1266:ILE:HD11	1.91	0.52
1:A:957:SER:HB2	1:A:1099:LEU:HD23	1.91	0.52
1:A:5:THR:HG21	1:A:1061:ALA:HA	1.91	0.52
1:A:1253:TRP:CH2	1:A:1292:ILE:HA	2.45	0.52
1:A:818:SER:HB2	1:A:854:THR:HB	1.93	0.51
1:A:1390:LYS:HD3	1:A:1391:PRO:HD2	1.92	0.51
2:B:123:GLY:HA3	2:C:124:MET:HE2	1.92	0.51
1:A:157:GLN:HG3	1:A:874:LEU:HD11	1.92	0.50
1:A:743:MET:HG2	1:A:744:GLY:N	2.24	0.50
1:A:521:GLU:N	1:A:521:GLU:OE1	2.44	0.50

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:585:ALA:HB2	1:A:717:LYS:HE2	1.92	0.50
1:A:60:THR:HA	1:A:63:GLN:HG2	1.91	0.50
1:A:743:MET:CG	1:A:744:GLY:H	2.24	0.50
1:A:1008:PHE:N	1:A:1008:PHE:CD1	2.80	0.50
1:A:503:ARG:HH11	1:A:509:ASN:HD22	1.60	0.50
1:A:584:LEU:HD23	1:A:717:LYS:HB2	1.94	0.49
1:A:722:ILE:O	1:A:726:GLN:HG3	2.12	0.49
1:A:814:GLN:H	1:A:1312:ASN:HD21	1.60	0.49
2:B:135:VAL:HB	2:E:131:TYR:CZ	2.47	0.49
1:A:514:PHE:CD2	1:A:514:PHE:C	2.86	0.49
1:A:1275:LEU:HD21	1:A:1411:LEU:HD22	1.94	0.49
1:A:841:ALA:O	1:A:845:THR:HG23	2.13	0.49
1:A:1243:GLU:OE1	1:A:1272:ARG:NH2	2.46	0.48
1:A:373:SER:OG	1:A:817:GLN:OE1	2.32	0.48
1:A:1057:ARG:HD3	1:A:1058:THR:N	2.29	0.48
1:A:1362:SER:OG	1:A:1363:SER:N	2.46	0.48
1:A:1394:VAL:HG12	1:A:1396:LEU:HD12	1.95	0.48
1:A:386:ASP:OD1	1:A:387:VAL:N	2.46	0.48
1:A:530:SER:H	1:A:533:GLN:HG2	1.78	0.47
1:A:890:ILE:O	1:A:894:LYS:HA	2.14	0.47
1:A:1057:ARG:O	1:A:1058:THR:HG22	2.14	0.47
2:B:285:ARG:NH1	2:B:318:SER:O	2.47	0.47
1:A:217:ARG:CG	1:A:218:ASP:H	2.28	0.47
1:A:514:PHE:CE2	1:A:517:LYS:HD2	2.49	0.47
1:A:1236:CYS:HB2	1:A:1413:SER:OG	2.14	0.47
1:A:602:ARG:NH2	1:A:1312:ASN:ND2	2.63	0.47
1:A:1154:ARG:HH12	1:A:1161:SER:HB3	1.80	0.47
2:B:313:TRP:CZ3	2:B:328:LYS:HB2	2.49	0.47
1:A:286:ILE:HD11	1:A:351:ALA:HA	1.97	0.46
1:A:875:LEU:HA	1:A:875:LEU:HD23	1.75	0.46
1:A:688:CYS:SG	1:A:698:PRO:HG2	2.55	0.46
1:A:605:LYS:HE2	1:A:605:LYS:HB3	1.65	0.46
1:A:692:ASP:N	1:A:692:ASP:OD1	2.49	0.46
1:A:793:GLU:H	1:A:793:GLU:HG2	1.50	0.46
1:A:4:PRO:HB3	1:A:1074:LEU:HD13	1.98	0.46
1:A:736:LEU:O	1:A:738:LEU:HD12	2.15	0.45
1:A:632:PHE:HB3	1:A:797:VAL:HG22	1.98	0.45
1:A:910:GLN:HG3	1:A:917:PHE:CZ	2.51	0.45
1:A:1057:ARG:C	1:A:1059:LEU:H	2.21	0.45
1:A:852:SER:HB2	1:A:1308:ASN:OD1	2.17	0.44
1:A:889:ASP:OD1	1:A:890:ILE:N	2.51	0.44

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:110:VAL:O	2:D:113:MET:SD	2.74	0.44
1:A:484:PHE:HD1	1:A:575:ASN:ND2	2.15	0.44
1:A:1231:PRO:HG2	1:A:1282:ASN:O	2.18	0.44
1:A:614:TRP:HD1	1:A:615:HIS:CE1	2.36	0.44
2:D:115:ARG:HA	2:D:115:ARG:HD3	1.75	0.43
1:A:737:LYS:HA	1:A:737:LYS:HD3	1.81	0.43
1:A:217:ARG:HB3	1:A:217:ARG:NH2	2.33	0.43
1:A:845:THR:O	1:A:849:ARG:HG3	2.17	0.43
1:A:1103:LEU:HD23	1:A:1103:LEU:HA	1.62	0.43
1:A:514:PHE:CD2	1:A:514:PHE:O	2.72	0.43
2:E:122:LYS:O	2:E:125:SER:OG	2.27	0.43
1:A:1188:ASN:OD1	1:A:1325:GLY:HA3	2.19	0.43
1:A:848:GLU:OE1	1:A:926:ARG:HG2	2.18	0.43
1:A:310:GLN:O	1:A:798:HIS:NE2	2.46	0.43
1:A:608:LEU:HD23	1:A:608:LEU:HA	1.84	0.43
1:A:1189:TYR:HB3	1:A:1372:MET:CE	2.48	0.43
1:A:340:LYS:NZ	1:A:341:LEU:HD21	2.34	0.42
1:A:403:LYS:HD2	1:A:785:TYR:CE2	2.53	0.42
1:A:513:ARG:NH2	1:A:514:PHE:CE1	2.86	0.42
1:A:711:ILE:CG2	1:A:712:GLU:H	2.32	0.42
1:A:1281:LEU:HA	1:A:1284:LEU:HD23	2.01	0.42
1:A:690:THR:H	1:A:693:ASN:HB3	1.84	0.42
1:A:1252:LEU:HD22	1:A:1261:ARG:HD3	1.99	0.42
2:B:215:LEU:HD23	2:B:215:LEU:HA	1.91	0.42
2:D:108:THR:HB	2:D:112:LYS:NZ	2.34	0.42
2:E:115:ARG:O	2:E:118:GLU:HG2	2.19	0.42
1:A:1256:GLN:HG3	1:A:1385:TYR:CE2	2.53	0.42
1:A:482:SER:HB2	1:A:1052:TYR:CE2	2.54	0.42
1:A:626:ILE:HD11	1:A:757:ILE:HA	2.02	0.42
1:A:602:ARG:HH22	1:A:1312:ASN:HD22	1.63	0.41
1:A:602:ARG:HH22	1:A:1312:ASN:ND2	2.18	0.41
1:A:770:LEU:HD23	1:A:770:LEU:HA	1.88	0.41
1:A:959:LYS:HE3	1:A:1095:LEU:O	2.21	0.41
1:A:1251:LEU:HD22	1:A:1265:LEU:HD21	2.01	0.41
1:A:269:ASP:O	1:A:370:GLU:HG3	2.21	0.41
1:A:476:LYS:HG3	1:A:477:ILE:HD12	2.02	0.41
1:A:1295:ARG:HD3	1:A:1298:ASP:OD1	2.20	0.41
1:A:742:VAL:HG12	1:A:743:MET:O	2.21	0.41
2:C:123:GLY:C	2:D:124:MET:HE2	2.40	0.41
2:B:183:ASN:O	2:B:186:THR:OG1	2.33	0.41
2:D:113:MET:HG2	2:D:114:GLY:N	2.36	0.41

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:543:TYR:C	1:A:545:ALA:H	2.24	0.41
1:A:1381:VAL:HG23	1:A:1381:VAL:O	2.21	0.41
1:A:293:ASP:O	1:A:296:LYS:N	2.42	0.40
2:D:123:GLY:HA3	2:E:124:MET:CE	2.50	0.40
1:A:339:LEU:HA	1:A:339:LEU:HD23	1.86	0.40
1:A:123:LEU:HG	1:A:1146:TRP:NE1	2.36	0.40

There are no symmetry-related clashes.

### 5.3 Torsion angles [\(i\)](#)

#### 5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	1352/1851 (73%)	1288 (95%)	63 (5%)	1 (0%)	48 69
2	B	215/671 (32%)	212 (99%)	3 (1%)	0	100 100
2	C	61/671 (9%)	60 (98%)	1 (2%)	0	100 100
2	D	30/671 (4%)	30 (100%)	0	0	100 100
2	E	24/671 (4%)	24 (100%)	0	0	100 100
All	All	1682/4535 (37%)	1614 (96%)	67 (4%)	1 (0%)	50 69

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	544	LEU

#### 5.3.2 Protein sidechains [\(i\)](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	1226/1617 (76%)	1225 (100%)	1 (0%)	92	98
2	B	179/554 (32%)	179 (100%)	0	100	100
2	C	49/554 (9%)	49 (100%)	0	100	100
2	D	28/554 (5%)	28 (100%)	0	100	100
2	E	22/554 (4%)	22 (100%)	0	100	100
All	All	1504/3833 (39%)	1503 (100%)	1 (0%)	92	98

All (1) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	712	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (10) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	110	ASN
1	A	360	GLN
1	A	377	HIS
1	A	444	GLN
1	A	509	ASN
1	A	575	ASN
1	A	1141	GLN
1	A	1287	HIS
1	A	1312	ASN
1	A	1343	ASN

### 5.3.3 RNA [\(i\)](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [\(i\)](#)

There are no oligosaccharides in this entry.

## 5.6 Ligand geometry [\(i\)](#)

Of 1 ligands modelled in this entry, 1 is monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

## 5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.




## 6 Map visualisation (i)

This section contains visualisations of the EMDB entry EMD-60757. These allow visual inspection of the internal detail of the map and identification of artifacts.




Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

### 6.1 Orthogonal projections (i)

#### 6.1.1 Primary map




#### 6.1.2 Raw map




The images above show the map projected in three orthogonal directions.

## 6.2 Central slices [\(i\)](#)


### 6.2.1 Primary map



X Index: 128




Y Index: 128




Z Index: 128


### 6.2.2 Raw map



X Index: 128



Y Index: 128




Z Index: 128


The images above show central slices of the map in three orthogonal directions.

## 6.3 Largest variance slices [\(i\)](#)


### 6.3.1 Primary map



X Index: 125




Y Index: 111




Z Index: 140


### 6.3.2 Raw map



X Index: 125



Y Index: 110




Z Index: 149


The images above show the largest variance slices of the map in three orthogonal directions.

## 6.4 Orthogonal standard-deviation projections (False-color) [\(i\)](#)


### 6.4.1 Primary map



X




Y




Z


### 6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


## 6.5 Orthogonal surface views [\(i\)](#)

### 6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.135. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

### 6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


## 6.6 Mask visualisation [\(i\)](#)

This section shows the 3D surface view of the primary map at 50% transparency overlaid with the specified mask at 0% transparency


A mask typically either:

- Encompasses the whole structure
- Separates out a domain, a functional unit, a monomer or an area of interest from a larger structure


### 6.6.1 emd\_60757\_msk\_1.map [\(i\)](#)



X



Y




Z

## 7 Map analysis (i)


This section contains the results of statistical analysis of the map.

### 7.1 Map-value distribution (i)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


## 7.2 Volume estimate (i)



The volume at the recommended contour level is  $82 \text{ nm}^3$ ; this corresponds to an approximate mass of 75 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

### 7.3 Rotationally averaged power spectrum [\(i\)](#)




\*Reported resolution corresponds to spatial frequency of  $0.352 \text{ \AA}^{-1}$

## 8 Fourier-Shell correlation [\(i\)](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

### 8.1 FSC [\(i\)](#)



\*Reported resolution corresponds to spatial frequency of 0.352  $\text{\AA}^{-1}$

## 8.2 Resolution estimates [\(i\)](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	2.84	-	-
Author-provided FSC curve	2.84	3.28	2.94
Unmasked-calculated*	3.34	3.86	3.43

\*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 3.34 differs from the reported value 2.84 by more than 10 %

## 9 Map-model fit [\(i\)](#)


This section contains information regarding the fit between EMDB map EMD-60757 and PDB model 9IP4. Per-residue inclusion information can be found in section [3](#) on page [9](#).

### 9.1 Map-model overlay [\(i\)](#)




The images above show the 3D surface view of the map at the recommended contour level 0.135 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

## 9.2 Q-score mapped to coordinate model [\(i\)](#)




The images above show the model with each residue coloured according its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

## 9.3 Atom inclusion mapped to coordinate model [\(i\)](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.135).

## 9.4 Atom inclusion [\(i\)](#)



At the recommended contour level, 86% of all backbone atoms, 82% of all non-hydrogen atoms, are inside the map.

## 9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (0.135) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	0.8180	0.5310
A	0.8460	0.5440
B	0.7740	0.5150
C	0.6730	0.4680
D	0.4400	0.3360
E	0.4700	0.3660

