



Full wwPDB X-ray Structure Validation Report ⓘ

Dec 7, 2023 – 11:27 pm GMT

PDB ID : 2IW8
Title : STRUCTURE OF HUMAN THR160-PHOSPHO CDK2-CYCLIN A F82H-L83V-H84D MUTANT WITH AN O6-CYCLOHEXYLMETHYLGUANINE INHIBITOR
Authors : Pratt, D.J.; Bentley, J.; Jewsbury, P.; Boyle, F.T.; Endicott, J.A.; Noble, M.E.M.
Deposited on : 2006-06-27
Resolution : 2.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references](#) ①) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.4, CSD as541be (2020)
Xtrriage (Phenix) : 1.13
EDS : 2.36
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	5042 (2.30-2.30)
Clashscore	141614	5643 (2.30-2.30)
Ramachandran outliers	138981	5575 (2.30-2.30)
Sidechain outliers	138945	5575 (2.30-2.30)
RSRZ outliers	127900	4938 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	302	<div style="display: flex; align-items: center;"> <div style="width: 3%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 81%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 15%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 3%; height: 10px; background-color: orange; margin-right: 5px;"></div> <div style="width: 2%; height: 10px; background-color: grey;"></div> </div> <p style="margin-left: 10px;">3% 81% 15% ..</p>
1	C	302	<div style="display: flex; align-items: center;"> <div style="width: 11%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 71%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 16%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 2%; height: 10px; background-color: orange; margin-right: 5px;"></div> <div style="width: 12%; height: 10px; background-color: grey;"></div> </div> <p style="margin-left: 10px;">11% 71% 16% • 12%</p>
2	B	260	<div style="display: flex; align-items: center;"> <div style="width: 3%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 85%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 11%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 2%; height: 10px; background-color: orange; margin-right: 5px;"></div> <div style="width: 2%; height: 10px; background-color: grey;"></div> </div> <p style="margin-left: 10px;">3% 85% 11% ..</p>
2	D	260	<div style="display: flex; align-items: center;"> <div style="width: 17%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 82%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 15%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 2%; height: 10px; background-color: orange; margin-right: 5px;"></div> <div style="width: 2%; height: 10px; background-color: grey;"></div> </div> <p style="margin-left: 10px;">17% 82% 15% ..</p>

2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 9027 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called CELL DIVISION PROTEIN KINASE 2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace	
			Total	C	N	O	P				S
1	A	298	Total	C	N	O	P	S	0	1	0
			2399	1552	409	429	1	8			
1	C	266	Total	C	N	O	P	S	0	0	0
			2130	1377	364	381	1	7			

There are 14 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-3	GLY	-	expression tag	UNP P24941
A	-2	PRO	-	expression tag	UNP P24941
A	-1	GLY	-	expression tag	UNP P24941
A	0	SER	-	expression tag	UNP P24941
A	82	HIS	PHE	engineered mutation	UNP P24941
A	83	VAL	LEU	engineered mutation	UNP P24941
A	84	ASP	HIS	engineered mutation	UNP P24941
C	-3	GLY	-	expression tag	UNP P24941
C	-2	PRO	-	expression tag	UNP P24941
C	-1	GLY	-	expression tag	UNP P24941
C	0	SER	-	expression tag	UNP P24941
C	82	HIS	PHE	engineered mutation	UNP P24941
C	83	VAL	LEU	engineered mutation	UNP P24941
C	84	ASP	HIS	engineered mutation	UNP P24941


- Molecule 2 is a protein called CYCLIN-A2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	255	Total	C	N	O	S	0	0	0
			2060	1337	336	376	11			
2	D	255	Total	C	N	O	S	0	0	0
			2061	1336	336	378	11			

There are 2 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
B	173	MET	-	expression tag	UNP P20248
D	173	MET	-	expression tag	UNP P20248

- Molecule 3 is O6-CYCLOHEXYLMETHOXY-2-(4'-SULPHAMOYLANILINO) PURINE (three-letter code: 4SP) (formula: C₁₈H₂₂N₆O₃S).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	S		
3	A	1	Total	C	N	O	S	0	0
			28	18	6	3	1		
3	C	1	Total	C	N	O	S	0	0
			28	18	6	3	1		

- Molecule 4 is MONOTHIOGLYCEROL (three-letter code: SGM) (formula: C₃H₈O₂S).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	B	1	Total	C	O	S	0	0
			6	3	2	1		
4	D	1	Total	C	O	S	0	0
			6	3	2	1		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	124	Total	O	0	0
			124	124		
5	B	96	Total	O	0	0
			96	96		
5	C	54	Total	O	0	0
			54	54		
5	D	35	Total	O	0	0
			35	35		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: CELL DIVISION PROTEIN KINASE 2




- Molecule 1: CELL DIVISION PROTEIN KINASE 2




- Molecule 2: CYCLIN-A2



- Molecule 2: CYCLIN-A2





4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	73.89Å 135.32Å 148.32Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	100.00 – 2.30 48.82 – 2.30	Depositor EDS
% Data completeness (in resolution range)	96.5 (100.00-2.30) 96.6 (48.82-2.30)	Depositor EDS
R_{merge}	0.13	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.47 (at 2.29Å)	Xtrriage
Refinement program	REFMAC 5.2.0019	Depositor
R, R_{free}	0.212 , 0.255 0.208 , 0.248	Depositor DCC
R_{free} test set	3271 reflections (5.07%)	wwPDB-VP
Wilson B-factor (Å ²)	28.6	Xtrriage
Anisotropy	0.256	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.39 , 44.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	9027	wwPDB-VP
Average B, all atoms (Å ²)	14.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.67% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: 4SP, SGM, TPO

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.70	0/2452	0.74	2/3327 (0.1%)
1	C	0.55	0/2166	0.63	0/2933
2	B	0.62	0/2109	0.70	0/2861
2	D	0.50	0/2110	0.64	1/2864 (0.0%)
All	All	0.60	0/8837	0.68	3/11985 (0.0%)

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	230	VAL	CB-CA-C	-5.61	100.74	111.40
1	A	297	ARG	NE-CZ-NH2	-5.16	117.72	120.30
2	D	241	ARG	NE-CZ-NH2	-5.04	117.78	120.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts i

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2399	0	2438	42	0
1	C	2130	0	2180	36	0
2	B	2060	0	2089	28	0
2	D	2061	0	2087	29	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	A	28	0	22	1	0
3	C	28	0	22	3	0
4	B	6	0	7	0	0
4	D	6	0	8	1	0
5	A	124	0	0	3	0
5	B	96	0	0	4	0
5	C	54	0	0	3	0
5	D	35	0	0	1	0
All	All	9027	0	8853	123	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (123) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:155:PRO:HD2	2:D:316:THR:HG22	1.38	1.04
1:A:296:LEU:O	1:A:297:ARG:HB2	1.77	0.83
1:A:137:THR:O	1:A:293:VAL:HG13	1.77	0.83
1:A:284:PRO:O	1:A:287:GLN:HG2	1.79	0.82
1:A:268:HIS:CD2	5:A:2094:HOH:O	2.34	0.81
1:A:177:CYS:HB2	1:A:233:MET:CE	2.09	0.81
1:A:39:THR:HG21	2:B:289:LYS:CD	2.10	0.80
1:C:88:LYS:HA	1:C:91:MET:HE2	1.63	0.78
1:C:71:HIS:NE2	2:D:296:HIS:CE1	2.57	0.73
2:D:344:ALA:HB1	2:D:348:LEU:HD22	1.70	0.72
1:C:64:VAL:HG21	3:C:1297:4SP:H8	1.72	0.71
1:C:191:CYS:HB3	5:C:2044:HOH:O	1.91	0.71
1:C:155:PRO:HD2	2:D:316:THR:CG2	2.19	0.70
2:D:361:HIS:HD2	2:D:391:LEU:HD11	1.56	0.70
1:A:39:THR:HG21	2:B:289:LYS:HD3	1.73	0.69
1:A:227:TRP:HB3	1:A:230:VAL:HG22	1.74	0.69
1:C:64:VAL:HG21	3:C:1297:4SP:C8	2.24	0.68
1:A:39:THR:HG21	2:B:289:LYS:HD2	1.75	0.67
2:B:317:GLN:NE2	5:B:2057:HOH:O	2.05	0.67
1:C:98:GLY:HA2	1:C:199:ARG:HD3	1.78	0.65
1:C:52:ILE:HD11	1:C:78:LEU:HD21	1.80	0.64
2:B:229:ASN:HD22	2:B:334:MET:CE	2.13	0.62
2:D:196:LYS:HG3	2:D:199:TYR:HB3	1.81	0.62
2:B:210:MET:HE1	2:B:250:ARG:CB	2.29	0.62
1:C:51:GLU:O	1:C:55:LEU:HB2	2.01	0.61

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:60:HIS:CD2	1:A:62:ASN:H	2.19	0.60
1:A:227:TRP:HB3	1:A:230:VAL:CG2	2.31	0.60
1:A:60:HIS:HD2	1:A:62:ASN:H	1.50	0.59
1:C:71:HIS:CD2	2:D:296:HIS:CE1	2.93	0.57
2:B:210:MET:CE	2:B:250:ARG:HB2	2.35	0.57
1:C:217:ARG:HG2	1:C:218:THR:N	2.19	0.57
2:D:361:HIS:CD2	2:D:391:LEU:HD11	2.38	0.57
2:B:229:ASN:HD22	2:B:334:MET:HE2	1.69	0.55
2:D:183:HIS:HB2	2:D:317:GLN:HE22	1.72	0.55
2:B:206:ILE:HG22	2:B:210:MET:HE1	1.90	0.54
1:A:39:THR:HG22	1:A:40:GLU:N	2.22	0.54
1:A:177:CYS:HB2	1:A:233:MET:HE3	1.90	0.53
2:D:193:CYS:SG	4:D:1433:SGM:S1	2.40	0.52
1:C:88:LYS:HA	1:C:91:MET:CE	2.35	0.52
1:A:85:GLN:HE21	1:A:90:PHE:HB2	1.73	0.52
2:B:395:HIS:HE1	2:B:427:PRO:O	1.92	0.52
2:B:384:LEU:HG	2:B:432:LEU:HD22	1.91	0.52
2:D:373:PRO:HD2	2:D:376:LEU:HD12	1.91	0.51
1:A:227:TRP:O	1:A:230:VAL:CG2	2.58	0.51
1:C:49:ILE:HG23	2:D:306:LEU:HD12	1.92	0.51
2:D:275:VAL:HG11	2:D:292:LEU:CD1	2.42	0.50
1:C:115:LEU:HD21	1:C:185:ASP:HB3	1.93	0.50
1:A:34:LYS:HD3	1:A:75:LYS:HE2	1.93	0.49
1:A:81:GLU:O	1:A:81:GLU:HG3	2.11	0.49
2:D:233:HIS:HD2	5:D:2027:HOH:O	1.95	0.49
1:C:156:VAL:HG11	1:C:181:SER:OG	2.12	0.49
1:C:195:GLU:HB2	5:C:2049:HOH:O	2.12	0.49
2:D:384:LEU:HG	2:D:432:LEU:HD11	1.94	0.49
1:A:39:THR:HA	2:B:292:LEU:HD23	1.95	0.49
1:A:227:TRP:O	1:A:230:VAL:HG23	2.13	0.49
1:A:71:HIS:CE1	2:B:296:HIS:CG	3.01	0.49
2:B:210:MET:HE3	2:B:250:ARG:HB2	1.95	0.49
2:D:210:MET:HE1	2:D:250:ARG:NH1	2.27	0.49
1:A:1:MET:HE1	1:A:32:LEU:HD13	1.95	0.49
2:B:199:TYR:CE2	2:B:348:LEU:HD21	2.49	0.48
1:A:71:HIS:CE1	2:B:296:HIS:CE1	3.02	0.47
1:A:227:TRP:CB	1:A:230:VAL:HG22	2.44	0.47
1:A:32:LEU:CD2	1:A:79:VAL:HG22	2.44	0.47
1:A:268:HIS:HD2	5:A:2094:HOH:O	1.83	0.47
1:A:73:GLU:HG2	1:A:74:ASN:HD22	1.79	0.46
1:A:157:ARG:NH1	2:B:268:GLU:OE2	2.42	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:323:GLN:HA	2:D:324:PRO:HA	1.74	0.46
1:A:293:VAL:HG13	1:A:294:PRO:HD2	1.98	0.46
1:C:217:ARG:HG2	1:C:218:THR:H	1.80	0.46
1:C:268:HIS:HD2	1:C:270:ASP:H	1.62	0.46
2:D:210:MET:CE	2:D:250:ARG:NH1	2.79	0.46
1:C:203:PHE:HB2	1:C:211:GLN:HE22	1.81	0.45
2:D:430:LEU:HB3	2:D:432:LEU:HD23	1.98	0.45
1:A:119:HIS:HD2	5:B:2015:HOH:O	1.99	0.45
2:B:183:HIS:HE1	5:B:2059:HOH:O	1.99	0.45
2:B:210:MET:HE1	2:B:250:ARG:HB3	1.99	0.44
1:C:34:LYS:HG3	1:C:77:TYR:CE1	2.52	0.44
2:B:219:VAL:HG22	2:B:232:LEU:HD11	1.98	0.44
2:B:323:GLN:HA	2:B:324:PRO:HA	1.78	0.44
1:A:133:LEU:HD11	1:A:192:ILE:HD13	1.99	0.44
3:A:1298:4SP:H18	3:A:1298:4SP:N1	2.33	0.44
1:C:95:ALA:O	1:C:199:ARG:NH1	2.50	0.44
1:A:71:HIS:CE1	2:B:296:HIS:CD2	3.06	0.44
1:C:85:GLN:HE21	1:C:90:PHE:HB2	1.83	0.44
2:D:373:PRO:O	2:D:377:ILE:HD12	2.18	0.43
2:B:407:GLN:OE1	2:B:410:ARG:HD3	2.18	0.43
1:A:39:THR:O	1:A:40:GLU:HB2	2.19	0.43
2:D:346:PRO:O	2:D:349:LYS:HG2	2.18	0.43
2:D:414:LYS:HG2	2:D:423:LEU:HG	2.00	0.43
1:C:169:ARG:HG2	1:C:173:ILE:HB	2.01	0.43
1:A:38:ASP:O	1:A:39:THR:HB	2.19	0.43
1:C:15:TYR:OH	1:C:48:ALA:HA	2.19	0.43
1:C:60:HIS:CD2	1:C:62:ASN:H	2.37	0.43
2:B:407:GLN:O	2:B:411:GLU:HG2	2.19	0.42
1:C:133:LEU:HD11	1:C:192:ILE:HD13	2.00	0.42
2:D:196:LYS:CG	2:D:199:TYR:HB3	2.49	0.42
2:D:275:VAL:HG11	2:D:292:LEU:HD11	2.01	0.42
2:D:347:TYR:OH	2:D:394:LEU:HA	2.19	0.42
1:A:154:VAL:HA	1:A:155:PRO:HA	1.91	0.42
1:C:52:ILE:CD1	1:C:78:LEU:HD21	2.49	0.42
1:C:189:LEU:HD23	1:C:189:LEU:HA	1.77	0.42
1:A:60:HIS:HE1	5:A:2044:HOH:O	2.02	0.42
2:B:332:LEU:HD23	2:B:363:ALA:HA	2.01	0.42
1:C:214:ARG:HA	1:C:217:ARG:CD	2.50	0.42
1:A:268:HIS:CD2	1:A:273:LYS:HB2	2.55	0.42
1:C:71:HIS:HA	1:C:76:LEU:HD12	2.02	0.42
2:B:388:LYS:O	2:B:392:MET:HG2	2.20	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:311:VAL:HG22	2:D:352:PRO:HA	2.02	0.41
1:A:39:THR:HG22	1:A:40:GLU:H	1.85	0.41
3:C:1297:4SP:H18	3:C:1297:4SP:N1	2.36	0.41
1:C:217:ARG:CG	1:C:218:THR:N	2.84	0.41
2:D:344:ALA:O	2:D:348:LEU:HB2	2.21	0.41
1:C:54:LEU:HD21	1:C:151:ALA:HB2	2.02	0.41
1:A:39:THR:CG2	1:A:40:GLU:N	2.84	0.41
1:A:71:HIS:CD2	1:A:76:LEU:HD13	2.56	0.40
1:C:214:ARG:HA	1:C:217:ARG:HD2	2.02	0.40
1:C:294:PRO:HG3	5:C:2034:HOH:O	2.20	0.40
2:D:216:ASP:HB2	2:D:406:GLN:HG2	2.02	0.40
1:A:78:LEU:N	1:A:78:LEU:HD23	2.36	0.40
1:A:227:TRP:O	1:A:230:VAL:HG22	2.22	0.40
1:C:71:HIS:NE2	2:D:296:HIS:NE2	2.68	0.40
2:B:183:HIS:CE1	5:B:2059:HOH:O	2.73	0.40
2:B:193:CYS:O	2:B:241:ARG:HD2	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	296/302 (98%)	286 (97%)	8 (3%)	2 (1%)	22	26
1	C	261/302 (86%)	245 (94%)	15 (6%)	1 (0%)	34	42
2	B	251/260 (96%)	249 (99%)	2 (1%)	0	100	100
2	D	253/260 (97%)	248 (98%)	5 (2%)	0	100	100
All	All	1061/1124 (94%)	1028 (97%)	30 (3%)	3 (0%)	41	50

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	38	ASP
1	A	164	VAL
1	C	164	VAL

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	263/264 (100%)	242 (92%)	21 (8%)	12	15
1	C	232/264 (88%)	222 (96%)	10 (4%)	29	40
2	B	229/234 (98%)	221 (96%)	8 (4%)	36	50
2	D	229/234 (98%)	220 (96%)	9 (4%)	32	46
All	All	953/996 (96%)	905 (95%)	48 (5%)	24	34

All (48) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	34	LYS
1	A	41	THR
1	A	55	LEU
1	A	64	VAL
1	A	73	GLU
1	A	74	ASN
1	A	75	LYS
1	A	78	LEU
1	A	88	LYS
1	A	101	LEU
1	A	122	ARG
1	A	148	LEU
1	A	150	ARG
1	A	163	VAL
1	A	189	LEU
1	A	206	ASP
1	A	226	VAL
1	A	230	VAL
1	A	248	PHE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	255	LEU
1	A	278	LYS
2	B	177	ASP
2	B	232	LEU
2	B	292	LEU
2	B	296	HIS
2	B	348	LEU
2	B	384	LEU
2	B	385	GLU
2	B	391	LEU
1	C	2	GLU
1	C	14	THR
1	C	55	LEU
1	C	74	ASN
1	C	101	LEU
1	C	122	ARG
1	C	150	ARG
1	C	164	VAL
1	C	217	ARG
1	C	261	SER
2	D	196	LYS
2	D	223	GLU
2	D	284	ASP
2	D	292	LEU
2	D	300	LYS
2	D	328	LYS
2	D	348	LEU
2	D	385	GLU
2	D	398	TYR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (24) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	60	HIS
1	A	71	HIS
1	A	74	ASN
1	A	85	GLN
1	A	119	HIS
1	A	268	HIS
2	B	179	HIS
2	B	183	HIS
2	B	254	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	B	296	HIS
2	B	395	HIS
2	B	396	GLN
1	C	59	ASN
1	C	60	HIS
1	C	62	ASN
1	C	85	GLN
1	C	119	HIS
1	C	268	HIS
2	D	233	HIS
2	D	254	GLN
2	D	296	HIS
2	D	361	HIS
2	D	395	HIS
2	D	403	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

2 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
1	TPO	A	160	1	8,10,11	0.88	0	10,14,16	1.19	1 (10%)
1	TPO	C	160	1	8,10,11	0.98	0	10,14,16	0.86	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	TPO	A	160	1	-	0/9/11/13	-
1	TPO	C	160	1	-	0/9/11/13	-

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
1	A	160	TPO	O-C-CA	-2.01	119.50	124.78

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	4SP	A	1298	-	28,31,31	2.15	5 (17%)	35,44,44	2.12	10 (28%)
4	SGM	B	1433	-	5,5,5	0.62	0	5,5,5	0.58	0
3	4SP	C	1297	-	28,31,31	1.95	4 (14%)	35,44,44	2.07	6 (17%)
4	SGM	D	1433	-	5,5,5	0.34	0	5,5,5	0.53	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns.

'-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	4SP	A	1298	-	-	4/15/23/23	0/4/4/4
4	SGM	B	1433	-	-	1/4/4/4	-
3	4SP	C	1297	-	-	4/15/23/23	0/4/4/4
4	SGM	D	1433	-	-	2/4/4/4	-

All (9) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	1298	4SP	C20-S23	-8.88	1.63	1.77
3	C	1297	4SP	C20-S23	-7.88	1.64	1.77
3	A	1298	4SP	S23-N26	-4.08	1.52	1.60
3	C	1297	4SP	S23-N26	-3.33	1.53	1.60
3	A	1298	4SP	O24-S23	2.67	1.48	1.43
3	C	1297	4SP	C6-N1	2.63	1.36	1.31
3	A	1298	4SP	C6-N1	2.52	1.36	1.31
3	C	1297	4SP	O25-S23	2.47	1.48	1.43
3	A	1298	4SP	O25-S23	2.38	1.48	1.43

All (16) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	1298	4SP	O25-S23-O24	-6.23	108.52	118.76
3	C	1297	4SP	O25-S23-O24	-6.17	108.61	118.76
3	C	1297	4SP	C2-N3-C4	5.09	121.06	115.28
3	C	1297	4SP	N3-C2-N1	-4.42	119.24	126.23
3	A	1298	4SP	C2-N1-C6	4.31	122.79	115.18
3	A	1298	4SP	C2-N3-C4	4.30	120.16	115.28
3	A	1298	4SP	N3-C2-N1	-4.24	119.52	126.23
3	C	1297	4SP	O25-S23-N26	4.22	113.62	107.36
3	C	1297	4SP	C2-N1-C6	3.89	122.05	115.18
3	A	1298	4SP	C20-S23-N26	3.70	113.62	108.38
3	A	1298	4SP	O24-S23-C20	2.72	110.39	107.35
3	A	1298	4SP	O25-S23-N26	2.64	111.27	107.36
3	C	1297	4SP	C15-C16-C11	-2.40	107.62	112.15
3	A	1298	4SP	C5-C6-N1	-2.38	118.72	123.26
3	A	1298	4SP	C15-C16-C11	-2.12	108.14	112.15
3	A	1298	4SP	C21-C20-C19	-2.05	117.58	120.44

There are no chirality outliers.

All (11) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
4	D	1433	SGM	C1-C2-C3-O3
4	D	1433	SGM	O2-C2-C3-O3
3	A	1298	4SP	C19-C20-S23-O24
3	A	1298	4SP	C21-C20-S23-O24
3	C	1297	4SP	C21-C20-S23-O24
3	A	1298	4SP	C19-C20-S23-N26
3	C	1297	4SP	C19-C20-S23-O24
3	C	1297	4SP	C19-C20-S23-N26
3	A	1298	4SP	C21-C20-S23-N26
3	C	1297	4SP	C21-C20-S23-N26
4	B	1433	SGM	S1-C1-C2-O2

There are no ring outliers.

3 monomers are involved in 5 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	1298	4SP	1	0
3	C	1297	4SP	3	0
4	D	1433	SGM	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	297/302 (98%)	0.13	9 (3%) 50 57	5, 11, 28, 34	1 (0%)
1	C	265/302 (87%)	0.67	34 (12%) 3 5	4, 12, 26, 33	0
2	B	255/260 (98%)	0.09	7 (2%) 54 62	6, 13, 25, 44	0
2	D	255/260 (98%)	0.84	44 (17%) 1 1	7, 14, 25, 44	0
All	All	1072/1124 (95%)	0.42	94 (8%) 10 13	4, 13, 26, 44	1 (0%)

All (94) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	D	432	LEU	11.0
1	A	40	GLU	5.7
1	A	39	THR	5.7
2	D	423	LEU	5.4
2	D	419	HIS	5.0
1	C	295	HIS	4.8
2	D	391	LEU	4.6
2	D	367	VAL	4.5
1	C	287	GLN	4.5
1	A	38	ASP	4.3
1	C	293	VAL	4.3
1	A	96	LEU	4.3
2	D	418	TYR	4.3
1	C	256	ASP	4.2
2	B	431	ASN	4.2
2	D	415	ASN	4.2
2	D	368	THR	3.8
2	D	417	LYS	3.8
2	D	372	TRP	3.7
1	C	262	LEU	3.7
1	C	288	ASP	3.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	41	THR	3.6
2	D	424	LEU	3.5
2	D	422	SER	3.5
2	D	364	LEU	3.5
1	C	218	THR	3.5
1	C	273	LYS	3.4
1	C	253	PRO	3.4
2	D	328	LYS	3.4
2	D	360	PHE	3.4
2	D	421	VAL	3.3
2	D	384	LEU	3.3
1	C	285	PHE	3.1
1	C	269	TYR	3.0
2	D	363	ALA	3.0
2	D	357	GLY	3.0
2	D	426	PRO	3.0
1	C	102	PRO	2.9
1	C	271	PRO	2.9
1	C	286	PHE	2.9
2	D	326	ASN	2.9
2	D	327	CYS	2.8
1	C	284	PRO	2.8
2	B	432	LEU	2.8
1	A	36	ARG	2.8
1	C	101	LEU	2.8
1	C	254	PRO	2.7
1	C	39	THR	2.7
1	C	277	ALA	2.7
2	D	324	PRO	2.7
2	D	325	ALA	2.7
1	C	219	LEU	2.6
1	C	257	GLU	2.6
2	D	401	ALA	2.6
2	D	332	LEU	2.6
1	A	272[A]	ASN	2.6
1	C	289	VAL	2.5
2	D	383	THR	2.5
1	A	71	HIS	2.5
1	C	282	ALA	2.5
1	C	175	LEU	2.5
2	D	284	ASP	2.5
2	D	416	SER	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	D	410	ARG	2.4
2	D	319	PHE	2.4
2	D	320	LEU	2.4
2	D	331	SER	2.4
1	C	174	LEU	2.4
1	C	255	LEU	2.4
1	C	294	PRO	2.3
1	A	73	GLU	2.3
2	B	176	PRO	2.3
2	D	382	TYR	2.3
2	B	296	HIS	2.2
1	C	260	ARG	2.2
1	C	36	ARG	2.2
2	D	398	TYR	2.2
2	D	361	HIS	2.2
1	C	192	ILE	2.2
2	D	430	LEU	2.1
2	B	280	TYR	2.1
2	B	428	GLU	2.1
1	C	209	ILE	2.1
2	D	402	PRO	2.1
2	D	395	HIS	2.1
2	D	370	GLN	2.1
1	C	165	THR	2.1
2	D	420	GLY	2.1
2	D	399	LEU	2.1
1	C	290	THR	2.1
2	D	350	TYR	2.1
1	C	71	HIS	2.0
2	B	429	THR	2.0
2	D	337	GLY	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q < 0.9
1	TPO	C	160	11/12	0.96	0.12	7,10,13,13	0
1	TPO	A	160	11/12	0.99	0.14	7,10,11,12	0

6.3 Carbohydrates

There are no monosaccharides in this entry.

6.4 Ligands




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
4	SGM	B	1433	6/6	0.90	0.18	28,31,32,33	0
4	SGM	D	1433	6/6	0.92	0.15	41,42,42,43	0
3	4SP	C	1297	28/28	0.94	0.14	13,15,18,19	0
3	4SP	A	1298	28/28	0.98	0.09	2,2,6,8	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around 4SP C 1297:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.