



# Full wwPDB EM Validation Report (i)

Oct 17, 2023 – 09:20 PM JST

PDB ID : 8IXA  
EMDB ID : EMD-35790  
Title : GMPCPP-Alpha1A/Beta2A-microtubule decorated with kinesin non-seam region  
Authors : Zheng, W.; Zhao, Q.Y.; Diao, L.; Bao, L.; Cong, Y.  
Deposited on : 2023-03-31  
Resolution : 4.20 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at  
<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references \(1\)](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev70  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
MolProbity : 4.02b-467  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
MapQ : 1.9.9  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.36

# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:  
**ELECTRON MICROSCOPY**


The reported resolution of this entry is 4.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5%. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion < 40%). The numeric value is given above the bar.



*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Length	Quality of chain		
2	J	457	19%	91%	• 7%
2	K	457	19%	91%	• 7%
2	L	457	19%	91%	• 7%
2	M	457	15%	91%	• 7%
2	N	457	17%	91%	• 7%
2	O	457	19%	91%	• 7%
2	P	457	16%	91%	• 7%
2	Q	457	17%	91%	• 7%
2	R	457	18%	91%	• 7%
3	S	372	50%	86%	• 13%
3	T	372	53%	86%	• 13%
3	U	372	55%	86%	• 13%
3	V	372	48%	86%	• 13%
3	W	372	55%	86%	• 13%
3	X	372	57%	86%	• 13%
3	Y	372	48%	86%	• 13%
3	Z	372	52%	86%	• 13%
3	a	372	55%	86%	• 13%

## 2 Entry composition (i)

There are 6 unique types of molecules in this entry. The entry contains 84087 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Tubulin alpha-1A chain.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	I	427	Total	C	N	O	S	0	0
			3350	2124	570	635	21		
1	A	427	Total	C	N	O	S	0	0
			3350	2124	570	635	21		
1	B	427	Total	C	N	O	S	0	0
			3350	2124	570	635	21		
1	C	427	Total	C	N	O	S	0	0
			3350	2124	570	635	21		
1	D	427	Total	C	N	O	S	0	0
			3350	2124	570	635	21		
1	E	427	Total	C	N	O	S	0	0
			3350	2124	570	635	21		
1	F	427	Total	C	N	O	S	0	0
			3350	2124	570	635	21		
1	G	427	Total	C	N	O	S	0	0
			3350	2124	570	635	21		
1	H	427	Total	C	N	O	S	0	0
			3350	2124	570	635	21		

There are 54 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
I	43	HIS	-	insertion	UNP P68369
I	44	HIS	-	insertion	UNP P68369
I	45	HIS	-	insertion	UNP P68369
I	46	HIS	-	insertion	UNP P68369
I	47	HIS	-	insertion	UNP P68369
I	48	HIS	-	insertion	UNP P68369
A	43	HIS	-	insertion	UNP P68369
A	44	HIS	-	insertion	UNP P68369
A	45	HIS	-	insertion	UNP P68369
A	46	HIS	-	insertion	UNP P68369
A	47	HIS	-	insertion	UNP P68369
A	48	HIS	-	insertion	UNP P68369

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
B	43	HIS	-	insertion	UNP P68369
B	44	HIS	-	insertion	UNP P68369
B	45	HIS	-	insertion	UNP P68369
B	46	HIS	-	insertion	UNP P68369
B	47	HIS	-	insertion	UNP P68369
B	48	HIS	-	insertion	UNP P68369
C	43	HIS	-	insertion	UNP P68369
C	44	HIS	-	insertion	UNP P68369
C	45	HIS	-	insertion	UNP P68369
C	46	HIS	-	insertion	UNP P68369
C	47	HIS	-	insertion	UNP P68369
C	48	HIS	-	insertion	UNP P68369
D	43	HIS	-	insertion	UNP P68369
D	44	HIS	-	insertion	UNP P68369
D	45	HIS	-	insertion	UNP P68369
D	46	HIS	-	insertion	UNP P68369
D	47	HIS	-	insertion	UNP P68369
D	48	HIS	-	insertion	UNP P68369
E	43	HIS	-	insertion	UNP P68369
E	44	HIS	-	insertion	UNP P68369
E	45	HIS	-	insertion	UNP P68369
E	46	HIS	-	insertion	UNP P68369
E	47	HIS	-	insertion	UNP P68369
E	48	HIS	-	insertion	UNP P68369
F	43	HIS	-	insertion	UNP P68369
F	44	HIS	-	insertion	UNP P68369
F	45	HIS	-	insertion	UNP P68369
F	46	HIS	-	insertion	UNP P68369
F	47	HIS	-	insertion	UNP P68369
F	48	HIS	-	insertion	UNP P68369
G	43	HIS	-	insertion	UNP P68369
G	44	HIS	-	insertion	UNP P68369
G	45	HIS	-	insertion	UNP P68369
G	46	HIS	-	insertion	UNP P68369
G	47	HIS	-	insertion	UNP P68369
G	48	HIS	-	insertion	UNP P68369
H	43	HIS	-	insertion	UNP P68369
H	44	HIS	-	insertion	UNP P68369
H	45	HIS	-	insertion	UNP P68369
H	46	HIS	-	insertion	UNP P68369
H	47	HIS	-	insertion	UNP P68369
H	48	HIS	-	insertion	UNP P68369

- Molecule 2 is a protein called Tubulin beta-2A chain.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	Q	426	Total	C	N	O	S		
			3354	2107	575	646	26	0	0
2	J	426	Total	C	N	O	S		
			3354	2107	575	646	26	0	0
2	K	426	Total	C	N	O	S		
			3354	2107	575	646	26	0	0
2	L	426	Total	C	N	O	S		
			3354	2107	575	646	26	0	0
2	M	426	Total	C	N	O	S		
			3354	2107	575	646	26	0	0
2	N	426	Total	C	N	O	S		
			3354	2107	575	646	26	0	0
2	O	426	Total	C	N	O	S		
			3354	2107	575	646	26	0	0
2	P	426	Total	C	N	O	S		
			3354	2107	575	646	26	0	0
2	R	426	Total	C	N	O	S		
			3354	2107	575	646	26	0	0

There are 108 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
Q	446	GLY	-	expression tag	UNP Q7TMM9
Q	447	GLY	-	expression tag	UNP Q7TMM9
Q	448	SER	-	expression tag	UNP Q7TMM9
Q	449	GLY	-	expression tag	UNP Q7TMM9
Q	450	GLY	-	expression tag	UNP Q7TMM9
Q	451	ASP	-	expression tag	UNP Q7TMM9
Q	452	TYR	-	expression tag	UNP Q7TMM9
Q	453	LYS	-	expression tag	UNP Q7TMM9
Q	454	ASP	-	expression tag	UNP Q7TMM9
Q	455	ASP	-	expression tag	UNP Q7TMM9
Q	456	ASP	-	expression tag	UNP Q7TMM9
Q	457	LYS	-	expression tag	UNP Q7TMM9
J	446	GLY	-	expression tag	UNP Q7TMM9
J	447	GLY	-	expression tag	UNP Q7TMM9
J	448	SER	-	expression tag	UNP Q7TMM9
J	449	GLY	-	expression tag	UNP Q7TMM9
J	450	GLY	-	expression tag	UNP Q7TMM9
J	451	ASP	-	expression tag	UNP Q7TMM9
J	452	TYR	-	expression tag	UNP Q7TMM9
J	453	LYS	-	expression tag	UNP Q7TMM9

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
J	454	ASP	-	expression tag	UNP Q7TMM9
J	455	ASP	-	expression tag	UNP Q7TMM9
J	456	ASP	-	expression tag	UNP Q7TMM9
J	457	LYS	-	expression tag	UNP Q7TMM9
K	446	GLY	-	expression tag	UNP Q7TMM9
K	447	GLY	-	expression tag	UNP Q7TMM9
K	448	SER	-	expression tag	UNP Q7TMM9
K	449	GLY	-	expression tag	UNP Q7TMM9
K	450	GLY	-	expression tag	UNP Q7TMM9
K	451	ASP	-	expression tag	UNP Q7TMM9
K	452	TYR	-	expression tag	UNP Q7TMM9
K	453	LYS	-	expression tag	UNP Q7TMM9
K	454	ASP	-	expression tag	UNP Q7TMM9
K	455	ASP	-	expression tag	UNP Q7TMM9
K	456	ASP	-	expression tag	UNP Q7TMM9
K	457	LYS	-	expression tag	UNP Q7TMM9
L	446	GLY	-	expression tag	UNP Q7TMM9
L	447	GLY	-	expression tag	UNP Q7TMM9
L	448	SER	-	expression tag	UNP Q7TMM9
L	449	GLY	-	expression tag	UNP Q7TMM9
L	450	GLY	-	expression tag	UNP Q7TMM9
L	451	ASP	-	expression tag	UNP Q7TMM9
L	452	TYR	-	expression tag	UNP Q7TMM9
L	453	LYS	-	expression tag	UNP Q7TMM9
L	454	ASP	-	expression tag	UNP Q7TMM9
L	455	ASP	-	expression tag	UNP Q7TMM9
L	456	ASP	-	expression tag	UNP Q7TMM9
L	457	LYS	-	expression tag	UNP Q7TMM9
M	446	GLY	-	expression tag	UNP Q7TMM9
M	447	GLY	-	expression tag	UNP Q7TMM9
M	448	SER	-	expression tag	UNP Q7TMM9
M	449	GLY	-	expression tag	UNP Q7TMM9
M	450	GLY	-	expression tag	UNP Q7TMM9
M	451	ASP	-	expression tag	UNP Q7TMM9
M	452	TYR	-	expression tag	UNP Q7TMM9
M	453	LYS	-	expression tag	UNP Q7TMM9
M	454	ASP	-	expression tag	UNP Q7TMM9
M	455	ASP	-	expression tag	UNP Q7TMM9
M	456	ASP	-	expression tag	UNP Q7TMM9
M	457	LYS	-	expression tag	UNP Q7TMM9
N	446	GLY	-	expression tag	UNP Q7TMM9
N	447	GLY	-	expression tag	UNP Q7TMM9

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
N	448	SER	-	expression tag	UNP Q7TMM9
N	449	GLY	-	expression tag	UNP Q7TMM9
N	450	GLY	-	expression tag	UNP Q7TMM9
N	451	ASP	-	expression tag	UNP Q7TMM9
N	452	TYR	-	expression tag	UNP Q7TMM9
N	453	LYS	-	expression tag	UNP Q7TMM9
N	454	ASP	-	expression tag	UNP Q7TMM9
N	455	ASP	-	expression tag	UNP Q7TMM9
N	456	ASP	-	expression tag	UNP Q7TMM9
N	457	LYS	-	expression tag	UNP Q7TMM9
O	446	GLY	-	expression tag	UNP Q7TMM9
O	447	GLY	-	expression tag	UNP Q7TMM9
O	448	SER	-	expression tag	UNP Q7TMM9
O	449	GLY	-	expression tag	UNP Q7TMM9
O	450	GLY	-	expression tag	UNP Q7TMM9
O	451	ASP	-	expression tag	UNP Q7TMM9
O	452	TYR	-	expression tag	UNP Q7TMM9
O	453	LYS	-	expression tag	UNP Q7TMM9
O	454	ASP	-	expression tag	UNP Q7TMM9
O	455	ASP	-	expression tag	UNP Q7TMM9
O	456	ASP	-	expression tag	UNP Q7TMM9
O	457	LYS	-	expression tag	UNP Q7TMM9
P	446	GLY	-	expression tag	UNP Q7TMM9
P	447	GLY	-	expression tag	UNP Q7TMM9
P	448	SER	-	expression tag	UNP Q7TMM9
P	449	GLY	-	expression tag	UNP Q7TMM9
P	450	GLY	-	expression tag	UNP Q7TMM9
P	451	ASP	-	expression tag	UNP Q7TMM9
P	452	TYR	-	expression tag	UNP Q7TMM9
P	453	LYS	-	expression tag	UNP Q7TMM9
P	454	ASP	-	expression tag	UNP Q7TMM9
P	455	ASP	-	expression tag	UNP Q7TMM9
P	456	ASP	-	expression tag	UNP Q7TMM9
P	457	LYS	-	expression tag	UNP Q7TMM9
R	446	GLY	-	expression tag	UNP Q7TMM9
R	447	GLY	-	expression tag	UNP Q7TMM9
R	448	SER	-	expression tag	UNP Q7TMM9
R	449	GLY	-	expression tag	UNP Q7TMM9
R	450	GLY	-	expression tag	UNP Q7TMM9
R	451	ASP	-	expression tag	UNP Q7TMM9
R	452	TYR	-	expression tag	UNP Q7TMM9
R	453	LYS	-	expression tag	UNP Q7TMM9

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
R	454	ASP	-	expression tag	UNP Q7TMM9
R	455	ASP	-	expression tag	UNP Q7TMM9
R	456	ASP	-	expression tag	UNP Q7TMM9
R	457	LYS	-	expression tag	UNP Q7TMM9

- Molecule 3 is a protein called Kinesin-1 heavy chain.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	Y	325	Total 2544	C 1585	N 438	O 506	S 15	0	0
3	S	325	Total 2544	C 1585	N 438	O 506	S 15	0	0
3	T	325	Total 2544	C 1585	N 438	O 506	S 15	0	0
3	U	325	Total 2544	C 1585	N 438	O 506	S 15	0	0
3	V	325	Total 2544	C 1585	N 438	O 506	S 15	0	0
3	W	325	Total 2544	C 1585	N 438	O 506	S 15	0	0
3	X	325	Total 2544	C 1585	N 438	O 506	S 15	0	0
3	Z	325	Total 2544	C 1585	N 438	O 506	S 15	0	0
3	a	325	Total 2544	C 1585	N 438	O 506	S 15	0	0

There are 216 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
Y	-22	MET	-	initiating methionine	UNP P33176
Y	-21	GLY	-	expression tag	UNP P33176
Y	-20	SER	-	expression tag	UNP P33176
Y	-19	SER	-	expression tag	UNP P33176
Y	-18	HIS	-	expression tag	UNP P33176
Y	-17	HIS	-	expression tag	UNP P33176
Y	-16	HIS	-	expression tag	UNP P33176
Y	-15	HIS	-	expression tag	UNP P33176
Y	-14	HIS	-	expression tag	UNP P33176
Y	-13	HIS	-	expression tag	UNP P33176
Y	-12	SER	-	expression tag	UNP P33176
Y	-11	SER	-	expression tag	UNP P33176

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
Y	-10	GLY	-	expression tag	UNP P33176
Y	-9	LEU	-	expression tag	UNP P33176
Y	-8	VAL	-	expression tag	UNP P33176
Y	-7	PRO	-	expression tag	UNP P33176
Y	-6	ARG	-	expression tag	UNP P33176
Y	-5	GLY	-	expression tag	UNP P33176
Y	-4	SER	-	expression tag	UNP P33176
Y	-3	HIS	-	expression tag	UNP P33176
Y	-2	MET	-	expression tag	UNP P33176
Y	-1	ALA	-	expression tag	UNP P33176
Y	0	SER	-	expression tag	UNP P33176
Y	236	ALA	GLU	conflict	UNP P33176
S	-22	MET	-	initiating methionine	UNP P33176
S	-21	GLY	-	expression tag	UNP P33176
S	-20	SER	-	expression tag	UNP P33176
S	-19	SER	-	expression tag	UNP P33176
S	-18	HIS	-	expression tag	UNP P33176
S	-17	HIS	-	expression tag	UNP P33176
S	-16	HIS	-	expression tag	UNP P33176
S	-15	HIS	-	expression tag	UNP P33176
S	-14	HIS	-	expression tag	UNP P33176
S	-13	HIS	-	expression tag	UNP P33176
S	-12	SER	-	expression tag	UNP P33176
S	-11	SER	-	expression tag	UNP P33176
S	-10	GLY	-	expression tag	UNP P33176
S	-9	LEU	-	expression tag	UNP P33176
S	-8	VAL	-	expression tag	UNP P33176
S	-7	PRO	-	expression tag	UNP P33176
S	-6	ARG	-	expression tag	UNP P33176
S	-5	GLY	-	expression tag	UNP P33176
S	-4	SER	-	expression tag	UNP P33176
S	-3	HIS	-	expression tag	UNP P33176
S	-2	MET	-	expression tag	UNP P33176
S	-1	ALA	-	expression tag	UNP P33176
S	0	SER	-	expression tag	UNP P33176
S	236	ALA	GLU	conflict	UNP P33176
T	-22	MET	-	initiating methionine	UNP P33176
T	-21	GLY	-	expression tag	UNP P33176
T	-20	SER	-	expression tag	UNP P33176
T	-19	SER	-	expression tag	UNP P33176
T	-18	HIS	-	expression tag	UNP P33176
T	-17	HIS	-	expression tag	UNP P33176

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
T	-16	HIS	-	expression tag	UNP P33176
T	-15	HIS	-	expression tag	UNP P33176
T	-14	HIS	-	expression tag	UNP P33176
T	-13	HIS	-	expression tag	UNP P33176
T	-12	SER	-	expression tag	UNP P33176
T	-11	SER	-	expression tag	UNP P33176
T	-10	GLY	-	expression tag	UNP P33176
T	-9	LEU	-	expression tag	UNP P33176
T	-8	VAL	-	expression tag	UNP P33176
T	-7	PRO	-	expression tag	UNP P33176
T	-6	ARG	-	expression tag	UNP P33176
T	-5	GLY	-	expression tag	UNP P33176
T	-4	SER	-	expression tag	UNP P33176
T	-3	HIS	-	expression tag	UNP P33176
T	-2	MET	-	expression tag	UNP P33176
T	-1	ALA	-	expression tag	UNP P33176
T	0	SER	-	expression tag	UNP P33176
T	236	ALA	GLU	conflict	UNP P33176
U	-22	MET	-	initiating methionine	UNP P33176
U	-21	GLY	-	expression tag	UNP P33176
U	-20	SER	-	expression tag	UNP P33176
U	-19	SER	-	expression tag	UNP P33176
U	-18	HIS	-	expression tag	UNP P33176
U	-17	HIS	-	expression tag	UNP P33176
U	-16	HIS	-	expression tag	UNP P33176
U	-15	HIS	-	expression tag	UNP P33176
U	-14	HIS	-	expression tag	UNP P33176
U	-13	HIS	-	expression tag	UNP P33176
U	-12	SER	-	expression tag	UNP P33176
U	-11	SER	-	expression tag	UNP P33176
U	-10	GLY	-	expression tag	UNP P33176
U	-9	LEU	-	expression tag	UNP P33176
U	-8	VAL	-	expression tag	UNP P33176
U	-7	PRO	-	expression tag	UNP P33176
U	-6	ARG	-	expression tag	UNP P33176
U	-5	GLY	-	expression tag	UNP P33176
U	-4	SER	-	expression tag	UNP P33176
U	-3	HIS	-	expression tag	UNP P33176
U	-2	MET	-	expression tag	UNP P33176
U	-1	ALA	-	expression tag	UNP P33176
U	0	SER	-	expression tag	UNP P33176
U	236	ALA	GLU	conflict	UNP P33176

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
V	-22	MET	-	initiating methionine	UNP P33176
V	-21	GLY	-	expression tag	UNP P33176
V	-20	SER	-	expression tag	UNP P33176
V	-19	SER	-	expression tag	UNP P33176
V	-18	HIS	-	expression tag	UNP P33176
V	-17	HIS	-	expression tag	UNP P33176
V	-16	HIS	-	expression tag	UNP P33176
V	-15	HIS	-	expression tag	UNP P33176
V	-14	HIS	-	expression tag	UNP P33176
V	-13	HIS	-	expression tag	UNP P33176
V	-12	SER	-	expression tag	UNP P33176
V	-11	SER	-	expression tag	UNP P33176
V	-10	GLY	-	expression tag	UNP P33176
V	-9	LEU	-	expression tag	UNP P33176
V	-8	VAL	-	expression tag	UNP P33176
V	-7	PRO	-	expression tag	UNP P33176
V	-6	ARG	-	expression tag	UNP P33176
V	-5	GLY	-	expression tag	UNP P33176
V	-4	SER	-	expression tag	UNP P33176
V	-3	HIS	-	expression tag	UNP P33176
V	-2	MET	-	expression tag	UNP P33176
V	-1	ALA	-	expression tag	UNP P33176
V	0	SER	-	expression tag	UNP P33176
V	236	ALA	GLU	conflict	UNP P33176
W	-22	MET	-	initiating methionine	UNP P33176
W	-21	GLY	-	expression tag	UNP P33176
W	-20	SER	-	expression tag	UNP P33176
W	-19	SER	-	expression tag	UNP P33176
W	-18	HIS	-	expression tag	UNP P33176
W	-17	HIS	-	expression tag	UNP P33176
W	-16	HIS	-	expression tag	UNP P33176
W	-15	HIS	-	expression tag	UNP P33176
W	-14	HIS	-	expression tag	UNP P33176
W	-13	HIS	-	expression tag	UNP P33176
W	-12	SER	-	expression tag	UNP P33176
W	-11	SER	-	expression tag	UNP P33176
W	-10	GLY	-	expression tag	UNP P33176
W	-9	LEU	-	expression tag	UNP P33176
W	-8	VAL	-	expression tag	UNP P33176
W	-7	PRO	-	expression tag	UNP P33176
W	-6	ARG	-	expression tag	UNP P33176
W	-5	GLY	-	expression tag	UNP P33176

*Continued on next page...*

*Continued from previous page...*


Chain	Residue	Modelled	Actual	Comment	Reference
W	-4	SER	-	expression tag	UNP P33176
W	-3	HIS	-	expression tag	UNP P33176
W	-2	MET	-	expression tag	UNP P33176
W	-1	ALA	-	expression tag	UNP P33176
W	0	SER	-	expression tag	UNP P33176
W	236	ALA	GLU	conflict	UNP P33176
X	-22	MET	-	initiating methionine	UNP P33176
X	-21	GLY	-	expression tag	UNP P33176
X	-20	SER	-	expression tag	UNP P33176
X	-19	SER	-	expression tag	UNP P33176
X	-18	HIS	-	expression tag	UNP P33176
X	-17	HIS	-	expression tag	UNP P33176
X	-16	HIS	-	expression tag	UNP P33176
X	-15	HIS	-	expression tag	UNP P33176
X	-14	HIS	-	expression tag	UNP P33176
X	-13	HIS	-	expression tag	UNP P33176
X	-12	SER	-	expression tag	UNP P33176
X	-11	SER	-	expression tag	UNP P33176
X	-10	GLY	-	expression tag	UNP P33176
X	-9	LEU	-	expression tag	UNP P33176
X	-8	VAL	-	expression tag	UNP P33176
X	-7	PRO	-	expression tag	UNP P33176
X	-6	ARG	-	expression tag	UNP P33176
X	-5	GLY	-	expression tag	UNP P33176
X	-4	SER	-	expression tag	UNP P33176
X	-3	HIS	-	expression tag	UNP P33176
X	-2	MET	-	expression tag	UNP P33176
X	-1	ALA	-	expression tag	UNP P33176
X	0	SER	-	expression tag	UNP P33176
X	236	ALA	GLU	conflict	UNP P33176
Z	-22	MET	-	initiating methionine	UNP P33176
Z	-21	GLY	-	expression tag	UNP P33176
Z	-20	SER	-	expression tag	UNP P33176
Z	-19	SER	-	expression tag	UNP P33176
Z	-18	HIS	-	expression tag	UNP P33176
Z	-17	HIS	-	expression tag	UNP P33176
Z	-16	HIS	-	expression tag	UNP P33176
Z	-15	HIS	-	expression tag	UNP P33176
Z	-14	HIS	-	expression tag	UNP P33176
Z	-13	HIS	-	expression tag	UNP P33176
Z	-12	SER	-	expression tag	UNP P33176
Z	-11	SER	-	expression tag	UNP P33176

*Continued on next page...*

*Continued from previous page...*


Chain	Residue	Modelled	Actual	Comment	Reference
Z	-10	GLY	-	expression tag	UNP P33176
Z	-9	LEU	-	expression tag	UNP P33176
Z	-8	VAL	-	expression tag	UNP P33176
Z	-7	PRO	-	expression tag	UNP P33176
Z	-6	ARG	-	expression tag	UNP P33176
Z	-5	GLY	-	expression tag	UNP P33176
Z	-4	SER	-	expression tag	UNP P33176
Z	-3	HIS	-	expression tag	UNP P33176
Z	-2	MET	-	expression tag	UNP P33176
Z	-1	ALA	-	expression tag	UNP P33176
Z	0	SER	-	expression tag	UNP P33176
Z	236	ALA	GLU	conflict	UNP P33176
a	-22	MET	-	initiating methionine	UNP P33176
a	-21	GLY	-	expression tag	UNP P33176
a	-20	SER	-	expression tag	UNP P33176
a	-19	SER	-	expression tag	UNP P33176
a	-18	HIS	-	expression tag	UNP P33176
a	-17	HIS	-	expression tag	UNP P33176
a	-16	HIS	-	expression tag	UNP P33176
a	-15	HIS	-	expression tag	UNP P33176
a	-14	HIS	-	expression tag	UNP P33176
a	-13	HIS	-	expression tag	UNP P33176
a	-12	SER	-	expression tag	UNP P33176
a	-11	SER	-	expression tag	UNP P33176
a	-10	GLY	-	expression tag	UNP P33176
a	-9	LEU	-	expression tag	UNP P33176
a	-8	VAL	-	expression tag	UNP P33176
a	-7	PRO	-	expression tag	UNP P33176
a	-6	ARG	-	expression tag	UNP P33176
a	-5	GLY	-	expression tag	UNP P33176
a	-4	SER	-	expression tag	UNP P33176
a	-3	HIS	-	expression tag	UNP P33176
a	-2	MET	-	expression tag	UNP P33176
a	-1	ALA	-	expression tag	UNP P33176
a	0	SER	-	expression tag	UNP P33176
a	236	ALA	GLU	conflict	UNP P33176

- Molecule 4 is GUANOSINE-5'-TRIPHOSPHATE (three-letter code: GTP) (formula: C<sub>10</sub>H<sub>16</sub>N<sub>5</sub>O<sub>14</sub>P<sub>3</sub>).




Mol	Chain	Residues	Atoms					AltConf
4	Q	1	Total 32	C 10	N 5	O 14	P 3	0
4	J	1	Total 32	C 10	N 5	O 14	P 3	0
4	K	1	Total 32	C 10	N 5	O 14	P 3	0
4	L	1	Total 32	C 10	N 5	O 14	P 3	0
4	M	1	Total 32	C 10	N 5	O 14	P 3	0
4	N	1	Total 32	C 10	N 5	O 14	P 3	0
4	O	1	Total 32	C 10	N 5	O 14	P 3	0
4	P	1	Total 32	C 10	N 5	O 14	P 3	0
4	R	1	Total 32	C 10	N 5	O 14	P 3	0

- Molecule 5 is PHOSPHOMETHYLPHOSPHONIC ACID GUANYLATE ESTER (three-letter code: G2P) (formula: C<sub>11</sub>H<sub>18</sub>N<sub>5</sub>O<sub>13</sub>P<sub>3</sub>).



Mol	Chain	Residues	Atoms					AltConf
5	Q	1	Total		C	N	O	P
			32		11	5	13	3
5	J	1	Total		C	N	O	P
			32		11	5	13	3
5	K	1	Total		C	N	O	P
			32		11	5	13	3
5	L	1	Total		C	N	O	P
			32		11	5	13	3
5	M	1	Total		C	N	O	P
			32		11	5	13	3
5	N	1	Total		C	N	O	P
			32		11	5	13	3
5	O	1	Total		C	N	O	P
			32		11	5	13	3
5	P	1	Total		C	N	O	P
			32		11	5	13	3
5	R	1	Total		C	N	O	P
			32		11	5	13	3

- Molecule 6 is ADENOSINE-5'-TRIPHOSPHATE (three-letter code: ATP) (formula:  $C_{10}H_{16}N_5O_{13}P_3$ ).




Mol	Chain	Residues	Atoms					AltConf
6	Y	1	Total 31	C 10	N 5	O 13	P 3	0
6	S	1	Total 31	C 10	N 5	O 13	P 3	0
6	T	1	Total 31	C 10	N 5	O 13	P 3	0
6	U	1	Total 31	C 10	N 5	O 13	P 3	0
6	V	1	Total 31	C 10	N 5	O 13	P 3	0
6	W	1	Total 31	C 10	N 5	O 13	P 3	0
6	X	1	Total 31	C 10	N 5	O 13	P 3	0
6	Z	1	Total 31	C 10	N 5	O 13	P 3	0
6	a	1	Total 31	C 10	N 5	O 13	P 3	0


### 3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



- Molecule 1: Tubulin alpha-1A chain





- Molecule 1: Tubulin alpha-1A chain





- Molecule 1: Tubulin alpha-1A chain



- Molecule 1: Tubulin alpha-1A chain



- Molecule 1: Tubulin alpha-1A chain




- Molecule 1: Tubulin alpha-1A chain







- Molecule 2: Tubulin beta-2A chain





- Molecule 2: Tubulin beta-2A chain





- Molecule 2: Tubulin beta-2A chain





- Molecule 2: Tubulin beta-2A chain




- Molecule 2: Tubulin beta-2A chain






- Molecule 2: Tubulin beta-2A chain



- Molecule 2: Tubulin beta-2A chain





- Molecule 3: Kinesin-1 heavy chain


Chain Y: 48%  
86%  
13%



- Molecule 3: Kinesin-1 heavy chain





Chain S: 50%  
86%  
13%





LYS  
GLU  
GLU

- Molecule 3: Kinesin-1 heavy chain



WORLDWIDE  
**wwPDB**  
PROTEIN DATA BANK









WORLDWIDE  
**wwPDB**  
PROTEIN DATA BANK



WORLDWIDE  
**wwPDB**  
PROTEIN DATA BANK



- Molecule 3: Kinesin-1 heavy chain







## 4 Experimental information (i)

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	19287	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	NONE	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ( $e^-/\text{\AA}^2$ )	36	Depositor
Minimum defocus (nm)	800	Depositor
Maximum defocus (nm)	1500	Depositor
Magnification	Not provided	
Image detector	GATAN K2 SUMMIT (4k x 4k)	Depositor
Maximum map value	2.477	Depositor
Minimum map value	-0.007	Depositor
Average map value	0.006	Depositor
Map value standard deviation	0.061	Depositor
Recommended contour level	0.2	Depositor
Map size (Å)	674.816, 674.816, 674.816	wwPDB
Map dimensions	512, 512, 512	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.318, 1.318, 1.318	Depositor

## 5 Model quality i

### 5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: ATP, G2P, GTP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.29	0/3426	0.61	2/4651 (0.0%)
1	B	0.29	0/3426	0.61	2/4651 (0.0%)
1	C	0.29	0/3426	0.61	2/4651 (0.0%)
1	D	0.29	0/3426	0.61	2/4651 (0.0%)
1	E	0.29	0/3426	0.61	2/4651 (0.0%)
1	F	0.29	0/3426	0.61	2/4651 (0.0%)
1	G	0.29	0/3426	0.61	2/4651 (0.0%)
1	H	0.29	0/3426	0.61	2/4651 (0.0%)
1	I	0.29	0/3426	0.61	2/4651 (0.0%)
2	J	0.29	0/3429	0.58	0/4643
2	K	0.29	0/3429	0.58	0/4643
2	L	0.29	0/3429	0.58	0/4643
2	M	0.29	0/3429	0.58	0/4643
2	N	0.29	0/3429	0.58	0/4643
2	O	0.29	0/3429	0.58	0/4643
2	P	0.29	0/3429	0.58	0/4643
2	Q	0.29	0/3429	0.58	0/4643
2	R	0.29	0/3429	0.58	0/4643
3	S	0.28	0/2583	0.56	0/3482
3	T	0.28	0/2583	0.56	0/3482
3	U	0.28	0/2583	0.56	0/3482
3	V	0.28	0/2583	0.56	0/3482
3	W	0.28	0/2583	0.56	0/3482
3	X	0.28	0/2583	0.56	0/3482
3	Y	0.28	0/2583	0.56	0/3482
3	Z	0.28	0/2583	0.55	0/3482
3	a	0.28	0/2583	0.56	0/3482
All	All	0.29	0/84942	0.59	18/114984 (0.0%)

There are no bond length outliers.

All (18) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed( $^{\circ}$ )	Ideal( $^{\circ}$ )
1	I	345	ARG	NE-CZ-NH1	6.10	123.35	120.30
1	C	345	ARG	NE-CZ-NH1	6.06	123.33	120.30
1	D	345	ARG	NE-CZ-NH1	6.05	123.33	120.30
1	E	249	ARG	NE-CZ-NH1	6.03	123.32	120.30
1	A	345	ARG	NE-CZ-NH1	6.03	123.31	120.30
1	A	249	ARG	NE-CZ-NH1	6.02	123.31	120.30
1	B	345	ARG	NE-CZ-NH1	6.01	123.31	120.30
1	G	345	ARG	NE-CZ-NH1	6.00	123.30	120.30
1	H	345	ARG	NE-CZ-NH1	5.99	123.29	120.30
1	I	249	ARG	NE-CZ-NH1	5.98	123.29	120.30
1	E	345	ARG	NE-CZ-NH1	5.97	123.28	120.30
1	F	345	ARG	NE-CZ-NH1	5.97	123.28	120.30
1	F	249	ARG	NE-CZ-NH1	5.95	123.27	120.30
1	B	249	ARG	NE-CZ-NH1	5.94	123.27	120.30
1	G	249	ARG	NE-CZ-NH1	5.89	123.25	120.30
1	C	249	ARG	NE-CZ-NH1	5.86	123.23	120.30
1	D	249	ARG	NE-CZ-NH1	5.85	123.23	120.30
1	H	249	ARG	NE-CZ-NH1	5.84	123.22	120.30

There are no chirality outliers.

There are no planarity outliers.

## 5.2 Too-close contacts [\(i\)](#)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

## 5.3 Torsion angles [\(i\)](#)

### 5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	423/457 (93%)	414 (98%)	9 (2%)	0	100 100
1	B	423/457 (93%)	414 (98%)	9 (2%)	0	100 100
1	C	423/457 (93%)	414 (98%)	9 (2%)	0	100 100

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	D	423/457 (93%)	414 (98%)	9 (2%)	0	100 100
1	E	423/457 (93%)	414 (98%)	9 (2%)	0	100 100
1	F	423/457 (93%)	414 (98%)	9 (2%)	0	100 100
1	G	423/457 (93%)	414 (98%)	9 (2%)	0	100 100
1	H	423/457 (93%)	414 (98%)	9 (2%)	0	100 100
1	I	423/457 (93%)	414 (98%)	9 (2%)	0	100 100
2	J	424/457 (93%)	412 (97%)	12 (3%)	0	100 100
2	K	424/457 (93%)	412 (97%)	12 (3%)	0	100 100
2	L	424/457 (93%)	412 (97%)	12 (3%)	0	100 100
2	M	424/457 (93%)	412 (97%)	12 (3%)	0	100 100
2	N	424/457 (93%)	412 (97%)	12 (3%)	0	100 100
2	O	424/457 (93%)	412 (97%)	12 (3%)	0	100 100
2	P	424/457 (93%)	412 (97%)	12 (3%)	0	100 100
2	Q	424/457 (93%)	412 (97%)	12 (3%)	0	100 100
2	R	424/457 (93%)	412 (97%)	12 (3%)	0	100 100
3	S	323/372 (87%)	314 (97%)	9 (3%)	0	100 100
3	T	323/372 (87%)	314 (97%)	9 (3%)	0	100 100
3	U	323/372 (87%)	314 (97%)	9 (3%)	0	100 100
3	V	323/372 (87%)	314 (97%)	9 (3%)	0	100 100
3	W	323/372 (87%)	314 (97%)	9 (3%)	0	100 100
3	X	323/372 (87%)	314 (97%)	9 (3%)	0	100 100
3	Y	323/372 (87%)	314 (97%)	9 (3%)	0	100 100
3	Z	323/372 (87%)	314 (97%)	9 (3%)	0	100 100
3	a	323/372 (87%)	314 (97%)	9 (3%)	0	100 100
All	All	10530/11574 (91%)	10260 (97%)	270 (3%)	0	100 100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains [\(i\)](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	360/384 (94%)	350 (97%)	10 (3%)	43	65
1	B	360/384 (94%)	350 (97%)	10 (3%)	43	65
1	C	360/384 (94%)	350 (97%)	10 (3%)	43	65
1	D	360/384 (94%)	350 (97%)	10 (3%)	43	65
1	E	360/384 (94%)	350 (97%)	10 (3%)	43	65
1	F	360/384 (94%)	350 (97%)	10 (3%)	43	65
1	G	360/384 (94%)	350 (97%)	10 (3%)	43	65
1	H	360/384 (94%)	350 (97%)	10 (3%)	43	65
1	I	360/384 (94%)	350 (97%)	10 (3%)	43	65
2	J	368/390 (94%)	359 (98%)	9 (2%)	49	69
2	K	368/390 (94%)	359 (98%)	9 (2%)	49	69
2	L	368/390 (94%)	359 (98%)	9 (2%)	49	69
2	M	368/390 (94%)	359 (98%)	9 (2%)	49	69
2	N	368/390 (94%)	359 (98%)	9 (2%)	49	69
2	O	368/390 (94%)	359 (98%)	9 (2%)	49	69
2	P	368/390 (94%)	359 (98%)	9 (2%)	49	69
2	Q	368/390 (94%)	359 (98%)	9 (2%)	49	69
2	R	368/390 (94%)	359 (98%)	9 (2%)	49	69
3	S	289/330 (88%)	284 (98%)	5 (2%)	60	78
3	T	289/330 (88%)	284 (98%)	5 (2%)	60	78
3	U	289/330 (88%)	284 (98%)	5 (2%)	60	78
3	V	289/330 (88%)	284 (98%)	5 (2%)	60	78
3	W	289/330 (88%)	284 (98%)	5 (2%)	60	78
3	X	289/330 (88%)	284 (98%)	5 (2%)	60	78
3	Y	289/330 (88%)	284 (98%)	5 (2%)	60	78
3	Z	289/330 (88%)	284 (98%)	5 (2%)	60	78
3	a	289/330 (88%)	284 (98%)	5 (2%)	60	78
All	All	9153/9936 (92%)	8937 (98%)	216 (2%)	51	69

All (216) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	I	22	GLU
1	I	83	GLU
1	I	103	GLU
1	I	115	THR
1	I	119	GLU
1	I	136	THR
1	I	169	LYS
1	I	262	GLN
1	I	429	GLU
1	I	439	GLU
2	Q	111	GLU
2	Q	127	CYS
2	Q	137	HIS
2	Q	215	LEU
2	Q	219	THR
2	Q	284	LEU
2	Q	312	THR
2	Q	328	GLU
2	Q	330	MET
3	Y	134	TYR
3	Y	156	HIS
3	Y	175	SER
3	Y	199	GLU
3	Y	327	ASN
1	A	22	GLU
1	A	83	GLU
1	A	103	GLU
1	A	115	THR
1	A	119	GLU
1	A	136	THR
1	A	169	LYS
1	A	262	GLN
1	A	429	GLU
1	A	439	GLU
2	J	111	GLU
2	J	127	CYS
2	J	137	HIS
2	J	215	LEU
2	J	219	THR
2	J	284	LEU
2	J	312	THR
2	J	328	GLU
2	J	330	MET

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
3	S	134	TYR
3	S	156	HIS
3	S	175	SER
3	S	199	GLU
3	S	327	ASN
1	B	22	GLU
1	B	83	GLU
1	B	103	GLU
1	B	115	THR
1	B	119	GLU
1	B	136	THR
1	B	169	LYS
1	B	262	GLN
1	B	429	GLU
1	B	439	GLU
2	K	111	GLU
2	K	127	CYS
2	K	137	HIS
2	K	215	LEU
2	K	219	THR
2	K	284	LEU
2	K	312	THR
2	K	328	GLU
2	K	330	MET
3	T	134	TYR
3	T	156	HIS
3	T	175	SER
3	T	199	GLU
3	T	327	ASN
1	C	22	GLU
1	C	83	GLU
1	C	103	GLU
1	C	115	THR
1	C	119	GLU
1	C	136	THR
1	C	169	LYS
1	C	262	GLN
1	C	429	GLU
1	C	439	GLU
2	L	111	GLU
2	L	127	CYS
2	L	137	HIS

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
2	L	215	LEU
2	L	219	THR
2	L	284	LEU
2	L	312	THR
2	L	328	GLU
2	L	330	MET
3	U	134	TYR
3	U	156	HIS
3	U	175	SER
3	U	199	GLU
3	U	327	ASN
1	D	22	GLU
1	D	83	GLU
1	D	103	GLU
1	D	115	THR
1	D	119	GLU
1	D	136	THR
1	D	169	LYS
1	D	262	GLN
1	D	429	GLU
1	D	439	GLU
2	M	111	GLU
2	M	127	CYS
2	M	137	HIS
2	M	215	LEU
2	M	219	THR
2	M	284	LEU
2	M	312	THR
2	M	328	GLU
2	M	330	MET
3	V	134	TYR
3	V	156	HIS
3	V	175	SER
3	V	199	GLU
3	V	327	ASN
1	E	22	GLU
1	E	83	GLU
1	E	103	GLU
1	E	115	THR
1	E	119	GLU
1	E	136	THR
1	E	169	LYS

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	E	262	GLN
1	E	429	GLU
1	E	439	GLU
2	N	111	GLU
2	N	127	CYS
2	N	137	HIS
2	N	215	LEU
2	N	219	THR
2	N	284	LEU
2	N	312	THR
2	N	328	GLU
2	N	330	MET
3	W	134	TYR
3	W	156	HIS
3	W	175	SER
3	W	199	GLU
3	W	327	ASN
1	F	22	GLU
1	F	83	GLU
1	F	103	GLU
1	F	115	THR
1	F	119	GLU
1	F	136	THR
1	F	169	LYS
1	F	262	GLN
1	F	429	GLU
1	F	439	GLU
2	O	111	GLU
2	O	127	CYS
2	O	137	HIS
2	O	215	LEU
2	O	219	THR
2	O	284	LEU
2	O	312	THR
2	O	328	GLU
2	O	330	MET
3	X	134	TYR
3	X	156	HIS
3	X	175	SER
3	X	199	GLU
3	X	327	ASN
1	G	22	GLU

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	G	83	GLU
1	G	103	GLU
1	G	115	THR
1	G	119	GLU
1	G	136	THR
1	G	169	LYS
1	G	262	GLN
1	G	429	GLU
1	G	439	GLU
2	P	111	GLU
2	P	127	CYS
2	P	137	HIS
2	P	215	LEU
2	P	219	THR
2	P	284	LEU
2	P	312	THR
2	P	328	GLU
2	P	330	MET
3	Z	134	TYR
3	Z	156	HIS
3	Z	175	SER
3	Z	199	GLU
3	Z	327	ASN
1	H	22	GLU
1	H	83	GLU
1	H	103	GLU
1	H	115	THR
1	H	119	GLU
1	H	136	THR
1	H	169	LYS
1	H	262	GLN
1	H	429	GLU
1	H	439	GLU
2	R	111	GLU
2	R	127	CYS
2	R	137	HIS
2	R	215	LEU
2	R	219	THR
2	R	284	LEU
2	R	312	THR
2	R	328	GLU
2	R	330	MET

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
3	a	134	TYR
3	a	156	HIS
3	a	175	SER
3	a	199	GLU
3	a	327	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (12) such sidechains are listed below:

Mol	Chain	Res	Type
3	Y	218	GLN
2	J	99	ASN
3	S	218	GLN
3	T	218	GLN
3	U	218	GLN
3	V	218	GLN
2	N	99	ASN
3	W	218	GLN
3	X	218	GLN
3	Z	218	GLN
2	R	99	ASN
3	a	218	GLN

### 5.3.3 RNA [\(i\)](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [\(i\)](#)

There are no monosaccharides in this entry.

### 5.6 Ligand geometry [\(i\)](#)

27 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z  > 2$	Counts	RMSZ	# $ Z  > 2$
6	ATP	X	401	-	26,33,33	0.96	2 (7%)	31,52,52	1.58	6 (19%)
6	ATP	V	401	-	26,33,33	0.96	2 (7%)	31,52,52	1.58	6 (19%)
4	GTP	P	501	-	26,34,34	1.13	2 (7%)	32,54,54	1.58	8 (25%)
4	GTP	K	501	-	26,34,34	1.13	2 (7%)	32,54,54	1.58	8 (25%)
6	ATP	Y	401	-	26,33,33	0.97	2 (7%)	31,52,52	1.58	6 (19%)
6	ATP	U	401	-	26,33,33	0.95	1 (3%)	31,52,52	1.58	6 (19%)
6	ATP	W	401	-	26,33,33	0.96	2 (7%)	31,52,52	1.58	6 (19%)
5	G2P	J	502	-	27,34,34	6.07	12 (44%)	33,54,54	1.90	8 (24%)
4	GTP	R	501	-	26,34,34	1.12	2 (7%)	32,54,54	1.58	8 (25%)
4	GTP	L	501	-	26,34,34	1.12	2 (7%)	32,54,54	1.58	8 (25%)
5	G2P	P	502	-	27,34,34	6.06	12 (44%)	33,54,54	1.91	8 (24%)
5	G2P	N	502	-	27,34,34	6.07	12 (44%)	33,54,54	1.90	8 (24%)
4	GTP	Q	501	-	26,34,34	1.12	2 (7%)	32,54,54	1.58	8 (25%)
4	GTP	N	501	-	26,34,34	1.12	2 (7%)	32,54,54	1.58	8 (25%)
4	GTP	O	501	-	26,34,34	1.12	2 (7%)	32,54,54	1.58	8 (25%)
5	G2P	R	502	-	27,34,34	6.07	12 (44%)	33,54,54	1.91	8 (24%)
5	G2P	K	502	-	27,34,34	6.06	12 (44%)	33,54,54	1.91	8 (24%)
5	G2P	L	502	-	27,34,34	6.08	12 (44%)	33,54,54	1.92	8 (24%)
6	ATP	S	401	-	26,33,33	0.96	2 (7%)	31,52,52	1.58	6 (19%)
6	ATP	T	401	-	26,33,33	0.96	2 (7%)	31,52,52	1.58	6 (19%)
6	ATP	a	401	-	26,33,33	0.96	2 (7%)	31,52,52	1.58	5 (16%)
6	ATP	Z	401	-	26,33,33	0.96	2 (7%)	31,52,52	1.58	6 (19%)
5	G2P	M	502	-	27,34,34	6.06	12 (44%)	33,54,54	1.91	8 (24%)
5	G2P	Q	502	-	27,34,34	6.06	12 (44%)	33,54,54	1.91	8 (24%)
5	G2P	O	502	-	27,34,34	6.06	12 (44%)	33,54,54	1.90	8 (24%)
4	GTP	M	501	-	26,34,34	1.12	2 (7%)	32,54,54	1.58	8 (25%)
4	GTP	J	501	-	26,34,34	1.12	2 (7%)	32,54,54	1.58	8 (25%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral

centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	ATP	X	401	-	-	10/18/38/38	0/3/3/3
6	ATP	V	401	-	-	10/18/38/38	0/3/3/3
4	GTP	P	501	-	-	6/18/38/38	0/3/3/3
4	GTP	K	501	-	-	6/18/38/38	0/3/3/3
6	ATP	Y	401	-	-	10/18/38/38	0/3/3/3
6	ATP	U	401	-	-	10/18/38/38	0/3/3/3
6	ATP	W	401	-	-	10/18/38/38	0/3/3/3
5	G2P	J	502	-	-	8/15/38/38	0/3/3/3
4	GTP	R	501	-	-	6/18/38/38	0/3/3/3
4	GTP	L	501	-	-	6/18/38/38	0/3/3/3
5	G2P	P	502	-	-	8/15/38/38	0/3/3/3
5	G2P	N	502	-	-	8/15/38/38	0/3/3/3
4	GTP	Q	501	-	-	6/18/38/38	0/3/3/3
4	GTP	N	501	-	-	6/18/38/38	0/3/3/3
4	GTP	O	501	-	-	6/18/38/38	0/3/3/3
5	G2P	R	502	-	-	8/15/38/38	0/3/3/3
5	G2P	K	502	-	-	8/15/38/38	0/3/3/3
5	G2P	L	502	-	-	8/15/38/38	0/3/3/3
6	ATP	S	401	-	-	10/18/38/38	0/3/3/3
6	ATP	T	401	-	-	10/18/38/38	0/3/3/3
6	ATP	a	401	-	-	10/18/38/38	0/3/3/3
6	ATP	Z	401	-	-	10/18/38/38	0/3/3/3
5	G2P	M	502	-	-	8/15/38/38	0/3/3/3
5	G2P	Q	502	-	-	8/15/38/38	0/3/3/3
5	G2P	O	502	-	-	8/15/38/38	0/3/3/3
4	GTP	M	501	-	-	6/18/38/38	0/3/3/3
4	GTP	J	501	-	-	6/18/38/38	0/3/3/3

All (143) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	L	502	G2P	C2'-C1'	-17.48	1.27	1.53
5	N	502	G2P	C2'-C1'	-17.45	1.27	1.53

*Continued on next page...*

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	Q	502	G2P	C2'-C1'	-17.45	1.27	1.53
5	K	502	G2P	C2'-C1'	-17.41	1.27	1.53
5	R	502	G2P	C2'-C1'	-17.41	1.27	1.53
5	J	502	G2P	C2'-C1'	-17.40	1.27	1.53
5	O	502	G2P	C2'-C1'	-17.40	1.27	1.53
5	M	502	G2P	C2'-C1'	-17.37	1.27	1.53
5	P	502	G2P	C2'-C1'	-17.36	1.27	1.53
5	J	502	G2P	PB-O3B	14.92	1.75	1.58
5	P	502	G2P	PB-O3B	14.88	1.75	1.58
5	L	502	G2P	PB-O3B	14.88	1.75	1.58
5	N	502	G2P	PB-O3B	14.87	1.75	1.58
5	R	502	G2P	PB-O3B	14.87	1.75	1.58
5	M	502	G2P	PB-O3B	14.86	1.75	1.58
5	K	502	G2P	PB-O3B	14.85	1.75	1.58
5	Q	502	G2P	PB-O3B	14.85	1.74	1.58
5	O	502	G2P	PB-O3B	14.82	1.74	1.58
5	L	502	G2P	O4'-C1'	11.53	1.57	1.41
5	R	502	G2P	O4'-C1'	11.52	1.57	1.41
5	M	502	G2P	O4'-C1'	11.51	1.57	1.41
5	J	502	G2P	O4'-C1'	11.50	1.57	1.41
5	N	502	G2P	O4'-C1'	11.48	1.57	1.41
5	P	502	G2P	O4'-C1'	11.48	1.57	1.41
5	K	502	G2P	O4'-C1'	11.47	1.57	1.41
5	Q	502	G2P	O4'-C1'	11.45	1.57	1.41
5	O	502	G2P	O4'-C1'	11.43	1.57	1.41
5	O	502	G2P	C3'-C4'	-10.11	1.27	1.53
5	N	502	G2P	C3'-C4'	-10.11	1.27	1.53
5	P	502	G2P	C3'-C4'	-10.11	1.27	1.53
5	R	502	G2P	C3'-C4'	-10.10	1.27	1.53
5	K	502	G2P	C3'-C4'	-10.08	1.27	1.53
5	Q	502	G2P	C3'-C4'	-10.08	1.27	1.53
5	L	502	G2P	C3'-C4'	-10.08	1.27	1.53
5	J	502	G2P	C3'-C4'	-10.08	1.27	1.53
5	M	502	G2P	C3'-C4'	-10.06	1.27	1.53
5	O	502	G2P	C2-N2	9.73	1.53	1.33
5	M	502	G2P	C2-N2	9.71	1.53	1.33
5	N	502	G2P	C2-N2	9.71	1.53	1.33
5	R	502	G2P	C2-N2	9.71	1.53	1.33
5	K	502	G2P	C2-N2	9.71	1.53	1.33
5	J	502	G2P	C2-N2	9.69	1.53	1.33
5	L	502	G2P	C2-N2	9.68	1.53	1.33
5	Q	502	G2P	C2-N2	9.68	1.53	1.33

Continued on next page...

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	P	502	G2P	C2-N2	9.66	1.53	1.33
5	O	502	G2P	PA-O5'	5.98	1.66	1.57
5	M	502	G2P	PA-O5'	5.97	1.66	1.57
5	N	502	G2P	PA-O5'	5.97	1.66	1.57
5	P	502	G2P	PA-O5'	5.97	1.66	1.57
5	J	502	G2P	PA-O5'	5.96	1.66	1.57
5	K	502	G2P	PA-O5'	5.96	1.66	1.57
5	L	502	G2P	PA-O5'	5.95	1.66	1.57
5	Q	502	G2P	PA-O5'	5.95	1.66	1.57
5	R	502	G2P	PA-O5'	5.94	1.66	1.57
5	L	502	G2P	C2'-C3'	5.11	1.67	1.53
5	N	502	G2P	C2'-C3'	5.11	1.67	1.53
5	K	502	G2P	C2'-C3'	5.10	1.67	1.53
5	M	502	G2P	C2'-C3'	5.10	1.67	1.53
5	R	502	G2P	C2'-C3'	5.09	1.67	1.53
5	J	502	G2P	C2'-C3'	5.09	1.67	1.53
5	P	502	G2P	C2'-C3'	5.09	1.67	1.53
5	O	502	G2P	C2'-C3'	5.09	1.67	1.53
5	Q	502	G2P	C2'-C3'	5.08	1.67	1.53
5	O	502	G2P	O4'-C4'	5.03	1.56	1.45
5	L	502	G2P	O4'-C4'	5.03	1.56	1.45
5	R	502	G2P	O4'-C4'	5.02	1.56	1.45
5	K	502	G2P	O4'-C4'	5.01	1.56	1.45
5	M	502	G2P	O4'-C4'	5.01	1.56	1.45
5	J	502	G2P	O4'-C4'	5.00	1.56	1.45
5	P	502	G2P	O4'-C4'	5.00	1.56	1.45
5	N	502	G2P	O4'-C4'	4.99	1.56	1.45
5	Q	502	G2P	O4'-C4'	4.97	1.56	1.45
5	M	502	G2P	PA-O1A	-4.34	1.46	1.56
5	J	502	G2P	PA-O1A	-4.32	1.46	1.56
5	N	502	G2P	PA-O1A	-4.32	1.46	1.56
5	P	502	G2P	PA-O1A	-4.32	1.46	1.56
5	R	502	G2P	PA-O1A	-4.31	1.46	1.56
5	L	502	G2P	PA-O1A	-4.31	1.46	1.56
5	K	502	G2P	PA-O1A	-4.31	1.46	1.56
5	O	502	G2P	PA-O1A	-4.30	1.46	1.56
5	Q	502	G2P	PA-O1A	-4.30	1.46	1.56
4	J	501	GTP	C5-C6	-4.11	1.39	1.47
4	K	501	GTP	C5-C6	-4.10	1.39	1.47
4	P	501	GTP	C5-C6	-4.09	1.39	1.47
4	Q	501	GTP	C5-C6	-4.08	1.39	1.47
4	M	501	GTP	C5-C6	-4.08	1.39	1.47

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	L	501	GTP	C5-C6	-4.07	1.39	1.47
4	R	501	GTP	C5-C6	-4.07	1.39	1.47
4	N	501	GTP	C5-C6	-4.06	1.39	1.47
4	O	501	GTP	C5-C6	-4.05	1.39	1.47
5	L	502	G2P	C5-C6	-2.65	1.36	1.41
5	P	502	G2P	C5-C6	-2.65	1.36	1.41
5	K	502	G2P	C5-C6	-2.63	1.36	1.41
5	O	502	G2P	C5-C6	-2.63	1.36	1.41
5	J	502	G2P	C5-C6	-2.63	1.36	1.41
5	M	502	G2P	C5-C6	-2.62	1.36	1.41
5	Q	502	G2P	C5-C6	-2.61	1.36	1.41
5	R	502	G2P	C5-C6	-2.61	1.36	1.41
5	N	502	G2P	C5-C6	-2.60	1.36	1.41
5	J	502	G2P	C5-C4	-2.60	1.34	1.40
5	N	502	G2P	C5-C4	-2.58	1.34	1.40
5	P	502	G2P	C5-C4	-2.58	1.34	1.40
5	L	502	G2P	C5-C4	-2.58	1.34	1.40
5	K	502	G2P	C5-C4	-2.57	1.34	1.40
5	M	502	G2P	C5-C4	-2.57	1.34	1.40
5	Q	502	G2P	C5-C4	-2.55	1.34	1.40
5	O	502	G2P	C5-C4	-2.55	1.34	1.40
5	R	502	G2P	C5-C4	-2.54	1.34	1.40
6	Z	401	ATP	C5-C4	2.45	1.47	1.40
6	T	401	ATP	C5-C4	2.44	1.47	1.40
6	Y	401	ATP	C5-C4	2.43	1.47	1.40
6	S	401	ATP	C5-C4	2.42	1.47	1.40
6	U	401	ATP	C5-C4	2.42	1.47	1.40
6	W	401	ATP	C5-C4	2.41	1.47	1.40
6	a	401	ATP	C5-C4	2.40	1.47	1.40
6	X	401	ATP	C5-C4	2.40	1.47	1.40
6	V	401	ATP	C5-C4	2.40	1.47	1.40
5	L	502	G2P	PB-O1B	-2.39	1.50	1.56
5	P	502	G2P	PB-O1B	-2.38	1.50	1.56
5	J	502	G2P	PB-O1B	-2.38	1.50	1.56
5	R	502	G2P	PB-O1B	-2.38	1.50	1.56
5	Q	502	G2P	PB-O1B	-2.36	1.50	1.56
5	K	502	G2P	PB-O1B	-2.36	1.50	1.56
5	M	502	G2P	PB-O1B	-2.34	1.50	1.56
5	O	502	G2P	PB-O1B	-2.34	1.50	1.56
5	N	502	G2P	PB-O1B	-2.33	1.50	1.56
4	M	501	GTP	C2-N3	2.27	1.38	1.33
4	O	501	GTP	C2-N3	2.27	1.38	1.33

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	P	501	GTP	C2-N3	2.26	1.38	1.33
4	L	501	GTP	C2-N3	2.25	1.38	1.33
4	Q	501	GTP	C2-N3	2.24	1.38	1.33
4	N	501	GTP	C2-N3	2.23	1.38	1.33
4	K	501	GTP	C2-N3	2.22	1.38	1.33
4	R	501	GTP	C2-N3	2.22	1.38	1.33
4	J	501	GTP	C2-N3	2.22	1.38	1.33
6	W	401	ATP	O4'-C1'	2.06	1.44	1.41
6	S	401	ATP	O4'-C1'	2.05	1.43	1.41
6	Y	401	ATP	O4'-C1'	2.05	1.43	1.41
6	T	401	ATP	O4'-C1'	2.04	1.43	1.41
6	X	401	ATP	O4'-C1'	2.03	1.43	1.41
6	V	401	ATP	O4'-C1'	2.01	1.43	1.41
6	Z	401	ATP	O4'-C1'	2.01	1.43	1.41
6	a	401	ATP	O4'-C1'	2.01	1.43	1.41

All (197) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	P	502	G2P	N3-C2-N1	-5.76	119.54	127.22
5	L	502	G2P	N3-C2-N1	-5.76	119.54	127.22
5	R	502	G2P	N3-C2-N1	-5.74	119.57	127.22
5	M	502	G2P	N3-C2-N1	-5.72	119.59	127.22
5	K	502	G2P	N3-C2-N1	-5.72	119.60	127.22
5	J	502	G2P	N3-C2-N1	-5.71	119.60	127.22
5	Q	502	G2P	N3-C2-N1	-5.71	119.60	127.22
5	N	502	G2P	N3-C2-N1	-5.71	119.61	127.22
5	O	502	G2P	N3-C2-N1	-5.70	119.62	127.22
5	L	502	G2P	C2-N3-C4	4.37	120.34	115.36
5	R	502	G2P	C2-N3-C4	4.35	120.32	115.36
5	Q	502	G2P	C2-N3-C4	4.35	120.32	115.36
5	M	502	G2P	C2-N3-C4	4.34	120.31	115.36
5	K	502	G2P	C2-N3-C4	4.33	120.30	115.36
5	N	502	G2P	C2-N3-C4	4.33	120.30	115.36
5	O	502	G2P	C2-N3-C4	4.32	120.29	115.36
5	P	502	G2P	C2-N3-C4	4.32	120.29	115.36
5	J	502	G2P	C2-N3-C4	4.31	120.28	115.36
6	V	401	ATP	PA-O3A-PB	-4.09	118.78	132.83
6	T	401	ATP	PA-O3A-PB	-4.09	118.78	132.83
6	W	401	ATP	PA-O3A-PB	-4.09	118.80	132.83
6	Z	401	ATP	PA-O3A-PB	-4.09	118.80	132.83
6	X	401	ATP	PA-O3A-PB	-4.08	118.83	132.83

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	Y	401	ATP	PA-O3A-PB	-4.08	118.83	132.83
6	a	401	ATP	PA-O3A-PB	-4.08	118.84	132.83
6	S	401	ATP	PA-O3A-PB	-4.07	118.86	132.83
6	U	401	ATP	PA-O3A-PB	-4.07	118.86	132.83
6	V	401	ATP	N3-C2-N1	-3.72	122.87	128.68
6	Z	401	ATP	N3-C2-N1	-3.71	122.88	128.68
6	S	401	ATP	N3-C2-N1	-3.69	122.90	128.68
6	X	401	ATP	N3-C2-N1	-3.69	122.91	128.68
5	P	502	G2P	N2-C2-N1	3.69	122.99	117.25
6	a	401	ATP	N3-C2-N1	-3.68	122.93	128.68
6	Y	401	ATP	N3-C2-N1	-3.68	122.93	128.68
6	W	401	ATP	N3-C2-N1	-3.67	122.94	128.68
5	R	502	G2P	N2-C2-N1	3.67	122.95	117.25
6	U	401	ATP	N3-C2-N1	-3.66	122.95	128.68
6	T	401	ATP	N3-C2-N1	-3.66	122.95	128.68
5	L	502	G2P	N2-C2-N1	3.66	122.94	117.25
5	K	502	G2P	N2-C2-N1	3.66	122.94	117.25
5	J	502	G2P	N2-C2-N1	3.65	122.93	117.25
5	O	502	G2P	N2-C2-N1	3.64	122.92	117.25
5	M	502	G2P	N2-C2-N1	3.64	122.92	117.25
5	Q	502	G2P	N2-C2-N1	3.64	122.91	117.25
5	N	502	G2P	N2-C2-N1	3.63	122.90	117.25
4	O	501	GTP	PB-O3B-PG	-3.45	121.00	132.83
4	P	501	GTP	PB-O3B-PG	-3.45	121.00	132.83
4	L	501	GTP	PB-O3B-PG	-3.44	121.02	132.83
4	M	501	GTP	PB-O3B-PG	-3.44	121.02	132.83
4	Q	501	GTP	PB-O3B-PG	-3.44	121.03	132.83
4	J	501	GTP	PB-O3B-PG	-3.44	121.03	132.83
4	R	501	GTP	PB-O3B-PG	-3.44	121.04	132.83
4	K	501	GTP	PB-O3B-PG	-3.43	121.05	132.83
4	N	501	GTP	PB-O3B-PG	-3.43	121.05	132.83
5	Q	502	G2P	C1'-N9-C4	-3.39	120.68	126.64
5	P	502	G2P	C1'-N9-C4	-3.39	120.69	126.64
5	M	502	G2P	C1'-N9-C4	-3.38	120.70	126.64
5	R	502	G2P	C1'-N9-C4	-3.37	120.71	126.64
5	K	502	G2P	C1'-N9-C4	-3.37	120.72	126.64
5	J	502	G2P	C1'-N9-C4	-3.36	120.73	126.64
5	L	502	G2P	C1'-N9-C4	-3.36	120.73	126.64
5	O	502	G2P	C1'-N9-C4	-3.35	120.75	126.64
5	N	502	G2P	C1'-N9-C4	-3.35	120.76	126.64
4	J	501	GTP	C5-C6-N1	3.27	119.73	113.95
4	N	501	GTP	C5-C6-N1	3.27	119.72	113.95

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	K	501	GTP	C5-C6-N1	3.26	119.72	113.95
4	R	501	GTP	C5-C6-N1	3.25	119.70	113.95
4	P	501	GTP	C5-C6-N1	3.25	119.69	113.95
4	Q	501	GTP	C5-C6-N1	3.25	119.69	113.95
4	M	501	GTP	C5-C6-N1	3.25	119.69	113.95
4	L	501	GTP	C5-C6-N1	3.24	119.67	113.95
4	O	501	GTP	C5-C6-N1	3.23	119.66	113.95
4	Q	501	GTP	PA-O3A-PB	-3.18	121.90	132.83
4	K	501	GTP	PA-O3A-PB	-3.18	121.90	132.83
4	J	501	GTP	PA-O3A-PB	-3.18	121.91	132.83
4	N	501	GTP	PA-O3A-PB	-3.18	121.93	132.83
4	L	501	GTP	PA-O3A-PB	-3.17	121.93	132.83
4	O	501	GTP	PA-O3A-PB	-3.17	121.95	132.83
4	P	501	GTP	PA-O3A-PB	-3.17	121.95	132.83
4	R	501	GTP	PA-O3A-PB	-3.17	121.95	132.83
4	M	501	GTP	PA-O3A-PB	-3.17	121.96	132.83
6	V	401	ATP	PB-O3B-PG	-3.13	122.08	132.83
6	Z	401	ATP	PB-O3B-PG	-3.13	122.09	132.83
6	S	401	ATP	PB-O3B-PG	-3.12	122.11	132.83
6	a	401	ATP	PB-O3B-PG	-3.12	122.11	132.83
6	U	401	ATP	PB-O3B-PG	-3.12	122.12	132.83
6	X	401	ATP	PB-O3B-PG	-3.12	122.12	132.83
5	J	502	G2P	C3'-C2'-C1'	3.11	105.67	100.98
6	T	401	ATP	PB-O3B-PG	-3.11	122.15	132.83
6	W	401	ATP	PB-O3B-PG	-3.11	122.16	132.83
5	L	502	G2P	C3'-C2'-C1'	3.11	105.66	100.98
6	Y	401	ATP	PB-O3B-PG	-3.10	122.17	132.83
5	Q	502	G2P	C3'-C2'-C1'	3.10	105.65	100.98
5	R	502	G2P	C3'-C2'-C1'	3.10	105.64	100.98
5	K	502	G2P	C3'-C2'-C1'	3.10	105.64	100.98
5	N	502	G2P	C3'-C2'-C1'	3.09	105.64	100.98
5	O	502	G2P	C3'-C2'-C1'	3.09	105.63	100.98
5	P	502	G2P	C3'-C2'-C1'	3.08	105.62	100.98
5	M	502	G2P	C3'-C2'-C1'	3.08	105.62	100.98
4	M	501	GTP	C8-N7-C5	3.05	108.79	102.99
4	K	501	GTP	C8-N7-C5	3.05	108.79	102.99
4	P	501	GTP	C8-N7-C5	3.04	108.78	102.99
4	Q	501	GTP	C8-N7-C5	3.04	108.78	102.99
4	O	501	GTP	C8-N7-C5	3.04	108.78	102.99
4	J	501	GTP	C8-N7-C5	3.03	108.77	102.99
4	R	501	GTP	C8-N7-C5	3.02	108.74	102.99
4	N	501	GTP	C8-N7-C5	3.02	108.74	102.99

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	L	501	GTP	C8-N7-C5	3.01	108.73	102.99
4	J	501	GTP	C2-N1-C6	-2.92	119.73	125.10
4	R	501	GTP	C2-N1-C6	-2.88	119.79	125.10
4	N	501	GTP	C2-N1-C6	-2.88	119.79	125.10
4	K	501	GTP	C2-N1-C6	-2.88	119.80	125.10
4	M	501	GTP	C2-N1-C6	-2.87	119.82	125.10
4	L	501	GTP	C2-N1-C6	-2.86	119.82	125.10
4	P	501	GTP	C2-N1-C6	-2.86	119.83	125.10
4	O	501	GTP	C2-N1-C6	-2.86	119.83	125.10
4	Q	501	GTP	C2-N1-C6	-2.86	119.83	125.10
5	P	502	G2P	C2-N1-C6	2.83	120.43	115.93
6	a	401	ATP	C4-C5-N7	-2.82	106.46	109.40
5	R	502	G2P	C2-N1-C6	2.82	120.41	115.93
5	L	502	G2P	C2-N1-C6	2.82	120.40	115.93
6	W	401	ATP	C3'-C2'-C1'	2.81	105.21	100.98
6	V	401	ATP	C3'-C2'-C1'	2.80	105.20	100.98
5	M	502	G2P	C2-N1-C6	2.80	120.38	115.93
6	Z	401	ATP	C3'-C2'-C1'	2.80	105.19	100.98
6	T	401	ATP	C4-C5-N7	-2.80	106.48	109.40
6	a	401	ATP	C3'-C2'-C1'	2.80	105.19	100.98
6	S	401	ATP	C4-C5-N7	-2.80	106.48	109.40
6	S	401	ATP	C3'-C2'-C1'	2.79	105.19	100.98
5	K	502	G2P	C2-N1-C6	2.79	120.37	115.93
6	Y	401	ATP	C3'-C2'-C1'	2.79	105.18	100.98
6	T	401	ATP	C3'-C2'-C1'	2.79	105.18	100.98
6	X	401	ATP	C3'-C2'-C1'	2.79	105.18	100.98
5	N	502	G2P	C2-N1-C6	2.78	120.35	115.93
5	J	502	G2P	C2-N1-C6	2.78	120.35	115.93
6	U	401	ATP	C3'-C2'-C1'	2.78	105.16	100.98
6	Z	401	ATP	C4-C5-N7	-2.78	106.50	109.40
5	Q	502	G2P	C2-N1-C6	2.78	120.34	115.93
6	W	401	ATP	C4-C5-N7	-2.78	106.50	109.40
5	O	502	G2P	C2-N1-C6	2.77	120.32	115.93
6	V	401	ATP	C4-C5-N7	-2.76	106.53	109.40
6	X	401	ATP	C4-C5-N7	-2.75	106.53	109.40
6	U	401	ATP	C4-C5-N7	-2.75	106.53	109.40
6	Y	401	ATP	C4-C5-N7	-2.73	106.55	109.40
4	K	501	GTP	C3'-C2'-C1'	2.69	105.02	100.98
4	J	501	GTP	C3'-C2'-C1'	2.68	105.02	100.98
4	N	501	GTP	C3'-C2'-C1'	2.68	105.02	100.98
4	M	501	GTP	C3'-C2'-C1'	2.68	105.01	100.98
4	Q	501	GTP	C3'-C2'-C1'	2.67	105.00	100.98

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	O	501	GTP	C3'-C2'-C1'	2.67	104.99	100.98
4	L	501	GTP	C3'-C2'-C1'	2.67	104.99	100.98
4	P	501	GTP	C3'-C2'-C1'	2.65	104.96	100.98
4	R	501	GTP	C3'-C2'-C1'	2.64	104.96	100.98
5	M	502	G2P	PB-O3B-PG	-2.60	123.45	132.62
5	P	502	G2P	PB-O3B-PG	-2.60	123.46	132.62
5	Q	502	G2P	PB-O3B-PG	-2.60	123.47	132.62
5	J	502	G2P	PB-O3B-PG	-2.60	123.47	132.62
5	K	502	G2P	PB-O3B-PG	-2.59	123.48	132.62
5	L	502	G2P	PB-O3B-PG	-2.59	123.48	132.62
5	N	502	G2P	PB-O3B-PG	-2.59	123.48	132.62
5	O	502	G2P	PB-O3B-PG	-2.59	123.49	132.62
4	M	501	GTP	O3G-PG-O3B	2.59	113.31	104.64
5	R	502	G2P	PB-O3B-PG	-2.59	123.50	132.62
4	L	501	GTP	O3G-PG-O3B	2.58	113.30	104.64
4	K	501	GTP	O3G-PG-O3B	2.58	113.29	104.64
4	R	501	GTP	O3G-PG-O3B	2.58	113.29	104.64
4	P	501	GTP	O3G-PG-O3B	2.58	113.28	104.64
4	Q	501	GTP	O3G-PG-O3B	2.57	113.27	104.64
4	J	501	GTP	O3G-PG-O3B	2.57	113.26	104.64
4	O	501	GTP	O3G-PG-O3B	2.57	113.25	104.64
4	N	501	GTP	O3G-PG-O3B	2.56	113.23	104.64
5	L	502	G2P	C5-C6-N1	-2.54	119.96	123.43
5	P	502	G2P	C5-C6-N1	-2.51	120.00	123.43
5	M	502	G2P	C5-C6-N1	-2.50	120.01	123.43
5	K	502	G2P	C5-C6-N1	-2.49	120.03	123.43
5	R	502	G2P	C5-C6-N1	-2.49	120.03	123.43
5	N	502	G2P	C5-C6-N1	-2.47	120.05	123.43
5	Q	502	G2P	C5-C6-N1	-2.46	120.06	123.43
5	J	502	G2P	C5-C6-N1	-2.46	120.06	123.43
5	O	502	G2P	C5-C6-N1	-2.44	120.09	123.43
4	O	501	GTP	O6-C6-C5	-2.20	120.07	124.37
4	N	501	GTP	O6-C6-C5	-2.20	120.08	124.37
4	P	501	GTP	O6-C6-C5	-2.19	120.09	124.37
4	L	501	GTP	O6-C6-C5	-2.18	120.11	124.37
4	Q	501	GTP	O6-C6-C5	-2.18	120.11	124.37
4	M	501	GTP	O6-C6-C5	-2.18	120.12	124.37
4	J	501	GTP	O6-C6-C5	-2.18	120.12	124.37
4	K	501	GTP	O6-C6-C5	-2.17	120.13	124.37
4	R	501	GTP	O6-C6-C5	-2.16	120.14	124.37
6	U	401	ATP	C2-N1-C6	2.03	122.22	118.75
6	Z	401	ATP	C2-N1-C6	2.02	122.21	118.75

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	V	401	ATP	C2-N1-C6	2.02	122.21	118.75
6	S	401	ATP	C2-N1-C6	2.02	122.20	118.75
6	X	401	ATP	C2-N1-C6	2.01	122.19	118.75
6	Y	401	ATP	C2-N1-C6	2.00	122.18	118.75
6	T	401	ATP	C2-N1-C6	2.00	122.18	118.75
6	W	401	ATP	C2-N1-C6	2.00	122.18	118.75

There are no chirality outliers.

All (216) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	Q	501	GTP	O4'-C4'-C5'-O5'
4	Q	501	GTP	C3'-C4'-C5'-O5'
4	J	501	GTP	O4'-C4'-C5'-O5'
4	J	501	GTP	C3'-C4'-C5'-O5'
4	K	501	GTP	O4'-C4'-C5'-O5'
4	K	501	GTP	C3'-C4'-C5'-O5'
4	L	501	GTP	O4'-C4'-C5'-O5'
4	L	501	GTP	C3'-C4'-C5'-O5'
4	M	501	GTP	O4'-C4'-C5'-O5'
4	M	501	GTP	C3'-C4'-C5'-O5'
4	N	501	GTP	O4'-C4'-C5'-O5'
4	N	501	GTP	C3'-C4'-C5'-O5'
4	O	501	GTP	O4'-C4'-C5'-O5'
4	O	501	GTP	C3'-C4'-C5'-O5'
4	P	501	GTP	O4'-C4'-C5'-O5'
4	P	501	GTP	C3'-C4'-C5'-O5'
4	R	501	GTP	O4'-C4'-C5'-O5'
4	R	501	GTP	C3'-C4'-C5'-O5'
5	Q	502	G2P	PB-O3B-PG-O3G
5	Q	502	G2P	PB-C3A-PA-O1A
5	Q	502	G2P	PB-C3A-PA-O2A
5	Q	502	G2P	PB-C3A-PA-O5'
5	Q	502	G2P	O4'-C4'-C5'-O5'
5	J	502	G2P	PB-O3B-PG-O3G
5	J	502	G2P	PB-C3A-PA-O1A
5	J	502	G2P	PB-C3A-PA-O2A
5	J	502	G2P	PB-C3A-PA-O5'
5	J	502	G2P	O4'-C4'-C5'-O5'
5	K	502	G2P	PB-O3B-PG-O3G
5	K	502	G2P	PB-C3A-PA-O1A
5	K	502	G2P	PB-C3A-PA-O2A

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
5	K	502	G2P	PB-C3A-PA-O5'
5	K	502	G2P	O4'-C4'-C5'-O5'
5	L	502	G2P	PB-O3B-PG-O3G
5	L	502	G2P	PB-C3A-PA-O1A
5	L	502	G2P	PB-C3A-PA-O2A
5	L	502	G2P	PB-C3A-PA-O5'
5	L	502	G2P	O4'-C4'-C5'-O5'
5	M	502	G2P	PB-O3B-PG-O3G
5	M	502	G2P	PB-C3A-PA-O1A
5	M	502	G2P	PB-C3A-PA-O2A
5	M	502	G2P	PB-C3A-PA-O5'
5	M	502	G2P	O4'-C4'-C5'-O5'
5	N	502	G2P	PB-O3B-PG-O3G
5	N	502	G2P	PB-C3A-PA-O1A
5	N	502	G2P	PB-C3A-PA-O2A
5	N	502	G2P	PB-C3A-PA-O5'
5	N	502	G2P	O4'-C4'-C5'-O5'
5	O	502	G2P	PB-O3B-PG-O3G
5	O	502	G2P	PB-C3A-PA-O1A
5	O	502	G2P	PB-C3A-PA-O2A
5	O	502	G2P	PB-C3A-PA-O5'
5	O	502	G2P	O4'-C4'-C5'-O5'
5	P	502	G2P	PB-O3B-PG-O3G
5	P	502	G2P	PB-C3A-PA-O1A
5	P	502	G2P	PB-C3A-PA-O2A
5	P	502	G2P	PB-C3A-PA-O5'
5	P	502	G2P	O4'-C4'-C5'-O5'
5	R	502	G2P	PB-O3B-PG-O3G
5	R	502	G2P	PB-C3A-PA-O1A
5	R	502	G2P	PB-C3A-PA-O2A
5	R	502	G2P	PB-C3A-PA-O5'
5	R	502	G2P	O4'-C4'-C5'-O5'
6	Y	401	ATP	PB-O3B-PG-O2G
6	Y	401	ATP	C5'-O5'-PA-O1A
6	Y	401	ATP	C5'-O5'-PA-O2A
6	Y	401	ATP	O4'-C4'-C5'-O5'
6	S	401	ATP	PB-O3B-PG-O2G
6	S	401	ATP	C5'-O5'-PA-O1A
6	S	401	ATP	C5'-O5'-PA-O2A
6	S	401	ATP	O4'-C4'-C5'-O5'
6	T	401	ATP	PB-O3B-PG-O2G
6	T	401	ATP	C5'-O5'-PA-O1A

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
6	T	401	ATP	C5'-O5'-PA-O2A
6	T	401	ATP	O4'-C4'-C5'-O5'
6	U	401	ATP	PB-O3B-PG-O2G
6	U	401	ATP	C5'-O5'-PA-O1A
6	U	401	ATP	C5'-O5'-PA-O2A
6	U	401	ATP	O4'-C4'-C5'-O5'
6	V	401	ATP	PB-O3B-PG-O2G
6	V	401	ATP	C5'-O5'-PA-O1A
6	V	401	ATP	C5'-O5'-PA-O2A
6	V	401	ATP	O4'-C4'-C5'-O5'
6	W	401	ATP	PB-O3B-PG-O2G
6	W	401	ATP	C5'-O5'-PA-O1A
6	W	401	ATP	C5'-O5'-PA-O2A
6	W	401	ATP	O4'-C4'-C5'-O5'
6	X	401	ATP	PB-O3B-PG-O2G
6	X	401	ATP	C5'-O5'-PA-O1A
6	X	401	ATP	C5'-O5'-PA-O2A
6	X	401	ATP	O4'-C4'-C5'-O5'
6	Z	401	ATP	PB-O3B-PG-O2G
6	Z	401	ATP	C5'-O5'-PA-O1A
6	Z	401	ATP	C5'-O5'-PA-O2A
6	Z	401	ATP	O4'-C4'-C5'-O5'
6	a	401	ATP	PB-O3B-PG-O2G
6	a	401	ATP	C5'-O5'-PA-O1A
6	a	401	ATP	C5'-O5'-PA-O2A
6	a	401	ATP	O4'-C4'-C5'-O5'
5	Q	502	G2P	C3'-C4'-C5'-O5'
5	J	502	G2P	C3'-C4'-C5'-O5'
5	K	502	G2P	C3'-C4'-C5'-O5'
5	L	502	G2P	C3'-C4'-C5'-O5'
5	M	502	G2P	C3'-C4'-C5'-O5'
5	N	502	G2P	C3'-C4'-C5'-O5'
5	O	502	G2P	C3'-C4'-C5'-O5'
5	P	502	G2P	C3'-C4'-C5'-O5'
5	R	502	G2P	C3'-C4'-C5'-O5'
6	Y	401	ATP	C3'-C4'-C5'-O5'
6	S	401	ATP	C3'-C4'-C5'-O5'
6	T	401	ATP	C3'-C4'-C5'-O5'
6	U	401	ATP	C3'-C4'-C5'-O5'
6	V	401	ATP	C3'-C4'-C5'-O5'
6	W	401	ATP	C3'-C4'-C5'-O5'
6	X	401	ATP	C3'-C4'-C5'-O5'

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
6	Z	401	ATP	C3'-C4'-C5'-O5'
6	a	401	ATP	C3'-C4'-C5'-O5'
5	Q	502	G2P	C5'-O5'-PA-C3A
5	J	502	G2P	C5'-O5'-PA-C3A
5	K	502	G2P	C5'-O5'-PA-C3A
5	L	502	G2P	C5'-O5'-PA-C3A
5	M	502	G2P	C5'-O5'-PA-C3A
5	N	502	G2P	C5'-O5'-PA-C3A
5	O	502	G2P	C5'-O5'-PA-C3A
5	P	502	G2P	C5'-O5'-PA-C3A
5	R	502	G2P	C5'-O5'-PA-C3A
4	Q	501	GTP	PA-O3A-PB-O1B
4	J	501	GTP	PA-O3A-PB-O1B
4	K	501	GTP	PA-O3A-PB-O1B
4	L	501	GTP	PA-O3A-PB-O1B
4	M	501	GTP	PA-O3A-PB-O1B
4	N	501	GTP	PA-O3A-PB-O1B
4	O	501	GTP	PA-O3A-PB-O1B
4	P	501	GTP	PA-O3A-PB-O1B
4	R	501	GTP	PA-O3A-PB-O1B
4	Q	501	GTP	C5'-O5'-PA-O3A
4	J	501	GTP	C5'-O5'-PA-O3A
4	K	501	GTP	C5'-O5'-PA-O3A
4	L	501	GTP	C5'-O5'-PA-O3A
4	M	501	GTP	C5'-O5'-PA-O3A
4	N	501	GTP	C5'-O5'-PA-O3A
4	O	501	GTP	C5'-O5'-PA-O3A
4	P	501	GTP	C5'-O5'-PA-O3A
4	R	501	GTP	C5'-O5'-PA-O3A
6	Y	401	ATP	C5'-O5'-PA-O3A
6	S	401	ATP	C5'-O5'-PA-O3A
6	T	401	ATP	C5'-O5'-PA-O3A
6	U	401	ATP	C5'-O5'-PA-O3A
6	V	401	ATP	C5'-O5'-PA-O3A
6	W	401	ATP	C5'-O5'-PA-O3A
6	X	401	ATP	C5'-O5'-PA-O3A
6	Z	401	ATP	C5'-O5'-PA-O3A
6	a	401	ATP	C5'-O5'-PA-O3A
6	S	401	ATP	PA-O3A-PB-O2B
6	T	401	ATP	PA-O3A-PB-O2B
6	U	401	ATP	PA-O3A-PB-O2B
4	Q	501	GTP	C5'-O5'-PA-O2A

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
4	J	501	GTP	C5'-O5'-PA-O2A
4	K	501	GTP	C5'-O5'-PA-O2A
4	L	501	GTP	C5'-O5'-PA-O2A
4	M	501	GTP	C5'-O5'-PA-O2A
4	N	501	GTP	C5'-O5'-PA-O2A
4	O	501	GTP	C5'-O5'-PA-O2A
4	P	501	GTP	C5'-O5'-PA-O2A
4	R	501	GTP	C5'-O5'-PA-O2A
6	Y	401	ATP	PA-O3A-PB-O1B
6	Y	401	ATP	PA-O3A-PB-O2B
6	S	401	ATP	PA-O3A-PB-O1B
6	T	401	ATP	PA-O3A-PB-O1B
6	U	401	ATP	PA-O3A-PB-O1B
6	V	401	ATP	PA-O3A-PB-O1B
6	V	401	ATP	PA-O3A-PB-O2B
6	W	401	ATP	PA-O3A-PB-O1B
6	W	401	ATP	PA-O3A-PB-O2B
6	X	401	ATP	PA-O3A-PB-O1B
6	X	401	ATP	PA-O3A-PB-O2B
6	Z	401	ATP	PA-O3A-PB-O1B
6	Z	401	ATP	PA-O3A-PB-O2B
6	a	401	ATP	PA-O3A-PB-O1B
6	a	401	ATP	PA-O3A-PB-O2B
5	Q	502	G2P	C5'-O5'-PA-O2A
5	J	502	G2P	C5'-O5'-PA-O2A
5	K	502	G2P	C5'-O5'-PA-O2A
5	L	502	G2P	C5'-O5'-PA-O2A
5	M	502	G2P	C5'-O5'-PA-O2A
5	N	502	G2P	C5'-O5'-PA-O2A
5	O	502	G2P	C5'-O5'-PA-O2A
5	P	502	G2P	C5'-O5'-PA-O2A
5	R	502	G2P	C5'-O5'-PA-O2A
6	Y	401	ATP	PB-O3B-PG-O3G
6	S	401	ATP	PB-O3B-PG-O3G
6	T	401	ATP	PB-O3B-PG-O3G
6	U	401	ATP	PB-O3B-PG-O3G
6	V	401	ATP	PB-O3B-PG-O3G
6	W	401	ATP	PB-O3B-PG-O3G
6	X	401	ATP	PB-O3B-PG-O3G
6	Z	401	ATP	PB-O3B-PG-O3G
6	a	401	ATP	PB-O3B-PG-O3G
4	Q	501	GTP	PA-O3A-PB-O2B

*Continued on next page...*


*Continued from previous page...*


Mol	Chain	Res	Type	Atoms
4	J	501	GTP	PA-O3A-PB-O2B
4	K	501	GTP	PA-O3A-PB-O2B
4	L	501	GTP	PA-O3A-PB-O2B
4	M	501	GTP	PA-O3A-PB-O2B
4	N	501	GTP	PA-O3A-PB-O2B
4	O	501	GTP	PA-O3A-PB-O2B
4	P	501	GTP	PA-O3A-PB-O2B
4	R	501	GTP	PA-O3A-PB-O2B
6	Y	401	ATP	PB-O3B-PG-O1G
6	S	401	ATP	PB-O3B-PG-O1G
6	T	401	ATP	PB-O3B-PG-O1G
6	U	401	ATP	PB-O3B-PG-O1G
6	V	401	ATP	PB-O3B-PG-O1G
6	W	401	ATP	PB-O3B-PG-O1G
6	X	401	ATP	PB-O3B-PG-O1G
6	Z	401	ATP	PB-O3B-PG-O1G
6	a	401	ATP	PB-O3B-PG-O1G



There are no ring outliers.


No monomer is involved in short contacts.


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.


















































## 5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.


## 6 Map visualisation (i)

This section contains visualisations of the EMDB entry EMD-35790. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

### 6.1 Orthogonal projections (i)


#### 6.1.1 Primary map



X




Y




Z


#### 6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

## 6.2 Central slices [\(i\)](#)


### 6.2.1 Primary map



X Index: 256




Y Index: 256




Z Index: 256


### 6.2.2 Raw map



X Index: 256



Y Index: 256




Z Index: 256


The images above show central slices of the map in three orthogonal directions.

## 6.3 Largest variance slices [\(i\)](#)


### 6.3.1 Primary map



X Index: 334




Y Index: 339




Z Index: 158


### 6.3.2 Raw map



X Index: 334



Y Index: 339




Z Index: 257


The images above show the largest variance slices of the map in three orthogonal directions.

## 6.4 Orthogonal standard-deviation projections (False-color) [\(i\)](#)


### 6.4.1 Primary map



X




Y




Z


### 6.4.2 Raw map



X



Y




Z


The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

## 6.5 Orthogonal surface views [\(i\)](#)


### 6.5.1 Primary map



X



Y




Z

The images above show the 3D surface view of the map at the recommended contour level 0.2. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


### 6.5.2 Raw map



X



Y



Z

These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


## 6.6 Mask visualisation [\(i\)](#)

This section was not generated. No masks/segmentation were deposited.

## 7 Map analysis (i)


This section contains the results of statistical analysis of the map.

### 7.1 Map-value distribution (i)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


## 7.2 Volume estimate [\(i\)](#)



The volume at the recommended contour level is  $3088 \text{ nm}^3$ ; this corresponds to an approximate mass of  $2789 \text{ kDa}$ .

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

### 7.3 Rotationally averaged power spectrum [\(i\)](#)




\*Reported resolution corresponds to spatial frequency of  $0.238 \text{ \AA}^{-1}$

## 8 Fourier-Shell correlation [\(i\)](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

### 8.1 FSC [\(i\)](#)



\*Reported resolution corresponds to spatial frequency of 0.238  $\text{\AA}^{-1}$

## 8.2 Resolution estimates [\(i\)](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	4.20	-	-
Author-provided FSC curve	-	-	-
Unmasked-calculated*	4.55	6.98	5.31

\*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps.


## 9 Map-model fit i

This section contains information regarding the fit between EMDB map EMD-35790 and PDB model 8IXA. Per-residue inclusion information can be found in section 3 on page 18.


### 9.1 Map-model overlay i



X




Y



Z


The images above show the 3D surface view of the map at the recommended contour level 0.2 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

## 9.2 Q-score mapped to coordinate model [\(i\)](#)




The images above show the model with each residue coloured according its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

## 9.3 Atom inclusion mapped to coordinate model [\(i\)](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.2).

## 9.4 Atom inclusion [\(i\)](#)



At the recommended contour level, 72% of all backbone atoms, 51% of all non-hydrogen atoms, are inside the map.

## 9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (0.2) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	0.5120	0.2010
A	0.5590	0.2220
B	0.5670	0.2460
C	0.5730	0.2440
D	0.5830	0.2650
E	0.5710	0.2220
F	0.5690	0.2510
G	0.5840	0.2690
H	0.5710	0.2260
I	0.5770	0.2700
J	0.5670	0.2460
K	0.5670	0.2130
L	0.5660	0.2100
M	0.5900	0.2640
N	0.5840	0.2460
O	0.5790	0.2240
P	0.5960	0.2760
Q	0.5830	0.2740
R	0.5860	0.2530
S	0.3560	0.0820
T	0.3420	0.0610
U	0.3320	0.0580
V	0.3670	0.1170
W	0.3400	0.0800
X	0.3220	0.0530
Y	0.3730	0.1170
Z	0.3490	0.1140
a	0.3250	0.0790

