



Full wwPDB EM Validation Report ⓘ

Jan 14, 2024 – 12:09 AM JST

PDB ID : 8IYD
EMDB ID : EMD-35818
Title : Tail cap of phage lambda tail
Authors : Wang, J.W.; Wang, C.
Deposited on : 2023-04-04
Resolution : 3.10 Å (reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : **FAILED**
MolProbity : 4.02b-467
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ : **FAILED**
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 3.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$

Mol	Chain	Length	Quality of chain
1	A	246	96% ..
1	B	246	96% ..
1	C	246	95% ..
1	D	246	94% 5% ..
1	E	246	96% ..
1	F	246	95% ..
1	H	246	97% ..
1	I	246	95% ..
1	J	246	94% ..
1	L	246	93% 6% ..

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	M	246	97% ..
1	N	246	93% 6% .
1	O	246	95% ..
1	P	246	93% 6% .
1	R	246	96% ..
1	S	246	96% ..
1	T	246	96% ..
1	V	246	93% 6% .
1	X	246	93% 6% .
1	Y	246	95% ..
1	a	246	97% ..
1	b	246	93% 5% .
1	c	246	95% ..
1	v	246	96% ..
2	G	131	97% .
2	K	131	96% ...
2	Q	131	93% 5% ..
2	U	131	95% 5%
2	W	131	96% ...
2	u	131	95% ...

2 Entry composition [i](#)

There are 2 unique types of molecules in this entry. The entry contains 49344 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Tail tube protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	A	244	1799	1124	303	367	5	0	0
1	B	244	1799	1124	303	367	5	0	0
1	C	244	1799	1124	303	367	5	0	0
1	a	244	1799	1124	303	367	5	0	0
1	b	244	1799	1124	303	367	5	0	0
1	c	244	1799	1124	303	367	5	0	0
1	V	244	1799	1124	303	367	5	0	0
1	v	244	1799	1124	303	367	5	0	0
1	D	244	1799	1124	303	367	5	0	0
1	E	244	1799	1124	303	367	5	0	0
1	F	244	1799	1124	303	367	5	0	0
1	H	244	1799	1124	303	367	5	0	0
1	I	244	1799	1124	303	367	5	0	0
1	J	244	1799	1124	303	367	5	0	0
1	L	244	1799	1124	303	367	5	0	0
1	M	244	1799	1124	303	367	5	0	0
1	N	244	1799	1124	303	367	5	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf	Trace
1	O	244	Total	C	N	O	S	0	0
			1799	1124	303	367	5		
1	P	244	Total	C	N	O	S	0	0
			1799	1124	303	367	5		
1	R	244	Total	C	N	O	S	0	0
			1799	1124	303	367	5		
1	S	244	Total	C	N	O	S	0	0
			1799	1124	303	367	5		
1	T	244	Total	C	N	O	S	0	0
			1799	1124	303	367	5		
1	X	244	Total	C	N	O	S	0	0
			1799	1124	303	367	5		
1	Y	244	Total	C	N	O	S	0	0
			1799	1124	303	367	5		

- Molecule 2 is a protein called Tail tube terminator protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	U	131	Total	C	N	O	S	0	0
			1032	655	159	213	5		
2	u	130	Total	C	N	O	S	0	0
			1024	650	158	212	4		
2	G	131	Total	C	N	O	S	0	0
			1032	655	159	213	5		
2	K	130	Total	C	N	O	S	0	0
			1024	650	158	212	4		
2	Q	131	Total	C	N	O	S	0	0
			1032	655	159	213	5		
2	W	130	Total	C	N	O	S	0	0
			1024	650	158	212	4		

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Tail tube protein

Chain A:  96%



- Molecule 1: Tail tube protein

Chain B:  96%




- Molecule 1: Tail tube protein

Chain C:  95%



- Molecule 1: Tail tube protein

Chain a:  97%



- Molecule 1: Tail tube protein

Chain b:  93% 5%



- Molecule 1: Tail tube protein

Chain c:  95%




- Molecule 1: Tail tube protein

Chain V: 93% 6%



- Molecule 1: Tail tube protein

Chain v: 96%



- Molecule 1: Tail tube protein

Chain D: 94% 5%



- Molecule 1: Tail tube protein

Chain E: 96%



- Molecule 1: Tail tube protein

Chain F: 95%



- Molecule 1: Tail tube protein

Chain H: 97%



- Molecule 1: Tail tube protein

Chain I: 95%



- Molecule 1: Tail tube protein

Chain J: 94%




- Molecule 1: Tail tube protein

Chain L: 93% 6%



- Molecule 1: Tail tube protein

Chain M: 97%



- Molecule 1: Tail tube protein

Chain N: 93% 6%



- Molecule 1: Tail tube protein

Chain O: 95%



- Molecule 1: Tail tube protein

Chain P: 93% 6%



- Molecule 1: Tail tube protein


Chain R: 96%



- Molecule 1: Tail tube protein




- Molecule 1: Tail tube protein




- Molecule 1: Tail tube protein



- Molecule 1: Tail tube protein



- Molecule 2: Tail tube terminator protein



- Molecule 2: Tail tube terminator protein



- Molecule 2: Tail tube terminator protein






- Molecule 2: Tail tube terminator protein

Chain K:  96% 



- Molecule 2: Tail tube terminator protein

Chain Q:  93%  5% 



- Molecule 2: Tail tube terminator protein

Chain W:  96% 



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	15959	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	NONE	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	50	Depositor
Minimum defocus (nm)	1000	Depositor
Maximum defocus (nm)	2000	Depositor
Magnification	Not provided	
Image detector	GATAN K3 (6k x 4k)	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.29	0/1834	0.58	0/2505
1	B	0.29	0/1834	0.58	0/2505
1	C	0.30	0/1834	0.57	0/2505
1	D	0.30	0/1834	0.57	0/2505
1	E	0.28	0/1834	0.57	0/2505
1	F	0.31	0/1834	0.59	0/2505
1	H	0.29	0/1834	0.56	0/2505
1	I	0.30	0/1834	0.59	0/2505
1	J	0.30	0/1834	0.59	0/2505
1	L	0.29	0/1834	0.54	0/2505
1	M	0.27	0/1834	0.54	0/2505
1	N	0.29	0/1834	0.58	0/2505
1	O	0.29	0/1834	0.58	0/2505
1	P	0.30	0/1834	0.58	0/2505
1	R	0.30	0/1834	0.56	0/2505
1	S	0.30	0/1834	0.58	0/2505
1	T	0.31	0/1834	0.58	0/2505
1	V	0.29	0/1834	0.55	0/2505
1	X	0.30	0/1834	0.55	0/2505
1	Y	0.29	0/1834	0.58	0/2505
1	a	0.29	0/1834	0.54	0/2505
1	b	0.31	0/1834	0.58	0/2505
1	c	0.31	0/1834	0.59	1/2505 (0.0%)
1	v	0.27	0/1834	0.54	0/2505
2	G	0.32	0/1058	0.59	0/1444
2	K	0.32	0/1050	0.59	0/1434
2	Q	0.33	0/1058	0.63	1/1444 (0.1%)
2	U	0.30	0/1058	0.58	0/1444
2	W	0.33	0/1050	0.58	0/1434
2	u	0.32	0/1050	0.61	0/1434
All	All	0.30	0/50340	0.57	2/68754 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected

by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
2	K	0	1
2	U	0	1
2	W	0	1
2	u	0	1
All	All	0	4

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	Q	39	PHE	CB-CA-C	5.61	121.63	110.40
1	c	187	PRO	N-CA-C	-5.40	98.05	112.10

There are no chirality outliers.

All (4) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
2	K	39	PHE	Peptide
2	U	39	PHE	Peptide
2	W	39	PHE	Peptide
2	u	39	PHE	Peptide

5.2 Too-close contacts [i](#)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	242/246 (98%)	209 (86%)	32 (13%)	1 (0%)	34	69
1	B	242/246 (98%)	217 (90%)	24 (10%)	1 (0%)	34	69
1	C	242/246 (98%)	220 (91%)	20 (8%)	2 (1%)	19	54
1	D	242/246 (98%)	210 (87%)	31 (13%)	1 (0%)	34	69
1	E	242/246 (98%)	218 (90%)	22 (9%)	2 (1%)	19	54
1	F	242/246 (98%)	220 (91%)	19 (8%)	3 (1%)	13	44
1	H	242/246 (98%)	216 (89%)	25 (10%)	1 (0%)	34	69
1	I	242/246 (98%)	215 (89%)	27 (11%)	0	100	100
1	J	242/246 (98%)	215 (89%)	25 (10%)	2 (1%)	19	54
1	L	242/246 (98%)	222 (92%)	18 (7%)	2 (1%)	19	54
1	M	242/246 (98%)	226 (93%)	16 (7%)	0	100	100
1	N	242/246 (98%)	208 (86%)	32 (13%)	2 (1%)	19	54
1	O	242/246 (98%)	218 (90%)	21 (9%)	3 (1%)	13	44
1	P	242/246 (98%)	221 (91%)	19 (8%)	2 (1%)	19	54
1	R	242/246 (98%)	223 (92%)	17 (7%)	2 (1%)	19	54
1	S	242/246 (98%)	214 (88%)	28 (12%)	0	100	100
1	T	242/246 (98%)	216 (89%)	23 (10%)	3 (1%)	13	44
1	V	242/246 (98%)	224 (93%)	16 (7%)	2 (1%)	19	54
1	X	242/246 (98%)	219 (90%)	20 (8%)	3 (1%)	13	44
1	Y	242/246 (98%)	224 (93%)	18 (7%)	0	100	100
1	a	242/246 (98%)	224 (93%)	18 (7%)	0	100	100
1	b	242/246 (98%)	213 (88%)	28 (12%)	1 (0%)	34	69
1	c	242/246 (98%)	215 (89%)	25 (10%)	2 (1%)	19	54
1	v	242/246 (98%)	225 (93%)	17 (7%)	0	100	100
2	G	129/131 (98%)	109 (84%)	20 (16%)	0	100	100
2	K	128/131 (98%)	120 (94%)	5 (4%)	3 (2%)	6	28
2	Q	129/131 (98%)	108 (84%)	18 (14%)	3 (2%)	6	28
2	U	129/131 (98%)	107 (83%)	21 (16%)	1 (1%)	19	54
2	W	128/131 (98%)	117 (91%)	8 (6%)	3 (2%)	6	28
2	u	128/131 (98%)	113 (88%)	10 (8%)	5 (4%)	3	18
All	All	6579/6690 (98%)	5906 (90%)	623 (10%)	50 (1%)	24	54

All (50) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	158	VAL
1	B	158	VAL
1	C	158	VAL
2	u	39	PHE
2	u	40	PRO
2	u	72	PRO
1	V	63	GLU
1	V	158	VAL
1	D	158	VAL
1	E	64	ASP
1	E	158	VAL
1	F	158	VAL
2	K	39	PHE
2	K	72	PRO
1	L	63	GLU
1	L	158	VAL
1	N	158	VAL
1	O	158	VAL
1	P	158	VAL
2	Q	35	ASP
2	Q	39	PHE
2	Q	40	PRO
2	W	39	PHE
2	W	72	PRO
1	X	63	GLU
1	X	79	ASP
1	X	158	VAL
2	U	40	PRO
1	J	188	GLU
1	O	64	ASP
1	T	188	GLU
1	c	65	ALA
1	J	65	ALA
1	R	63	GLU
1	R	65	ALA
1	T	65	ALA
2	u	97	ALA
1	C	64	ASP
1	b	212	MET
1	F	64	ASP
1	P	64	ASP
1	F	187	PRO
1	H	63	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	K	40	PRO
2	W	40	PRO
2	u	96	PRO
1	N	46	THR
1	O	9	PRO
1	c	187	PRO
1	T	187	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	194/196 (99%)	186 (96%)	8 (4%)	30 64
1	B	194/196 (99%)	188 (97%)	6 (3%)	40 70
1	C	194/196 (99%)	186 (96%)	8 (4%)	30 64
1	D	194/196 (99%)	183 (94%)	11 (6%)	20 52
1	E	194/196 (99%)	187 (96%)	7 (4%)	35 67
1	F	194/196 (99%)	186 (96%)	8 (4%)	30 64
1	H	194/196 (99%)	189 (97%)	5 (3%)	46 74
1	I	194/196 (99%)	184 (95%)	10 (5%)	23 55
1	J	194/196 (99%)	183 (94%)	11 (6%)	20 52
1	L	194/196 (99%)	182 (94%)	12 (6%)	18 49
1	M	194/196 (99%)	188 (97%)	6 (3%)	40 70
1	N	194/196 (99%)	181 (93%)	13 (7%)	16 46
1	O	194/196 (99%)	186 (96%)	8 (4%)	30 64
1	P	194/196 (99%)	181 (93%)	13 (7%)	16 46
1	R	194/196 (99%)	189 (97%)	5 (3%)	46 74
1	S	194/196 (99%)	185 (95%)	9 (5%)	27 59
1	T	194/196 (99%)	187 (96%)	7 (4%)	35 67
1	V	194/196 (99%)	182 (94%)	12 (6%)	18 49

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	X	194/196 (99%)	182 (94%)	12 (6%)	18	49
1	Y	194/196 (99%)	183 (94%)	11 (6%)	20	52
1	a	194/196 (99%)	189 (97%)	5 (3%)	46	74
1	b	194/196 (99%)	180 (93%)	14 (7%)	14	44
1	c	194/196 (99%)	185 (95%)	9 (5%)	27	59
1	v	194/196 (99%)	186 (96%)	8 (4%)	30	64
2	G	109/109 (100%)	105 (96%)	4 (4%)	34	66
2	K	108/109 (99%)	106 (98%)	2 (2%)	57	81
2	Q	109/109 (100%)	101 (93%)	8 (7%)	14	43
2	U	109/109 (100%)	105 (96%)	4 (4%)	34	66
2	W	108/109 (99%)	106 (98%)	2 (2%)	57	81
2	u	108/109 (99%)	106 (98%)	2 (2%)	57	81
All	All	5307/5358 (99%)	5067 (96%)	240 (4%)	31	60

All (240) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	38	ARG
1	A	63	GLU
1	A	64	ASP
1	A	66	ASP
1	A	111	ARG
1	A	148	ARG
1	A	154	ASP
1	A	195	PHE
1	B	44	ASP
1	B	64	ASP
1	B	109	LYS
1	B	118	ASP
1	B	134	LYS
1	B	185	PHE
1	C	20	TYR
1	C	38	ARG
1	C	41	LYS
1	C	57	ASP
1	C	79	ASP
1	C	185	PHE
1	C	217	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	223	LYS
2	U	15	ASP
2	U	21	ASP
2	U	87	ARG
2	U	89	TYR
1	a	32	SER
1	a	111	ARG
1	a	114	ASN
1	a	154	ASP
1	a	202	LYS
1	b	21	LYS
1	b	38	ARG
1	b	63	GLU
1	b	118	ASP
1	b	134	LYS
1	b	135	GLU
1	b	151	MET
1	b	155	ARG
1	b	164	MET
1	b	196	ARG
1	b	210	SER
1	b	212	MET
1	b	213	THR
1	b	235	PHE
1	c	20	TYR
1	c	60	LEU
1	c	62	ASP
1	c	63	GLU
1	c	90	GLU
1	c	145	ASN
1	c	164	MET
1	c	185	PHE
1	c	235	PHE
2	u	30	ARG
2	u	96	PRO
1	V	29	ASN
1	V	38	ARG
1	V	56	ASP
1	V	58	SER
1	V	91	GLN
1	V	121	ARG
1	V	145	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	V	148	ARG
1	V	155	ARG
1	V	185	PHE
1	V	199	SER
1	V	235	PHE
1	v	20	TYR
1	v	21	LYS
1	v	35	ASP
1	v	38	ARG
1	v	41	LYS
1	v	55	TYR
1	v	142	LYS
1	v	185	PHE
1	D	38	ARG
1	D	44	ASP
1	D	60	LEU
1	D	61	ASP
1	D	63	GLU
1	D	64	ASP
1	D	91	GLN
1	D	118	ASP
1	D	148	ARG
1	D	154	ASP
1	D	235	PHE
1	E	38	ARG
1	E	54	SER
1	E	64	ASP
1	E	101	ASN
1	E	109	LYS
1	E	134	LYS
1	E	185	PHE
1	F	8	MET
1	F	20	TYR
1	F	38	ARG
1	F	64	ASP
1	F	87	MET
1	F	145	ASN
1	F	185	PHE
1	F	223	LYS
2	G	4	MET
2	G	19	LYS
2	G	87	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	G	89	TYR
1	H	32	SER
1	H	64	ASP
1	H	114	ASN
1	H	154	ASP
1	H	202	LYS
1	I	21	LYS
1	I	33	ASP
1	I	38	ARG
1	I	63	GLU
1	I	118	ASP
1	I	151	MET
1	I	155	ARG
1	I	164	MET
1	I	196	ARG
1	I	235	PHE
1	J	20	TYR
1	J	63	GLU
1	J	84	LEU
1	J	90	GLU
1	J	148	ARG
1	J	151	MET
1	J	164	MET
1	J	185	PHE
1	J	186	GLN
1	J	188	GLU
1	J	212	MET
2	K	39	PHE
2	K	74	GLN
1	L	20	TYR
1	L	29	ASN
1	L	38	ARG
1	L	56	ASP
1	L	90	GLU
1	L	91	GLN
1	L	111	ARG
1	L	145	ASN
1	L	148	ARG
1	L	164	MET
1	L	185	PHE
1	L	199	SER
1	M	20	TYR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	M	21	LYS
1	M	35	ASP
1	M	38	ARG
1	M	55	TYR
1	M	185	PHE
1	N	38	ARG
1	N	43	LYS
1	N	63	GLU
1	N	64	ASP
1	N	84	LEU
1	N	91	GLN
1	N	118	ASP
1	N	148	ARG
1	N	154	ASP
1	N	155	ARG
1	N	212	MET
1	N	235	PHE
1	N	240	GLU
1	O	7	THR
1	O	8	MET
1	O	38	ARG
1	O	64	ASP
1	O	101	ASN
1	O	109	LYS
1	O	134	LYS
1	O	185	PHE
1	P	8	MET
1	P	20	TYR
1	P	38	ARG
1	P	57	ASP
1	P	59	TYR
1	P	76	SER
1	P	87	MET
1	P	145	ASN
1	P	148	ARG
1	P	164	MET
1	P	185	PHE
1	P	217	ASN
1	P	223	LYS
2	Q	4	MET
2	Q	21	ASP
2	Q	36	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	Q	38	ASP
2	Q	39	PHE
2	Q	40	PRO
2	Q	87	ARG
2	Q	89	TYR
1	R	57	ASP
1	R	64	ASP
1	R	76	SER
1	R	102	GLU
1	R	202	LYS
1	S	21	LYS
1	S	38	ARG
1	S	56	ASP
1	S	101	ASN
1	S	151	MET
1	S	154	ASP
1	S	155	ARG
1	S	164	MET
1	S	235	PHE
1	T	20	TYR
1	T	62	ASP
1	T	63	GLU
1	T	90	GLU
1	T	164	MET
1	T	188	GLU
1	T	212	MET
2	W	39	PHE
2	W	104	SER
1	X	20	TYR
1	X	29	ASN
1	X	38	ARG
1	X	56	ASP
1	X	90	GLU
1	X	91	GLN
1	X	111	ARG
1	X	121	ARG
1	X	139	ARG
1	X	164	MET
1	X	185	PHE
1	X	199	SER
1	Y	21	LYS
1	Y	38	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	Y	41	LYS
1	Y	55	TYR
1	Y	66	ASP
1	Y	139	ARG
1	Y	142	LYS
1	Y	150	SER
1	Y	164	MET
1	Y	185	PHE
1	Y	202	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	74	GLN
1	c	74	GLN
1	H	177	GLN
1	S	94	GLN
1	X	94	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.