



Full wwPDB X-ray Structure Validation Report ⓘ

Aug 7, 2020 – 04:36 PM BST

PDB ID : 4J0M
Title : Crystal structure of BRL1 (LRR) in complex with brassinolide
Authors : Chai, J.; She, J.; Han, Z.; Zhou, B.
Deposited on : 2013-01-31
Resolution : 2.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.13.1
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.13.1


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	4661 (2.50-2.50)
Clashscore	141614	5346 (2.50-2.50)
Ramachandran outliers	138981	5231 (2.50-2.50)
Sidechain outliers	138945	5233 (2.50-2.50)
RSRZ outliers	127900	4559 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	740	<div style="display: flex; align-items: center;"> <div style="width: 3%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 79%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 18%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 1%; height: 10px; background-color: grey; margin-right: 5px;"></div> <div style="width: 1%; height: 10px; background-color: grey;"></div> </div> <p style="text-align: center;">3% 79% 18% ..</p>
1	B	740	<div style="display: flex; align-items: center;"> <div style="width: 3%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 78%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 19%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 1%; height: 10px; background-color: grey; margin-right: 5px;"></div> <div style="width: 1%; height: 10px; background-color: grey;"></div> </div> <p style="text-align: center;">3% 78% 19% ..</p>
2	C	2	<div style="display: flex; align-items: center;"> <div style="width: 50%; height: 10px; background-color: orange; margin-right: 5px;"></div> <div style="width: 50%; height: 10px; background-color: orange;"></div> </div> <p style="text-align: center;">50% 50%</p>
2	E	2	<div style="display: flex; align-items: center;"> <div style="width: 100%; height: 10px; background-color: orange;"></div> </div> <p style="text-align: center;">100%</p>
2	F	2	<div style="display: flex; align-items: center;"> <div style="width: 50%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 50%; height: 10px; background-color: yellow;"></div> </div> <p style="text-align: center;">50% 50%</p>
2	G	2	<div style="display: flex; align-items: center;"> <div style="width: 100%; height: 10px; background-color: yellow;"></div> </div> <p style="text-align: center;">100%</p>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	H	2	 50% 50%
2	J	2	 100%
2	K	2	 50% 50%
3	D	6	 67% 33%
3	I	6	 83% 17%

2 Entry composition i

There are 6 unique types of molecules in this entry. The entry contains 11785 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Serine/threonine-protein kinase BRI1-like 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	724	5455	3446	913	1067	29	0	0	0
1	B	724	5455	3446	913	1067	29	0	0	0

There are 12 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	759	HIS	-	expression tag	UNP Q9ZWC8
A	760	HIS	-	expression tag	UNP Q9ZWC8
A	761	HIS	-	expression tag	UNP Q9ZWC8
A	762	HIS	-	expression tag	UNP Q9ZWC8
A	763	HIS	-	expression tag	UNP Q9ZWC8
A	764	HIS	-	expression tag	UNP Q9ZWC8
B	759	HIS	-	expression tag	UNP Q9ZWC8
B	760	HIS	-	expression tag	UNP Q9ZWC8
B	761	HIS	-	expression tag	UNP Q9ZWC8
B	762	HIS	-	expression tag	UNP Q9ZWC8
B	763	HIS	-	expression tag	UNP Q9ZWC8
B	764	HIS	-	expression tag	UNP Q9ZWC8

- Molecule 2 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
2	C	2	28	16	2	10	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
2	E	2	28	16	2	10	0	0	0
2	F	2	28	16	2	10	0	0	0
2	G	2	28	16	2	10	0	0	0
2	H	2	28	16	2	10	0	0	0
2	J	2	28	16	2	10	0	0	0
2	K	2	28	16	2	10	0	0	0

- Molecule 3 is an oligosaccharide called alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-alpha-D-mannopyranose-(1-6)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
3	D	6	72	40	2	30	0	0	0
3	I	6	72	40	2	30	0	0	0

- Molecule 4 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula: $C_8H_{15}NO_6$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	N	O		
4	A	1	Total	C	N	O	0	0
			14	8	1	5		
4	A	1	Total	C	N	O	0	0
			14	8	1	5		
4	B	1	Total	C	N	O	0	0
			14	8	1	5		
4	B	1	Total	C	N	O	0	0
			14	8	1	5		

- Molecule 5 is Brassinolide (three-letter code: BLD) (formula: $C_{28}H_{48}O_6$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	C	O	0	0
			34	28	6		
5	B	1	Total	C	O	0	0
			34	28	6		

- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	210	Total	O	0	0
			210	210		
6	B	201	Total	O	0	0
			201	201		



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose




- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain K:  50% 50%


MAG1
MAG2

- Molecule 3: alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-alpha-D-mannopyranose-(1-6)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain D:  67% 33%

MAG1
MAG2
MAN3
MAN4
MAN5
MAN6

- Molecule 3: alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-alpha-D-mannopyranose-(1-6)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain I:  83% 17%

MAG1
MAG2
MAN3
MAN4
MAN5
MAN6

4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	105.86Å 83.40Å 264.06Å 90.00° 97.24° 90.00°	Depositor
Resolution (Å)	29.83 – 2.50 29.83 – 2.49	Depositor EDS
% Data completeness (in resolution range)	94.5 (29.83-2.50) 93.9 (29.83-2.49)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	4.32 (at 2.51Å)	Xtrriage
Refinement program	PHENIX (phenix.refine: 1.8_1069)	Depositor
R, R_{free}	0.187 , 0.239 0.188 , 0.239	Depositor DCC
R_{free} test set	3786 reflections (5.04%)	wwPDB-VP
Wilson B-factor (Å ²)	31.8	Xtrriage
Anisotropy	0.425	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 41.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	11785	wwPDB-VP
Average B, all atoms (Å ²)	25.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.24% of the height of the origin peak. No significant pseudotranslation is detected.*

¹ Intensities estimated from amplitudes.

² Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: BLD, BMA, NAG, MAN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.43	0/5561	0.67	0/7559
1	B	0.42	0/5561	0.66	1/7559 (0.0%)
All	All	0.42	0/11122	0.66	1/15118 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	1

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
1	B	156	VAL	CB-CA-C	-5.11	101.69	111.40

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	120	SER	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within

the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5455	0	5391	144	0
1	B	5455	0	5390	133	1
2	C	28	0	25	2	0
2	E	28	0	24	1	0
2	F	28	0	25	0	0
2	G	28	0	25	0	0
2	H	28	0	25	1	0
2	J	28	0	25	0	0
2	K	28	0	25	0	0
3	D	72	0	55	7	0
3	I	72	0	54	1	0
4	A	28	0	26	2	0
4	B	28	0	26	0	0
5	A	34	0	48	5	0
5	B	34	0	48	5	0
6	A	210	0	0	8	0
6	B	201	0	0	11	0
All	All	11785	0	11212	291	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 13.

All (291) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:120:SER:HB3	1:B:145:TYR:HB2	1.26	1.17
1:B:118:GLY:H	1:B:142:MET:HE3	1.06	1.15
1:A:95:LEU:HD22	1:A:142:MET:HE2	1.30	1.12
1:B:590:GLU:HG2	1:B:624:THR:HG21	1.25	1.12
1:A:510:ARG:HH11	1:A:510:ARG:HG2	1.06	1.11
1:A:95:LEU:H	1:A:118:GLY:HA2	1.07	1.11
1:A:399:GLN:HG3	1:A:402:PRO:HD3	1.28	1.11
1:B:398:LEU:HD23	1:B:399:GLN:H	1.01	1.09
1:A:590:GLU:HG2	1:A:624:THR:HG21	1.12	1.08
1:A:95:LEU:HB2	1:A:142:MET:HE3	1.34	1.07
1:A:153:LEU:HD21	1:A:156:VAL:HG22	1.41	1.02
1:B:399:GLN:HG2	1:B:400:SER:H	1.20	1.02
1:A:399:GLN:HG2	1:A:401:SER:HA	1.41	1.01
1:A:95:LEU:H	1:A:118:GLY:CA	1.75	0.98
1:B:448:MET:CE	1:B:473:LYS:HD2	1.98	0.94

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:590:GLU:HG2	1:A:624:THR:CG2	1.97	0.93
1:B:398:LEU:HD23	1:B:399:GLN:N	1.83	0.93
1:A:95:LEU:N	1:A:118:GLY:HA2	1.82	0.93
1:A:480:LEU:N	1:A:501:MET:HE1	1.83	0.93
1:B:477:LEU:HB2	1:B:501:MET:HE1	1.51	0.91
1:A:510:ARG:NH1	1:A:510:ARG:HG2	1.85	0.90
1:A:400:SER:N	1:A:401:SER:HA	1.88	0.89
1:B:590:GLU:CG	1:B:624:THR:HG21	2.01	0.89
1:A:590:GLU:CG	1:A:624:THR:HG21	2.02	0.89
1:B:498:CYS:O	1:B:522:LEU:HD22	1.73	0.88
1:B:400:SER:N	1:B:401:SER:HA	1.89	0.88
4:A:815:NAG:O3	4:A:815:NAG:H82	1.75	0.87
1:A:281:GLN:HB3	3:D:1:NAG:H81	1.55	0.87
1:B:118:GLY:N	1:B:142:MET:HE3	1.90	0.86
1:B:305:VAL:HG23	1:B:306:ILE:HG13	1.56	0.86
1:A:399:GLN:CG	1:A:402:PRO:HD3	2.04	0.85
1:B:398:LEU:CD2	1:B:399:GLN:H	1.90	0.85
1:B:117:GLY:HA2	1:B:142:MET:HE1	1.55	0.84
1:A:399:GLN:OE1	6:A:1080:HOH:O	1.94	0.84
1:A:153:LEU:HD21	1:A:156:VAL:CG2	2.06	0.84
1:B:120:SER:HB3	1:B:145:TYR:CB	2.08	0.83
1:B:590:GLU:HG2	1:B:624:THR:CG2	2.08	0.83
1:B:477:LEU:O	1:B:501:MET:HE2	1.78	0.83
1:B:457:MET:HE2	1:B:462:LEU:HD11	1.60	0.82
1:A:399:GLN:HG2	1:A:400:SER:H	1.44	0.82
1:A:119:ASP:CG	1:A:120:SER:H	1.83	0.81
1:B:153:LEU:HD21	1:B:156:VAL:HG22	1.62	0.81
1:A:399:GLN:HG2	1:A:400:SER:N	1.95	0.80
1:A:281:GLN:HB3	3:D:1:NAG:C8	2.12	0.79
1:A:258:ILE:HD12	1:A:263:LEU:CD1	2.12	0.78
1:A:497:ARG:HD2	6:A:1104:HOH:O	1.83	0.77
1:B:477:LEU:CB	1:B:501:MET:HE1	2.13	0.77
1:B:418:VAL:HG21	1:B:457:MET:CE	2.16	0.76
1:A:399:GLN:CG	1:A:400:SER:H	1.96	0.76
1:A:119:ASP:HA	1:A:141:SER:OG	1.85	0.75
1:B:118:GLY:H	1:B:142:MET:CE	1.94	0.75
1:B:418:VAL:HG21	1:B:457:MET:HE3	1.68	0.75
1:B:468:GLU:OE1	6:B:1007:HOH:O	2.03	0.75
1:B:603:GLU:OE2	1:B:605:GLU:HB2	1.87	0.74
1:B:399:GLN:HG2	1:B:400:SER:N	2.00	0.74
1:B:258:ILE:HD11	1:B:284:LEU:HD22	1.69	0.74

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:501:MET:SD	6:B:1000:HOH:O	2.46	0.72
1:B:117:GLY:CA	1:B:142:MET:HE1	2.19	0.72
1:A:558:ASN:OD1	2:C:1:NAG:H2	1.88	0.72
1:B:467:PRO:O	1:B:470:VAL:HG23	1.89	0.72
1:B:448:MET:HE1	1:B:473:LYS:HD2	1.71	0.71
1:B:400:SER:N	1:B:401:SER:CA	2.53	0.71
1:A:603:GLU:OE2	1:A:605:GLU:HB2	1.91	0.71
1:A:480:LEU:H	1:A:501:MET:HE1	1.57	0.70
1:B:258:ILE:HD12	1:B:263:LEU:CD1	2.22	0.70
1:B:443:PRO:HD2	1:B:446:ILE:HD12	1.73	0.69
1:A:95:LEU:HB2	1:A:142:MET:CE	2.17	0.69
1:B:165:GLY:HA3	6:B:1018:HOH:O	1.92	0.69
1:A:258:ILE:HD12	1:A:263:LEU:HD11	1.72	0.69
1:A:443:PRO:HD2	1:A:446:ILE:HD12	1.73	0.69
1:B:151:SER:HA	1:B:174:LEU:HD22	1.75	0.69
1:A:310:SER:OG	1:A:332:ASN:OD1	2.11	0.69
1:A:418:VAL:HG21	1:A:457:MET:CE	2.23	0.68
5:A:804:BLD:H221	5:A:804:BLD:H112	1.73	0.68
1:A:479:THR:C	1:A:501:MET:HE1	2.14	0.68
1:A:105:GLN:HB3	1:A:128:GLN:HG3	1.75	0.66
1:A:41:PHE:CD1	1:A:98:LEU:HD21	2.30	0.66
1:A:95:LEU:HD22	1:A:142:MET:CE	2.18	0.66
1:A:558:ASN:OD1	2:C:1:NAG:C2	2.40	0.66
1:B:374:CYS:HB3	6:B:1054:HOH:O	1.94	0.65
1:A:479:THR:HA	1:A:501:MET:CE	2.26	0.65
1:B:501:MET:CE	6:B:1000:HOH:O	2.44	0.65
1:A:281:GLN:CB	3:D:1:NAG:H81	2.28	0.64
1:A:399:GLN:HG2	1:A:401:SER:CA	2.24	0.64
1:A:418:VAL:HG12	1:A:446:ILE:HD11	1.79	0.64
1:B:277:GLN:O	1:B:303:THR:HG21	1.98	0.64
1:A:174:LEU:O	1:A:200:PRO:HG3	1.99	0.63
1:A:95:LEU:HB3	1:A:118:GLY:HA3	1.81	0.63
1:A:418:VAL:HG21	1:A:457:MET:HE3	1.81	0.62
5:A:804:BLD:C12	5:A:804:BLD:H221	2.29	0.62
1:B:418:VAL:CG2	1:B:457:MET:HE3	2.29	0.62
1:A:372:THR:HG22	1:A:395:PHE:CD1	2.35	0.62
1:B:392:PRO:HB2	1:B:395:PHE:CD2	2.34	0.62
1:A:132:LEU:HD13	1:A:142:MET:HE1	1.82	0.61
1:A:631:THR:HG22	5:A:804:BLD:H228	1.81	0.61
1:B:399:GLN:C	1:B:401:SER:HA	2.20	0.61
1:A:153:LEU:CD2	1:A:156:VAL:CG2	2.78	0.61

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:258:ILE:HD11	1:A:284:LEU:HD22	1.80	0.61
1:B:123:SER:OG	1:B:124:ASP:N	2.33	0.60
1:A:642:ILE:N	1:A:642:ILE:HD13	2.16	0.60
3:D:2:NAG:H3	3:D:2:NAG:H83	1.82	0.60
1:A:119:ASP:CG	1:A:120:SER:N	2.54	0.60
1:A:399:GLN:CG	1:A:400:SER:N	2.60	0.60
1:B:95:LEU:HB2	1:B:142:MET:HE2	1.82	0.60
1:B:392:PRO:HG2	1:B:395:PHE:HE2	1.66	0.60
1:B:448:MET:HE2	1:B:473:LYS:HD2	1.79	0.60
5:B:801:BLD:H112	5:B:801:BLD:H221	1.82	0.60
1:B:41:PHE:CD1	1:B:98:LEU:HD21	2.36	0.60
1:A:119:ASP:OD2	1:A:120:SER:N	2.33	0.59
1:A:684:GLY:HA3	1:A:706:SER:OG	2.02	0.59
1:A:510:ARG:HH11	1:A:510:ARG:CG	1.95	0.59
4:A:815:NAG:HO3	4:A:815:NAG:H82	1.68	0.59
1:A:358:VAL:CG2	1:A:382:LEU:HD23	2.33	0.58
1:A:255:THR:HB	1:A:281:GLN:HB2	1.85	0.58
1:A:59:TYR:CE1	1:A:60:GLU:HG3	2.39	0.58
1:A:479:THR:CA	1:A:501:MET:HE1	2.33	0.58
1:A:596:ARG:HD3	1:A:648:TYR:CE2	2.38	0.58
1:B:501:MET:HE3	6:B:1000:HOH:O	2.02	0.58
1:A:753:ARG:NH1	1:A:754:PRO:HD2	2.18	0.57
1:B:631:THR:HG22	5:B:801:BLD:H228	1.85	0.57
1:B:118:GLY:HA3	1:B:120:SER:OG	2.04	0.57
1:A:399:GLN:C	1:A:401:SER:HA	2.24	0.57
1:B:279:LEU:HD23	1:B:300:LEU:HD22	1.87	0.57
1:B:59:TYR:CE1	1:B:60:GLU:HG3	2.39	0.57
1:A:510:ARG:NH1	1:A:510:ARG:CG	2.61	0.56
1:B:41:PHE:CE1	1:B:98:LEU:HD11	2.40	0.56
1:B:418:VAL:HG12	1:B:446:ILE:HD11	1.87	0.56
1:B:477:LEU:HB2	1:B:501:MET:CE	2.31	0.56
1:A:716:LEU:HD22	1:A:733:LEU:CD1	2.36	0.56
1:B:676:THR:HG22	1:B:698:ASN:HB2	1.86	0.56
1:A:400:SER:N	1:A:401:SER:CA	2.67	0.56
1:A:501:MET:CE	1:A:503:TRP:O	2.53	0.56
1:A:479:THR:HA	1:A:501:MET:HE1	1.88	0.56
1:A:479:THR:HA	1:A:501:MET:HE3	1.87	0.56
1:B:718:VAL:HG13	1:B:723:LEU:HD12	1.88	0.55
1:A:32:PHE:HE2	1:A:59:TYR:HH	1.52	0.55
1:A:480:LEU:H	1:A:501:MET:CE	2.19	0.55
1:A:317:GLU:HG2	1:A:339:SER:O	2.07	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:166:LYS:N	6:B:1018:HOH:O	2.38	0.55
1:B:358:VAL:CG2	1:B:382:LEU:HD23	2.36	0.55
1:A:37:LEU:HD21	1:A:97:ASN:O	2.06	0.55
1:B:433:LEU:HB2	1:B:457:MET:HG2	1.87	0.55
1:B:308:ASP:OD1	1:B:310:SER:HB2	2.07	0.55
1:B:418:VAL:HG12	1:B:446:ILE:CD1	2.37	0.55
1:B:281:GLN:HB3	3:I:1:NAG:H81	1.90	0.54
1:B:358:VAL:HG23	1:B:382:LEU:HD23	1.89	0.54
1:B:59:TYR:CZ	1:B:60:GLU:HG3	2.43	0.54
1:B:590:GLU:CB	1:B:624:THR:HG21	2.38	0.54
1:B:32:PHE:HZ	1:B:59:TYR:HH	1.50	0.54
3:D:2:NAG:C3	3:D:2:NAG:H83	2.37	0.54
1:B:614:ARG:HB2	1:B:614:ARG:NH1	2.23	0.53
1:A:418:VAL:HG21	1:A:457:MET:HE1	1.90	0.53
1:B:54:LEU:HD22	1:B:57:TRP:CE2	2.44	0.53
1:B:468:GLU:OE2	1:B:494:SER:HB2	2.07	0.53
1:A:80:VAL:HG23	1:A:105:GLN:HG3	1.90	0.53
1:B:421:GLU:O	1:B:424:LYS:HB2	2.09	0.53
1:B:418:VAL:HG11	1:B:446:ILE:HD13	1.91	0.52
1:A:716:LEU:CD2	1:A:733:LEU:CD1	2.88	0.52
1:A:706:SER:HB2	6:A:916:HOH:O	2.10	0.52
1:B:150:CYS:O	1:B:174:LEU:HD22	2.10	0.52
1:A:501:MET:HE3	1:A:503:TRP:O	2.10	0.51
5:B:801:BLD:C12	5:B:801:BLD:H221	2.40	0.51
1:A:322:PHE:O	1:A:325:CYS:HB2	2.10	0.51
1:B:409:ILE:HG21	1:B:414:LEU:HD11	1.91	0.51
1:A:716:LEU:HD22	1:A:733:LEU:HD11	1.93	0.51
1:A:418:VAL:CG2	1:A:457:MET:HE3	2.40	0.51
1:B:418:VAL:HG21	1:B:457:MET:HE1	1.91	0.51
1:B:738:VAL:CG1	6:B:1044:HOH:O	2.59	0.51
1:A:395:PHE:HB2	6:A:1015:HOH:O	2.10	0.50
1:A:247:LEU:N	1:A:248:PRO:CD	2.74	0.50
1:A:409:ILE:HG21	1:A:414:LEU:HD11	1.93	0.50
1:B:217:PHE:O	1:B:244:PRO:HG3	2.12	0.50
1:A:132:LEU:CD1	1:A:142:MET:HE1	2.42	0.50
1:A:502:ILE:HD11	1:A:578:SER:HB3	1.94	0.49
1:B:267:ILE:HD11	1:B:314:PHE:CZ	2.48	0.49
1:A:392:PRO:HG2	1:A:395:PHE:HE2	1.77	0.49
1:B:344:ASN:HB2	1:B:368:PRO:HB3	1.95	0.49
1:B:454:ASP:HA	1:B:479:THR:HG22	1.94	0.49
3:D:2:NAG:H3	3:D:2:NAG:C8	2.43	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:79:ILE:HD12	1:A:101:LEU:HD22	1.95	0.48
1:B:398:LEU:HD22	1:B:399:GLN:O	2.13	0.48
1:A:308:ASP:OD1	1:A:310:SER:HB2	2.13	0.48
1:B:95:LEU:HB2	1:B:142:MET:CE	2.43	0.48
1:A:241:ASP:C	1:A:242:LYS:HG3	2.34	0.48
1:A:467:PRO:O	1:A:470:VAL:HG23	2.14	0.48
1:B:247:LEU:N	1:B:248:PRO:CD	2.76	0.48
1:A:691:VAL:HG22	1:A:715:ASP:HB3	1.96	0.48
1:A:418:VAL:CG1	1:A:446:ILE:CD1	2.92	0.47
1:A:76:ASP:OD2	1:A:76:ASP:N	2.47	0.47
1:A:267:ILE:HD11	1:A:314:PHE:CZ	2.50	0.47
1:A:461:ASN:HB2	6:A:1053:HOH:O	2.15	0.47
1:B:418:VAL:CG1	1:B:446:ILE:CD1	2.93	0.47
1:B:429:LYS:HB3	1:B:429:LYS:HE3	1.66	0.47
1:B:447:TRP:O	1:B:474:GLY:HA3	2.14	0.47
1:B:738:VAL:HG12	6:B:1044:HOH:O	2.14	0.47
1:A:153:LEU:CD2	1:A:156:VAL:HG22	2.27	0.47
1:A:635:PHE:HE2	1:A:642:ILE:HD11	1.78	0.47
1:A:93:LEU:HD21	1:A:142:MET:HE1	1.96	0.47
1:B:579:VAL:HG12	1:B:633:TYR:OH	2.15	0.46
1:B:581:GLY:HA2	1:B:630:MET:HG3	1.97	0.46
3:D:2:NAG:C3	3:D:2:NAG:C8	2.92	0.46
1:A:41:PHE:CE1	1:A:98:LEU:HD11	2.50	0.46
1:B:380:LEU:CD2	1:B:395:PHE:CZ	2.98	0.46
1:B:37:LEU:HD21	1:B:97:ASN:O	2.15	0.46
1:B:686:LEU:O	1:B:710:LEU:HD22	2.16	0.46
1:B:610:GLU:OE1	2:H:2:NAG:H82	2.16	0.46
1:A:358:VAL:HG23	1:A:382:LEU:HD23	1.98	0.46
1:A:434:SER:OG	1:A:456:VAL:HG12	2.16	0.46
1:A:418:VAL:HG12	1:A:446:ILE:CD1	2.44	0.45
1:B:153:LEU:CD2	1:B:156:VAL:HG22	2.38	0.45
1:B:545:ASN:O	1:B:547:LYS:HD2	2.16	0.45
1:A:45:SER:O	1:A:91:GLY:HA3	2.16	0.45
1:A:734:THR:HB	1:A:750:VAL:HG12	1.97	0.45
1:A:398:LEU:HG	1:A:398:LEU:O	2.16	0.45
1:B:392:PRO:HB2	1:B:395:PHE:CE2	2.52	0.45
1:B:398:LEU:CD2	1:B:399:GLN:N	2.64	0.45
1:B:691:VAL:HG23	5:B:801:BLD:H02	1.98	0.44
1:A:564:PRO:HG2	1:A:567:LEU:HG	2.00	0.44
5:A:804:BLD:H20	5:A:804:BLD:H24	1.79	0.44
2:E:1:NAG:H62	2:E:2:NAG:C1	2.47	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:405:GLU:OE2	6:A:999:HOH:O	2.21	0.44
1:A:470:VAL:HG12	1:A:471:CYS:SG	2.58	0.44
1:B:418:VAL:CG1	1:B:446:ILE:HD13	2.47	0.44
1:A:241:ASP:HB3	1:A:242:LYS:HG3	2.00	0.44
1:A:576:PRO:HA	1:A:633:TYR:CE1	2.53	0.44
1:B:37:LEU:C	1:B:37:LEU:HD23	2.38	0.44
1:B:153:LEU:HD21	1:B:156:VAL:CG2	2.41	0.44
1:B:218:SER:HB3	1:B:242:LYS:O	2.17	0.44
1:B:258:ILE:HD12	1:B:263:LEU:HD11	1.98	0.44
1:A:83:ASP:OD1	1:A:85:ARG:NH2	2.47	0.43
1:B:635:PHE:HB3	1:B:664:TYR:CE1	2.53	0.43
1:A:32:PHE:HE2	1:A:59:TYR:OH	2.01	0.43
1:B:174:LEU:O	1:B:200:PRO:HG3	2.18	0.43
1:B:434:SER:OG	1:B:456:VAL:HG12	2.18	0.43
1:B:457:MET:CE	1:B:462:LEU:HD11	2.39	0.43
1:A:392:PRO:HB2	1:A:395:PHE:CE2	2.52	0.43
1:A:392:PRO:HB2	1:A:395:PHE:CD2	2.54	0.43
1:B:718:VAL:HG13	1:B:718:VAL:O	2.18	0.43
1:A:473:LYS:HA	1:A:473:LYS:HD2	1.81	0.43
1:B:413:TYR:CD2	1:B:413:TYR:N	2.87	0.43
1:A:143:VAL:HG22	1:A:158:ILE:HD12	1.99	0.43
1:A:40:ALA:O	1:A:44:ASN:HB2	2.19	0.43
1:B:654:PHE:C	1:B:654:PHE:CD2	2.92	0.43
1:B:158:ILE:O	1:B:158:ILE:HG22	2.18	0.42
1:B:259:SER:HB3	1:B:283:SER:OG	2.19	0.42
1:B:32:PHE:CE2	1:B:59:TYR:CE1	3.07	0.42
1:A:689:ILE:O	1:A:689:ILE:HG23	2.18	0.42
1:A:417:THR:HB	6:A:971:HOH:O	2.19	0.42
1:A:679:ILE:HD12	1:A:703:LEU:HD23	2.01	0.42
1:B:143:VAL:HG22	1:B:158:ILE:HD12	2.00	0.42
1:B:596:ARG:HD3	1:B:648:TYR:CD2	2.54	0.42
1:A:95:LEU:CB	1:A:118:GLY:HA3	2.49	0.42
5:B:801:BLD:O06	5:B:801:BLD:C19	2.67	0.42
1:B:587:VAL:HB	1:B:599:GLY:CA	2.49	0.42
1:A:418:VAL:HG11	1:A:446:ILE:HD13	2.01	0.42
1:A:59:TYR:HD1	1:A:60:GLU:N	2.18	0.42
1:B:245:ILE:O	1:B:248:PRO:HD2	2.20	0.42
1:B:380:LEU:HD22	1:B:395:PHE:CZ	2.55	0.42
1:B:53:VAL:HG21	1:B:87:SER:HB3	2.02	0.41
1:A:31:ASP:C	1:A:32:PHE:CD2	2.93	0.41
1:A:372:THR:HG22	1:A:395:PHE:CE1	2.55	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:80:VAL:HG22	1:A:80:VAL:O	2.21	0.41
1:B:546:CYS:HB3	6:B:901:HOH:O	2.19	0.41
1:B:590:GLU:HG2	1:B:624:THR:CB	2.50	0.41
1:A:281:GLN:N	1:A:281:GLN:OE1	2.54	0.41
1:A:596:ARG:CD	1:A:648:TYR:CD2	3.04	0.41
5:A:804:BLD:H119	5:A:804:BLD:H08	1.85	0.41
1:B:477:LEU:C	1:B:501:MET:HE2	2.39	0.41
1:A:247:LEU:HB3	1:A:248:PRO:HD3	2.03	0.41
1:A:260:ARG:HG2	1:A:286:HIS:HB2	2.02	0.41
1:A:686:LEU:HD23	1:A:686:LEU:HA	1.86	0.41
1:B:423:GLY:HA3	1:B:445:GLU:HB3	2.02	0.41
1:B:80:VAL:HG22	1:B:80:VAL:O	2.21	0.41
1:A:457:MET:HB2	1:A:482:LEU:CD2	2.51	0.41
1:B:117:GLY:CA	1:B:142:MET:CE	2.95	0.41
1:A:470:VAL:C	1:A:472:VAL:H	2.23	0.41
1:A:93:LEU:O	1:A:117:GLY:CA	2.69	0.41
1:B:550:ILE:HB	1:B:642:ILE:HG12	2.03	0.41
1:A:271:GLU:OE1	1:A:271:GLU:HA	2.19	0.41
1:B:550:ILE:HA	1:B:641:MET:HA	2.02	0.41
1:A:32:PHE:N	1:A:32:PHE:CD2	2.89	0.41
1:B:293:ILE:HA	1:B:294:PRO:HD3	1.94	0.41
1:B:305:VAL:HG21	6:B:983:HOH:O	2.21	0.41
1:A:591:GLY:HA3	1:A:595:CYS:SG	2.60	0.40
1:A:733:LEU:HD13	1:A:733:LEU:HA	1.89	0.40
1:B:182:LEU:HB2	1:B:208:LEU:HD23	2.02	0.40
1:A:132:LEU:CD1	1:A:142:MET:CE	2.99	0.40
1:A:588:ARG:NH1	1:A:627:TYR:OH	2.54	0.40
1:B:520:GLY:O	1:B:545:ASN:ND2	2.49	0.40
1:A:546:CYS:HB3	6:A:901:HOH:O	2.22	0.40
1:B:477:LEU:O	1:B:501:MET:CE	2.60	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:124:ASP:OD1	1:B:541:ARG:NH1[1_545]	1.99	0.21

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	720/740 (97%)	685 (95%)	35 (5%)	0	100	100
1	B	720/740 (97%)	693 (96%)	27 (4%)	0	100	100
All	All	1440/1480 (97%)	1378 (96%)	62 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	627/641 (98%)	604 (96%)	23 (4%)	34	60
1	B	627/641 (98%)	606 (97%)	21 (3%)	38	64
All	All	1254/1282 (98%)	1210 (96%)	44 (4%)	36	62

All (44) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	59	TYR
1	A	76	ASP
1	A	158	ILE
1	A	186	ILE
1	A	212	ASN
1	A	220	LEU
1	A	225	CYS
1	A	241	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	255	THR
1	A	325	CYS
1	A	349	LYS
1	A	371	LEU
1	A	435	PHE
1	A	453	SER
1	A	510	ARG
1	A	579	VAL
1	A	593	THR
1	A	613	GLU
1	A	618	VAL
1	A	630	MET
1	A	687	LYS
1	A	718	VAL
1	A	722	ASN
1	B	76	ASP
1	B	119	ASP
1	B	121	SER
1	B	123	SER
1	B	149	LYS
1	B	186	ILE
1	B	225	CYS
1	B	310	SER
1	B	349	LYS
1	B	353	ILE
1	B	369	ILE
1	B	397	SER
1	B	409	ILE
1	B	435	PHE
1	B	479	THR
1	B	604	PHE
1	B	614	ARG
1	B	628	SER
1	B	630	MET
1	B	718	VAL
1	B	733	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

26 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	NAG	C	1	1,2	14,14,15	0.48	0	17,19,21	1.66	1 (5%)
2	NAG	C	2	2	14,14,15	0.45	0	17,19,21	1.31	1 (5%)
3	NAG	D	1	1,3	14,14,15	0.59	0	17,19,21	1.82	4 (23%)
3	NAG	D	2	3	14,14,15	1.91	4 (28%)	17,19,21	2.11	5 (29%)
3	BMA	D	3	3	11,11,12	1.12	1 (9%)	15,15,17	1.57	3 (20%)
3	MAN	D	4	3	11,11,12	1.46	3 (27%)	15,15,17	1.86	3 (20%)
3	MAN	D	5	3	11,11,12	3.94	1 (9%)	15,15,17	1.36	2 (13%)
3	MAN	D	6	3	11,11,12	2.07	5 (45%)	15,15,17	1.63	3 (20%)
2	NAG	E	1	1,2	14,14,15	1.95	3 (21%)	17,19,21	2.64	5 (29%)
2	NAG	E	2	2	14,14,15	1.67	3 (21%)	17,19,21	2.43	6 (35%)
2	NAG	F	1	1,2	14,14,15	0.60	0	17,19,21	0.78	0
2	NAG	F	2	2	14,14,15	0.48	0	17,19,21	0.90	1 (5%)
2	NAG	G	1	1,2	14,14,15	0.45	0	17,19,21	2.27	6 (35%)
2	NAG	G	2	2	14,14,15	0.48	0	17,19,21	1.05	2 (11%)
2	NAG	H	1	1,2	14,14,15	0.51	0	17,19,21	1.75	1 (5%)
2	NAG	H	2	2	14,14,15	0.46	0	17,19,21	1.51	1 (5%)
3	NAG	I	1	1,3	14,14,15	2.09	7 (50%)	17,19,21	2.10	3 (17%)
3	NAG	I	2	3	14,14,15	2.32	5 (35%)	17,19,21	2.52	2 (11%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	BMA	I	3	3	11,11,12	1.07	2 (18%)	15,15,17	1.55	3 (20%)
3	MAN	I	4	3	11,11,12	1.72	3 (27%)	15,15,17	1.79	4 (26%)
3	MAN	I	5	3	11,11,12	2.23	4 (36%)	15,15,17	3.28	5 (33%)
3	MAN	I	6	3	11,11,12	2.40	5 (45%)	15,15,17	1.45	3 (20%)
2	NAG	J	1	1,2	14,14,15	0.67	0	17,19,21	1.09	2 (11%)
2	NAG	J	2	2	14,14,15	0.58	0	17,19,21	1.18	1 (5%)
2	NAG	K	1	1,2	14,14,15	0.64	0	17,19,21	1.04	1 (5%)
2	NAG	K	2	2	14,14,15	0.51	0	17,19,21	0.80	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	C	1	1,2	-	2/6/23/26	0/1/1/1
2	NAG	C	2	2	-	0/6/23/26	0/1/1/1
3	NAG	D	1	1,3	-	1/6/23/26	0/1/1/1
3	NAG	D	2	3	-	3/6/23/26	0/1/1/1
3	BMA	D	3	3	-	2/2/19/22	0/1/1/1
3	MAN	D	4	3	-	2/2/19/22	0/1/1/1
3	MAN	D	5	3	-	0/2/19/22	0/1/1/1
3	MAN	D	6	3	-	2/2/19/22	0/1/1/1
2	NAG	E	1	1,2	-	2/6/23/26	0/1/1/1
2	NAG	E	2	2	-	2/6/23/26	0/1/1/1
2	NAG	F	1	1,2	-	4/6/23/26	0/1/1/1
2	NAG	F	2	2	-	0/6/23/26	0/1/1/1
2	NAG	G	1	1,2	-	2/6/23/26	0/1/1/1
2	NAG	G	2	2	-	0/6/23/26	0/1/1/1
2	NAG	H	1	1,2	-	2/6/23/26	0/1/1/1
2	NAG	H	2	2	-	2/6/23/26	0/1/1/1
3	NAG	I	1	1,3	-	2/6/23/26	0/1/1/1
3	NAG	I	2	3	-	0/6/23/26	0/1/1/1
3	BMA	I	3	3	-	0/2/19/22	0/1/1/1
3	MAN	I	4	3	-	2/2/19/22	0/1/1/1
3	MAN	I	5	3	-	2/2/19/22	0/1/1/1
3	MAN	I	6	3	-	2/2/19/22	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	J	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	J	2	2	-	0/6/23/26	0/1/1/1
2	NAG	K	1	1,2	-	2/6/23/26	0/1/1/1
2	NAG	K	2	2	-	2/6/23/26	0/1/1/1

All (46) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	D	5	MAN	O6-C6	-12.84	0.88	1.42
3	I	2	NAG	O5-C1	-5.16	1.35	1.43
3	I	6	MAN	O5-C1	-4.68	1.36	1.43
3	I	1	NAG	O5-C1	-4.62	1.36	1.43
3	I	5	MAN	O5-C1	-4.28	1.36	1.43
3	I	4	MAN	O5-C1	-3.95	1.37	1.43
3	D	2	NAG	O5-C1	-3.80	1.37	1.43
3	I	2	NAG	O5-C5	-3.57	1.36	1.43
3	I	6	MAN	O5-C5	-3.57	1.36	1.43
2	E	1	NAG	O5-C1	-3.54	1.38	1.43
3	D	6	MAN	O5-C1	-3.51	1.38	1.43
3	D	6	MAN	O5-C5	-3.46	1.36	1.43
2	E	1	NAG	C2-N2	-3.35	1.40	1.46
2	E	2	NAG	O5-C1	-3.20	1.38	1.43
3	D	2	NAG	O5-C5	-3.20	1.37	1.43
3	D	6	MAN	O4-C4	-3.10	1.35	1.43
3	I	6	MAN	O2-C2	-3.07	1.36	1.43
3	I	1	NAG	C2-N2	-3.04	1.41	1.46
3	I	5	MAN	O3-C3	-3.03	1.35	1.43
3	I	5	MAN	O5-C5	-2.93	1.37	1.43
3	I	5	MAN	O4-C4	-2.92	1.36	1.43
3	I	6	MAN	O4-C4	-2.92	1.36	1.43
3	D	2	NAG	O3-C3	-2.92	1.36	1.43
2	E	1	NAG	O3-C3	-2.91	1.36	1.43
3	I	2	NAG	C2-N2	-2.80	1.41	1.46
3	I	4	MAN	O4-C4	-2.71	1.36	1.43
3	I	1	NAG	O3-C3	-2.68	1.36	1.43
3	I	2	NAG	O3-C3	-2.67	1.36	1.43
3	I	2	NAG	O7-C7	-2.57	1.17	1.23
3	D	4	MAN	O2-C2	-2.55	1.37	1.43
2	E	2	NAG	C2-N2	-2.53	1.42	1.46
3	I	6	MAN	O3-C3	-2.52	1.37	1.43
3	D	3	BMA	O5-C1	-2.52	1.39	1.43
3	D	4	MAN	O4-C4	-2.47	1.37	1.43

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	D	2	NAG	C7-N2	-2.45	1.25	1.34
3	I	1	NAG	O4-C4	-2.42	1.37	1.43
3	D	4	MAN	O5-C1	-2.42	1.39	1.43
3	I	4	MAN	O2-C2	-2.34	1.38	1.43
3	D	6	MAN	O3-C3	-2.33	1.37	1.43
3	I	3	BMA	O5-C1	-2.30	1.40	1.43
3	I	1	NAG	O5-C5	-2.22	1.38	1.43
3	I	3	BMA	O5-C5	-2.09	1.39	1.43
2	E	2	NAG	O5-C5	-2.08	1.39	1.43
3	I	1	NAG	C1-C2	-2.06	1.49	1.52
3	I	1	NAG	O7-C7	-2.05	1.18	1.23
3	D	6	MAN	O2-C2	-2.01	1.39	1.43

All (68) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	I	5	MAN	O5-C5-C6	-8.85	93.33	107.20
3	I	2	NAG	O5-C1-C2	-7.64	99.22	111.29
3	I	5	MAN	C1-O5-C5	7.43	122.26	112.19
2	G	1	NAG	C1-O5-C5	6.85	121.48	112.19
2	H	1	NAG	C1-O5-C5	6.51	121.02	112.19
2	E	2	NAG	C3-C4-C5	-6.50	98.65	110.24
3	D	2	NAG	O5-C1-C2	-6.45	101.10	111.29
2	E	1	NAG	O5-C1-C2	-6.33	101.30	111.29
2	C	1	NAG	C1-O5-C5	6.25	120.66	112.19
3	I	2	NAG	C3-C4-C5	-5.55	100.34	110.24
2	E	1	NAG	C6-C5-C4	-5.54	100.02	113.00
3	I	1	NAG	O5-C1-C2	-5.42	102.72	111.29
2	H	2	NAG	C1-O5-C5	5.17	119.19	112.19
3	I	1	NAG	C1-O5-C5	5.08	119.07	112.19
3	D	4	MAN	C2-C3-C4	-4.43	103.23	110.89
2	C	2	NAG	C1-O5-C5	4.41	118.17	112.19
2	E	1	NAG	C1-O5-C5	4.32	118.05	112.19
3	D	1	NAG	C2-N2-C7	-4.31	116.77	122.90
3	I	4	MAN	C2-C3-C4	-4.29	103.48	110.89
2	E	2	NAG	C2-N2-C7	-4.02	117.18	122.90
3	D	4	MAN	C1-O5-C5	3.96	117.56	112.19
2	J	2	NAG	C2-N2-C7	-3.96	117.27	122.90
2	E	2	NAG	C4-C3-C2	-3.67	105.64	111.02
2	E	1	NAG	O3-C3-C4	-3.62	101.97	110.35
3	I	3	BMA	O5-C1-C2	-3.55	105.30	110.77
2	G	1	NAG	O5-C1-C2	3.50	116.82	111.29

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	I	5	MAN	C1-C2-C3	-3.49	105.38	109.67
3	D	6	MAN	C1-O5-C5	3.41	116.81	112.19
3	D	5	MAN	C1-O5-C5	3.40	116.79	112.19
3	D	1	NAG	C1-O5-C5	3.30	116.66	112.19
3	D	2	NAG	C2-N2-C7	3.04	127.23	122.90
3	I	6	MAN	C6-C5-C4	-3.02	105.93	113.00
3	D	2	NAG	C4-C3-C2	-2.98	106.65	111.02
3	D	3	BMA	O3-C3-C2	2.93	115.60	109.99
3	I	4	MAN	C1-O5-C5	2.84	116.04	112.19
3	D	3	BMA	O5-C1-C2	-2.80	106.45	110.77
2	E	2	NAG	O5-C5-C6	2.68	111.41	107.20
2	J	1	NAG	C1-O5-C5	2.66	115.80	112.19
3	D	6	MAN	C6-C5-C4	-2.59	106.94	113.00
2	G	2	NAG	C1-O5-C5	2.58	115.69	112.19
3	D	4	MAN	O6-C6-C5	2.56	120.06	111.29
2	F	2	NAG	C1-O5-C5	2.55	115.64	112.19
3	D	1	NAG	C3-C4-C5	2.53	114.76	110.24
3	I	5	MAN	O2-C2-C3	-2.53	105.06	110.14
2	G	1	NAG	O5-C5-C4	2.51	116.94	110.83
3	I	1	NAG	C6-C5-C4	-2.50	107.15	113.00
2	K	1	NAG	C4-C3-C2	2.47	114.63	111.02
3	I	6	MAN	O4-C4-C3	-2.43	104.74	110.35
3	I	4	MAN	O6-C6-C5	2.39	119.48	111.29
2	E	2	NAG	C1-C2-N2	2.35	114.49	110.49
2	J	1	NAG	O5-C1-C2	-2.32	107.62	111.29
3	I	3	BMA	C1-O5-C5	2.31	115.32	112.19
2	E	2	NAG	O5-C5-C4	-2.29	105.25	110.83
3	D	2	NAG	O3-C3-C2	2.24	114.10	109.47
2	G	1	NAG	C6-C5-C4	-2.24	107.76	113.00
3	I	5	MAN	O5-C1-C2	-2.17	107.42	110.77
3	D	1	NAG	C6-C5-C4	-2.16	107.94	113.00
3	I	6	MAN	C1-C2-C3	2.16	112.32	109.67
3	I	3	BMA	O3-C3-C2	2.15	114.10	109.99
3	I	4	MAN	O3-C3-C2	2.13	114.07	109.99
2	G	2	NAG	C2-N2-C7	-2.13	119.88	122.90
3	D	6	MAN	O4-C4-C5	-2.07	104.15	109.30
2	G	1	NAG	C3-C4-C5	2.07	113.94	110.24
3	D	2	NAG	C3-C4-C5	-2.06	106.56	110.24
3	D	3	BMA	C1-O5-C5	2.06	114.98	112.19
2	E	1	NAG	C3-C4-C5	-2.05	106.59	110.24
3	D	5	MAN	O3-C3-C2	-2.02	106.13	109.99
2	G	1	NAG	C2-N2-C7	2.00	125.75	122.90

There are no chirality outliers.

All (38) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	C	1	NAG	C8-C7-N2-C2
2	C	1	NAG	O7-C7-N2-C2
2	K	1	NAG	O5-C5-C6-O6
2	K	2	NAG	O5-C5-C6-O6
3	I	6	MAN	O5-C5-C6-O6
3	D	6	MAN	O5-C5-C6-O6
2	H	1	NAG	C8-C7-N2-C2
3	I	6	MAN	C4-C5-C6-O6
3	D	6	MAN	C4-C5-C6-O6
2	K	2	NAG	C4-C5-C6-O6
2	K	1	NAG	C4-C5-C6-O6
2	E	1	NAG	O5-C5-C6-O6
2	H	1	NAG	O7-C7-N2-C2
2	E	1	NAG	C4-C5-C6-O6
3	I	1	NAG	C4-C5-C6-O6
3	D	2	NAG	C8-C7-N2-C2
3	D	2	NAG	O7-C7-N2-C2
3	I	1	NAG	O5-C5-C6-O6
3	D	3	BMA	O5-C5-C6-O6
3	D	4	MAN	O5-C5-C6-O6
3	I	5	MAN	O5-C5-C6-O6
3	D	4	MAN	C4-C5-C6-O6
2	F	1	NAG	C8-C7-N2-C2
3	I	5	MAN	C4-C5-C6-O6
3	I	4	MAN	O5-C5-C6-O6
3	I	4	MAN	C4-C5-C6-O6
3	D	2	NAG	C3-C2-N2-C7
2	F	1	NAG	O7-C7-N2-C2
2	E	2	NAG	O5-C5-C6-O6
2	F	1	NAG	C4-C5-C6-O6
2	H	2	NAG	C8-C7-N2-C2
2	E	2	NAG	C4-C5-C6-O6
2	H	2	NAG	O7-C7-N2-C2
2	G	1	NAG	C8-C7-N2-C2
2	F	1	NAG	O5-C5-C6-O6
3	D	1	NAG	C4-C5-C6-O6
2	G	1	NAG	O7-C7-N2-C2
3	D	3	BMA	C4-C5-C6-O6


There are no ring outliers.


7 monomers are involved in 12 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	E	1	NAG	1	0
3	D	2	NAG	4	0
3	I	1	NAG	1	0
2	E	2	NAG	1	0
2	C	1	NAG	2	0
3	D	1	NAG	3	0
2	H	2	NAG	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.




















5.6 Ligand geometry [i](#)

6 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
5	BLD	B	801	-	36,37,37	2.07	9 (25%)	46,59,59	2.69	17 (36%)
4	NAG	A	803	1	14,14,15	0.55	0	17,19,21	1.32	2 (11%)
4	NAG	B	802	1	14,14,15	0.46	0	17,19,21	0.92	0
4	NAG	B	805	1	14,14,15	0.61	0	17,19,21	1.18	1 (5%)
4	NAG	A	815	1	14,14,15	0.53	0	17,19,21	1.29	2 (11%)
5	BLD	A	804	-	36,37,37	2.01	7 (19%)	46,59,59	2.69	18 (39%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	BLD	B	801	-	-	3/20/85/85	0/4/4/4
4	NAG	A	803	1	-	0/6/23/26	0/1/1/1
4	NAG	B	802	1	-	0/6/23/26	0/1/1/1
4	NAG	B	805	1	-	0/6/23/26	0/1/1/1
4	NAG	A	815	1	-	5/6/23/26	0/1/1/1
5	BLD	A	804	-	-	2/20/85/85	0/4/4/4

All (16) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	B	801	BLD	O06-C06	6.76	1.38	1.21
5	A	804	BLD	O06-C06	6.64	1.37	1.21
5	B	801	BLD	O07-C07	-5.80	1.37	1.45
5	A	804	BLD	O07-C07	-5.72	1.37	1.45
5	B	801	BLD	C20-C17	-3.16	1.49	1.54
5	A	804	BLD	C19-C10	-2.96	1.49	1.54
5	B	801	BLD	C19-C10	-2.96	1.49	1.54
5	A	804	BLD	C20-C17	-2.75	1.50	1.54
5	B	801	BLD	C08-C14	2.50	1.58	1.53
5	A	804	BLD	C10-C05	-2.44	1.52	1.56
5	A	804	BLD	C13-C14	-2.33	1.50	1.55
5	A	804	BLD	O22-C22	-2.24	1.37	1.43
5	B	801	BLD	O07-C06	2.24	1.37	1.34
5	B	801	BLD	C10-C05	-2.19	1.52	1.56
5	B	801	BLD	C13-C14	-2.13	1.50	1.55
5	B	801	BLD	O22-C22	-2.10	1.38	1.43

All (40) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	B	801	BLD	C13-C17-C20	-6.63	111.24	118.89
5	A	804	BLD	O07-C06-O06	-6.41	106.74	116.72
5	B	801	BLD	C12-C13-C17	6.16	125.79	116.57
5	A	804	BLD	C19-C10-C05	-6.10	99.36	109.88
5	B	801	BLD	C19-C10-C05	-5.87	99.76	109.88
5	B	801	BLD	C18-C13-C12	-5.84	101.37	110.59
5	A	804	BLD	C18-C13-C12	-5.71	101.57	110.59
5	A	804	BLD	C01-C10-C05	5.45	115.76	107.06
5	B	801	BLD	C10-C01-C02	5.09	122.43	114.09
5	A	804	BLD	C13-C17-C20	-4.98	113.15	118.89
5	A	804	BLD	C12-C13-C17	4.83	123.80	116.57
5	A	804	BLD	C01-C02-C03	4.74	116.80	111.36

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	A	804	BLD	C10-C01-C02	4.52	121.50	114.09
5	B	801	BLD	C01-C02-C03	4.50	116.53	111.36
5	B	801	BLD	O07-C06-O06	-4.40	109.87	116.72
5	B	801	BLD	C01-C10-C05	4.30	113.92	107.06
5	B	801	BLD	C16-C17-C13	3.76	108.37	103.84
5	A	804	BLD	C16-C17-C20	3.75	117.95	112.61
5	A	804	BLD	C04-C03-C02	3.71	114.87	110.27
4	A	815	NAG	C1-O5-C5	3.59	117.06	112.19
4	A	803	NAG	C1-O5-C5	3.45	116.86	112.19
5	A	804	BLD	C16-C17-C13	3.15	107.64	103.84
5	A	804	BLD	C07-O07-C06	-3.03	116.72	121.01
5	B	801	BLD	C07-O07-C06	-3.03	116.73	121.01
5	B	801	BLD	C16-C17-C20	3.02	116.92	112.61
5	B	801	BLD	C21-C20-C17	-3.00	107.42	112.74
5	B	801	BLD	C04-C03-C02	2.78	113.72	110.27
4	B	805	NAG	O5-C5-C6	2.74	111.49	107.20
4	A	815	NAG	C2-N2-C7	-2.68	119.09	122.90
5	B	801	BLD	C14-C08-C09	2.62	112.60	109.09
4	A	803	NAG	C4-C3-C2	2.43	114.58	111.02
5	A	804	BLD	C12-C13-C14	2.39	110.98	107.27
5	A	804	BLD	C11-C12-C13	2.29	116.70	112.78
5	B	801	BLD	C27-C25-C26	2.28	116.96	110.59
5	B	801	BLD	C13-C14-C08	2.26	117.73	114.38
5	A	804	BLD	C15-C14-C13	2.23	106.53	103.84
5	A	804	BLD	C14-C08-C09	2.09	111.89	109.09
5	B	801	BLD	C26-C25-C24	2.07	116.55	112.47
5	A	804	BLD	C24-C23-C22	-2.05	110.21	114.85
5	A	804	BLD	C21-C20-C17	-2.02	109.16	112.74

There are no chirality outliers.

All (10) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	B	801	BLD	C23-C24-C25-C27
4	A	815	NAG	C3-C2-N2-C7
4	A	815	NAG	C8-C7-N2-C2
4	A	815	NAG	O7-C7-N2-C2
5	A	804	BLD	C23-C24-C25-C27
4	A	815	NAG	C4-C5-C6-O6
4	A	815	NAG	O5-C5-C6-O6
5	B	801	BLD	O23-C23-C24-C28
5	B	801	BLD	O23-C23-C24-C25

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
5	A	804	BLD	O23-C23-C24-C25


There are no ring outliers.

3 monomers are involved in 12 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	B	801	BLD	5	0
4	A	815	NAG	2	0
5	A	804	BLD	5	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	724/740 (97%)	-0.25	23 (3%) 47 51	11, 22, 48, 88	0
1	B	724/740 (97%)	-0.26	22 (3%) 50 53	12, 23, 50, 97	0
All	All	1448/1480 (97%)	-0.26	45 (3%) 49 52	11, 22, 49, 97	0

All (45) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	400	SER	10.3
1	A	400	SER	6.5
1	B	31	ASP	4.7
1	B	617	MET	4.6
1	A	619	HIS	4.5
1	A	59	TYR	4.3
1	B	619	HIS	4.3
1	B	59	TYR	4.2
1	B	618	VAL	4.2
1	A	32	PHE	4.2
1	A	64	GLY	4.1
1	B	119	ASP	4.1
1	A	399	GLN	4.1
1	A	617	MET	3.7
1	A	620	SER	3.5
1	B	32	PHE	3.5
1	B	76	ASP	3.4
1	B	757	SER	3.4
1	A	120	SER	3.2
1	B	120	SER	3.2
1	A	393	SER	3.1
1	A	757	SER	3.0
1	A	756	GLY	3.0
1	A	618	VAL	2.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	31	ASP	2.9
1	B	121	SER	2.9
1	B	64	GLY	2.8
1	B	75	ASP	2.6
1	B	399	GLN	2.6
1	B	590	GLU	2.4
1	A	593	THR	2.4
1	B	393	SER	2.4
1	B	401	SER	2.4
1	A	473	LYS	2.3
1	A	397	SER	2.3
1	A	118	GLY	2.3
1	B	620	SER	2.2
1	A	614	ARG	2.2
1	A	481	ILE	2.2
1	B	594	ASP	2.2
1	B	60	GLU	2.2
1	A	472	VAL	2.1
1	A	60	GLU	2.1
1	A	119	ASP	2.1
1	B	623	ALA	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	NAG	H	2	14/15	0.83	0.39	49,68,74,77	0
2	NAG	H	1	14/15	0.85	0.25	40,50,57,58	0
3	MAN	D	4	11/12	0.86	0.17	18,23,25,27	0
2	NAG	G	1	14/15	0.86	0.23	28,41,47,52	0
2	NAG	C	1	14/15	0.86	0.30	25,41,51,52	0
2	NAG	K	2	14/15	0.87	0.36	44,60,63,64	0
2	NAG	C	2	14/15	0.90	0.38	38,54,62,63	0

Continued on next page...

Continued from previous page...




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
2	NAG	F	2	14/15	0.90	0.42	31,52,62,66	0
2	NAG	G	2	14/15	0.90	0.35	35,44,48,49	0
3	MAN	I	4	11/12	0.92	0.14	16,22,24,25	0
3	BMA	I	3	11/12	0.93	0.21	25,29,36,38	0
2	NAG	E	2	14/15	0.94	0.27	28,34,44,45	0
2	NAG	F	1	14/15	0.94	0.24	28,38,46,46	0
3	BMA	D	3	11/12	0.94	0.24	28,34,41,43	0
3	MAN	D	5	11/12	0.94	0.13	16,20,24,42	0
2	NAG	J	2	14/15	0.94	0.27	22,35,43,46	0
3	NAG	D	2	14/15	0.95	0.16	16,26,32,32	0
2	NAG	K	1	14/15	0.95	0.27	29,42,54,54	0
2	NAG	J	1	14/15	0.96	0.14	16,23,29,31	0
2	NAG	E	1	14/15	0.96	0.10	16,24,33,33	0
3	MAN	I	5	11/12	0.96	0.09	16,22,26,33	0
3	MAN	D	6	11/12	0.96	0.12	16,19,23,29	0
3	NAG	I	2	14/15	0.97	0.13	19,25,30,31	0
3	NAG	I	1	14/15	0.97	0.09	18,23,32,32	0
3	NAG	D	1	14/15	0.97	0.11	17,22,25,33	0
3	MAN	I	6	11/12	0.97	0.10	15,20,24,32	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around Chain E:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





Electron density around Chain F:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around Chain G:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around Chain H:**




$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)








Electron density around Chain K:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around Chain D:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






6.4 Ligands [\(i\)](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	NAG	A	815	14/15	0.80	0.31	33,49,60,64	0
4	NAG	B	802	14/15	0.86	0.26	37,48,54,59	0
4	NAG	A	803	14/15	0.89	0.16	30,40,48,48	0
4	NAG	B	805	14/15	0.91	0.22	30,39,48,52	0
5	BLD	A	804	34/34	0.93	0.15	15,22,30,35	23
5	BLD	B	801	34/34	0.94	0.15	17,23,28,29	23

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers

as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



6.5 Other polymers

There are no such residues in this entry.