



Full wwPDB EM Validation Report ⓘ

Oct 7, 2024 – 02:10 PM JST

PDB ID : 8J76
EMDB ID : EMD-36029
Title : Human high-affinity choline transporter CHT1 in the inward-facing apo-open conformation
Authors : Gao, Y.; Qiu, Y.; Zhao, Y.
Deposited on : 2023-04-27
Resolution : 3.70 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : **FAILED**
Mogul : 1.8.5 (274361), CSD as541be (2020)
MolProbity : 4.02b-467
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
MapQ : **FAILED**
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.39


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 3.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	210492	15764
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$

Mol	Chain	Length	Quality of chain
1	A	580	 63% 21% 15%
2	B	3	 67% 33%

2 Entry composition [i](#)

There are 2 unique types of molecules in this entry. The entry contains 3771 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called High affinity choline transporter 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	A	493	3732	2486	574	653	19	0	0

- Molecule 2 is an oligosaccharide called beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
2	B	3	39	22	2	15	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: High affinity choline transporter 1



- Molecule 2: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	71606	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING ONLY	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	60	Depositor
Minimum defocus (nm)	1200	Depositor
Maximum defocus (nm)	2200	Depositor
Magnification	165000	Depositor
Image detector	GATAN K2 SUMMIT (4k x 4k)	Depositor

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: BMA, NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.39	2/3835 (0.1%)	0.61	9/5241 (0.2%)

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	406	TRP	CB-CG	-5.34	1.40	1.50
1	A	253	PRO	CA-C	-5.08	1.42	1.52

All (9) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	469	ASP	N-CA-CB	11.15	130.68	110.60
1	A	468	ASP	N-CA-C	9.89	137.72	111.00
1	A	469	ASP	N-CA-C	-7.95	89.53	111.00
1	A	255	GLN	N-CA-C	7.06	130.05	111.00
1	A	503	GLU	N-CA-C	6.74	129.19	111.00
1	A	503	GLU	CB-CA-C	-5.54	99.31	110.40
1	A	252	ILE	CB-CA-C	-5.45	100.70	111.60
1	A	364	TYR	CB-CA-C	5.22	120.85	110.40
1	A	252	ILE	C-N-CD	5.11	139.13	128.40

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts i

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within

the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3732	0	3700	100	0
2	B	39	0	34	1	0
All	All	3771	0	3734	101	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 13.

All (101) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:468:ASP:OD1	1:A:468:ASP:C	2.08	0.90
1:A:468:ASP:OD1	1:A:468:ASP:O	1.93	0.87
1:A:57:THR:HG23	1:A:260:ARG:NH1	1.97	0.80
1:A:57:THR:HG23	1:A:260:ARG:HH12	1.49	0.78
1:A:323:VAL:HG23	1:A:327:LEU:HD12	1.68	0.76
1:A:95:LEU:CD2	1:A:274:SER:O	2.34	0.75
1:A:62:TRP:CH2	1:A:95:LEU:HB2	2.23	0.73
1:A:95:LEU:HD21	1:A:277:ALA:HB3	1.72	0.72
1:A:95:LEU:CD2	1:A:277:ALA:HB3	2.23	0.68
1:A:95:LEU:HD21	1:A:274:SER:O	1.94	0.66
1:A:86:GLN:OE1	1:A:240:TRP:NE1	2.30	0.64
1:A:95:LEU:HD23	1:A:274:SER:O	1.97	0.63
1:A:95:LEU:CD2	1:A:278:ALA:N	2.62	0.63
1:A:62:TRP:HH2	1:A:95:LEU:HB2	1.62	0.62
1:A:11:ILE:HD11	1:A:156:ILE:HG21	1.82	0.62
2:B:1:NAG:H3	2:B:1:NAG:H83	1.82	0.61
1:A:49:ILE:HG23	1:A:52:LEU:HD12	1.83	0.61
1:A:423:CYS:SG	1:A:491:ASN:ND2	2.74	0.60
1:A:153:ILE:HA	1:A:156:ILE:HG22	1.84	0.59
1:A:95:LEU:HD23	1:A:278:ALA:HB2	1.86	0.58
1:A:160:ASP:OD1	1:A:161:MET:N	2.37	0.57
1:A:97:LEU:HD22	1:A:248:MET:CE	2.35	0.57
1:A:107:ARG:NH1	1:A:264:SER:OG	2.38	0.57
1:A:63:VAL:HG11	1:A:284:MET:HG2	1.87	0.57
1:A:291:ILE:HG21	1:A:320:LEU:HG	1.87	0.57
1:A:95:LEU:HD23	1:A:278:ALA:N	2.21	0.56
1:A:156:ILE:HD13	1:A:337:LEU:HD23	1.87	0.56
1:A:412:LEU:O	1:A:416:VAL:HG12	2.06	0.56
1:A:416:VAL:HG13	1:A:417:ILE:HG13	1.88	0.56
1:A:331:TYR:CD2	1:A:332:ILE:HG13	2.42	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:126:MET:O	1:A:126:MET:HE3	2.06	0.55
1:A:365:GLN:NE2	1:A:376:GLU:OE2	2.39	0.55
1:A:444:PHE:HD2	1:A:445:LEU:HD22	1.72	0.54
1:A:361:ARG:O	1:A:365:GLN:HG2	2.07	0.54
1:A:155:VAL:HG21	1:A:321:PRO:HB2	1.90	0.54
1:A:320:LEU:HB3	1:A:321:PRO:HD3	1.91	0.53
1:A:218:THR:OG1	1:A:297:SER:OG	2.21	0.53
1:A:462:TYR:HB2	1:A:475:GLN:HG2	1.92	0.52
1:A:114:MET:O	1:A:117:PRO:HD2	2.10	0.52
1:A:420:GLN:HA	1:A:423:CYS:SG	2.50	0.52
1:A:359:PHE:CD1	1:A:363:ILE:HD13	2.45	0.52
1:A:407:TYR:HE2	1:A:480:LYS:HE2	1.76	0.51
1:A:95:LEU:HD23	1:A:278:ALA:H	1.74	0.51
1:A:97:LEU:HD23	1:A:252:ILE:HD11	1.93	0.51
1:A:77:VAL:HG13	1:A:311:LYS:HE3	1.92	0.51
1:A:95:LEU:CD2	1:A:278:ALA:H	2.24	0.50
1:A:222:ALA:HB2	1:A:227:PRO:HG3	1.92	0.50
1:A:156:ILE:HG23	1:A:157:ILE:HG23	1.93	0.50
1:A:233:ASP:HB3	1:A:236:GLU:OE1	2.11	0.49
1:A:67:TYR:HE2	1:A:281:CYS:HG	1.61	0.49
1:A:159:VAL:HG13	1:A:160:ASP:N	2.27	0.49
1:A:233:ASP:OD1	1:A:234:SER:N	2.45	0.49
1:A:372:ALA:HA	1:A:376:GLU:HB3	1.95	0.49
1:A:97:LEU:HD12	1:A:101:PHE:HD2	1.77	0.48
1:A:78:PRO:HD2	1:A:311:LYS:HE3	1.96	0.48
1:A:111:TYR:HD2	1:A:116:ASP:HB3	1.79	0.48
1:A:443:LEU:O	1:A:447:ILE:HG12	2.12	0.47
1:A:225:GLN:HG2	1:A:226:LYS:N	2.30	0.47
1:A:469:ASP:C	1:A:471:GLY:H	2.18	0.47
1:A:178:VAL:O	1:A:178:VAL:HG12	2.14	0.46
1:A:360:ALA:HB1	1:A:380:VAL:HG12	1.97	0.46
1:A:86:GLN:O	1:A:90:GLY:N	2.50	0.45
1:A:95:LEU:HD22	1:A:277:ALA:HB3	1.97	0.45
1:A:424:VAL:HG12	1:A:425:LEU:HD12	1.99	0.45
1:A:57:THR:CG2	1:A:260:ARG:HH12	2.26	0.45
1:A:135:LEU:HD12	1:A:359:PHE:CG	2.52	0.45
1:A:458:PRO:HG2	1:A:461:PHE:CE1	2.52	0.44
1:A:407:TYR:O	1:A:411:ASP:HB2	2.17	0.44
1:A:503:GLU:O	1:A:508:PRO:HA	2.18	0.44
1:A:360:ALA:O	1:A:364:TYR:HB2	2.18	0.44
1:A:149:LEU:HD23	1:A:168:SER:OG	2.18	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:202:SER:OG	1:A:328:CYS:SG	2.68	0.44
1:A:290:LEU:O	1:A:294:ILE:HG12	2.18	0.43
1:A:59:THR:HG23	1:A:192:LEU:HD11	2.00	0.43
1:A:212:VAL:HG11	1:A:294:ILE:HG23	1.99	0.43
1:A:279:PHE:O	1:A:283:VAL:HG12	2.19	0.43
1:A:63:VAL:HG22	1:A:67:TYR:CE2	2.53	0.43
1:A:130:LEU:O	1:A:133:PRO:HD2	2.17	0.43
1:A:361:ARG:HH12	1:A:377:ILE:HD12	1.84	0.43
1:A:444:PHE:CD2	1:A:445:LEU:HD22	2.51	0.43
1:A:249:LEU:HD23	1:A:418:PHE:CE2	2.54	0.43
1:A:215:ILE:HD11	1:A:293:ALA:HB3	2.02	0.42
1:A:452:PRO:HA	1:A:471:GLY:O	2.20	0.42
1:A:340:VAL:O	1:A:344:VAL:HG13	2.19	0.42
1:A:152:THR:HG22	1:A:321:PRO:HG3	2.01	0.42
1:A:377:ILE:HG23	1:A:378:VAL:H	1.85	0.42
1:A:83:ALA:H	1:A:230:GLY:HA3	1.82	0.42
1:A:443:LEU:HD12	1:A:443:LEU:HA	1.92	0.42
1:A:118:PHE:O	1:A:122:TYR:HB2	2.21	0.41
1:A:91:TYR:O	1:A:94:SER:HB3	2.21	0.41
1:A:291:ILE:HG23	1:A:323:VAL:HG11	2.03	0.41
1:A:416:VAL:HG13	1:A:417:ILE:N	2.36	0.41
1:A:477:PHE:HZ	1:A:482:LEU:HD22	1.86	0.41
1:A:133:PRO:CB	1:A:416:VAL:HG11	2.51	0.41
1:A:192:LEU:HD23	1:A:192:LEU:HA	1.88	0.40
1:A:226:LYS:HE3	1:A:226:LYS:HB3	1.89	0.40
1:A:236:GLU:OE1	1:A:236:GLU:N	2.51	0.40
1:A:73:GLU:OE1	1:A:317:ASP:HA	2.22	0.40
1:A:112:VAL:HG13	1:A:113:THR:HG22	2.03	0.40
1:A:427:VAL:HG11	1:A:492:ILE:HD11	2.04	0.40
1:A:255:GLN:O	1:A:255:GLN:HG3	2.13	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	487/580 (84%)	453 (93%)	34 (7%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	377/474 (80%)	376 (100%)	1 (0%)	91	94

All (1) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	406	TRP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	491	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

3 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	NAG	B	1	1,2	14,14,15	1.01	1 (7%)	17,19,21	1.59	3 (17%)
2	NAG	B	2	2	14,14,15	0.28	0	17,19,21	0.53	0
2	BMA	B	3	2	11,11,12	0.64	0	15,15,17	0.78	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	B	1	1,2	-	5/6/23/26	0/1/1/1
2	NAG	B	2	2	-	0/6/23/26	0/1/1/1
2	BMA	B	3	2	-	1/2/19/22	0/1/1/1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	1	NAG	O5-C1	-3.63	1.37	1.43

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	1	NAG	C2-N2-C7	4.44	129.23	122.90
2	B	1	NAG	C3-C4-C5	2.47	114.64	110.24
2	B	1	NAG	C1-C2-N2	2.02	113.94	110.49

There are no chirality outliers.

All (6) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	B	1	NAG	O5-C5-C6-O6
2	B	1	NAG	C4-C5-C6-O6
2	B	1	NAG	C8-C7-N2-C2

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
2	B	1	NAG	O7-C7-N2-C2
2	B	3	BMA	O5-C5-C6-O6
2	B	1	NAG	C3-C2-N2-C7

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	1	NAG	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.



5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.