

Full wwPDB X-ray Structure Validation Report (i)

Jan 4, 2024 - 09:08 am GMT

PDB ID	:	5JAW
Title	:	Structure of a beta galactosidase with inhibitor
Authors	:	Offen, W.; Davies, G.
Deposited on	:	2016-04-12
Resolution	:	1.60 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.4, CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.36
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.36

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $X\text{-}RAY \, DIFFRACTION$

The reported resolution of this entry is 1.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Matria	Whole archive	Similar resolution		
Metric	$(\# { m Entries})$	$(\# { m Entries}, { m resolution} { m range}({ m \AA}))$		
R_{free}	130704	3398 (1.60-1.60)		
Clashscore	141614	$3665\ (1.60-1.60)$		
Ramachandran outliers	138981	3564 (1.60-1.60)		
Sidechain outliers	138945	3563 (1.60-1.60)		
RSRZ outliers	127900	3321 (1.60-1.60)		

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain		
1	А	550	.% 89%	8%	•
1	В	550	90%	6%	•
1	С	550	90%	7%	•
1	D	550	% 91%	6%	•
1	Е	550	90%	6%	•



Mol	Chain	Length	Quality of chain	
1	F	550	88%	7% 5%
1	G	550	^{2%} 91%	5% •
1	Н	550	89%	7% •



2 Entry composition (i)

There are 5 unique types of molecules in this entry. The entry contains 35244 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace	
1	Δ	527	Total	С	Ν	0	S	0	6	0	
1	A	557	4212	2697	716	782	17	0	0	0	
1	р	528	Total	С	Ν	0	S	0	6	0	
1	D	528	4189	2686	710	777	16	0	0	0	
1	С	526	Total	С	Ν	0	S	0	0	0	
1	U	000	4240	2714	726	784	16	0	8	U	
1	а	520	Total	С	Ν	0	S	0	2	0	
1	D	002	4163	2667	707	774	15	0	2	0	
1	F	522	Total	С	Ν	0	S	0	6	0	
1	Ľ	000	4204	2690	716	781	17				
1	Б	525	Total	С	Ν	0	S	0	1	0	
1	Г	525	4142	2653	704	769	16	0	4	U	
1	C	521	Total	С	Ν	0	S	0	1	0	
1	G	001	4178	2681	708	772	17	0	4	0	
1	ц	527	Total	С	Ν	0	S	0	1	0	
	11	521	4154	2663	703	772	16	0	4		

• Molecule 1 is a protein called Beta-galactosidase, putative, bgl35A.

There are 80 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual Comment		Reference
А	26	MET	-	initiating methionine	UNP B3PBE0
А	27	GLY	-	expression tag	UNP B3PBE0
А	28	SER	-	expression tag	UNP B3PBE0
А	29	SER	-	expression tag	UNP B3PBE0
А	30	HIS	-	expression tag	UNP B3PBE0
А	31	HIS	-	expression tag	UNP B3PBE0
А	32	HIS	-	expression tag	UNP B3PBE0
А	33	HIS	-	expression tag	UNP B3PBE0
А	34	HIS	-	expression tag	UNP B3PBE0
А	35	HIS	-	expression tag	UNP B3PBE0
В	26	MET	-	initiating methionine	UNP B3PBE0
В	27	GLY	-	expression tag	UNP B3PBE0
В	28	SER	-	expression tag	UNP B3PBE0



Comment	Reference
expression tag	UNP B3PBE

Continued from previous page... Chain Residue Modelled Actual

В	29	SER	-	expression tag	UNP B3PBE0
В	30	HIS	-	expression tag	UNP B3PBE0
В	31	HIS	-	expression tag	UNP B3PBE0
В	32	HIS	-	expression tag	UNP B3PBE0
В	33	HIS	-	expression tag	UNP B3PBE0
В	34	HIS	-	expression tag	UNP B3PBE0
В	35	HIS	-	expression tag	UNP B3PBE0
С	26	MET	-	initiating methionine	UNP B3PBE0
С	27	GLY	-	expression tag	UNP B3PBE0
С	28	SER	-	expression tag	UNP B3PBE0
С	29	SER	-	expression tag	UNP B3PBE0
С	30	HIS	-	expression tag	UNP B3PBE0
С	31	HIS	-	expression tag	UNP B3PBE0
С	32	HIS	-	expression tag	UNP B3PBE0
С	33	HIS	-	expression tag	UNP B3PBE0
С	34	HIS	-	expression tag	UNP B3PBE0
С	35	HIS	-	expression tag	UNP B3PBE0
D	26	MET	-	initiating methionine	UNP B3PBE0
D	27	GLY	-	expression tag	UNP B3PBE0
D	28	SER	-	expression tag	UNP B3PBE0
D	29	SER	-	expression tag	UNP B3PBE0
D	30	HIS	-	expression tag	UNP B3PBE0
D	31	HIS	-	expression tag	UNP B3PBE0
D	32	HIS	-	expression tag	UNP B3PBE0
D	33	HIS	-	expression tag	UNP B3PBE0
D	34	HIS	-	expression tag	UNP B3PBE0
D	35	HIS	-	expression tag	UNP B3PBE0
E	26	MET	-	initiating methionine	UNP B3PBE0
Ε	27	GLY	-	expression tag	UNP B3PBE0
Ε	28	SER	-	expression tag	UNP B3PBE0
Ε	29	SER	-	expression tag	UNP B3PBE0
Е	30	HIS	-	expression tag	UNP B3PBE0
Ε	31	HIS	-	expression tag	UNP B3PBE0
E	32	HIS	-	expression tag	UNP B3PBE0
E	33	HIS	-	expression tag	UNP B3PBE0
E	34	HIS	-	expression tag	UNP B3PBE0
Е	35	HIS	-	expression tag	UNP B3PBE0
F	26	MET	-	initiating methionine	UNP B3PBE0
F	27	GLY	-	expression tag	UNP B3PBE0
F	28	SER	-	expression tag	UNP B3PBE0
F	29	SER	-	expression tag	UNP B3PBE0
F	30	HIS	-	expression tag	UNP B3PBE0



F 31 HIS - expression tag	UNP B3PBE0
	, , , , , , , , , , , , , , , , , , , ,
F 32 HIS - expression tag	UNP B3PBE0
F 33 HIS - expression tag	UNP B3PBE0
F 34 HIS - expression tag	UNP B3PBE0
F 35 HIS - expression tag	UNP B3PBE0
G 26 MET - initiating methior	nine UNP B3PBE0
G 27 GLY - expression tag	UNP B3PBE0
G 28 SER - expression tag	UNP B3PBE0
G 29 SER - expression tag	UNP B3PBE0
G 30 HIS - expression tag	UNP B3PBE0
G 31 HIS - expression tag	UNP B3PBE0
G 32 HIS - expression tag	UNP B3PBE0
G 33 HIS - expression tag	UNP B3PBE0
G 34 HIS - expression tag	UNP B3PBE0
G 35 HIS - expression tag	UNP B3PBE0
H 26 MET - initiating methion	nine UNP B3PBE0
H 27 GLY - expression tag	UNP B3PBE0
H 28 SER - expression tag	UNP B3PBE0
H 29 SER - expression tag	UNP B3PBE0
H 30 HIS - expression tag	UNP B3PBE0
H 31 HIS - expression tag	UNP B3PBE0
H 32 HIS - expression tag	UNP B3PBE0
H 33 HIS - expression tag	UNP B3PBE0
H 34 HIS - expression tag	UNP B3PBE0
H 35 HIS - expression tag	UNP B3PBE0

• Molecule 2 is (1S,2S,3S,4S,5R,6R)-5-amino-6-(hydroxymethyl)cyclohexane-1,2,3,4-tetrol (three-letter code: UUU) (formula: $C_7H_{15}NO_5$).





Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	А	1	Total C N O 12 7 1 4	0	0
2	В	1	Total C N O 12 7 1 4	0	0
2	С	1	Total C N O 12 7 1 4	0	0
2	D	1	Total C N O 12 7 1 4	0	0
2	Е	1	Total C N O 12 7 1 4	0	0
2	F	1	Total C N O 12 7 1 4	0	0
2	G	1	Total C N O 12 7 1 4	0	0
2	Н	1	$\begin{array}{cccc} \text{Total} & \text{C} & \text{N} & \text{O} \\ 12 & 7 & 1 & 4 \end{array}$	0	0

• Molecule 3 is SODIUM ION (three-letter code: NA) (formula: Na).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	А	3	Total Na 3 3	0	0
3	В	3	Total Na 3 3	0	0
3	С	4	Total Na 4 4	0	0
3	D	3	Total Na 3 3	0	0

Continued on next page...

D W I D E

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	Е	5	Total Na 5 5	0	0
3	F	2	Total Na 2 2	0	0
3	G	3	Total Na 3 3	0	0
3	Н	2	Total Na 2 2	0	0

• Molecule 4 is ACETATE ION (three-letter code: ACT) (formula: $C_2H_3O_2$).



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	Е	1	Total C 4 2	O 2	0	0

• Molecule 5 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	А	241	Total O 241 241	0	0
5	В	210	Total O 210 210	0	0
5	С	264	Total O 264 264	0	0
5	D	214	Total O 214 214	0	0



Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	Е	226	Total O 226 226	0	0
5	F	165	Total O 165 165	0	0
5	G	161	Total O 161 161	0	0
5	Н	155	Total O 156 156	0	1



3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



• Molecule 1: Beta-galactosidase, putative, bgl35A





4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 1	Depositor
Cell constants	99.17Å 115.66Å 115.94Å	Deneriten
a, b, c, α , β , γ	90.15° 90.11° 90.11°	Depositor
$\mathbf{P}_{\text{orgelution}}\left(\mathring{A}\right)$	81.99 - 1.60	Depositor
Resolution (A)	81.99 - 1.60	EDS
% Data completeness	94.5 (81.99-1.60)	Depositor
(in resolution range)	94.5 (81.99-1.60)	EDS
R _{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) > 1$	$1.49 (at 1.60 \text{\AA})$	Xtriage
Refinement program	REFMAC 5.8.0135	Depositor
D D	0.197 , 0.214	Depositor
$\mathbf{n}, \mathbf{n}_{free}$	0.186 , 0.199	DCC
R_{free} test set	32564 reflections $(5.01%)$	wwPDB-VP
Wilson B-factor $(Å^2)$	22.6	Xtriage
Anisotropy	0.382	Xtriage
Bulk solvent $k_{sol}(e/Å^3)$, $B_{sol}(Å^2)$	0.36, 25.5	EDS
L-test for twinning ²	$< L >=0.39, < L^2>=0.21$	Xtriage
	0.207 for h,l,-k	
	0.207 for h,-l,k	
	0.155 for h,-k,-l	
Estimated twinning fraction	0.090 for -h,k,-l	Xtriage
	0.088 for -h,-k,l	
	0.086 for -h,l,k	
	0.087 for -h,-l,-k	
	0.649 for H, K, L	
Penerted twinning fraction	0.052 for h,-k,-l	Depositor
Reported twinning fraction	0.142 for H, L, -K	Depositor
	0.158 for H, -L, K	
Outliers	0 of 650569 reflections	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	35244	wwPDB-VP
Average B, all atoms $(Å^2)$	24.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 4.52% of the height of the origin peak. No significant pseudotranslation is detected.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



¹Intensities estimated from amplitudes.

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: UUU, NA, ACT

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Chain	Bo	ond lengths	Bond angles		
	Unam	RMSZ	# Z > 5	RMSZ	# Z > 5	
1	А	1.04	2/4328~(0.0%)	1.12	20/5898~(0.3%)	
1	В	0.91	1/4310~(0.0%)	1.00	10/5873~(0.2%)	
1	С	1.01	4/4359~(0.1%)	1.07	8/5938~(0.1%)	
1	D	0.97	1/4275~(0.0%)	1.05	9/5826~(0.2%)	
1	Ε	0.98	3/4320~(0.1%)	1.05	10/5888~(0.2%)	
1	F	0.86	1/4258~(0.0%)	0.95	9/5802~(0.2%)	
1	G	0.85	2/4296~(0.0%)	0.97	7/5854~(0.1%)	
1	Η	0.84	1/4270~(0.0%)	0.97	11/5818~(0.2%)	
All	All	0.94	15/34416~(0.0%)	1.02	84/46897~(0.2%)	

All (15) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	$\mathrm{Ideal}(\mathrm{\AA})$
1	А	349	GLU	CD-OE1	15.22	1.42	1.25
1	С	349	GLU	CD-OE1	12.07	1.39	1.25
1	Н	349	GLU	CD-OE1	11.41	1.38	1.25
1	В	349	GLU	CD-OE1	9.93	1.36	1.25
1	G	349	GLU	CD-OE1	9.85	1.36	1.25
1	Е	349	GLU	CD-OE1	9.07	1.35	1.25
1	D	349	GLU	CD-OE1	8.85	1.35	1.25
1	F	349	GLU	CD-OE1	8.74	1.35	1.25
1	Е	509	TYR	CB-CG	-6.61	1.41	1.51
1	С	504	TYR	CG-CD1	-6.36	1.30	1.39
1	С	63	SER	CB-OG	-5.98	1.34	1.42
1	А	427	GLU	CD-OE2	5.42	1.31	1.25
1	Е	59	ILE	C-O	5.39	1.33	1.23
1	С	129	TRP	CE3-CZ3	5.29	1.47	1.38
1	G	509	TYR	CG-CD2	5.16	1.45	1.39

All (84) bond angle outliers are listed below:



Mol	Chain	Res	Type	Atoms Z		${f e} {f Atoms} {f Z} {f Observed}(^{o})$		$Observed(^{o})$	$Ideal(^{o})$
1	В	124	ARG	NE-CZ-NH1	9.43	125.01	120.30		
1	А	353	ASP	CB-CG-OD2	-9.38	109.86	118.30		
1	А	500	ASP	CB-CG-OD1	8.71	126.14	118.30		
1	G	550	ASP	CB-CG-OD2	-8.24	110.89	118.30		
1	С	151	ARG	NE-CZ-NH1	7.80	124.20	120.30		
1	А	213	ARG	NE-CZ-NH1	7.68	124.14	120.30		
1	D	340	ARG	NE-CZ-NH1	7.62	124.11	120.30		
1	С	476	ARG	NE-CZ-NH2	-7.48	116.56	120.30		
1	А	130	PHE	CB-CG-CD2	-7.32	115.68	120.80		
1	Н	130	PHE	CB-CG-CD1	7.27	125.89	120.80		
1	А	500	ASP	CB-CG-OD2	-7.18	111.84	118.30		
1	А	530	ARG	NE-CZ-NH2	-7.17	116.72	120.30		
1	G	130	PHE	CB-CG-CD1	7.07	125.75	120.80		
1	В	527[A]	MET	CG-SD-CE	-7.04	88.93	100.20		
1	В	527[B]	MET	CG-SD-CE	-7.04	88.93	100.20		
1	D	151	ARG	NE-CZ-NH1	7.00	123.80	120.30		
1	Е	377	ASP	CB-CG-OD2	-6.97	112.02	118.30		
1	F	561	ARG	NE-CZ-NH2	-6.92	116.84	120.30		
1	А	213	ARG	NE-CZ-NH2	-6.88	116.86	120.30		
1	А	130	PHE	CB-CG-CD1	6.76	125.53	120.80		
1	А	553	ASP	CB-CG-OD2	-6.73	112.25	118.30		
1	С	353	ASP	CB-CG-OD1	6.62	124.26	118.30		
1	В	130	PHE	CB-CG-CD1	6.57	125.40	120.80		
1	А	340	ARG	NE-CZ-NH1	6.44	123.52	120.30		
1	D	151	ARG	NE-CZ-NH2	-6.41	117.10	120.30		
1	Н	560	ASP	CB-CG-OD1	6.37	124.03	118.30		
1	F	377	ASP	CB-CG-OD1	6.35	124.01	118.30		
1	G	130	PHE	CB-CG-CD2	-6.32	116.38	120.80		
1	А	550	ASP	CB-CG-OD2	-6.31	112.62	118.30		
1	Ε	550	ASP	CB-CG-OD2	-6.30	112.63	118.30		
1	G	464	ASP	CB-CG-OD1	6.30	$1\overline{23.97}$	118.30		
1	Е	214	ASP	CB-CG-OD2	-6.29	112.64	118.30		
1	С	403	TYR	CB-CG-CD1	6.26	124.75	121.00		
1	A	380	ASP	CB-CG-OD2	-6.22	112.71	118.30		
1	F	130	PHE	CB-CG-CD1	6.20	125.14	120.80		
1	A	76	LYS	CD-CE-NZ	6.17	125.89	111.70		
1	Ε	553	ASP	CB-CG-OD1	6.17	123.85	118.30		
1	Н	411	ARG	NE-CZ-NH2	-5.94	117.33	120.30		
1	Н	411	ARG	NE-CZ-NH1	5.91	123.26	120.30		
1	С	353	ASP	CB-CG-OD2	-5.90	112.99	118.30		
1	A	177	ASP	CB-CG-OD2	-5.87	113.02	118.30		
1	В	154	ARG	NE-CZ-NH2	-5.74	117.43	120.30		
1	D	261	ARG	NE-CZ-NH1	5.72	123.16	120.30		



Conti	nued from	n previou	s page	
Mol	Chain	Res	Type	Ate

Mol	Chain	Res	Type	Atoms Z		$Observed(^{o})$	$Ideal(^{o})$
1	А	327	ASP	CB-CG-OD2	-5.72	113.15	118.30
1	D	322	ASP	CB-CG-OD1	5.70	123.43	118.30
1	В	261	ARG	NE-CZ-NH1	5.69	123.15	120.30
1	G	545	ARG	NE-CZ-NH1	5.69	123.14	120.30
1	Н	261	ARG	NE-CZ-NH1	5.69	123.14	120.30
1	G	213	ARG	NE-CZ-NH1	5.62	123.11	120.30
1	Ε	377	ASP	CB-CG-OD1	5.59	123.33	118.30
1	F	107	ASP	CB-CG-OD1	5.56	123.30	118.30
1	С	285	ARG	NE-CZ-NH2	-5.55	117.52	120.30
1	D	358	ARG	CG-CD-NE	5.54	123.44	111.80
1	В	377	ASP	CB-CG-OD1	5.53	123.28	118.30
1	Ε	285	ARG	NE-CZ-NH2	-5.53	117.53	120.30
1	Η	393	ASP	CB-CG-OD1	5.51	123.26	118.30
1	Н	340	ARG	NE-CZ-NH1	5.50	123.05	120.30
1	Н	377	ASP	CB-CG-OD1	5.49	123.24	118.30
1	F	561	ARG	NE-CZ-NH1	5.48	123.04	120.30
1	В	154	ARG	NE-CZ-NH1	5.48	123.04	120.30
1	С	264	ASP	CB-CG-OD2	-5.43	113.41	118.30
1	Ε	112	ASP	CB-CG-OD1	-5.42	113.42	118.30
1	Ε	380	ASP	CB-CG-OD1	5.41	123.17	118.30
1	А	377	ASP	CB-CG-OD2	-5.38	113.46	118.30
1	А	476	ARG	NE-CZ-NH2	-5.34	117.63	120.30
1	F	285	ARG	NE-CZ-NH2	-5.31	117.64	120.30
1	D	261	ARG	NE-CZ-NH2	-5.31	117.65	120.30
1	В	415	ARG	NE-CZ-NH1	5.29	122.95	120.30
1	А	404	ARG	NE-CZ-NH2	-5.29	117.66	120.30
1	D	192	ASP	CB-CG-OD2	-5.26	113.56	118.30
1	С	163	LEU	CB-CG-CD2	5.25	119.92	111.00
1	G	545	ARG	NE-CZ-NH2	-5.24	117.68	120.30
1	F	112	ASP	CB-CG-OD2	5.23	123.01	118.30
1	Ε	530	ARG	NE-CZ-NH2	-5.21	117.70	120.30
1	Н	340	ARG	NE-CZ-NH2	-5.20	117.70	120.30
1	A	380	ASP	CB-CG-OD1	5.19	$1\overline{22.97}$	118.30
1	А	340	ARG	NE-CZ-NH2	-5.19	117.70	120.30
1	В	130	PHE	CB-CG-CD2	-5.17	117.18	120.80
1	Е	130	PHE	$CB-\overline{CG}-\overline{CD1}$	5.16	$1\overline{24.41}$	120.80
1	D	130	PHE	CB-CG-CD1	5.12	124.38	120.80
1	F	353	ASP	CB-CG-OD1	5.08	122.87	118.30
1	Н	358	ARG	CG-CD-NE	5.04	122.39	111.80
1	Н	253	PHE	CB-CG-CD1	5.03	124.32	120.80
1	F	553	ASP	$CB-\overline{CG}-\overline{OD2}$	-5.02	$1\overline{13.79}$	118.30

There are no chirality outliers.



There are no planarity outliers.

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	4212	0	4031	15	0
1	В	4189	0	4035	17	0
1	С	4240	0	4070	22	0
1	D	4163	0	3988	12	0
1	Ε	4204	0	4030	18	0
1	F	4142	0	3988	13	0
1	G	4178	0	4015	11	0
1	Η	4154	0	3990	12	0
2	А	12	0	0	0	0
2	В	12	0	0	0	0
2	С	12	0	0	0	0
2	D	12	0	0	0	0
2	Е	12	0	0	0	0
2	F	12	0	0	0	0
2	G	12	0	0	0	0
2	Н	12	0	0	0	0
3	А	3	0	0	0	0
3	В	3	0	0	0	0
3	С	4	0	0	0	0
3	D	3	0	0	0	0
3	Е	5	0	0	0	0
3	F	2	0	0	0	0
3	G	3	0	0	0	0
3	Н	2	0	0	0	0
4	Е	4	0	3	1	0
5	А	241	0	0	1	0
5	В	210	0	0	0	0
5	С	264	0	0	0	0
5	D	214	0	0	1	0
5	Е	226	0	0	1	0
5	F	165	0	0	1	0
5	G	161	0	0	0	0
5	Н	156	0	0	0	0
All	All	35244	0	32150	112	0



The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (112)) close	contacts	within	the	same	asymmetric	unit	are	listed	below,	sorted	by	their	clash
magnitu	de.													

Atom-1	Atom-2	Interatomic	Clash	
Atom-1	Atom-2	distance (Å)	overlap (Å)	
1:C:530[B]:ARG:HH11	1:C:530[B]:ARG:CG	1.65	1.07	
1:C:530[B]:ARG:HG2	1:C:530[B]:ARG:NH1	1.51	0.96	
1:D:530:ARG:NH1	5:D:701:HOH:O	1.93	0.92	
1:A:326[A]:ARG:NH1	5:A:702:HOH:O	2.03	0.92	
1:B:48[A]:LYS:NZ	1:B:420:GLY:O	2.02	0.91	
1:D:48:LYS:NZ	1:D:420:GLY:O	2.05	0.90	
1:B:527[A]:MET:HE3	1:F:146:LYS:HE3	1.59	0.84	
1:C:527[A]:MET:HE3	1:E:146:LYS:HE3	1.68	0.76	
1:C:530[B]:ARG:HH11	1:C:530[B]:ARG:HG2	0.71	0.72	
1:A:48[A]:LYS:NZ	1:A:420:GLY:O	2.22	0.71	
1:A:245:VAL:HG23	1:A:246:PHE:CD2	2.27	0.70	
1:E:48:LYS:NZ	1:E:417:SER:O	2.23	0.70	
1:F:482:THR:HG22	5:F:710:HOH:O	1.94	0.67	
1:A:227:VAL:HG21	1:A:245:VAL:HG21	1.77	0.67	
1:C:524:LYS:NZ	1:D:501:ASP:OD1	2.31	0.64	
1:E:415[A]:ARG:HG3	1:E:419[A]:GLN:HE22	1.69	0.57	
1:F:508:ALA:HB3	1:F:558:PHE:CD1	2.42	0.55	
1:E:384:TYR:CD1	1:E:385:PRO:HA	2.43	0.54	
1:D:541:TRP:CD2	1:D:566:ARG:HD2	2.42	0.54	
1:B:416:LEU:HD13	1:B:497:ALA:HB1	1.90	0.53	
1:D:462:GLN:NE2	1:D:471:GLU:OE1	2.40	0.52	
1:A:541:TRP:CE2	1:A:566:ARG:HD3	2.44	0.52	
1:G:401:GLN:O	1:G:405:LEU:HD13	2.10	0.52	
1:C:530[B]:ARG:CG	1:C:530[B]:ARG:NH1	2.36	0.51	
1:G:99:ILE:O	1:G:106:PHE:HA	2.10	0.51	
1:H:405:LEU:HD21	1:H:509:TYR:HB2	1.92	0.51	
1:E:415[A]:ARG:HG3	1:E:419[A]:GLN:NE2	2.26	0.50	
1:B:40:PRO:HA	1:B:52:MET:O	2.11	0.50	
1:D:39:LEU:HD23	1:D:195:HIS:CE1	2.47	0.49	
1:F:324:TYR:CE1	1:F:351:GLY:HA2	2.47	0.49	
1:F:528:ILE:HG21	1:F:531:VAL:HG23	1.93	0.49	
1:C:525[A]:LYS:CE	1:E:162:THR:O	2.61	0.49	
1:A:254:PHE:O	1:A:258:GLN:HG2	2.13	0.48	
1:G:405:LEU:HD21	1:G:509:TYR:HB2	1.95	0.48	
1:F:67:ASN:HB3	1:F:140:TYR:OH	2.13	0.48	
1:A:335:LEU:HB3	1:A:366:LYS:HD2	1.95	0.48	
1:G:367:GLY:HA2	1:G:417:SER:OG	2.14	0.48	



5J	AW
~ ~ .	

		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:F:254:PHE:O	1:F:258:GLN:HG2	2.14	0.48
1:B:407:ASN:HB2	1:B:408:PRO:HD3	1.96	0.48
1:A:328:TYR:CD1	1:A:428:PRO:HA	2.49	0.47
1:B:99:ILE:O	1:B:106:PHE:HA	2.14	0.47
1:H:324:TYR:CE1	1:H:386:LEU:HB3	2.49	0.47
1:G:384:TYR:CD1	1:G:385:PRO:HA	2.49	0.47
1:A:271:LYS:HE3	1:A:315:ASN:O	2.15	0.46
1:E:415[B]:ARG:CZ	1:E:415[B]:ARG:CB	2.93	0.46
1:B:235:LEU:HD11	1:B:308:ILE:HD13	1.97	0.46
1:E:415[B]:ARG:HD2	1:E:419[B]:GLN:NE2	2.30	0.46
1:C:481:VAL:O	1:C:481:VAL:HG22	2.15	0.46
1:E:67:ASN:HB3	1:E:140:TYR:OH	2.15	0.46
1:H:254:PHE:O	1:H:258:GLN:HG2	2.16	0.46
1:C:525[B]:LYS:HE3	1:C:574:VAL:HG11	1.97	0.46
1:F:328:TYR:CD1	1:F:428:PRO:HA	2.50	0.46
1:H:361:PHE:CD2	1:H:493:GLY:HA3	2.51	0.46
1:C:326[B]:ARG:HG2	1:C:356:PHE:CZ	2.51	0.45
1:C:525[A]:LYS:HD2	1:C:574:VAL:HG11	1.97	0.45
1:G:481:VAL:HG22	1:G:481:VAL:O	2.16	0.45
1:C:324:TYR:CE1	1:C:386:LEU:HB3	2.52	0.45
1:A:245:VAL:HG23	1:A:246:PHE:CG	2.52	0.45
1:E:106:PHE:CE2	1:E:183:GLU:HG3	2.52	0.45
1:G:76[B]:LYS:HB3	1:G:76[B]:LYS:HE3	1.73	0.45
1:A:503:GLU:OE2	1:A:566:ARG:NH2	2.43	0.44
1:B:541:TRP:CD2	1:B:566:ARG:HD3	2.51	0.44
1:B:416:LEU:HD13	1:B:497:ALA:CB	2.47	0.44
1:H:63:SER:HB3	1:H:85:MET:SD	2.58	0.44
1:B:452[A]:LYS:HE3	1:B:452[A]:LYS:HB3	1.64	0.44
1:C:321:PRO:HD2	1:C:346:PHE:O	2.17	0.44
1:D:67:ASN:HB3	1:D:140:TYR:OH	2.18	0.44
1:G:60:ILE:HG23	1:G:89:THR:HB	2.00	0.44
1:B:321:PRO:HD2	1:B:346:PHE:O	2.18	0.43
1:G:67:ASN:HB3	1:G:140:TYR:OH	2.18	0.43
1:C:525[A]:LYS:HE3	1:E:162:THR:O	2.18	0.43
1:D:324:TYR:CE1	1:D:386:LEU:HB3	2.54	0.43
1:E:415[B]:ARG:CD	1:E:419[B]:GLN:NE2	2.81	0.43
1:C:405:LEU:HD21	1:C:509:TYR:HB2	2.01	0.43
1:F:232:ILE:O	1:F:235:LEU:O	2.36	0.43
1:G:328:TYR:CD2	1:G:428:PRO:HA	2.54	0.43
1:B:322:ASP:HB3	1:B:349:GLU:OE2	2.19	0.42
1:H:481:VAL:HG22	1:H:481:VAL:O	2.19	0.42



5J.	AW
00.	

	A L O	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:D:324:TYR:CE1	1:D:351:GLY:HA2	2.55	0.42
1:B:527[A]:MET:HE2	1:F:147:LEU:HD21	2.01	0.42
1:A:367:GLY:HA2	1:A:417[A]:SER:OG	2.19	0.42
1:B:328:TYR:CD2	1:B:428:PRO:HA	2.54	0.42
1:B:384:TYR:CG	1:B:385:PRO:HA	2.54	0.42
1:B:339:THR:CB	1:B:366:LYS:HE3	2.49	0.42
1:F:541:TRP:CE2	1:F:566:ARG:HD2	2.54	0.42
1:H:508:ALA:HB3	1:H:558:PHE:CD1	2.54	0.42
1:H:362:PRO:HD3	1:H:426:ALA:HB2	2.02	0.42
1:A:68:SER:O	1:D:545:ARG:HD2	2.19	0.42
1:C:60:ILE:HG23	1:C:89:THR:HB	2.02	0.42
1:C:527[A]:MET:HE2	1:E:147:LEU:HD21	2.02	0.42
1:H:451:HIS:CE1	1:H:455:ARG:HD2	2.55	0.42
1:F:271:LYS:HE3	1:F:315:ASN:O	2.20	0.42
1:H:39:LEU:HD23	1:H:195:HIS:CE1	2.54	0.42
1:D:307:HIS:CE1	1:D:308:ILE:HG12	2.54	0.41
1:C:400:ALA:O	1:C:404:ARG:HG3	2.21	0.41
1:C:527[A]:MET:HE3	1:E:146:LYS:CE	2.44	0.41
1:D:50:ALA:HB2	1:D:418:TYR:CG	2.55	0.41
1:C:271:LYS:HE3	1:C:315:ASN:O	2.21	0.41
4:E:607:ACT:H3	5:E:726:HOH:O	2.20	0.41
1:F:465:LEU:HB2	1:F:468:TRP:O	2.21	0.41
1:E:488:THR:HA	1:E:489:PRO:HA	1.94	0.41
1:A:324:TYR:CE1	1:A:351:GLY:HA2	2.56	0.41
1:E:147:LEU:HD23	1:E:147:LEU:HA	1.87	0.41
1:C:67:ASN:HB3	1:C:140:TYR:OH	2.22	0.40
1:E:324:TYR:CE1	1:E:386:LEU:HB3	2.56	0.40
1:G:241:THR:O	1:G:245:VAL:HG13	2.21	0.40
1:B:48[B]:LYS:HE3	1:B:48[B]:LYS:HB2	1.09	0.40
1:A:326[B]:ARG:HG2	1:A:356:PHE:CZ	2.57	0.40
1:C:200:VAL:O	1:C:278:MET:HA	2.21	0.40
1:E:50:ALA:HB2	1:E:418:TYR:HB2	2.02	0.40
1:H:50:ALA:HB2	1:H:418:TYR:CG	2.57	0.40
1:H:99:ILE:O	1:H:106:PHE:HA	2.21	0.40

There are no symmetry-related clashes.



5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	ntiles
1	А	539/550~(98%)	518 (96%)	20 (4%)	1 (0%)	47	26
1	В	530/550~(96%)	510 (96%)	20~(4%)	0	100	100
1	С	540/550~(98%)	520~(96%)	20 (4%)	0	100	100
1	D	528/550~(96%)	510 (97%)	18 (3%)	0	100	100
1	Е	535/550~(97%)	513~(96%)	21 (4%)	1 (0%)	47	26
1	F	525/550~(96%)	503~(96%)	22~(4%)	0	100	100
1	G	531/550~(96%)	509~(96%)	22~(4%)	0	100	100
1	Н	525/550~(96%)	502 (96%)	21 (4%)	2(0%)	34	15
All	All	4253/4400 (97%)	4085 (96%)	164 (4%)	4 (0%)	51	29

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	Е	491	ALA
1	А	491	ALA
1	Н	491	ALA
1	Н	138	PRO

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain Analysed		Rotameric	Outliers	Percentiles	
1	А	429/461~(93%)	425~(99%)	4 (1%)	78 65	



Mol	Chain	Analysed	Rotameric	Outliers	Perce	ntiles
1	В	433/461~(94%)	431 (100%)	2~(0%)	88	80
1	С	433/461~(94%)	429 (99%)	4 (1%)	78	65
1	D	426/461~(92%)	421 (99%)	5(1%)	71	54
1	Е	431/461~(94%)	426 (99%)	5 (1%)	71	54
1	F	427/461~(93%)	419 (98%)	8 (2%)	57	34
1	G	428/461~(93%)	423 (99%)	5 (1%)	71	54
1	Н	427/461~(93%)	423 (99%)	4 (1%)	78	65
All	All	3434/3688~(93%)	3397 (99%)	37 (1%)	73	57

Continued from previous page...

All (37) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	А	136	ASN
1	А	292	LEU
1	А	419	GLN
1	А	537	GLU
1	В	136	ASN
1	В	289	ASN
1	С	45	ASN
1	С	136	ASN
1	С	519	GLN
1	С	537	GLU
1	D	136	ASN
1	D	217	PRO
1	D	292	LEU
1	D	405	LEU
1	D	537	GLU
1	Е	48	LYS
1	Е	136	ASN
1	Е	220	GLN
1	Е	336	GLU
1	Е	537	GLU
1	F	136	ASN
1	F	234	LYS
1	F	235	LEU
1	F	289	ASN
1	F	382	THR
1	F	421	GLN
1	F	450	GLN
1	F	537	GLU



Continued from prettous page					
Mol	Chain	\mathbf{Res}	Type		
1	G	136	ASN		
1	G	220	GLN		
1	G	230	ASP		
1	G	289	ASN		
1	G	405	LEU		
1	Н	136	ASN		
1	Н	220	GLN		
1	Н	405	LEU		
1	Н	421	GLN		

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	G	498	GLN
1	Н	451	HIS

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

5.6 Ligand geometry (i)

Of 34 ligands modelled in this entry, 25 are monoatomic - leaving 9 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).



Mal	Turne	Chain	Dec	Tink	Bo	ond leng	\mathbf{ths}	Bond angles			
WIOI	туре	Unam	nes		Counts	RMSZ	# Z >2	Counts	RMSZ	# Z >2	
2	UUU	F	601	1	$12,\!12,\!13$	1.12	1 (8%)	$14,\!17,\!19$	0.86	0	
2	UUU	D	601	1	12,12,13	0.82	0	14,17,19	0.98	0	
2	UUU	G	601	1	12,12,13	0.84	0	14,17,19	0.61	0	
2	UUU	Е	601	1	12,12,13	0.96	1 (8%)	14,17,19	0.99	1 (7%)	
2	UUU	С	601	1	12,12,13	1.31	2 (16%)	14,17,19	1.13	1 (7%)	
2	UUU	В	601	1	12,12,13	1.09	1 (8%)	14,17,19	1.18	1 (7%)	
4	ACT	Е	607	3	3,3,3	0.97	0	3,3,3	0.43	0	
2	UUU	А	601	1	12,12,13	1.02	1 (8%)	14,17,19	0.64	0	
2	UUU	Н	601	1	12,12,13	0.71	0	14,17,19	1.57	3 (21%)	

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	UUU	F	601	1	-	0/2/22/26	0/1/1/1
2	UUU	D	601	1	-	0/2/22/26	0/1/1/1
2	UUU	G	601	1	-	0/2/22/26	0/1/1/1
2	UUU	Е	601	1	-	0/2/22/26	0/1/1/1
2	UUU	С	601	1	-	0/2/22/26	0/1/1/1
2	UUU	В	601	1	-	0/2/22/26	0/1/1/1
2	UUU	А	601	1	-	0/2/22/26	0/1/1/1
2	UUU	Н	601	1	-	0/2/22/26	0/1/1/1

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	$\mathrm{Ideal}(\mathrm{\AA})$
2	С	601	UUU	C2-C1	3.22	1.56	1.53
2	F	601	UUU	C2-C1	3.20	1.56	1.53
2	В	601	UUU	C2-C1	3.02	1.56	1.53
2	А	601	UUU	C5-C6	2.75	1.56	1.52
2	С	601	UUU	C8-C2	-2.33	1.48	1.52
2	Е	601	UUU	O1-C1	2.32	1.48	1.43

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
2	Н	601	UUU	O5-C5-C4	2.99	117.35	109.94
2	Н	601	UUU	C4-C3-C2	-2.87	108.43	111.77
2	Н	601	UUU	C4-C5-C6	-2.63	106.87	110.69



Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
2	В	601	UUU	C4-C3-C2	-2.57	108.78	111.77
2	Ε	601	UUU	C2-C1-C6	2.37	114.81	110.74
2	С	601	UUU	C4-C5-C6	-2.35	107.27	110.69

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	Е	607	ACT	1	0

5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ $>$	#RSRZ>2	$OWAB(Å^2)$	Q<0.9
1	А	537/550~(97%)	0.00	4 (0%) 87 87	14, 21, 37, 69	2 (0%)
1	В	528/550~(96%)	0.01	6 (1%) 80 80	17, 23, 35, 65	3~(0%)
1	С	536/550~(97%)	0.00	3 (0%) 89 89	15, 21, 36, 53	7 (1%)
1	D	532/550~(96%)	0.03	3 (0%) 89 89	14, 23, 40, 58	1 (0%)
1	Е	533/550~(96%)	0.00	3 (0%) 89 89	15, 22, 36, 65	0
1	F	525/550~(95%)	0.14	7 (1%) 77 77	17, 25, 38, 52	4 (0%)
1	G	531/550~(96%)	0.15	13 (2%) 59 56	18, 26, 40, 58	3 (0%)
1	Н	527/550~(95%)	0.17	14 (2%) 54 52	18, 26, 40, 60	1 (0%)
All	All	4249/4400 (96%)	0.06	53 (1%) 79 78	14, 23, 38, 69	21 (0%)

All (53) RSRZ outliers are listed below:

Mol	Chain	\mathbf{Res}	Type	RSRZ
1	В	521	LEU	5.9
1	С	438	ILE	4.6
1	Н	522	ALA	4.1
1	С	439	TRP	3.9
1	А	438	ILE	3.8
1	F	246	PHE	3.5
1	G	435	THR	3.5
1	F	449	GLU	3.2
1	Н	46	ASN	3.1
1	Н	242	TRP	3.1
1	D	169	LEU	3.0
1	G	522	ALA	3.0
1	F	523	GLY	2.9
1	G	520	GLU	2.9
1	В	481	VAL	2.8
1	Н	245	VAL	2.8



Mol	Chain	Res	Type	RSRZ
1	Н	211	ALA	2.8
1	А	439	TRP	2.8
1	В	419	GLN	2.7
1	В	480	TRP	2.7
1	Н	479	PHE	2.6
1	А	481	VAL	2.4
1	Н	254	PHE	2.4
1	G	479	PHE	2.4
1	G	480	TRP	2.4
1	В	386	LEU	2.3
1	Н	288[A]	PHE	2.3
1	Н	432	THR	2.3
1	G	47	GLY	2.3
1	F	451	HIS	2.3
1	D	254	PHE	2.2
1	Н	244	GLN	2.2
1	D	239	PRO	2.2
1	G	222	VAL	2.2
1	F	232	ILE	2.2
1	G	439	TRP	2.2
1	Н	324	TYR	2.2
1	G	236	GLN	2.2
1	А	446	GLU	2.2
1	G	215	TYR	2.2
1	Е	438	ILE	2.2
1	F	249	ASP	2.2
1	Е	419[A]	GLN	2.1
1	G	246	PHE	2.1
1	G	245	VAL	2.1
1	Н	227	VAL	2.1
1	F	235	LEU	2.1
1	G	521	LEU	2.1
1	Н	480	TRP	2.1
1	С	420	GLY	2.1
1	В	420	GLY	2.0
1	Н	239	PRO	2.0
1	Е	420	GLY	2.0

Continued from previous page...

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.



6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B -factors($Å^2$)	Q<0.9
4	ACT	Е	607	4/4	0.84	0.16	28,32,34,36	0
3	NA	G	602	1/1	0.88	0.08	33,33,33,33	0
3	NA	Е	605	1/1	0.88	0.10	27,27,27,27	0
3	NA	F	602	1/1	0.91	0.07	32,32,32,32	0
3	NA	В	602	1/1	0.92	0.15	45,45,45,45	0
3	NA	В	604	1/1	0.93	0.05	32,32,32,32	0
3	NA	Е	603	1/1	0.93	0.10	23,23,23,23	0
2	UUU	F	601	12/13	0.93	0.09	17,19,21,21	0
3	NA	С	603	1/1	0.94	0.07	24,24,24,24	0
2	UUU	Н	601	12/13	0.94	0.07	18,20,24,25	0
2	UUU	D	601	12/13	0.95	0.10	16,17,19,20	0
2	UUU	Е	601	12/13	0.95	0.08	$14,\!16,\!18,\!19$	0
2	UUU	В	601	12/13	0.95	0.08	$15,\!18,\!20,\!22$	0
2	UUU	G	601	12/13	0.95	0.08	16,18,21,21	12
3	NA	Н	602	1/1	0.95	0.06	$25,\!25,\!25,\!25$	0
3	NA	Н	603	1/1	0.95	0.07	29,29,29,29	0
3	NA	Е	602	1/1	0.95	0.11	$27,\!27,\!27,\!27$	0
2	UUU	С	601	12/13	0.96	0.10	$13,\!15,\!16,\!19$	0
3	NA	С	604	1/1	0.96	0.07	23,23,23,23	0
3	NA	С	605	1/1	0.96	0.10	$25,\!25,\!25,\!25$	0
3	NA	В	603	1/1	0.96	0.15	34,34,34,34	0
3	NA	А	603	1/1	0.96	0.07	$25,\!25,\!25,\!25$	0
3	NA	Е	604	1/1	0.96	0.07	$25,\!25,\!25,\!25$	0
3	NA	G	604	1/1	0.97	0.11	$29,\!29,\!29,\!29$	0
3	NA	D	604	1/1	0.97	0.09	$24,\!24,\!24,\!24$	0
3	NA	А	602	1/1	0.98	0.04	21,21,21,21	0
3	NA	G	603	1/1	0.98	0.09	27,27,27,27	0
2	UUU	А	601	12/13	0.98	0.06	$14,\!15,\!16,\!17$	0
3	NA	А	604	1/1	0.98	0.12	$26,\!26,\!26,\!26$	0
3	NA	D	603	1/1	0.98	0.05	26,26,26,26	0
3	NA	С	602	1/1	0.98	0.07	$2\overline{2,22,22,22}$	0
3	NA	Е	606	1/1	0.99	0.07	21,21,21,21	0



Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$\mathbf{B} ext{-factors}(\mathrm{\AA}^2)$	Q<0.9
3	NA	D	602	1/1	0.99	0.07	$23,\!23,\!23,\!23$	0
3	NA	F	603	1/1	0.99	0.14	24,24,24,24	0

6.5 Other polymers (i)

There are no such residues in this entry.

