

# Full wwPDB X-ray Structure Validation Report (i)

#### Dec 11, 2023 – 12:08 PM JST

PDB ID	:	8JWU
Title	:	PHD Finger Protein 7 (PHF7) fused to UBE2D2 via a (GSGG)3 linker
Authors	:	Lee, H.S.; Bang, I.; Choi, HJ.
Deposited on	:	2023-06-29
Resolution	:	3.58  Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Xtriage (Phenix)	:	1.13
EDS	:	2.36
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber $(2001)$
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.36

# 1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:  $X\text{-}RAY \, DIFFRACTION$ 

The reported resolution of this entry is 3.58 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	$egin{array}{c} { m Whole \ archive} \ (\#{ m Entries}) \end{array}$	${f Similar\ resolution}\ (\#{ m Entries,\ resolution\ range}({ m \AA}))$
$R_{free}$	130704	1094 (3.66-3.50)
Clashscore	141614	1181 (3.66-3.50)
Ramachandran outliers	138981	1143 (3.66-3.50)
Sidechain outliers	138945	1143 (3.66-3.50)
RSRZ outliers	127900	1012 (3.66-3.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain		
1	А	458	% 67%	21%	12%
1	В	458	63%	27%	11%
1	С	458	63%	27%	10%



# 2 Entry composition (i)

There are 2 unique types of molecules in this entry. The entry contains 9348 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	1 1	404	Total	С	Ν	0	S	0	0	0
	A	404	3072	1939	526	572	35	0	0	0
1	D	400	Total	С	Ν	0	S	0	0	0
	I D	409	3090	1942	535	577	36			
1	С	419	Total	С	Ν	0	S	0	0	0
		412	3163	1988	550	590	35	0	U	0

• Molecule 1 is a protein called PHD finger protein 7, Ubiquitin-conjugating enzyme E2 D2.

Chain	hain Residue Modelled Actual Comm		Comment	Reference	
А	1	GLY	-	expression tag	UNP Q9DAG9
A	2	PRO	-	expression tag	UNP Q9DAG9
А	3	THR	-	expression tag	UNP Q9DAG9
А	4	GLU	-	expression tag	UNP Q9DAG9
А	5	THR	-	expression tag	UNP Q9DAG9
А	6	SER	-	expression tag	UNP Q9DAG9
А	7	GLN	-	expression tag	UNP Q9DAG9
А	8	VAL	-	expression tag	UNP Q9DAG9
А	9	ALA	-	expression tag	UNP Q9DAG9
А	10	PRO	-	expression tag	UNP Q9DAG9
А	11	ALA	-	expression tag	UNP Q9DAG9
А	12	GLY	-	expression tag	UNP Q9DAG9
А	13	ILE	-	expression tag	UNP Q9DAG9
А	14	GLN	-	expression tag	UNP Q9DAG9
А	984	GLY	-	linker	UNP Q9DAG9
А	985	SER	-	linker	UNP Q9DAG9
А	986	THR	-	linker	UNP Q9DAG9
А	987	GLY	-	linker	UNP Q9DAG9
А	988	SER	-	linker	UNP Q9DAG9
А	989	GLY	-	linker	UNP Q9DAG9
A	990	GLY	-	linker	UNP Q9DAG9
A	991	GLY	-	linker	UNP Q9DAG9
A	992	SER	-	linker	UNP Q9DAG9

There are 99 discrepancies between the modelled and reference sequences:



8J	W	U
00	v v	U

Continu	Continued from previous page						
Chain	Residue	Modelled	Actual	Comment	Reference		
A	993	GLY	-	linker	UNP Q9DAG9		
A	994	GLY	-	linker	UNP Q9DAG9		
A	995	GLY	-	linker	UNP Q9DAG9		
A	996	SER	-	linker	UNP Q9DAG9		
A	997	GLY	-	linker	UNP Q9DAG9		
A	998	GLY	-	linker	UNP Q9DAG9		
A	999	ALA	-	linker	UNP Q9DAG9		
А	1000	SER	-	linker	UNP Q9DAG9		
A	1022	ARG	SER	engineered mutation	UNP P62837		
А	1085	LYS	CYS	engineered mutation	UNP P62837		
В	1	GLY	-	expression tag	UNP Q9DAG9		
В	2	PRO	-	expression tag	UNP Q9DAG9		
В	3	THR	-	expression tag	UNP Q9DAG9		
В	4	GLU	-	expression tag	UNP Q9DAG9		
В	5	THR	-	expression tag	UNP Q9DAG9		
В	6	SER	-	expression tag	UNP Q9DAG9		
В	7	GLN	-	expression tag	UNP Q9DAG9		
В	8	VAL	-	expression tag	UNP Q9DAG9		
В	9	ALA	-	expression tag	UNP Q9DAG9		
В	10	PRO	_	expression tag	UNP Q9DAG9		
В	11	ALA	-	expression tag	UNP Q9DAG9		
В	12	GLY	_	expression tag	UNP Q9DAG9		
В	13	ILE	-	expression tag	UNP Q9DAG9		
В	14	GLN	-	expression tag	UNP Q9DAG9		
В	984	GLY	-	linker	UNP Q9DAG9		
В	985	SER	-	linker	UNP Q9DAG9		
В	986	THR	-	linker	UNP Q9DAG9		
В	987	GLY	-	linker	UNP Q9DAG9		
В	988	SER	-	linker	UNP Q9DAG9		
В	989	GLY	-	linker	UNP Q9DAG9		
В	990	GLY	-	linker	UNP Q9DAG9		
В	991	GLY	-	linker	UNP Q9DAG9		
В	992	SER	-	linker	UNP Q9DAG9		
В	993	GLY	-	linker	UNP Q9DAG9		
В	994	GLY	-	linker	UNP Q9DAG9		
В	995	GLY	-	linker	UNP Q9DAG9		
В	996	SER	-	linker	UNP Q9DAG9		
В	997	GLY	-	linker	UNP Q9DAG9		
В	998	GLY	-	linker	UNP Q9DAG9		
В	999	ALA	-	linker	UNP Q9DAG9		
В	1000	SER	-	linker	UNP Q9DAG9		
В	1022	ARG	SER	engineered mutation	UNP P62837		



8 J	WU
-----	----

Chain	Residue	Modelled	Actual	Comment	Reference
В	1085	LYS	CYS	engineered mutation	UNP P62837
С	1	GLY	-	expression tag	UNP Q9DAG9
С	2	PRO	-	expression tag	UNP Q9DAG9
С	3	THR	-	expression tag	UNP Q9DAG9
С	4	GLU	-	expression tag	UNP Q9DAG9
С	5	THR	-	expression tag	UNP Q9DAG9
С	6	SER	-	expression tag	UNP Q9DAG9
С	7	GLN	-	expression tag	UNP Q9DAG9
С	8	VAL	-	expression tag	UNP Q9DAG9
С	9	ALA	-	expression tag	UNP Q9DAG9
С	10	PRO	-	expression tag	UNP Q9DAG9
С	11	ALA	-	expression tag	UNP Q9DAG9
С	12	GLY	-	expression tag	UNP Q9DAG9
С	13	ILE	-	expression tag	UNP Q9DAG9
С	14	GLN	-	expression tag	UNP Q9DAG9
С	295	GLY	-	linker	UNP Q9DAG9
С	296	SER	-	linker	UNP Q9DAG9
С	297	THR	-	linker	UNP Q9DAG9
С	298	GLY	-	linker	UNP Q9DAG9
С	299	SER	-	linker	UNP Q9DAG9
С	300	GLY	-	linker	UNP Q9DAG9
С	301	GLY	-	linker	UNP Q9DAG9
С	302	GLY	-	linker	UNP Q9DAG9
С	303	SER	-	linker	UNP Q9DAG9
С	304	GLY	-	linker	UNP Q9DAG9
С	305	GLY	-	linker	UNP Q9DAG9
С	306	GLY	-	linker	UNP Q9DAG9
С	307	SER	-	linker	UNP Q9DAG9
С	308	GLY	-	linker	UNP Q9DAG9
С	309	GLY	-	linker	UNP Q9DAG9
С	310	ALA	-	linker	UNP Q9DAG9
С	311	SER	-	linker	UNP Q9DAG9
С	333	ARG	SER	engineered mutation	UNP P62837
С	396	LYS	CYS	engineered mutation	UNP P62837

• Molecule 2 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	А	8	Total Zn 8 8	0	0
2	В	7	Total Zn 7 7	0	0



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	С	8	Total Zn 8 8	0	0



# 3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.













## 4 Data and refinement statistics (i)

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants	210.54Å 102.05Å 78.64Å	Depositor
a, b, c, $\alpha$ , $\beta$ , $\gamma$	$90.00^{\circ}$ $95.92^{\circ}$ $90.00^{\circ}$	Depositor
Bosolution (Å)	29.89 - 3.58	Depositor
Resolution (A)	29.89 - 3.58	EDS
% Data completeness	99.5 (29.89-3.58)	Depositor
(in resolution range)	91.7(29.89-3.58)	EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$< I/\sigma(I) > 1$	$1.78 (at 3.56 \text{\AA})$	Xtriage
Refinement program	PHENIX 1.19.2_4158	Depositor
P. P.	0.216 , $0.265$	Depositor
$n, n_{free}$	0.216 , $0.264$	DCC
$R_{free}$ test set	1951 reflections $(9.95\%)$	wwPDB-VP
Wilson B-factor $(Å^2)$	104.5	Xtriage
Anisotropy	0.630	Xtriage
Bulk solvent $k_{sol}(e/Å^3), B_{sol}(Å^2)$	0.26 , $81.6$	EDS
L-test for $twinning^2$	$ < L >=0.47, < L^2>=0.30$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.94	EDS
Total number of atoms	9348	wwPDB-VP
Average B, all atoms $(Å^2)$	149.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 3.74% of the height of the origin peak. No significant pseudotranslation is detected.

<sup>&</sup>lt;sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



<sup>&</sup>lt;sup>1</sup>Intensities estimated from amplitudes.

# 5 Model quality (i)

## 5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol Chain		Bond	lengths	Bond angles	
	Unam	RMSZ	# Z  > 5	RMSZ	# Z  > 5
1	А	0.37	0/3153	0.58	0/4293
1	В	0.29	0/3172	0.54	0/4320
1	С	0.38	0/3247	0.61	0/4415
All	All	0.35	0/9572	0.58	0/13028

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	3072	0	2780	66	0
1	В	3090	0	2788	87	0
1	С	3163	0	2892	82	0
2	А	8	0	0	0	0
2	В	7	0	0	0	0
2	С	8	0	0	0	0
All	All	9348	0	8460	234	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 13.



•	•	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:B:85:CYS:SG	1:B:107:HIS:CG	2.72	0.82
1:A:149:LEU:HD22	1:A:1095:PRO:HB2	1.69	0.75
1:B:189:PHE:HZ	1:B:204:MET:HG3	1.55	0.72
1:A:235:CYS:SG	1:A:269:HIS:N	2.62	0.71
1:B:1061:PRO:HG2	1:B:1095:PRO:HB3	1.75	0.69
1:B:95:ILE:H	1:B:106:PHE:H	1.43	0.67
1:B:85:CYS:HA	1:B:106:PHE:HA	1.78	0.66
1:C:396:LYS:HE3	1:C:430:LEU:HB2	1.77	0.66
1:B:180:TYR:HE1	1:B:1095:PRO:HD2	1.60	0.66
1:A:127:TYR:HB3	1:A:131:HIS:O	1.97	0.65
1:B:85:CYS:HB2	1:B:88:CYS:SG	2.36	0.65
1:B:87:VAL:HB	1:B:110:CYS:HB3	1.79	0.64
1:B:49:LEU:HG	1:B:68:PHE:HD2	1.62	0.64
1:B:20:CYS:HB2	1:B:45:HIS:ND1	2.12	0.64
1:A:115:GLY:O	1:A:132:ARG:NH1	2.31	0.64
1:C:332:CYS:SG	1:C:348:ILE:HG22	2.38	0.63
1:B:178:GLN:HE22	1:B:210:HIS:HB3	1.63	0.63
1:A:254:ARG:O	1:A:271:ASP:N	2.32	0.62
1:B:1026:VAL:HG22	1:B:1034:GLN:HG2	1.82	0.62
1:A:196:ASN:HD21	1:A:199:GLU:HB2	1.63	0.62
1:A:168:SER:HB3	1:A:193:GLN:OE1	2.00	0.62
1:B:242:TYR:CE2	1:B:244:GLN:HB3	2.35	0.62
1:B:20:CYS:HB2	1:B:45:HIS:CE1	2.35	0.62
1:B:151:CYS:SG	1:B:1005:ARG:NH1	2.73	0.61
1:B:95:ILE:N	1:B:106:PHE:O	2.33	0.61
1:A:27:PRO:HA	1:A:45:HIS:HE2	1.66	0.61
1:B:180:TYR:CE1	1:B:1095:PRO:HD2	2.36	0.61
1:C:191:CYS:HB3	1:C:196:ASN:H	1.64	0.61
1:C:163:GLN:HE21	1:C:169:GLN:HB3	1.65	0.60
1:C:85:CYS:HB2	1:C:107:HIS:CE1	2.36	0.60
1:C:397:LEU:HB3	1:C:400:LEU:HD13	1.84	0.60
1:C:312:MET:HA	1:C:315:LYS:HD2	1.84	0.60
1:B:196:ASN:HD21	1:B:199:GLU:HB2	1.66	0.60
1:C:20:CYS:HB2	1:C:45:HIS:ND1	2.16	0.59
1:B:97:CYS:N	1:B:103:VAL:O	2.36	0.59
1:A:20:CYS:HB2	1:A:45:HIS:ND1	2.16	0.59
1:B:137:ILE:HG22	1:B:163:GLN:OE1	2.03	0.59
1:B:1072:ARG:HH12	1:B:1080:SER:HB2	1.68	0.59
1:B:103:VAL:HG23	1:B:104:GLN:H	1.68	0.59
1:B:189:PHE:CZ	1:B:204:MET:HG3	2.37	0.59

All (234) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.



		Interatomic	Clash
Atom-1	Atom-2	distance $(\text{\AA})$	overlap (Å)
1:B:20:CYS:HB3	1:B:23:CYS:SG	2.43	0.58
1:B:69:MET:O	1:B:72:ASP:OD1	2.20	0.58
1:A:191:CYS:HB3	1:A:196:ASN:H	1.68	0.58
1:C:429:PRO:O	1:C:430:LEU:HB3	2.04	0.57
1:B:84:ILE:HG13	1:B:85:CYS:H	1.69	0.57
1:A:250:GLU:CB	1:A:255:TRP:HD1	2.17	0.57
1:C:285:ASN:HA	1:C:288:LEU:HG	1.87	0.57
1:B:1040:PRO:HG2	1:B:1043:SER:OG	2.05	0.57
1:C:218:TRP:NE1	1:C:401:ARG:O	2.38	0.57
1:A:170:ALA:HB3	1:A:172:TYR:CZ	2.40	0.56
1:A:218:TRP:NE1	1:A:1090:ARG:O	2.38	0.56
1:C:27:PRO:HA	1:C:45:HIS:HE2	1.69	0.55
1:A:154:LEU:HD22	1:A:171:ILE:HB	1.88	0.55
1:B:117:LEU:HD23	1:B:133:PRO:HD2	1.87	0.55
1:C:57:GLN:OE1	1:C:67:GLY:HA3	2.07	0.55
1:B:61:PRO:HA	1:B:67:GLY:N	2.21	0.55
1:A:33:LEU:HD11	1:A:109:PRO:HG3	1.88	0.55
1:A:187:HIS:O	1:A:197:ARG:NH1	2.40	0.55
1:B:135:GLN:NE2	1:B:203:GLU:OE2	2.38	0.55
1:A:203:GLU:OE2	1:A:206:ARG:NH2	2.36	0.54
1:C:242:TYR:CE2	1:C:244:GLN:HB2	2.42	0.54
1:A:1072:ARG:HD3	1:A:1141:TRP:CZ3	2.42	0.54
1:C:262:THR:OG1	1:C:287:CYS:SG	2.66	0.54
1:A:1061:PRO:HG2	1:A:1095:PRO:HB3	1.90	0.53
1:A:57:GLN:HB2	1:A:68:PHE:CE1	2.43	0.53
1:C:405:SER:H	1:C:408:LEU:HD12	1.73	0.53
1:C:117:LEU:HD23	1:C:133:PRO:HD2	1.90	0.53
1:B:1021:CYS:SG	1:B:1037:ILE:HG22	2.49	0.53
1:C:20:CYS:HB2	1:C:45:HIS:CE1	2.43	0.53
1:C:242:TYR:HB2	1:C:255:TRP:CZ3	2.43	0.53
1:A:36:PHE:HD2	1:A:38:GLN:HE21	1.57	0.53
1:B:166:CYS:HB3	1:B:196:ASN:HD22	1.73	0.52
1:A:284:CYS:O	1:A:288:LEU:N	2.43	0.52
1:A:20:CYS:HB2	1:A:45:HIS:CE1	2.45	0.52
1:B:31:GLU:HG3	1:B:182:HIS:ND1	2.24	0.52
1:B:107:HIS:HB2	1:B:110:CYS:SG	2.49	0.52
1:C:378:VAL:HB	1:C:400:LEU:HD21	1.91	0.52
1:C:167:CYS:SG	1:C:168:SER:N	2.83	0.52
1:C:385:TYR:HB2	1:C:452:TRP:CG	2.44	0.52
1:C:117:LEU:HD11	1:C:208:GLY:HA3	1.90	0.52
1:C:232:TYR:CZ	1:C:234:HIS:HB3	2.44	0.52



	A + 0	Interatomic	Clash
Atom-1	Atom-2	distance $(\text{\AA})$	overlap (Å)
1:C:252:GLU:HA	1:C:256:ARG:HG2	1.92	0.52
1:A:1021:CYS:SG	1:A:1037:ILE:HG22	2.50	0.52
1:B:178:GLN:NE2	1:B:210:HIS:HB3	2.25	0.52
1:B:117:LEU:HD11	1:B:208:GLY:HA3	1.91	0.51
1:A:85:CYS:HB2	1:A:107:HIS:CE1	2.44	0.51
1:C:72:ASP:OD1	1:C:73:ILE:N	2.44	0.51
1:C:62:ASN:OD1	1:C:63:ARG:N	2.43	0.51
1:C:149:LEU:HD22	1:C:406:PRO:HB2	1.92	0.51
1:C:316:ARG:NH1	1:C:406:PRO:O	2.44	0.51
1:A:164:SER:HB3	1:A:169:GLN:HA	1.93	0.51
1:A:269:HIS:HB2	1:A:272:CYS:SG	2.50	0.51
1:A:1094:SER:OG	1:A:1097:LEU:HG	2.10	0.51
1:B:86:PHE:CD2	1:B:104:GLN:HA	2.46	0.51
1:B:232:TYR:CZ	1:B:234:HIS:HB3	2.46	0.51
1:C:33:LEU:O	1:C:45:HIS:HB3	2.11	0.50
1:B:163:GLN:HE21	1:B:169:GLN:HB3	1.76	0.50
1:C:86:PHE:HB3	1:C:106:PHE:HB3	1.93	0.50
1:C:235:CYS:O	1:C:246:ARG:NH1	2.40	0.50
1:A:86:PHE:CE2	1:A:106:PHE:HB3	2.47	0.50
1:B:249:PHE:CE2	1:B:257:LEU:HD13	2.47	0.49
1:C:196:ASN:HD21	1:C:199:GLU:HB2	1.77	0.49
1:B:1094:SER:OG	1:B:1097:LEU:HG	2.12	0.49
1:C:225:PHE:CE2	1:C:401:ARG:HG3	2.47	0.49
1:C:319:LYS:NZ	1:C:323:ASP:OD2	2.33	0.49
1:A:86:PHE:CZ	1:A:106:PHE:HB3	2.47	0.49
1:A:234:HIS:ND1	1:A:235:CYS:N	2.61	0.48
1:B:1069:PHE:HD2	1:B:1078:ILE:HG21	1.78	0.48
1:C:251:ASP:OD1	1:C:252:GLU:N	2.45	0.48
1:C:396:LYS:HD2	1:C:428:ASP:O	2.13	0.48
1:A:241:LEU:HD22	1:A:271:ASP:HB3	1.95	0.48
1:B:1021:CYS:HA	1:B:1036:THR:O	2.12	0.48
1:C:337:VAL:HG22	1:C:345:GLN:HG2	1.96	0.48
1:B:49:LEU:HG	1:B:68:PHE:CD2	2.45	0.48
1:B:172:TYR:CD2	1:B:177:ILE:HD11	2.48	0.48
1:A:57:GLN:HB2	1:A:68:PHE:HE1	1.78	0.48
1:A:1002:ALA:O	1:A:1006:ILE:HG12	2.13	0.48
1:B:1062:PHE:HA	1:B:1095:PRO:HG3	1.95	0.48
1:A:20:CYS:HB3	1:A:23:CYS:SG	2.54	0.48
1:B:256:ARG:HH21	1:B:258:ILE:HD11	1.79	0.48
1:C:164:SER:O	1:C:169:GLN:HG3	2.12	0.48
1:B:215:ASP:OD1	1:B:216:ALA:N	2.46	0.47



	, as pagem	Interatomic	Clash	
Atom-1	Atom-2	distance (Å)	overlap (Å)	
1:C:314:LEU:HD21	1:C:318:HIS:HE1	1.79	0.47	
1:C:253:GLY:O	1:C:256:ARG:HG3	2.14	0.47	
1:C:380:PHE:HD2	1:C:389:ILE:HG21	1.79	0.47	
1:A:250:GLU:O	1:A:256:ARG:HA	2.15	0.47	
1:B:240:CYS:HB2	1:B:246:ARG:CZ	2.44	0.47	
1:C:424:PRO:HD2	1:C:438:TYR:OH	2.14	0.47	
1:A:232:TYR:OH	1:A:236:ASP:OD1	2.32	0.47	
1:A:1118:PRO:HB3	1:A:1124:ALA:HB2	1.95	0.47	
1:B:191:CYS:HB3	1:B:196:ASN:H	1.79	0.47	
1:C:157:THR:HG22	1:C:159:VAL:HG12	1.96	0.47	
1:A:225:PHE:CE2	1:A:1090:ARG:HG3	2.50	0.47	
1:C:203:GLU:OE2	1:C:206:ARG:NH2	2.48	0.47	
1:A:194:CYS:SG	1:A:196:ASN:HB2	2.55	0.47	
1:B:57:GLN:HB3	1:B:68:PHE:HE1	1.79	0.47	
1:A:197:ARG:HB2	1:B:197:ARG:HD2	1.97	0.46	
1:C:163:GLN:NE2	1:C:169:GLN:HB3	2.30	0.46	
1:C:166:CYS:HB3	1:C:196:ASN:HD22	1.80	0.46	
1:C:215:ASP:OD1	1:C:216:ALA:N	2.46	0.46	
1:C:316:ARG:NH1	1:C:372:PRO:HG3	2.31	0.46	
1:C:107:HIS:HB2	1:C:110:CYS:SG	2.55	0.46	
1:C:387:PRO:O	1:C:429:PRO:O	2.34	0.46	
1:A:180:TYR:O	1:A:184:SER:OG	2.26	0.46	
1:B:27:PRO:HA	1:B:45:HIS:HE2	1.80	0.46	
1:B:1052:LEU:HG	1:B:1069:PHE:HD1	1.81	0.46	
1:C:20:CYS:HB3	1:C:23:CYS:SG	2.56	0.46	
1:B:210:HIS:CE1	1:B:212:PRO:HB3	2.50	0.46	
1:B:218:TRP:NE1	1:B:1090:ARG:O	2.47	0.46	
1:B:1060:TYR:CD1	1:B:1061:PRO:HA	2.51	0.46	
1:C:86:PHE:N	1:C:105:ASN:O	2.49	0.46	
1:C:99:ASN:HB3	1:C:102:CYS:SG	2.56	0.46	
1:A:249:PHE:CE2	1:A:257:LEU:HD13	2.52	0.45	
1:A:1086:LEU:HD13	1:A:1109:LEU:HD22	1.99	0.45	
1:A:200:PHE:HB3	1:A:201:PRO:HD3	1.97	0.45	
1:B:160:GLU:O	1:B:174:ARG:N	2.44	0.45	
1:C:322:ASN:O	1:C:326:ARG:HG2	2.17	0.45	
1:C:368:PRO:HD3	1:C:376:PRO:HA	1.98	0.45	
1:B:269:HIS:HB2	1:B:272:CYS:SG	2.56	0.45	
1:B:62:ASN:OD1	1:B:63:ARG:N	2.42	0.45	
1:B:194:CYS:SG	1:B:196:ASN:HB2	2.57	0.45	
1:C:363:LEU:HG	1:C:380:PHE:HD1	1.82	0.45	
1:A:162:ILE:HD11	1:A:174:ARG:NH2	2.32	0.45	



		Interatomic	Clash
Atom-1	Atom-2	distance $(\text{\AA})$	overlap (Å)
1:B:168:SER:O	1:B:169:GLN:C	2.55	0.45
1:B:200:PHE:HB3	1:B:201:PRO:HD3	1.99	0.44
1:C:187:HIS:O	1:C:197:ARG:NH1	2.50	0.44
1:C:371:TYR:CD1	1:C:372:PRO:HA	2.52	0.44
1:A:178:GLN:HG3	1:A:182:HIS:CE1	2.52	0.44
1:B:265:SER:HB3	1:B:1072:ARG:HH22	1.82	0.44
1:C:60:GLN:HG3	1:C:61:PRO:HD2	2.00	0.44
1:A:167:CYS:SG	1:A:194:CYS:HB3	2.57	0.44
1:B:154:LEU:HA	1:B:173:HIS:NE2	2.32	0.44
1:C:256:ARG:O	1:C:269:HIS:HA	2.17	0.44
1:B:1008:LYS:NZ	1:B:1012:ASP:OD2	2.40	0.44
1:C:103:VAL:O	1:C:103:VAL:HG13	2.17	0.44
1:A:1057:PRO:HD3	1:A:1065:PRO:HA	2.00	0.44
1:C:173:HIS:HB2	1:C:176:CYS:SG	2.57	0.44
1:A:108:LEU:HB3	1:A:109:PRO:HD3	2.00	0.43
1:B:180:TYR:HD1	1:B:1095:PRO:HG2	1.82	0.43
1:C:314:LEU:CD1	1:C:341:MET:HB3	2.47	0.43
1:C:200:PHE:HB3	1:C:201:PRO:HD3	2.00	0.43
1:C:429:PRO:C	1:C:431:VAL:H	2.22	0.43
1:C:252:GLU:HA	1:C:256:ARG:CG	2.48	0.43
1:A:234:HIS:CE1	1:A:235:CYS:O	2.72	0.43
1:C:429:PRO:HB3	1:C:435:ALA:HB2	1.99	0.43
1:C:121:PHE:CD1	1:C:205:LEU:HB3	2.54	0.43
1:C:178:GLN:HG3	1:C:182:HIS:CE1	2.53	0.43
1:A:33:LEU:O	1:A:45:HIS:HB3	2.18	0.43
1:A:166:CYS:HB3	1:A:196:ASN:HD22	1.83	0.42
1:A:188:PHE:HA	1:A:197:ARG:HH12	1.83	0.42
1:B:1022:ARG:O	1:B:1036:THR:HG22	2.19	0.42
1:C:200:PHE:O	1:C:204:MET:HG2	2.19	0.42
1:B:149:LEU:HD22	1:B:1095:PRO:HB2	2.02	0.42
1:A:170:ALA:HB3	1:A:172:TYR:CE2	2.55	0.42
1:B:179:LYS:HD2	1:B:1062:PHE:CE2	2.54	0.42
1:C:261:ALA:O	1:C:433:GLU:HB3	2.20	0.42
1:B:203:GLU:HA	1:B:206:ARG:HG2	2.01	0.42
1:C:148:VAL:HB	1:C:172:TYR:HE1	1.83	0.42
1:A:52:SER:HB3	1:A:55:LEU:HD12	2.02	0.42
1:B:279:SER:OG	1:B:280:LYS:N	2.48	0.42
1:C:448:ILE:O	1:C:452:TRP:HD1	2.02	0.42
1:A:42:LEU:HD11	1:A:70:PRO:HB3	2.02	0.42
1:A:1079:ASN:ND2	1:A:1083:SER:OG	2.53	0.42
1:B:178:GLN:HE22	1:B:210:HIS:H	1.68	0.42



A 4 1	A 4 0	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:B:1052:LEU:HG	1:B:1069:PHE:CD1	2.55	0.41
1:C:118:SER:HA	1:C:126:SER:HA	2.01	0.41
1:C:332:CYS:HA	1:C:347:THR:O	2.20	0.41
1:B:1054:ILE:HD13	1:B:1099:ILE:HD11	2.02	0.41
1:A:249:PHE:CD2	1:A:257:LEU:HB2	2.55	0.41
1:B:1118:PRO:HB3	1:B:1124:ALA:HB2	2.01	0.41
1:C:269:HIS:HB2	1:C:272:CYS:SG	2.60	0.41
1:B:1075:HIS:CG	1:B:1076:PRO:HD2	2.54	0.41
1:A:1075:HIS:CG	1:A:1076:PRO:HD2	2.55	0.41
1:C:314:LEU:HD11	1:C:341:MET:HB3	2.02	0.41
1:B:121:PHE:HE1	1:B:206:ARG:HA	1.86	0.41
1:B:181:ALA:HB1	1:B:211:ILE:HD13	2.02	0.41
1:B:200:PHE:O	1:B:204:MET:HG2	2.20	0.41
1:A:86:PHE:CE2	1:A:104:GLN:HB3	2.56	0.41
1:B:167:CYS:SG	1:B:193:GLN:HB2	2.61	0.41
1:B:260:CYS:SG	1:B:262:THR:OG1	2.78	0.41
1:B:1057:PRO:HD3	1:B:1065:PRO:HA	2.02	0.41
1:C:165:PRO:HG3	1:C:203:GLU:CB	2.51	0.41
1:C:452:TRP:O	1:C:456:TYR:HD2	2.03	0.41
1:A:1060:TYR:CD1	1:A:1061:PRO:HA	2.56	0.40
1:C:457:ALA:O	1:C:458:MET:C	2.58	0.40
1:A:36:PHE:HD2	1:A:38:GLN:NE2	2.19	0.40
1:B:40:ASP:OD1	1:B:41:ASN:N	2.54	0.40
1:B:166:CYS:O	1:B:169:GLN:NE2	2.54	0.40
1:B:1142:THR:O	1:B:1146:ALA:HB3	2.21	0.40
1:A:99:ASN:HD22	1:A:131:HIS:CD2	2.39	0.40
1:A:1036:THR:HG1	1:A:1051:PHE:HE1	1.68	0.40
1:A:1106:ILE:O	1:A:1110:LEU:HG	2.21	0.40
1:B:1106:ILE:O	1:B:1110:LEU:HG	2.21	0.40
1:C:226:SER:O	1:C:230:GLN:HG2	2.21	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles (i)

#### 5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.



Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	ntiles
1	А	390/458~(85%)	369~(95%)	21~(5%)	0	100	100
1	В	399/458~(87%)	368~(92%)	31 (8%)	0	100	100
1	С	404/458 (88%)	375~(93%)	29 (7%)	0	100	100
All	All	1193/1374 (87%)	1112 (93%)	81 (7%)	0	100	100

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

There are no Ramachandran outliers to report.

#### 5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentile	
1	А	323/397~(81%)	323~(100%)	0	100	100
1	В	322/397~(81%)	322 (100%)	0	100	100
1	С	335/397~(84%)	335 (100%)	0	100	100
All	All	980/1191 (82%)	980 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

#### 5.3.3 RNA (i)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.



### 5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

### 5.6 Ligand geometry (i)

Of 23 ligands modelled in this entry, 23 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

### 5.7 Other polymers (i)

There are no such residues in this entry.

## 5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



## 6 Fit of model and data (i)

## 6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median,  $95^{th}$  percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	$\langle RSRZ \rangle$	#RSRZ>2	$OWAB(Å^2)$	Q<0.9
1	А	404/458~(88%)	-0.32	3 (0%) 87 77	80, 136, 228, 281	0
1	В	409/458~(89%)	-0.29	3 (0%) 87 77	73, 147, 239, 337	0
1	С	412/458 (89%)	-0.29	2 (0%) 91 82	91, 150, 215, 291	0
All	All	1225/1374 (89%)	-0.30	8 (0%) 87 77	73, 143, 228, 337	0

All (8) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	В	251	ASP	3.0
1	А	251	ASP	2.6
1	А	285	ASN	2.3
1	С	66	HIS	2.3
1	В	137	ILE	2.1
1	В	66	HIS	2.1
1	С	161	ASN	2.1
1	А	286	GLU	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

## 6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum,



Mol	Type	Chain	Res	Atoms	RSCC	RSR	$B-factors(A^2)$	Q<0.9
2	ZN	В	503	1/1	0.59	0.10	254,254,254,254	0
2	ZN	А	507	1/1	0.72	0.10	275,275,275,275	0
2	ZN	В	502	1/1	0.83	0.06	289,289,289,289	0
2	ZN	А	504	1/1	0.90	0.17	139,139,139,139	0
2	ZN	В	507	1/1	0.90	0.07	158,158,158,158	0
2	ZN	С	502	1/1	0.91	0.04	203,203,203,203	0
2	ZN	В	501	1/1	0.93	0.10	203,203,203,203	0
2	ZN	С	503	1/1	0.94	0.06	158,158,158,158	0
2	ZN	С	507	1/1	0.94	0.08	145,145,145,145	0
2	ZN	С	504	1/1	0.95	0.12	120,120,120,120	0
2	ZN	В	506	1/1	0.95	0.17	135,135,135,135	0
2	ZN	А	503	1/1	0.96	0.11	110,110,110,110	0
2	ZN	С	505	1/1	0.96	0.09	133,133,133,133	0
2	ZN	В	505	1/1	0.96	0.12	123,123,123,123	0
2	ZN	А	506	1/1	0.97	0.13	180,180,180,180	0
2	ZN	В	504	1/1	0.97	0.15	125,125,125,125	0
2	ZN	С	501	1/1	0.97	0.09	187,187,187,187	0
2	ZN	А	502	1/1	0.97	0.19	121,121,121,121	0
2	ZN	С	506	1/1	0.98	0.08	144,144,144,144	0
2	ZN	А	508	1/1	0.98	0.14	111,111,111,111	0
2	ZN	С	508	1/1	0.98	0.14	104,104,104,104	1
2	ZN	А	501	1/1	0.99	0.14	106,106,106,106	0
2	ZN	А	505	1/1	0.99	0.13	117,117,117,117	0

median,  $95^{th}$  percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

## 6.5 Other polymers (i)

There are no such residues in this entry.

