



Full wwPDB X-ray Structure Validation Report ⓘ

Oct 2, 2023 – 04:10 PM JST

PDB ID : 8JYT
Title : Ancestral imine reductase N560
Authors : Zhu, X.X.
Deposited on : 2023-07-03
Resolution : 1.79 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.35.1
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.35.1


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.79 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	5950 (1.80-1.80)
Clashscore	141614	6793 (1.80-1.80)
Ramachandran outliers	138981	6697 (1.80-1.80)
Sidechain outliers	138945	6696 (1.80-1.80)
RSRZ outliers	127900	5850 (1.80-1.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	297	
1	B	297	
1	C	297	
1	D	297	

2 Entry composition [i](#)


There are 3 unique types of molecules in this entry. The entry contains 16966 atoms, of which 8034 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called ancestra imine reductase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace	
			Total	C	H	N	O				S
1	A	285	Total	C	H	N	O	S	0	0	0
			4079	1334	1976	348	412	9			
1	B	282	Total	C	H	N	O	S	0	0	0
			4055	1321	1976	341	408	9			
1	C	286	Total	C	H	N	O	S	0	0	0
			4116	1340	2002	352	413	9			
1	D	285	Total	C	H	N	O	S	0	0	0
			4083	1333	1980	349	413	8			

- Molecule 2 is NADP NICOTINAMIDE-ADENINE-DINUCLEOTIDE PHOSPHATE (three-letter code: NAP) (formula: $C_{21}H_{28}N_7O_{17}P_3$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	
			Total	C	H	N	O			P
2	A	1	Total	C	H	N	O	P	0	0
			73	21	25	7	17	3		
2	B	1	Total	C	H	N	O	P	0	0
			73	21	25	7	17	3		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	
2	C	1	Total	C	H	N	O	P	0	0
			73	21	25	7	17	3		
2	D	1	Total	C	H	N	O	P	0	0
			73	21	25	7	17	3		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	124	Total	O	0	0
			124	124		
3	B	81	Total	O	0	0
			81	81		
3	C	69	Total	O	0	0
			69	69		
3	D	67	Total	O	0	0
			67	67		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: ancestra imine reductase




- Molecule 1: ancestra imine reductase






- Molecule 1: ancestra imine reductase





- Molecule 1: ancestra imine reductase



4 Data and refinement statistics i

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	66.90Å 68.57Å 84.24Å 76.25° 67.75° 60.92°	Depositor
Resolution (Å)	27.79 – 1.79 27.79 – 1.79	Depositor EDS
% Data completeness (in resolution range)	96.6 (27.79-1.79) 96.6 (27.79-1.79)	Depositor EDS
R_{merge}	0.03	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.86 (at 1.79Å)	Xtrriage
Refinement program	PHENIX (1.20.1_4487: ???)	Depositor
R, R_{free}	0.206 , 0.222 0.211 , 0.225	Depositor DCC
R_{free} test set	2017 reflections (1.83%)	wwPDB-VP
Wilson B-factor (Å ²)	34.0	Xtrriage
Anisotropy	0.480	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.39 , 50.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	0.015 for h,h-k,h-l	Xtrriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	16966	wwPDB-VP
Average B, all atoms (Å ²)	55.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.88% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: NAP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.38	0/2151	0.53	0/2940
1	B	0.37	0/2126	0.52	0/2905
1	C	0.34	0/2163	0.51	0/2957
1	D	0.36	0/2150	0.52	0/2938
All	All	0.36	0/8590	0.52	0/11740

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2103	1976	2030	36	0
1	B	2079	1976	2005	22	0
1	C	2114	2002	2044	37	0
1	D	2103	1980	2026	32	0
2	A	48	25	25	1	0
2	B	48	25	25	1	0
2	C	48	25	25	1	0
2	D	48	25	25	0	0
3	A	124	0	0	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	B	81	0	0	0	0
3	C	69	0	0	0	0
3	D	67	0	0	0	0
All	All	8932	8034	8205	123	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (123) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:24:LEU:HD11	1:C:48:ALA:HB2	1.62	0.82
1:C:230:ASP:HB3	1:C:231:GLU:OE1	1.87	0.74
1:D:283:GLU:O	1:D:287:LYS:HG3	1.88	0.73
1:D:123:PRO:HB2	1:D:125:PRO:HD2	1.77	0.66
1:A:249:ARG:HG2	1:A:255:THR:HG21	1.79	0.65
1:C:4:ASN:O	1:C:5:GLN:HG2	1.97	0.64
1:C:53:THR:OG1	1:C:56:GLU:HG3	1.98	0.63
1:D:114:ARG:HG2	1:D:142:VAL:HG21	1.81	0.63
1:A:41:ASP:OD1	1:A:50:ARG:NH2	2.33	0.62
1:B:221:GLN:NE2	1:B:228:PRO:HD2	2.15	0.61
1:C:234:LEU:HD21	1:C:268:ALA:HB3	1.83	0.61
1:C:93:LEU:HD23	1:C:118:GLY:HA3	1.83	0.60
1:A:249:ARG:NH2	1:A:259:GLU:OE2	2.33	0.60
1:C:122:VAL:HG23	1:C:127:ILE:HD12	1.84	0.59
1:C:10:ILE:HD12	1:C:64:VAL:HG13	1.85	0.58
1:C:121:MET:HE2	1:C:173:GLN:HG3	1.86	0.58
1:A:287:LYS:HE3	1:A:287:LYS:HA	1.87	0.57
1:D:288:PRO:O	1:D:289:ALA:CB	2.52	0.57
1:C:40:ALA:HB3	1:C:50:ARG:NH1	2.20	0.56
1:A:249:ARG:CG	1:A:255:THR:HG21	2.36	0.56
1:A:286:ARG:C	1:A:287:LYS:HD2	2.26	0.56
1:D:245:VAL:HG22	1:D:258:PRO:HB2	1.87	0.56
1:A:200:GLU:O	1:A:200:GLU:OE1	2.25	0.55
1:B:53:THR:HG23	1:B:56:GLU:OE2	2.06	0.55
1:C:10:ILE:HD12	1:C:64:VAL:CG1	2.36	0.55
1:C:144:GLU:OE2	1:C:147:ARG:NH2	2.42	0.53
1:B:229:GLY:O	1:B:233:THR:HG22	2.08	0.53
1:D:214:PHE:HA	1:D:217:GLU:HG3	1.93	0.51
1:C:85:LEU:O	1:C:113:ALA:HB2	2.11	0.50
1:C:234:LEU:HD21	1:C:268:ALA:CB	2.41	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:118:GLY:HA2	1:A:135:PHE:O	2.10	0.50
1:D:122:VAL:HG11	1:D:132:ALA:HA	1.92	0.50
1:A:241:VAL:HA	1:A:244:ILE:HD12	1.92	0.50
1:C:15:MET:O	1:C:19:MET:HG3	2.11	0.49
1:D:267:ARG:NH2	1:D:289:ALA:HB2	2.28	0.49
1:C:124:PRO:N	1:C:125:PRO:HD2	2.28	0.49
1:D:22:ALA:HB1	1:D:152:VAL:HG12	1.95	0.49
1:A:234:LEU:CD2	1:A:269:ILE:HG13	2.44	0.48
1:B:15:MET:HE1	2:B:301:NAP:C4N	2.44	0.48
1:D:268:ALA:HB2	1:D:281:LEU:HD12	1.95	0.48
1:C:93:LEU:CD2	1:C:118:GLY:HA3	2.42	0.48
1:C:124:PRO:HD3	2:C:301:NAP:H72N	1.79	0.48
1:B:226:GLU:C	1:B:228:PRO:HD3	2.34	0.47
1:C:230:ASP:HB3	1:C:231:GLU:CD	2.34	0.47
1:B:41:ASP:O	1:B:44:VAL:HG22	2.14	0.47
1:B:249:ARG:CG	1:B:255:THR:HG21	2.45	0.47
1:B:277:SER:O	1:B:280:SER:OG	2.23	0.47
1:B:69:THR:HG23	1:B:70:ASP:N	2.29	0.47
1:A:126:GLY:O	1:A:129:THR:HG23	2.15	0.47
1:C:281:LEU:O	1:C:284:VAL:HG22	2.15	0.47
1:B:118:GLY:HA2	1:B:135:PHE:O	2.15	0.46
1:C:245:VAL:HG22	1:C:258:PRO:HB2	1.97	0.46
1:D:241:VAL:HA	1:D:244:ILE:HD12	1.97	0.46
1:A:208:MET:HA	1:A:208:MET:HE2	1.97	0.46
1:C:40:ALA:O	1:C:44:VAL:HG12	2.16	0.46
1:C:118:GLY:HA2	1:C:135:PHE:O	2.15	0.46
1:D:288:PRO:O	1:D:289:ALA:HB3	2.15	0.46
1:A:214:PHE:HZ	1:C:177:PHE:HE1	1.64	0.45
1:A:214:PHE:HZ	1:C:177:PHE:CE1	2.35	0.45
1:D:41:ASP:O	1:D:44:VAL:HG12	2.16	0.45
1:D:12:LEU:CD1	1:D:40:ALA:HB2	2.47	0.45
1:D:118:GLY:HA2	1:D:135:PHE:O	2.17	0.45
1:A:245:VAL:O	1:A:249:ARG:HG3	2.15	0.45
1:A:283:GLU:O	1:A:287:LYS:HG2	2.17	0.45
1:D:122:VAL:HG21	1:D:132:ALA:HB1	1.98	0.45
1:D:216:GLU:O	1:D:220:GLU:HG3	2.17	0.45
1:D:64:VAL:HB	1:D:90:LEU:HD23	1.99	0.44
1:B:71:TYR:HE2	1:B:101:ALA:HA	1.83	0.44
1:D:264:LEU:HD22	1:D:285:LEU:CD2	2.48	0.44
1:B:234:LEU:HD21	1:B:268:ALA:HB3	1.99	0.44
1:A:255:THR:C	1:A:258:PRO:HD2	2.38	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:257:LEU:HB3	1:A:258:PRO:HD3	2.00	0.44
1:C:230:ASP:CB	1:C:231:GLU:OE1	2.61	0.44
1:B:224:ALA:HB1	1:B:226:GLU:HG3	2.00	0.44
1:A:255:THR:O	1:A:258:PRO:HD2	2.18	0.44
1:A:7:VAL:CG1	1:A:30:VAL:HG22	2.48	0.43
1:D:122:VAL:HG21	1:D:132:ALA:CB	2.48	0.43
1:B:124:PRO:N	1:B:125:PRO:CD	2.82	0.43
1:C:231:GLU:OE1	1:C:231:GLU:N	2.50	0.43
1:D:214:PHE:O	1:D:217:GLU:HG3	2.18	0.43
1:A:214:PHE:CD1	1:A:214:PHE:N	2.86	0.43
1:C:12:LEU:CD1	1:C:40:ALA:HB2	2.47	0.43
1:A:124:PRO:N	1:A:125:PRO:CD	2.82	0.43
1:C:217:GLU:O	1:C:221:GLN:HG3	2.18	0.43
1:D:33:TRP:HZ3	1:D:77:ILE:HD13	1.83	0.43
1:A:141:GLU:HG2	1:A:142:VAL:N	2.33	0.43
1:D:3:ASN:OD1	1:D:4:ASN:N	2.51	0.43
1:A:4:ASN:HB3	1:A:29:PRO:HD3	2.01	0.42
1:C:140:ARG:NH1	1:C:144:GLU:OE1	2.51	0.42
1:B:249:ARG:HG3	1:B:255:THR:HG21	2.01	0.42
1:C:72:ASP:OD1	1:C:100:ARG:NH2	2.52	0.42
1:A:63:LEU:HD13	1:A:146:HIS:CD2	2.54	0.42
1:B:58:LEU:HD12	1:B:84:ALA:HB3	2.02	0.42
1:D:140:ARG:O	1:D:144:GLU:HG3	2.19	0.42
1:A:4:ASN:CG	1:A:5:GLN:H	2.22	0.42
1:A:124:PRO:HB2	1:A:125:PRO:HD3	2.01	0.42
1:D:241:VAL:O	1:D:245:VAL:HG23	2.20	0.41
1:A:212:MET:HG2	1:C:181:MET:HE1	2.01	0.41
1:D:230:ASP:CG	1:D:231:GLU:N	2.73	0.41
1:C:122:VAL:HG11	1:C:132:ALA:HA	2.02	0.41
1:A:130:PRO:C	1:B:151:ALA:HB1	2.40	0.41
1:A:217:GLU:HA	1:A:220:GLU:HG2	2.02	0.41
1:D:140:ARG:NE	1:D:144:GLU:OE2	2.43	0.41
1:B:24:LEU:HD11	1:B:48:ALA:HB2	2.01	0.41
1:B:182:THR:HG22	1:B:257:LEU:HD22	2.02	0.41
1:C:121:MET:CE	1:C:173:GLN:CB	2.98	0.41
1:D:253:ILE:CG2	1:D:254:ASP:N	2.84	0.41
1:B:180:THR:HG23	1:B:209:PHE:CE1	2.55	0.41
1:C:89:VAL:HG22	1:C:114:ARG:HB2	2.03	0.41
1:A:77:ILE:HD11	2:A:301:NAP:C2A	2.51	0.40
1:A:245:VAL:HG22	1:A:258:PRO:HB2	2.03	0.40
1:B:253:ILE:HG22	1:B:254:ASP:O	2.21	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:11:GLY:O	1:D:16:GLY:HA3	2.21	0.40
1:A:103:GLU:HG2	3:A:409:HOH:O	2.21	0.40
1:B:222:ILE:HG23	1:B:286:ARG:HH21	1.85	0.40
1:D:217:GLU:O	1:D:221:GLN:HG3	2.20	0.40
1:A:11:GLY:O	1:A:16:GLY:HA3	2.21	0.40
1:C:40:ALA:HB3	1:C:50:ARG:HH11	1.85	0.40
1:C:202:LEU:HB3	1:C:203:PRO:HD3	2.03	0.40
1:D:4:ASN:HA	1:D:29:PRO:HD3	2.04	0.40
1:D:124:PRO:N	1:D:125:PRO:CD	2.85	0.40
1:A:124:PRO:N	1:A:125:PRO:HD2	2.36	0.40
1:A:234:LEU:HD23	1:A:269:ILE:HG13	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	281/297 (95%)	276 (98%)	4 (1%)	1 (0%)	34 21
1	B	276/297 (93%)	271 (98%)	5 (2%)	0	100 100
1	C	284/297 (96%)	275 (97%)	8 (3%)	1 (0%)	34 21
1	D	279/297 (94%)	272 (98%)	7 (2%)	0	100 100
All	All	1120/1188 (94%)	1094 (98%)	24 (2%)	2 (0%)	47 33

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	230	ASP
1	A	228	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	206/217 (95%)	203 (98%)	3 (2%)	65	56
1	B	204/217 (94%)	200 (98%)	4 (2%)	55	44
1	C	207/217 (95%)	200 (97%)	7 (3%)	37	22
1	D	206/217 (95%)	203 (98%)	3 (2%)	65	56
All	All	823/868 (95%)	806 (98%)	17 (2%)	53	42

All (17) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	61	SER
1	A	157	ASP
1	A	234	LEU
1	B	5	GLN
1	B	39	LYS
1	B	230	ASP
1	B	254	ASP
1	C	88	ARG
1	C	122	VAL
1	C	157	ASP
1	C	211	SER
1	C	216	GLU
1	C	230	ASP
1	C	232	ASP
1	D	38	SER
1	D	61	SER
1	D	114	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	17	GLN
1	B	28	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	46	GLN
1	D	111	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	NAP	D	301	-	45,52,52	0.71	1 (2%)	56,80,80	0.70	2 (3%)
2	NAP	A	301	-	45,52,52	0.75	1 (2%)	56,80,80	0.92	4 (7%)
2	NAP	C	301	-	45,52,52	0.72	1 (2%)	56,80,80	0.80	2 (3%)
2	NAP	B	301	-	45,52,52	0.73	1 (2%)	56,80,80	0.81	3 (5%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAP	D	301	-	-	13/31/67/67	0/5/5/5
2	NAP	A	301	-	-	16/31/67/67	0/5/5/5
2	NAP	C	301	-	-	11/31/67/67	0/5/5/5
2	NAP	B	301	-	-	11/31/67/67	0/5/5/5

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	301	NAP	C2N-N1N	2.59	1.38	1.35
2	B	301	NAP	C2N-N1N	2.54	1.38	1.35
2	C	301	NAP	C2N-N1N	2.48	1.38	1.35
2	D	301	NAP	C2N-N1N	2.40	1.37	1.35

All (11) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	301	NAP	C3B-C2B-C1B	-2.45	98.28	102.89
2	A	301	NAP	C3B-C2B-C1B	-2.33	98.50	102.89
2	A	301	NAP	C6N-N1N-C2N	-2.28	119.90	121.97
2	A	301	NAP	O2B-P2B-O1X	-2.21	100.88	109.39
2	B	301	NAP	C5A-C6A-N6A	2.21	123.70	120.35
2	A	301	NAP	C5A-C6A-N6A	2.18	123.66	120.35
2	C	301	NAP	C5A-C6A-N6A	2.16	123.64	120.35
2	D	301	NAP	C5A-C6A-N6A	2.12	123.57	120.35
2	D	301	NAP	C6N-N1N-C2N	-2.09	120.07	121.97
2	C	301	NAP	C6N-N1N-C2N	-2.07	120.08	121.97
2	B	301	NAP	C6N-N1N-C2N	-2.00	120.15	121.97

There are no chirality outliers.

All (51) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	301	NAP	C5B-O5B-PA-O1A
2	A	301	NAP	C5B-O5B-PA-O2A
2	A	301	NAP	C3B-C4B-C5B-O5B
2	A	301	NAP	C5D-O5D-PN-O1N
2	A	301	NAP	C5D-O5D-PN-O2N
2	A	301	NAP	O4D-C1D-N1N-C2N
2	A	301	NAP	O4D-C1D-N1N-C6N
2	A	301	NAP	C2D-C1D-N1N-C2N
2	A	301	NAP	C2D-C1D-N1N-C6N

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
2	B	301	NAP	PA-O3-PN-O5D
2	B	301	NAP	C5D-O5D-PN-O1N
2	B	301	NAP	C5D-O5D-PN-O2N
2	B	301	NAP	O4D-C1D-N1N-C2N
2	B	301	NAP	O4D-C1D-N1N-C6N
2	C	301	NAP	C5B-O5B-PA-O2A
2	C	301	NAP	C2B-O2B-P2B-O2X
2	C	301	NAP	C5D-O5D-PN-O3
2	C	301	NAP	C5D-O5D-PN-O1N
2	D	301	NAP	C5B-O5B-PA-O1A
2	D	301	NAP	C5B-O5B-PA-O2A
2	D	301	NAP	PA-O3-PN-O5D
2	D	301	NAP	C5D-O5D-PN-O2N
2	D	301	NAP	O4D-C1D-N1N-C2N
2	D	301	NAP	O4D-C1D-N1N-C6N
2	D	301	NAP	C2D-C1D-N1N-C6N
2	C	301	NAP	O4B-C4B-C5B-O5B
2	D	301	NAP	O4B-C4B-C5B-O5B
2	A	301	NAP	O4B-C4B-C5B-O5B
2	B	301	NAP	C3B-C2B-O2B-P2B
2	A	301	NAP	C1B-C2B-O2B-P2B
2	B	301	NAP	C1B-C2B-O2B-P2B
2	C	301	NAP	C3B-C4B-C5B-O5B
2	A	301	NAP	PN-O3-PA-O5B
2	A	301	NAP	PA-O3-PN-O5D
2	C	301	NAP	C2B-O2B-P2B-O1X
2	A	301	NAP	C5B-O5B-PA-O3
2	B	301	NAP	C5D-O5D-PN-O3
2	C	301	NAP	C5B-O5B-PA-O3
2	D	301	NAP	C5B-O5B-PA-O3
2	D	301	NAP	C5D-O5D-PN-O3
2	C	301	NAP	C5B-O5B-PA-O1A
2	C	301	NAP	C5D-O5D-PN-O2N
2	D	301	NAP	C5D-O5D-PN-O1N
2	A	301	NAP	C3B-C2B-O2B-P2B
2	C	301	NAP	C4D-C5D-O5D-PN
2	D	301	NAP	C3B-C4B-C5B-O5B
2	A	301	NAP	C5D-O5D-PN-O3
2	B	301	NAP	C2D-C1D-N1N-C2N
2	B	301	NAP	C2D-C1D-N1N-C6N
2	D	301	NAP	C2D-C1D-N1N-C2N
2	B	301	NAP	PA-O3-PN-O1N


There are no ring outliers.


3 monomers are involved in 3 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	301	NAP	1	0
2	C	301	NAP	1	0
2	B	301	NAP	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	285/297 (95%)	0.82	49 (17%) 1 1	29, 40, 65, 103	0
1	B	282/297 (94%)	1.12	59 (20%) 1 0	28, 44, 66, 102	0
1	C	286/297 (96%)	1.49	92 (32%) 0 0	30, 54, 89, 129	0
1	D	285/297 (95%)	0.95	52 (18%) 1 0	31, 50, 80, 158	0
All	All	1138/1188 (95%)	1.09	252 (22%) 0 0	28, 46, 80, 158	0

All (252) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	65	VAL	11.2
1	C	66	LEU	9.4
1	B	93	LEU	9.3
1	C	91	VAL	9.3
1	C	93	LEU	8.9
1	C	64	VAL	7.4
1	D	65	VAL	7.0
1	C	10	ILE	7.0
1	C	229	GLY	6.8
1	B	66	LEU	6.8
1	B	91	VAL	6.4
1	C	9	VAL	6.4
1	D	10	ILE	6.0
1	C	27	GLY	5.9
1	B	230	ASP	5.8
1	A	130	PRO	5.7
1	D	9	VAL	5.6
1	D	214	PHE	5.6
1	C	67	SER	5.6
1	C	183	ALA	5.6
1	D	66	LEU	5.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	229	GLY	5.5
1	B	65	VAL	5.3
1	C	118	GLY	5.2
1	A	93	LEU	5.2
1	A	183	ALA	5.2
1	C	25	ALA	5.1
1	D	42	ALA	5.1
1	C	130	PRO	5.0
1	B	94	SER	5.0
1	C	92	ASN	4.9
1	C	152	VAL	4.9
1	B	232	ASP	4.9
1	D	91	VAL	4.9
1	C	170	TYR	4.9
1	A	182	THR	4.8
1	A	179	THR	4.8
1	A	66	LEU	4.7
1	C	36	THR	4.7
1	A	180	THR	4.7
1	C	230	ASP	4.7
1	A	231	GLU	4.6
1	A	9	VAL	4.6
1	A	65	VAL	4.6
1	C	44	VAL	4.5
1	B	9	VAL	4.5
1	D	64	VAL	4.5
1	D	44	VAL	4.4
1	B	170	TYR	4.4
1	A	10	ILE	4.4
1	C	179	THR	4.4
1	A	230	ASP	4.3
1	B	118	GLY	4.3
1	B	10	ILE	4.3
1	C	45	ALA	4.2
1	B	64	VAL	4.2
1	D	213	SER	4.2
1	B	174	LEU	4.2
1	C	42	ALA	4.1
1	B	178	TRP	4.0
1	B	120	VAL	4.0
1	C	182	THR	4.0
1	B	43	LEU	4.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	178	TRP	4.0
1	D	43	LEU	3.9
1	C	176	ILE	3.9
1	D	3	ASN	3.9
1	A	214	PHE	3.9
1	C	125	PRO	3.8
1	D	93	LEU	3.8
1	A	178	TRP	3.8
1	D	125	PRO	3.8
1	C	4	ASN	3.8
1	D	178	TRP	3.8
1	D	130	PRO	3.7
1	A	170	TYR	3.7
1	C	63	LEU	3.7
1	B	38	SER	3.7
1	C	8	THR	3.7
1	D	8	THR	3.7
1	D	41	ASP	3.6
1	A	176	ILE	3.6
1	D	179	THR	3.6
1	C	119	GLY	3.6
1	C	94	SER	3.6
1	A	187	ALA	3.6
1	C	131	GLU	3.6
1	B	49	VAL	3.6
1	B	183	ALA	3.5
1	C	24	LEU	3.5
1	D	229	GLY	3.5
1	B	67	SER	3.5
1	B	95	SER	3.4
1	C	180	THR	3.4
1	B	180	THR	3.4
1	D	129	THR	3.4
1	D	180	THR	3.4
1	C	90	LEU	3.4
1	C	228	PRO	3.4
1	C	132	ALA	3.3
1	B	119	GLY	3.3
1	D	128	GLY	3.3
1	C	148	ALA	3.3
1	A	64	VAL	3.3
1	C	12	LEU	3.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	136	TYR	3.3
1	B	92	ASN	3.3
1	B	271	ALA	3.3
1	A	172	ALA	3.3
1	A	210	ASP	3.3
1	D	183	ALA	3.3
1	C	140	ARG	3.2
1	B	36	THR	3.2
1	A	184	TYR	3.2
1	C	50	ARG	3.2
1	B	229	GLY	3.2
1	C	172	ALA	3.2
1	C	41	ASP	3.2
1	D	231	GLU	3.1
1	A	190	LEU	3.1
1	D	131	GLU	3.1
1	C	120	VAL	3.1
1	D	38	SER	3.1
1	A	174	LEU	3.0
1	B	90	LEU	3.0
1	B	134	VAL	3.0
1	B	46	GLN	3.0
1	A	249	ARG	3.0
1	D	46	GLN	3.0
1	A	68	LEU	3.0
1	C	272	GLY	2.9
1	A	232	ASP	2.9
1	B	212	MET	2.9
1	C	68	LEU	2.9
1	C	116	LEU	2.9
1	B	179	THR	2.9
1	C	136	TYR	2.9
1	C	214	PHE	2.9
1	C	143	PHE	2.8
1	D	94	SER	2.8
1	D	122	VAL	2.8
1	B	270	ALA	2.8
1	C	26	ALA	2.8
1	A	217	GLU	2.8
1	C	257	LEU	2.8
1	A	188	THR	2.8
1	C	20	ALA	2.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	118	GLY	2.7
1	D	230	ASP	2.7
1	C	276	ASP	2.7
1	C	274	GLY	2.7
1	A	177	PHE	2.7
1	D	39	LYS	2.7
1	D	123	PRO	2.7
1	C	271	ALA	2.6
1	A	91	VAL	2.6
1	A	192	GLY	2.6
1	D	51	ALA	2.6
1	D	232	ASP	2.6
1	D	209	PHE	2.6
1	A	67	SER	2.6
1	B	78	LEU	2.6
1	C	39	LYS	2.6
1	B	231	GLU	2.6
1	B	177	PHE	2.6
1	D	210	ASP	2.6
1	A	189	ALA	2.6
1	C	275	GLU	2.6
1	B	187	ALA	2.6
1	C	217	GLU	2.6
1	A	181	MET	2.6
1	C	184	TYR	2.6
1	B	27	GLY	2.5
1	C	231	GLU	2.5
1	B	117	THR	2.5
1	A	11	GLY	2.5
1	B	26	ALA	2.5
1	B	166	ALA	2.5
1	C	244	ILE	2.5
1	C	261	VAL	2.5
1	A	211	SER	2.5
1	A	257	LEU	2.5
1	B	281	LEU	2.5
1	C	40	ALA	2.4
1	C	177	PHE	2.4
1	C	190	LEU	2.4
1	D	67	SER	2.4
1	B	68	LEU	2.4
1	B	116	LEU	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	92	ASN	2.4
1	B	217	GLU	2.4
1	B	234	LEU	2.4
1	C	128	GLY	2.4
1	C	53	THR	2.3
1	C	117	THR	2.3
1	C	188	THR	2.3
1	B	228	PRO	2.3
1	D	90	LEU	2.3
1	C	28	HIS	2.3
1	A	148	ALA	2.3
1	A	92	ASN	2.3
1	A	191	VAL	2.3
1	A	185	LEU	2.3
1	C	269	ILE	2.3
1	C	11	GLY	2.3
1	A	90	LEU	2.3
1	A	168	LEU	2.3
1	D	176	ILE	2.3
1	A	8	THR	2.3
1	D	182	THR	2.3
1	C	273	HIS	2.3
1	C	189	ALA	2.2
1	D	33	TRP	2.2
1	D	275	GLU	2.2
1	B	167	GLN	2.2
1	C	186	HIS	2.2
1	D	7	VAL	2.2
1	C	185	LEU	2.2
1	B	181	MET	2.2
1	C	181	MET	2.2
1	A	226	GLU	2.2
1	D	117	THR	2.2
1	A	175	ASP	2.2
1	C	33	TRP	2.2
1	B	32	VAL	2.1
1	B	176	ILE	2.1
1	C	282	ILE	2.1
1	B	185	LEU	2.1
1	C	187	ALA	2.1
1	D	26	ALA	2.1
1	C	127	ILE	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	29	PRO	2.1
1	D	126	GLY	2.1
1	B	40	ALA	2.1
1	B	45	ALA	2.1
1	C	150	LEU	2.1
1	D	24	LEU	2.1
1	C	19	MET	2.1
1	C	115	TYR	2.1
1	C	46	GLN	2.1
1	A	228	PRO	2.1
1	C	32	VAL	2.1
1	D	172	ALA	2.1
1	B	11	GLY	2.1
1	C	174	LEU	2.1
1	C	240	GLY	2.1
1	B	110	GLU	2.1
1	B	224	ALA	2.0
1	D	270	ALA	2.0
1	B	184	TYR	2.0
1	C	7	VAL	2.0
1	D	68	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	NAP	C	301	48/48	0.86	0.14	53,77,97,130	0
2	NAP	B	301	48/48	0.89	0.11	47,56,68,72	0

Continued on next page...

Continued from previous page...




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
2	NAP	D	301	48/48	0.89	0.13	53,72,85,103	0
2	NAP	A	301	48/48	0.95	0.10	36,46,58,69	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.







Electron density around NAP B 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around NAP D 301:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.