



# Full wwPDB X-ray Structure Validation Report ⓘ

Aug 21, 2020 – 08:59 PM BST

PDB ID : 6K8I  
Title : Crystal structure of Arabidopsis thaliana CRY2  
Authors : Ma, L.; Wang, X.; Guan, Z.; Yin, P.  
Deposited on : 2019-06-12  
Resolution : 2.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.13.1  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.13.1


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	2808 (2.70-2.70)
Clashscore	141614	3122 (2.70-2.70)
Ramachandran outliers	138981	3069 (2.70-2.70)
Sidechain outliers	138945	3069 (2.70-2.70)
RSRZ outliers	127900	2737 (2.70-2.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	612	 3% 58% 16% 25%
1	B	612	 2% 57% 18% 25%

## 2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 7608 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Cryptochrome-2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	457	3728	2412	632	668	16	0	1	0
1	B	461	3752	2427	638	671	16	0	0	0

There are 8 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	78	GLN	LYS	See Sequence details	UNP Q96524
A	95	PRO	ALA	See Sequence details	UNP Q96524
A	366	GLY	ALA	See Sequence details	UNP Q96524
A	534	VAL	ALA	See Sequence details	UNP Q96524
B	78	GLN	LYS	See Sequence details	UNP Q96524
B	95	PRO	ALA	See Sequence details	UNP Q96524
B	366	GLY	ALA	See Sequence details	UNP Q96524
B	534	VAL	ALA	See Sequence details	UNP Q96524

- Molecule 2 is FLAVIN-ADENINE DINUCLEOTIDE (three-letter code: FAD) (formula:  $C_{27}H_{33}N_9O_{15}P_2$ ) (labeled as "Ligand of Interest" by author).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
			Total	C	N	O			P
2	A	1	53	27	9	15	2	0	0
2	B	1	53	27	9	15	2	0	0

- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	O		
3	A	9	9	9	0	0
3	B	13	13	13	0	0



M378	GLU	ALA	ALA	GLU	GLY	ASN	G407	H408	E409	L410	D411	R412	Q419	K422	Y423	R431	L437	A438	F439	L440	I445	H446	H447	G460	N466	I485	S486	R487	T488	ARG	GLU	ALA	GLN	ILE	MET	LYS	LYS	ILE	GLY	ALA	ALA	PRO	ASP	GLU	GLU	ILE	VAL	ALA	ASP	PHE	LEU	GLY	THR
ALA	GLU	SER	GLY	SER	SER	THR	GLU	GLY	LEU	CYS	PRO	SER	VAL	SER	ASN	GLN	VAL	PRO	SER	VAL	VAL	ARG	ASN	GLY	SER	LYS	ARG	VAL	LYS	PRO	GLU	GLU	GLU	ARG	ASP	MET	LYS	LYS	ILE	SER	ARG	ALA	ALA	PRO	ASP	GLU	ARG	ILE	VAL	LEU	PHE	THR	
ALA	GLU	SER	SER	SER	SER	SER	PHE	VAL	SER	GLN	SER	CYS	SER	LEU	ALA	SER	LEU	GLU	GLY	ASN	LEU	GLU	ILE	ILE	ASP	SER	ASP	GLN	ILE	THR	SER	LEU	LYS	ASN	GLY	CYS	LYS																

## 4 Data and refinement statistics

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	123.12Å 160.37Å 139.92Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	49.03 – 2.70 49.04 – 2.70	Depositor EDS
% Data completeness (in resolution range)	99.8 (49.03-2.70) 99.8 (49.04-2.70)	Depositor EDS
$R_{merge}$	0.08	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.26 (at 2.69Å)	Xtrriage
Refinement program	PHENIX (1.15.2_3472: ???)	Depositor
R, $R_{free}$	0.185 , 0.237 0.185 , 0.237	Depositor DCC
$R_{free}$ test set	1948 reflections (5.08%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	61.6	Xtrriage
Anisotropy	0.681	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.34 , 54.3	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.50$ , $\langle L^2 \rangle = 0.34$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	7608	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	71.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.07% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: FAD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.44	0/3839	0.60	1/5219 (0.0%)
1	B	0.47	0/3863	0.63	3/5251 (0.1%)
All	All	0.45	0/7702	0.62	4/10470 (0.0%)

There are no bond length outliers.

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	422	LYS	CD-CE-NZ	-5.52	99.01	111.70
1	A	459	SER	C-N-CA	-5.43	110.89	122.30
1	B	121	GLU	CA-CB-CG	-5.37	101.58	113.40
1	B	422	LYS	CB-CG-CD	-5.12	98.27	111.60

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3728	0	3657	71	0
1	B	3752	0	3690	77	0
2	A	53	0	30	5	0
2	B	53	0	30	3	0
3	A	9	0	0	0	0

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	B	13	0	0	0	0
All	All	7608	0	7407	142	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (142) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:A:701:FAD:O4B	2:A:701:FAD:C1B	1.63	1.14
1:A:266:ARG:NH1	1:B:172:TRP:HE3	1.46	1.13
1:A:266:ARG:NH1	1:B:172:TRP:CE3	2.21	1.09
1:A:266:ARG:CZ	1:B:172:TRP:HE3	1.75	0.99
1:A:189:ILE:HD12	1:A:190:GLU:H	1.32	0.91
1:A:266:ARG:CZ	1:B:172:TRP:CE3	2.58	0.86
1:B:460:GLY:O	1:B:466:ASN:ND2	2.11	0.83
1:B:234:LYS:HD3	1:B:237:LYS:HE3	1.62	0.80
1:A:189:ILE:HD12	1:A:190:GLU:N	2.01	0.76
1:A:431:ARG:HG2	1:A:438:ALA:HA	1.69	0.75
1:B:431:ARG:HG2	1:B:438:ALA:HA	1.70	0.74
1:B:409:GLU:HB3	1:B:411:ASP:OD1	1.89	0.73
1:B:36:PHE:HB3	1:B:76:LEU:HD23	1.72	0.70
1:B:41:GLU:OE2	1:B:80:HIS:ND1	2.16	0.69
1:A:398:GLN:HB3	1:A:404:ILE:HG12	1.74	0.68
1:B:83:ILE:HD12	1:B:83:ILE:H	1.58	0.67
1:A:242:ASN:HB3	1:A:246:LEU:HD21	1.78	0.65
1:B:131:GLY:HA2	1:B:259:ARG:HH22	1.59	0.65
1:A:475:ASP:O	1:A:478:ARG:HB2	1.98	0.64
1:A:90:ILE:HG23	1:A:95:PRO:HD2	1.79	0.63
1:B:205:LEU:O	1:B:208:ARG:HB2	2.00	0.62
1:A:238:LYS:HD2	1:A:240:VAL:O	2.00	0.61
1:A:232:TYR:OH	2:A:701:FAD:O1A	2.16	0.61
1:A:398:GLN:HG2	1:A:403:SER:OG	2.01	0.61
1:A:370:LEU:HB3	1:A:372:LEU:HD13	1.81	0.61
1:B:411:ASP:HA	1:B:485:ILE:HD11	1.81	0.61
1:B:98:VAL:HG11	1:B:119:LEU:HD13	1.81	0.60
1:B:248:SER:HB3	2:B:701:FAD:H5'2	1.82	0.60
1:B:188:SER:O	1:B:192:LEU:HD13	2.02	0.60
1:A:13:ARG:CZ	1:A:103:LEU:HD13	2.32	0.59
1:A:172:TRP:CZ3	1:B:266:ARG:HD3	2.38	0.59
1:B:184:ILE:HG13	1:B:186:ALA:H	1.67	0.59

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:7:THR:HG23	1:A:97:LYS:HB3	1.85	0.58
1:A:440:LEU:HD13	1:A:445:ILE:HA	1.85	0.58
1:A:45:GLN:H	1:A:45:GLN:CD	2.07	0.58
1:A:111:ARG:O	1:A:115:VAL:HG13	2.05	0.56
1:A:215:SER:HB2	1:B:271:ILE:HD12	1.88	0.56
1:A:267:MET:SD	1:B:170:PRO:HG3	2.44	0.56
1:A:266:ARG:NH2	1:B:172:TRP:HA	2.22	0.55
1:B:159:LEU:HD23	1:B:163:ILE:HD12	1.88	0.55
1:A:147:PRO:HB2	1:A:149:THR:HG23	1.88	0.55
1:B:357:ARG:HD3	1:B:423:TYR:CE2	2.42	0.55
1:B:148:PHE:CZ	1:B:157:LYS:HG2	2.42	0.54
1:B:45:GLN:CD	1:B:45:GLN:H	2.10	0.54
1:B:156:LYS:NZ	1:B:289:ARG:HH12	2.06	0.54
1:A:368:LYS:HE2	1:A:410:LEU:HA	1.91	0.53
1:B:354:MET:HE3	1:B:358:ILE:HG22	1.90	0.53
1:B:408:HIS:NE2	1:B:412:ARG:HB3	2.23	0.53
1:A:170:PRO:HG3	1:B:267:MET:SD	2.49	0.53
1:A:14:ASP:OD2	1:A:101:ASN:ND2	2.33	0.53
1:A:38:TRP:HH2	1:A:48:PRO:HG2	1.74	0.52
1:A:133:LEU:HB3	1:A:295:GLU:OE2	2.10	0.52
1:A:354:MET:HG3	1:A:359:ARG:HG2	1.90	0.52
1:B:155:TRP:O	1:B:158:CYS:HB2	2.10	0.52
1:B:242:ASN:HB3	1:B:246:LEU:HD11	1.91	0.51
1:B:93:THR:OG1	1:B:95:PRO:HD3	2.10	0.51
1:A:415:ASN:HD22	1:A:416:PRO:HD2	1.74	0.51
1:B:134:LEU:N	1:B:295:GLU:OE2	2.44	0.51
1:A:10:TRP:HB3	1:A:100:PHE:HB3	1.92	0.50
1:B:38:TRP:HH2	1:B:48:PRO:HG2	1.76	0.50
1:B:265:ALA:HB3	1:B:288:LEU:HD21	1.93	0.50
1:A:86:ILE:O	1:A:90:ILE:HD12	2.11	0.50
1:B:408:HIS:HD2	1:B:409:GLU:O	1.94	0.50
1:B:146:LYS:HD2	1:B:146:LYS:N	2.27	0.50
1:A:83:ILE:CG1	1:A:115:VAL:HG12	2.42	0.50
1:B:217:ALA:HB2	1:B:250:TYR:CD1	2.47	0.49
1:B:94:GLY:N	1:B:95:PRO:HD3	2.26	0.49
1:A:259:ARG:O	1:A:263:GLN:HG2	2.13	0.49
1:A:374:TRP:CZ3	1:A:375:LYS:HG2	2.47	0.49
1:B:90:ILE:HA	1:B:95:PRO:CD	2.42	0.49
1:B:8:ILE:HD11	1:B:95:PRO:HG3	1.94	0.49
1:B:399:TYR:CD2	1:B:407:GLY:HA2	2.48	0.48
1:A:81:ASN:HB3	1:A:84:SER:HB3	1.95	0.48

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:223:GLU:OE1	1:A:227:LYS:HG3	2.14	0.48
1:B:401:SER:O	1:B:410:LEU:HD21	2.14	0.47
1:A:357:ARG:HD2	1:A:423:TYR:CE1	2.49	0.47
1:A:130:ASN:HB2	1:A:136:GLU:OE2	2.14	0.47
1:B:440:LEU:HD13	1:B:445:ILE:HA	1.97	0.47
2:A:701:FAD:O5B	2:A:701:FAD:H8A	2.14	0.47
1:B:361:ILE:HG12	1:B:419:GLN:NE2	2.29	0.47
1:B:363:SER:OG	1:B:400:ILE:HG13	2.15	0.46
1:A:370:LEU:CB	1:A:372:LEU:HD13	2.45	0.46
1:B:98:VAL:HG13	1:B:126:VAL:HG13	1.96	0.46
1:A:328:PHE:HA	1:A:372:LEU:HD21	1.97	0.46
1:A:452:PRO:HG2	1:A:455:VAL:CG2	2.45	0.46
1:A:413:LEU:HB3	1:A:478:ARG:HD2	1.98	0.46
2:B:701:FAD:H8A	2:B:701:FAD:O5B	2.16	0.46
1:B:148:PHE:HZ	1:B:157:LYS:HG2	1.80	0.46
1:B:437:LEU:HD22	1:B:440:LEU:HD12	1.98	0.46
1:B:40:PRO:HB3	1:B:47:TYR:CE1	2.51	0.45
1:B:146:LYS:HB3	1:B:147:PRO:HD2	1.98	0.45
1:A:360:VAL:HG13	1:A:400:ILE:HG22	1.98	0.45
1:B:279:GLU:HG2	1:B:280:GLY:N	2.31	0.45
1:B:387:ASP:O	2:B:701:FAD:N3	2.41	0.45
1:A:453:LEU:H	1:A:453:LEU:HD12	1.81	0.45
1:B:189:ILE:HA	1:B:192:LEU:HD13	1.98	0.45
1:B:133:LEU:HD21	1:B:298:ARG:HD3	1.99	0.45
1:B:408:HIS:CD2	1:B:409:GLU:O	2.69	0.45
1:A:45:GLN:HG2	1:A:46:PHE:CD2	2.52	0.45
1:B:242:ASN:HB3	1:B:246:LEU:HD21	1.99	0.45
1:B:104:TYR:OH	1:B:136:GLU:OE1	2.22	0.45
1:B:72:SER:OG	1:B:73:ASP:N	2.48	0.45
1:A:378:MET:HE2	1:A:397:TRP:CG	2.52	0.45
1:A:332:ARG:HA	1:A:345:MET:HE2	1.99	0.44
1:B:90:ILE:HA	1:B:95:PRO:HD2	1.99	0.44
1:A:136:GLU:HB2	1:A:139:GLU:HG3	2.00	0.44
1:A:357:ARG:CD	1:A:423:TYR:CZ	3.01	0.44
1:B:87:LEU:HD22	1:B:122:ARG:HH21	1.81	0.44
1:B:137:PRO:HB2	1:B:302:PHE:CD2	2.53	0.44
1:B:156:LYS:HZ1	1:B:289:ARG:HH12	1.64	0.44
1:A:387:ASP:O	2:A:701:FAD:N3	2.42	0.43
1:A:431:ARG:NH1	1:A:445:ILE:HD12	2.34	0.43
1:A:248:SER:HB3	2:A:701:FAD:H5'2	2.00	0.43
1:A:94:GLY:N	1:A:95:PRO:HD3	2.33	0.43

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:68:LYS:HA	1:A:72:SER:O	2.18	0.43
1:B:363:SER:HB2	1:B:397:TRP:CZ3	2.53	0.43
1:B:117:GLU:O	1:B:121:GLU:OE1	2.37	0.43
1:A:354:MET:HE3	1:A:358:ILE:HG22	1.99	0.43
1:B:67:LEU:HD12	1:B:74:LEU:HB2	2.00	0.43
1:A:36:PHE:HB3	1:A:76:LEU:HD23	2.01	0.42
1:B:68:LYS:HA	1:B:72:SER:O	2.19	0.42
1:B:188:SER:O	1:B:192:LEU:CD1	2.67	0.42
1:A:473[A]:ASP:OD1	1:A:476:THR:HG23	2.19	0.42
1:B:87:LEU:CD2	1:B:122:ARG:HE	2.32	0.42
1:B:205:LEU:O	1:B:208:ARG:CB	2.66	0.42
1:B:188:SER:OG	1:B:191:GLU:HG3	2.19	0.41
1:A:415:ASN:HD22	1:A:416:PRO:CD	2.33	0.41
1:B:141:TYR:CE2	1:B:146:LYS:N	2.88	0.41
1:A:55:TRP:CE3	1:A:212:PRO:HG3	2.54	0.41
1:A:137:PRO:HB3	1:A:299:TYR:HA	2.01	0.41
1:B:221:LEU:HD13	1:B:261:VAL:HG22	2.03	0.41
1:B:83:ILE:H	1:B:83:ILE:CD1	2.29	0.41
1:A:238:LYS:HE3	1:A:243:SER:HB3	2.03	0.41
1:A:164:GLU:OE1	1:A:164:GLU:HA	2.21	0.41
1:A:237:LYS:HA	1:A:237:LYS:HD3	1.76	0.41
1:A:189:ILE:CD1	1:A:190:GLU:N	2.80	0.41
1:A:265:ALA:HB3	1:A:288:LEU:HD21	2.03	0.40
1:A:148:PHE:CE2	1:A:157:LYS:HG2	2.56	0.40
1:A:90:ILE:HA	1:A:95:PRO:CD	2.52	0.40
1:B:176:PRO:O	1:B:177:ILE:HG23	2.21	0.40
1:A:474:ILE:O	1:A:478:ARG:HG2	2.22	0.40
1:B:122:ARG:HG2	1:B:122:ARG:HH11	1.86	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	450/612 (74%)	432 (96%)	18 (4%)	0	100	100
1	B	453/612 (74%)	427 (94%)	26 (6%)	0	100	100
All	All	903/1224 (74%)	859 (95%)	44 (5%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	399/531 (75%)	389 (98%)	10 (2%)	47	76
1	B	402/531 (76%)	392 (98%)	10 (2%)	47	76
All	All	801/1062 (75%)	781 (98%)	20 (2%)	49	76

All (20) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	59	SER
1	A	208	ARG
1	A	215	SER
1	A	379	LYS
1	A	403	SER
1	A	415	ASN
1	A	440	LEU
1	A	447	HIS
1	A	473[A]	ASP
1	A	473[B]	ASP
1	B	12	ARG
1	B	118	LYS
1	B	219	LYS
1	B	227	LYS
1	B	267	MET
1	B	286	LEU
1	B	298	ARG
1	B	322	ASP

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	378	MET
1	B	447	HIS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	415	ASN
1	B	408	HIS

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
2	FAD	B	701	-	51,58,58	4.62	21 (41%)	60,89,89	2.46	14 (23%)
2	FAD	A	701	-	51,58,58	4.93	21 (41%)	60,89,89	2.43	15 (25%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral

centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	FAD	B	701	-	-	4/30/50/50	0/6/6/6
2	FAD	A	701	-	-	6/30/50/50	0/6/6/6

All (42) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	701	FAD	O4B-C1B	16.20	1.63	1.41
2	B	701	FAD	O4B-C1B	14.87	1.61	1.41
2	B	701	FAD	C2B-C1B	-14.43	1.31	1.53
2	A	701	FAD	C2B-C1B	-14.07	1.32	1.53
2	A	701	FAD	C10-N1	11.13	1.47	1.33
2	B	701	FAD	C10-N1	10.93	1.47	1.33
2	A	701	FAD	C9A-N10	10.65	1.52	1.38
2	A	701	FAD	C5X-N5	9.36	1.50	1.35
2	A	701	FAD	C4X-N5	8.96	1.46	1.33
2	B	701	FAD	C9A-N10	8.39	1.49	1.38
2	B	701	FAD	C5X-N5	8.33	1.49	1.35
2	B	701	FAD	C4X-N5	8.12	1.44	1.33
2	A	701	FAD	C4-N3	7.96	1.46	1.33
2	B	701	FAD	C4-N3	7.88	1.46	1.33
2	A	701	FAD	C4X-C10	7.80	1.46	1.38
2	A	701	FAD	C4-C4X	6.58	1.52	1.41
2	A	701	FAD	C2-N3	6.26	1.50	1.38
2	B	701	FAD	C4X-C10	6.25	1.45	1.38
2	B	701	FAD	C4-C4X	6.06	1.51	1.41
2	A	701	FAD	O4B-C4B	-5.99	1.31	1.45
2	B	701	FAD	C2-N3	5.86	1.49	1.38
2	B	701	FAD	O4B-C4B	-5.84	1.31	1.45
2	A	701	FAD	C2-N1	5.08	1.48	1.38
2	B	701	FAD	C2-N1	4.63	1.47	1.38
2	A	701	FAD	O2B-C2B	3.87	1.52	1.43
2	A	701	FAD	C1'-N10	3.76	1.52	1.48
2	A	701	FAD	C2A-N3A	3.55	1.37	1.32
2	B	701	FAD	C1'-N10	3.49	1.51	1.48
2	B	701	FAD	C2A-N3A	3.43	1.37	1.32
2	B	701	FAD	O2B-C2B	3.23	1.50	1.43
2	A	701	FAD	O3B-C3B	-3.18	1.35	1.43
2	B	701	FAD	O3B-C3B	-3.07	1.35	1.43
2	B	701	FAD	C6A-N6A	2.81	1.44	1.34

*Continued on next page...*

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	701	FAD	O4-C4	-2.61	1.18	1.24
2	B	701	FAD	O2'-C2'	-2.61	1.37	1.43
2	A	701	FAD	C6A-N6A	2.56	1.43	1.34
2	A	701	FAD	O2'-C2'	-2.40	1.38	1.43
2	B	701	FAD	O4'-C4'	-2.38	1.38	1.43
2	B	701	FAD	C5A-C4A	-2.35	1.34	1.40
2	A	701	FAD	C5A-C4A	-2.19	1.35	1.40
2	A	701	FAD	O4-C4	-2.19	1.19	1.24
2	A	701	FAD	O4'-C4'	-2.08	1.39	1.43

All (29) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	701	FAD	C5A-C6A-N6A	8.80	133.72	120.35
2	B	701	FAD	C5A-C6A-N6A	8.31	132.98	120.35
2	A	701	FAD	C4-N3-C2	6.08	120.27	115.14
2	B	701	FAD	C7M-C7-C8	6.00	133.04	120.74
2	B	701	FAD	C4-N3-C2	5.80	120.04	115.14
2	A	701	FAD	N6A-C6A-N1A	-5.74	106.65	118.57
2	B	701	FAD	C7M-C7-C6	-5.59	106.96	120.34
2	A	701	FAD	C1'-N10-C9A	5.59	122.69	118.29
2	B	701	FAD	N3A-C2A-N1A	-5.53	120.04	128.68
2	B	701	FAD	C1'-N10-C10	5.46	123.30	118.41
2	B	701	FAD	N6A-C6A-N1A	-5.33	107.51	118.57
2	A	701	FAD	N3A-C2A-N1A	-5.23	120.50	128.68
2	A	701	FAD	C7M-C7-C8	4.58	130.13	120.74
2	B	701	FAD	C5X-C9A-N10	4.38	120.89	117.72
2	A	701	FAD	C7M-C7-C6	-4.23	110.23	120.34
2	A	701	FAD	C5X-C9A-N10	3.89	120.53	117.72
2	A	701	FAD	C5'-C4'-C3'	-3.66	105.14	112.20
2	A	701	FAD	C8M-C8-C7	-3.62	113.32	120.74
2	B	701	FAD	C4X-N5-C5X	3.60	120.37	116.77
2	A	701	FAD	C4X-C4-N3	-3.59	118.52	123.43
2	B	701	FAD	P-O3P-PA	-2.98	122.59	132.83
2	B	701	FAD	C4X-C4-N3	-2.98	119.35	123.43
2	A	701	FAD	C4X-N5-C5X	2.93	119.70	116.77
2	A	701	FAD	C9A-N10-C10	-2.81	118.23	121.91
2	B	701	FAD	C5'-C4'-C3'	-2.75	106.89	112.20
2	B	701	FAD	C9A-N10-C10	-2.72	118.35	121.91
2	A	701	FAD	P-O3P-PA	-2.42	124.52	132.83
2	B	701	FAD	C3B-C2B-C1B	2.21	104.31	100.98
2	A	701	FAD	C8M-C8-C9	2.13	125.44	120.34



There are no chirality outliers.

All (10) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	B	701	FAD	C5B-O5B-PA-O1A
2	B	701	FAD	C5B-O5B-PA-O2A
2	B	701	FAD	C4'-C5'-O5'-P
2	A	701	FAD	C4'-C5'-O5'-P
2	B	701	FAD	C5B-O5B-PA-O3P
2	A	701	FAD	P-O3P-PA-O2A
2	A	701	FAD	C5B-O5B-PA-O3P
2	A	701	FAD	P-O3P-PA-O1A
2	A	701	FAD	C5B-O5B-PA-O1A
2	A	701	FAD	C5'-O5'-P-O1P


There are no ring outliers.

2 monomers are involved in 8 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	701	FAD	3	0
2	A	701	FAD	5	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	457/612 (74%)	0.17	21 (4%) 32 31	41, 69, 121, 165	0
1	B	461/612 (75%)	0.02	11 (2%) 59 60	42, 62, 115, 147	0
All	All	918/1224 (75%)	0.09	32 (3%) 44 44	41, 65, 120, 165	0

All (32) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	147	PRO	8.0
1	A	141	TYR	6.0
1	B	320	PRO	5.6
1	B	410	LEU	5.1
1	A	405	PRO	4.9
1	A	406	ASP	4.2
1	B	146	LYS	4.2
1	A	142	CYS	4.1
1	B	488	THR	4.0
1	B	487	ARG	3.6
1	A	140	ILE	3.6
1	A	481	LEU	3.6
1	B	185	TRP	3.5
1	B	321	TRP	3.5
1	A	162	SER	3.5
1	A	407	GLY	3.5
1	A	87	LEU	3.4
1	A	95	PRO	3.3
1	A	404	ILE	3.2
1	A	148	PHE	3.1
1	B	322	ASP	3.0
1	A	146	LYS	2.9
1	A	185	TRP	2.7
1	B	323	ALA	2.6

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	411	ASP	2.6
1	B	408	HIS	2.5
1	B	172	TRP	2.5
1	A	164	GLU	2.2
1	A	479	GLU	2.2
1	A	474	ILE	2.2
1	A	149	THR	2.0
1	A	119	LEU	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
2	FAD	B	701	53/53	0.98	0.20	36,48,57,63	0
2	FAD	A	701	53/53	0.98	0.17	44,52,63,70	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

**Electron density around FAD B 701:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)

**Electron density around FAD A 701:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



## 6.5 Other polymers

There are no such residues in this entry.