

wwPDB X-ray Structure Validation Summary Report (i)

Oct 10, 2023 – 02:32 PM EDT

PDB ID : 7KN9

Title: Dihydrodipicolinate synthase (DHDPS) from C.jejuni, E88A mutant with

pyruvate bound in the active site and L-lysine bound at the allosteric site

Authors: Saran, S.; Sanders, D.A.R.

Deposited on : 2020-11-04

Resolution : 2.07 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org
A user guide is available at

https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity : 4.02b-467

Mogul : 1.8.5 (274361), CSD as541be (2020)

Xtriage (Phenix) : 1.13

EDS : 2.35.1 buster-report : 1.1.7 (2018)

Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)

 $Refmac \quad : \quad 5.8.0158$

CCP4 : 7.0.044 (Gargrove)

Ideal geometry (proteins) : Engh & Huber (2001) Ideal geometry (DNA, RNA) : Parkinson et al. (1996)


Validation Pipeline (wwPDB-VP) : 2.35.1

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: X-RAY DIFFRACTION

The reported resolution of this entry is 2.07 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive	Similar resolution
Metric	$(\# ext{Entries})$	$(\# ext{Entries}, ext{ resolution range}(ext{Å}))$
R_{free}	130704	2684 (2.08-2.04)
Clashscore	141614	2801 (2.08-2.04)
Ramachandran outliers	138981	2768 (2.08-2.04)
Sidechain outliers	138945	2768 (2.08-2.04)
RSRZ outliers	127900	2646 (2.08-2.04)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain		
1	A	310	90%	5%	5%
1	В	310			
1			90%	6%	<u> </u>
1	С	310	90%	5%	5%
1	D	310	89%	6%	5%
1	Е	310	86%	9%	5%



Continued from previous page...

Mol	Chain	Length	Quality of chain			
1	F	310	86%	9%	<u>.</u>	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	PGE	A	308	-	-	X	-
3	PGE	Е	305	-	-	X	X
4	EDO	F	307	-	-	X	-
5	ACT	В	313	-	-	X	-
6	PEG	В	315	-	-	X	-



2 Entry composition (i)

There are 8 unique types of molecules in this entry. The entry contains 14978 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

• Molecule 1 is a protein called 4-hydroxy-tetrahydrodipicolinate synthase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	296	Total	С	N	О	S	0	1	0
1	A	290	2258	1435	374	436	13	U	1	0
1	В	297	Total	С	N	О	S	0	0	0
1	Б	291	2267	1441	377	436	13	U	0	
1	С	296	Total	С	N	О	S	0	0	0
1		290	2271	1445	378	435	13	U	0	0
1	D	296	Total	С	N	О	S	0	0	0
1	D	290	2266	1442	376	435	13	U	0	
1	Е	296	Total	С	N	О	S	0	0	0
1	12	290	2262	1439	375	435	13	U	0	
1	F	297	Total	С	N	О	S	0	0	0
1	Г	291	2279	1449	379	438	13	U	U	

There are 78 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-11	MET	-	expression tag	UNP Q9PPB4
A	-10	ARG	-	expression tag	UNP Q9PPB4
A	-9	GLY	-	expression tag	UNP Q9PPB4
A	-8	SER	-	expression tag	UNP Q9PPB4
A	-7	HIS	-	expression tag	UNP Q9PPB4
A	-6	HIS	-	expression tag	UNP Q9PPB4
A	-5	HIS	-	expression tag	UNP Q9PPB4
A	-4	HIS	-	expression tag	UNP Q9PPB4
A	-3	HIS	-	expression tag	UNP Q9PPB4
A	-2	HIS	-	expression tag	UNP Q9PPB4
A	-1	GLY	-	expression tag	UNP Q9PPB4
A	0	SER	-	expression tag	UNP Q9PPB4
A	88	ALA	GLU	engineered mutation	UNP Q9PPB4
В	-11	MET		expression tag	UNP Q9PPB4
В	-10	ARG	=	expression tag	UNP Q9PPB4
В	-9	GLY	-	expression tag	UNP Q9PPB4
В	-8	SER	-	expression tag	UNP Q9PPB4



Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
В	-7	HIS	-	expression tag	UNP Q9PPB4
В	-6	HIS	-	expression tag	UNP Q9PPB4
В	-5	HIS	-	expression tag	UNP Q9PPB4
В	-4	HIS	_	expression tag	UNP Q9PPB4
В	-3	HIS	-	expression tag	UNP Q9PPB4
В	-2	HIS	-	expression tag	UNP Q9PPB4
В	-1	GLY	-	expression tag	UNP Q9PPB4
В	0	SER	-	expression tag	UNP Q9PPB4
В	88	ALA	GLU	engineered mutation	UNP Q9PPB4
С	-11	MET	-	expression tag	UNP Q9PPB4
С	-10	ARG	-	expression tag	UNP Q9PPB4
С	-9	GLY	-	expression tag	UNP Q9PPB4
С	-8	SER	-	expression tag	UNP Q9PPB4
С	-7	HIS	-	expression tag	UNP Q9PPB4
С	-6	HIS	-	expression tag	UNP Q9PPB4
С	-5	HIS	-	expression tag	UNP Q9PPB4
С	-4	HIS	-	expression tag	UNP Q9PPB4
С	-3	HIS	-	expression tag	UNP Q9PPB4
С	-2	HIS	-	expression tag	UNP Q9PPB4
С	-1	GLY	-	expression tag	UNP Q9PPB4
С	0	SER	-	expression tag	UNP Q9PPB4
С	88	ALA	GLU	engineered mutation	UNP Q9PPB4
D	-11	MET	-	expression tag	UNP Q9PPB4
D	-10	ARG	-	expression tag	UNP Q9PPB4
D	-9	GLY	-	expression tag	UNP Q9PPB4
D	-8	SER	-	expression tag	UNP Q9PPB4
D	-7	HIS	-	expression tag	UNP Q9PPB4
D	-6	HIS	-	expression tag	UNP Q9PPB4
D	-5	HIS	_	expression tag	UNP Q9PPB4
D	-4	HIS	-	expression tag	UNP Q9PPB4
D	-3	HIS	-	expression tag	UNP Q9PPB4
D	-2	HIS	_	expression tag	UNP Q9PPB4
D	-1	GLY	-	expression tag	UNP Q9PPB4
D	0	SER	-	expression tag	UNP Q9PPB4
D	88	ALA	GLU	engineered mutation	UNP Q9PPB4
Е	-11	MET	-	expression tag	UNP Q9PPB4
Е	-10	ARG	-	expression tag	UNP Q9PPB4
Е	-9	GLY	-	expression tag	UNP Q9PPB4
Е	-8	SER	-	expression tag	UNP Q9PPB4
Е	-7	HIS	-	expression tag	UNP Q9PPB4
Е	-6	HIS	-	expression tag	UNP Q9PPB4
Е	-5	HIS	-	expression tag	UNP Q9PPB4



Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
Е	-4	HIS	-	expression tag	UNP Q9PPB4
Е	-3	HIS	-	expression tag	UNP Q9PPB4
Е	-2	HIS	-	expression tag	UNP Q9PPB4
Е	-1	GLY	-	expression tag	UNP Q9PPB4
E	0	SER	-	expression tag	UNP Q9PPB4
Е	88	ALA	GLU	engineered mutation	UNP Q9PPB4
F	-11	MET	-	expression tag	UNP Q9PPB4
F	-10	ARG	-	expression tag	UNP Q9PPB4
F	-9	GLY	-	expression tag	UNP Q9PPB4
F	-8	SER	-	expression tag	UNP Q9PPB4
F	-7	HIS	-	expression tag	UNP Q9PPB4
F	-6	HIS	-	expression tag	UNP Q9PPB4
F	-5	HIS	-	expression tag	UNP Q9PPB4
F	-4	HIS	-	expression tag	UNP Q9PPB4
F	-3	HIS		expression tag	UNP Q9PPB4
F	-2	HIS	-	expression tag	UNP Q9PPB4
F	-1	GLY	-	expression tag	UNP Q9PPB4
F	0	SER	-	expression tag	UNP Q9PPB4
F	88	ALA	GLU	engineered mutation	UNP Q9PPB4

• Molecule 2 is MAGNESIUM ION (three-letter code: MG) (formula: Mg) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	6	Total Mg 6 6	0	0
2	В	6	Total Mg 6 6	0	0
2	С	2	Total Mg 2 2	0	0
2	D	5	Total Mg 5 5	0	0
2	E	3	Total Mg 3 3	0	0
2	F	3	Total Mg 3 3	0	0

• Molecule 3 is TRIETHYLENE GLYCOL (three-letter code: PGE) (formula: $C_6H_{14}O_4$) (labeled as "Ligand of Interest" by depositor).






Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total C O	0	0
3	Λ	1	10 6 4	U	
3	A	1	Total C O	0	0
3	Λ	1	10 6 4	U	
3	В	1	Total C O	0	0
3	Ъ	1	10 6 4	U	
3	С	1	Total C O	0	0
3		1	10 6 4	U	
3	D	1	Total C O	0	0
	D	1	10 6 4	U	U
3	E	1	Total C O	0	0
	Ľ	1	10 6 4	U	U
3	Е	1	Total C O	0	0
	יב	1	10 6 4	U	U
3	F	1	Total C O	0	0
	I.	1	10 6 4	U	U

• Molecule 4 is 1,2-ETHANEDIOL (three-letter code: EDO) (formula: $C_2H_6O_2$) (labeled as "Ligand of Interest" by depositor).





Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total C O 4 2 2	0	0
4	A	1	Total C O 4 2 2	0	0
4	A	1	Total C O 4 2 2	0	0
4	A	1	Total C O 4 2 2	0	0
4	A	1	Total C O 4 2 2	0	0
4	В	1	Total C O 4 2 2	0	0
4	В	1	Total C O 4 2 2	0	0
4	В	1	Total C O 4 2 2	0	0
4	В	1	Total C O 4 2 2	0	0
4	В	1	Total C O 4 2 2	0	0
4	С	1	Total C O 4 2 2	0	0
4	С	1	Total C O 4 2 2	0	0
4	С	1	Total C O 4 2 2	0	0
4	С	1	Total C O 4 2 2	0	0




 $Continued\ from\ previous\ page...$

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	D	1	Total C O 4 2 2	0	0
4	D	1	Total C O 4 2 2	0	0
4	D	1	Total C O 4 2 2	0	0
4	D	1	Total C O 4 2 2	0	0
4	E	1	Total C O 4 2 2	0	0
4	E	1	Total C O 4 2 2	0	0
4	E	1	Total C O 4 2 2	0	0
4	F	1	Total C O 4 2 2	0	0
4	F	1	Total C O 4 2 2	0	0
4	F	1	Total C O 4 2 2	0	0
4	F	1	Total C O 4 2 2	0	0
4	F	1	Total C O 4 2 2	0	0
4	F	1	Total C O 4 2 2	0	0

 \bullet Molecule 5 is ACETATE ION (three-letter code: ACT) (formula: $C_2H_3O_2)$ (labeled as "Ligand of Interest" by depositor).






Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	1	Total C O 4 2 2	0	0
5	A	1	Total C O 4 2 2	0	0
5	В	1	Total C O 4 2 2	0	0
5	В	1	Total C O 4 2 2	0	0
5	С	1	Total C O 4 2 2	0	0
5	С	1	Total C O 4 2 2	0	0
5	С	1	Total C O 4 2 2	0	0
5	D	1	Total C O 4 2 2	0	0
5	D	1	Total C O 4 2 2	0	0
5	F	1	Total C O 4 2 2	0	0
5	F	1	Total C O 4 2 2	0	0
5	F	1	Total C O 4 2 2	0	0


 \bullet Molecule 6 is DI(HYDROXYETHYL)ETHER (three-letter code: PEG) (formula: $C_4H_{10}O_3)$ (labeled as "Ligand of Interest" by depositor).





Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	1	Total C O 7 4 3	0	0
6	В	1	Total C O 7 4 3	0	0
6	F	1	Total C O 6 4 2	0	0

• Molecule 7 is LYSINE (three-letter code: LYS) (formula: $C_6H_{15}N_2O_2$) (labeled as "Ligand of Interest" by depositor).





Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	A	1	Total C N O	0	0
_ '	11	1	10 6 2 2	0	0
7	В	1	Total C N O	0	0
'	D	1	10 6 2 2	0	0
7	\mathbf{C}	1	Total C N O	0	0
'	0	1	10 6 2 2	0	0
7	D	1	Total C N O	0	0
'	D	1	10 6 2 2	U	0
7	E	1	Total C N O	0	0
'	L	1	10 6 2 2	U	0
7	F	1	Total C N O	0	0
'	I.	1	10 6 2 2		

• Molecule 8 is water.


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
8	A	194	Total O 194 194	0	0
8	В	159	Total O 159 159	0	0
8	С	180	Total O 180 180	0	0
8	D	179	Total O 179 179	0	0
8	Е	149	Total O 149 149	0	0
8	F	173	Total O 173 173	0	0



3 Residue-property plots (i)


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: 4-hydroxy-tetrahydrodipicolinate synthase





 \bullet Molecule 1: 4-hydroxy-tetrahydrodipicolinate synthase





4 Data and refinement statistics (i)

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants	85.31Å 231.39Å 199.64Å	Donositor
a, b, c, α , β , γ	90.00° 90.00° 90.00°	Depositor
Resolution (Å)	45.83 - 2.07	Depositor
Resolution (A)	45.83 - 2.07	EDS
% Data completeness	99.3 (45.83-2.07)	Depositor
(in resolution range)	94.5 (45.83-2.07)	EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) > 1$	1.35 (at 2.07Å)	Xtriage
Refinement program	PHENIX 1.17.1_3660	Depositor
D D.	0.177 , 0.207	Depositor
R, R_{free}	0.176 , 0.207	DCC
R_{free} test set	5965 reflections $(5.00%)$	wwPDB-VP
Wilson B-factor (Å ²)	24.4	Xtriage
Anisotropy	0.278	Xtriage
Bulk solvent $k_{sol}(e/Å^3)$, $B_{sol}(Å^2)$	0.35, 41.8	EDS
L-test for twinning ²	$ < L >=0.49, < L^2>=0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	14978	wwPDB-VP
Average B, all atoms (Å ²)	26.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 2.48% of the height of the origin peak. No significant pseudotranslation is detected.

²Theoretical values of <|L|>, $<L^2>$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



¹Intensities estimated from amplitudes.

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: EDO, ACT, PGE, MG, KPI, PEG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bo	nd lengths	Bond angles	
IVIOI	Cham	RMSZ	# Z > 5	RMSZ	# Z > 5
1	A	0.35	0/2281	0.50	1/3090~(0.0%)
1	В	0.45	$1/2291 \ (0.0\%)$	0.50	0/3101
1	С	0.37	0/2295	0.47	0/3104
1	D	0.40	0/2290	0.51	0/3098
1	Е	0.36	0/2286	0.50	0/3095
1	F	0.47	0/2303	0.55	0/3115
All	All	0.40	$1/13746 \ (0.0\%)$	0.51	1/18603 (0.0%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	\mathbf{Z}	$\operatorname{Observed}(\text{\AA})$	$\operatorname{Ideal}(ext{\AA})$
1	В	167	GLU	CD-OE2	-5.11	1.20	1.25

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^o)$	$\operatorname{Ideal}({}^{o})$
1	A	278	PRO	N-CA-CB	5.74	110.19	103.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.



Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2258	0	2254	23	0
1	В	2267	0	2285	15	0
1	С	2271	0	2306	10	0
1	D	2266	0	2291	10	0
1	Ε	2262	0	2281	23	0
1	F	2279	0	2310	24	0
2	A	6	0	0	0	0
2	В	6	0	0	0	0
2	С	2	0	0	0	0
2	D	5	0	0	0	0
2	Е	3	0	0	0	0
2	F	3	0	0	0	0
3	A	20	0	28	12	0
3	В	10	0	14	0	0
3	С	10	0	14	0	0
3	D	10	0	14	0	0
3	Е	20	0	28	7	0
3	F	10	0	14	1	0
4	A	20	0	30	2	0
4	В	20	0	30	3	0
4	С	16	0	24	1	0
4	D	16	0	24	2	0
4	${ m E}$	12	0	18	6	0
4	F	24	0	36	11	0
5	A	8	0	6	1	0
5	В	8	0	6	3	0
5	С	12	0	9	0	0
5	D	8	0	6	0	0
5	F	12	0	9	0	0
6	A	7	0	10	2	0
6	В	7	0	10	5	0
6	F	6	0	6	1	0
7	A	10	0	12	1	0
7	В	10	0	12	0	0
7	С	10	0	12	0	0
7	D	10	0	12	2	0
7	E	10	0	12	1	0
7	F	10	0	12	1	0
8	A	194	0	0	0	0
8	В	159	0	0	1	0
8	С	180	0	0	2	0
8	D	179	0	0	0	0
8	Ε	149	0	0	1	0



Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
8	F	173	0	0	0	0
All	All	14978	0	14135	109	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

The worst 5 of 109 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	$\begin{array}{c} {\rm Interatomic} \\ {\rm distance} \ ({\rm \AA}) \end{array}$	Clash overlap (Å)
1:A:294:LYS:NZ	3:A:308:PGE:H5	1.54	1.22
1:A:294:LYS:HZ2	3:A:308:PGE:C5	1.67	1.07
1:A:294:LYS:HZ2	3:A:308:PGE:H5	0.84	1.00
1:A:294:LYS:NZ	3:A:308:PGE:C5	2.21	1.00
1:A:294:LYS:HE3	3:A:308:PGE:H2	1.50	0.92

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	294/310~(95%)	289 (98%)	5 (2%)	0	100 100
1	В	294/310~(95%)	288 (98%)	6 (2%)	0	100 100
1	C	293/310 (94%)	287 (98%)	6 (2%)	0	100 100
1	D	293/310 (94%)	287 (98%)	6 (2%)	0	100 100
1	E	293/310 (94%)	287 (98%)	6 (2%)	0	100 100
1	F	294/310 (95%)	289 (98%)	5 (2%)	0	100 100
All	All	1761/1860 (95%)	1727 (98%)	34 (2%)	0	100 100

There are no Ramachandran outliers to report.



5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	240/259~(93%)	240 (100%)	0	100 100
1	В	244/259 (94%)	243 (100%)	1 (0%)	91 91
1	С	246/259 (95%)	245 (100%)	1 (0%)	91 91
1	D	244/259 (94%)	243 (100%)	1 (0%)	91 91
1	E	243/259 (94%)	242 (100%)	1 (0%)	91 91
1	F	247/259 (95%)	244 (99%)	3 (1%)	71 69
All	All	1464/1554 (94%)	1457 (100%)	7 (0%)	88 89

5 of 7 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	Е	97	LYS
1	F	29	ARG
1	F	280	LYS
1	F	97	LYS
1	D	97	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	Е	4	ASN
1	Е	161	ASN

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

6 non-standard protein/DNA/RNA residues are modelled in this entry.



In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Вс	ond leng	ths	В	ond ang	les
MIOI	Type	Chain	nes	LIIIK	Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
1	KPI	F	166	1	11,13,14	1.09	0	10,15,17	2.03	3 (30%)
1	KPI	A	166	1	11,13,14	1.15	1 (9%)	10,15,17	1.82	3 (30%)
1	KPI	D	166	1	11,13,14	1.30	1 (9%)	10,15,17	1.71	2 (20%)
1	KPI	Е	166	1	11,13,14	1.53	2 (18%)	10,15,17	2.99	5 (50%)
1	KPI	С	166	1	11,13,14	0.95	0	10,15,17	1.76	2 (20%)
1	KPI	В	166	1	11,13,14	1.18	1 (9%)	10,15,17	2.36	2 (20%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	KPI	F	166	1	-	4/13/14/16	-
1	KPI	A	166	1	-	4/13/14/16	-
1	KPI	D	166	1	-	2/13/14/16	-
1	KPI	Е	166	1	-	2/13/14/16	-
1	KPI	С	166	1	-	4/13/14/16	-
1	KPI	В	166	1	-	4/13/14/16	-

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$\operatorname{Observed}(\operatorname{\AA})$	Ideal(A)
1	Е	166	KPI	O-C	4.08	1.36	1.19
1	D	166	KPI	O1-CX2	-2.78	1.22	1.30
1	В	166	KPI	O2-CX2	2.36	1.28	1.22
1	Е	166	KPI	O1-CX2	2.35	1.37	1.30
1	A	166	KPI	CB-CA	-2.07	1.50	1.53

The worst 5 of 17 bond angle outliers are listed below:



Mol	Chain	Res	Type	Atoms	Z	$Observed(^o)$	$\operatorname{Ideal}({}^{o})$
1	Ε	166	KPI	C1-CX1-CX2	-6.84	111.52	118.17
1	В	166	KPI	O2-CX2-CX1	-4.69	115.39	121.38
1	В	166	KPI	CE-NZ-CX1	4.69	134.47	121.70
1	F	166	KPI	CE-NZ-CX1	4.46	133.85	121.70
1	Ε	166	KPI	O2-CX2-CX1	4.26	126.81	121.38

There are no chirality outliers.

5 of 20 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	A	166	KPI	NZ-CX1-CX2-O1
1	A	166	KPI	NZ-CX1-CX2-O2
1	A	166	KPI	C1-CX1-CX2-O1
1	A	166	KPI	C1-CX1-CX2-O2
1	В	166	KPI	NZ-CX1-CX2-O1

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	В	166	KPI	1	0

5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

5.6 Ligand geometry (i)

Of 81 ligands modelled in this entry, 25 are monoatomic - leaving 56 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

	Mol	Mol Type Chain Res I	Link	Bond lengths			Bond angles				
	IVIOI	Type	Chain	Res	Lilik	Counts	RMSZ	# Z >2	Counts	RMSZ	# Z > 2
Ī	4	EDO	F	309	-	3,3,3	0.47	0	2,2,2	0.30	0
	7	LYS	В	316	-	8,9,9	0.82	1 (12%)	9,10,10	1.10	2 (22%)



					В	ond leng	eths	Е	ond ang	gles
Mol	Type	Chain	Res	Link	Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	EDO	С	306	_	3,3,3	0.45	0	2,2,2	0.40	0
5	ACT	F	313	-	3,3,3	1.32	0	3,3,3	1.34	0
7	LYS	С	311	-	8,9,9	0.78	1 (12%)	9,10,10	1.22	2 (22%)
4	EDO	E	308	_	3,3,3	0.36	0	2,2,2	0.49	0
4	EDO	F	307	2	3,3,3	0.40	0	2,2,2	0.32	0
4	EDO	A	309	_	3,3,3	0.46	0	2,2,2	0.28	0
5	ACT	С	309	_	3,3,3	1.27	0	3,3,3	1.38	0
3	PGE	В	307	_	9,9,9	0.32	0	8,8,8	0.23	0
4	EDO	A	313	_	3,3,3	0.43	0	2,2,2	0.44	0
4	EDO	Е	306	_	3,3,3	0.41	0	2,2,2	0.36	0
3	PGE	A	307	-	9,9,9	0.31	0	8,8,8	0.34	0
5	ACT	F	312	-	3,3,3	1.34	0	3,3,3	1.51	0
4	EDO	В	308	-	3,3,3	0.48	0	2,2,2	0.31	0
3	PGE	F	304	-	9,9,9	0.30	0	8,8,8	0.31	0
4	EDO	С	307	-	3,3,3	0.46	0	2,2,2	0.33	0
4	EDO	F	306	-	3,3,3	0.44	0	2,2,2	0.29	0
4	EDO	A	312	-	3,3,3	0.48	0	2,2,2	0.20	0
4	EDO	F	308	-	3,3,3	0.47	0	2,2,2	0.26	0
4	EDO	F	310	-	3,3,3	0.42	0	2,2,2	0.36	0
5	ACT	В	313	_	3,3,3	0.91	0	3,3,3	1.46	0
3	PGE	D	306	-	9,9,9	0.30	0	8,8,8	0.30	0
4	EDO	В	311	-	3,3,3	0.45	0	2,2,2	0.34	0
4	EDO	С	304	-	3,3,3	0.46	0	2,2,2	0.35	0
4	EDO	D	308	-	3,3,3	0.46	0	2,2,2	0.35	0
7	LYS	D	313	-	8,9,9	0.82	1 (12%)	9,10,10	1.09	1 (11%)
4	EDO	A	310	_	3,3,3	0.48	0	2,2,2	0.24	0
4	EDO	Е	307	-	3,3,3	0.47	0	2,2,2	0.25	0
3	PGE	С	303	-	9,9,9	0.31	0	8,8,8	0.23	0
5	ACT	D	312	-	3,3,3	1.36	0	3,3,3	1.34	0
6	PEG	F	314	-	5,5,6	0.80	0	4,4,5	1.17	0
4	EDO	С	305	-	3,3,3	0.46	0	2,2,2	0.37	0
7	LYS	E	309	-	8,9,9	0.83	1 (12%)	9,10,10	1.13	2 (22%)
3	PGE	A	308	-	9,9,9	0.46	0	8,8,8	0.80	0
4	EDO	В	310	-	3,3,3	0.46	0	2,2,2	0.38	0
5	ACT	F	311	-	3,3,3	1.32	0	3,3,3	1.39	0
4	EDO	D	310	-	3,3,3	0.37	0	2,2,2	0.39	0
3	PGE	Е	305	-	9,9,9	0.32	0	8,8,8	0.28	0
5	ACT	В	314	_	3,3,3	1.33	0	3,3,3	1.36	0
3	PGE	Е	304	-	9,9,9	0.31	0	8,8,8	0.26	0
4	EDO	В	309	-	3,3,3	0.46	0	2,2,2	0.28	0
5	ACT	D	311	-	3,3,3	1.20	0	3,3,3	1.54	0
5	ACT	A	315	-	3,3,3	1.33	0	3,3,3	1.50	0



Mal	Trmo	Chain	Des	T inle	В	ond leng	gths	В	ond ang	gles
Mol	Type	Chain	Res	Link	Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	EDO	A	311	-	3,3,3	0.46	0	2,2,2	0.34	0
4	EDO	D	309	-	3,3,3	0.48	0	2,2,2	0.27	0
7	LYS	F	315	-	8,9,9	0.85	1 (12%)	9,10,10	1.00	1 (11%)
5	ACT	С	308	-	3,3,3	1.28	0	3,3,3	1.39	0
4	EDO	D	307	-	3,3,3	0.45	0	2,2,2	0.32	0
6	PEG	A	316	-	6,6,6	0.48	0	5,5,5	0.34	0
5	ACT	A	314	2	3,3,3	1.03	0	3,3,3	1.60	0
4	EDO	F	305	-	3,3,3	0.36	0	2,2,2	0.59	0
7	LYS	A	317	2	8,9,9	0.80	1 (12%)	9,10,10	1.14	2 (22%)
5	ACT	С	310	-	3,3,3	1.02	0	3,3,3	0.74	0
4	EDO	В	312	-	3,3,3	0.41	0	2,2,2	0.45	0
6	PEG	В	315	-	6,6,6	0.50	0	5,5,5	0.28	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	EDO	F	309	-	-	0/1/1/1	
7	LYS	В	316	-	-	0/9/9/9	-
4	EDO	С	306	-	-	0/1/1/1	-
7	LYS	С	311	-	-	0/9/9/9	-
4	EDO	Е	308	-	-	1/1/1/1	-
4	EDO	F	307	2	-	1/1/1/1	-
4	EDO	A	309	-	-	0/1/1/1	-
3	PGE	В	307	-	-	1/7/7/7	-
4	EDO	A	313	-	-	1/1/1/1	-
4	EDO	Е	306	-	-	1/1/1/1	-
3	PGE	A	307	-	-	1/7/7/7	-
4	EDO	В	308	-	-	0/1/1/1	-
3	PGE	F	304	-	-	0/7/7/7	-
4	EDO	С	307	-	-	0/1/1/1	-
4	EDO	F	306	-	-	1/1/1/1	-
4	EDO	A	312	-	-	1/1/1/1	-
4	EDO	F	308	-	-	0/1/1/1	_
4	EDO	F	310	-	-	0/1/1/1	_
3	PGE	D	306	-	-	2/7/7/7	-
4	EDO	В	311	-	-	0/1/1/1	-
4	EDO	С	304	-	-	0/1/1/1	-
4	EDO	D	308	-	-	1/1/1/1	-
7	LYS	D	313	-	-	0/9/9/9	-



 $Continued\ from\ previous\ page...$

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	EDO	A	310	-	-	0/1/1/1	-
4	EDO	Е	307	-	-	1/1/1/1	-
3	PGE	С	303	-	-	3/7/7/7	-
6	PEG	F	314	-	-	3/3/3/4	-
4	EDO	С	305	-	-	0/1/1/1	-
7	LYS	Е	309	-	-	0/9/9/9	-
3	PGE	A	308	-	-	5/7/7/7	-
4	EDO	В	310	-	-	0/1/1/1	-
4	EDO	D	310	-	-	0/1/1/1	-
3	PGE	Е	305	-	-	4/7/7/7	-
3	PGE	Е	304	-	-	1/7/7/7	-
4	EDO	В	309	-	-	0/1/1/1	-
4	EDO	A	311	-	-	0/1/1/1	-
4	EDO	D	309	-	-	0/1/1/1	-
7	LYS	F	315	ı	-	1/9/9/9	-
4	EDO	D	307	-	-	1/1/1/1	-
6	PEG	A	316	_	-	2/4/4/4	-
4	EDO	F	305	-	-	0/1/1/1	
7	LYS	A	317	2	-	0/9/9/9	
4	EDO	В	312	-	-	0/1/1/1	-
6	PEG	В	315	-	-	1/4/4/4	-

The worst 5 of 6 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	\mathbf{Z}	Observed(A)	Ideal(Å)
7	F	315	LYS	OXT-C	-2.20	1.23	1.30
7	Е	309	LYS	OXT-C	-2.17	1.23	1.30
7	В	316	LYS	OXT-C	-2.11	1.23	1.30
7	D	313	LYS	OXT-C	-2.10	1.23	1.30
7	A	317	LYS	OXT-C	-2.04	1.23	1.30

The worst 5 of 10 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^o)$	$Ideal(^{o})$
7	Е	309	LYS	OXT-C-O	-2.51	118.39	124.09
7	С	311	LYS	OXT-C-O	-2.51	118.39	124.09
7	В	316	LYS	OXT-C-O	-2.47	118.49	124.09
7	С	311	LYS	OXT-C-CA	2.40	121.54	113.38
7	F	315	LYS	OXT-C-O	-2.38	118.68	124.09

There are no chirality outliers.



5 of 33 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	308	PGE	C3-C4-O3-C5
3	A	308	PGE	O2-C3-C4-O3
6	F	314	PEG	C4-C3-O2-C2
3	A	307	PGE	O1-C1-C2-O2
6	F	314	PEG	O2-C3-C4-O4

There are no ring outliers.


27 monomers are involved in 57 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	F	309	EDO	1	0
4	Е	308	EDO	3	0
4	F	307	EDO	5	0
4	A	313	EDO	1	0
4	Е	306	EDO	1	0
4	В	308	EDO	1	0
3	F	304	PGE	1	0
4	A	312	EDO	1	0
4	F	308	EDO	2	0
4	F	310	EDO	1	0
5	В	313	ACT	3	0
4	В	311	EDO	2	0
7	D	313	LYS	2	0
4	Е	307	EDO	2	0
6	F	314	PEG	1	0
4	С	305	EDO	1	0
7	Е	309	LYS	1	0
3	A	308	PGE	12	0
4	D	310	EDO	1	0
3	Е	305	PGE	7	0
7	F	315	LYS	1	0
4	D	307	EDO	1	0
6	A	316	PEG	2	0
5	A	314	ACT	1	0
4	F	305	EDO	2	0
7	A	317	LYS	1	0
6	В	315	PEG	5	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is




within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.























































































































































































































5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ>2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<rsrz></rsrz>	$\#\mathrm{RSRZ}{>}2$	$OWAB(A^2)$	Q < 0.9
1	A	295/310~(95%)	-0.41	0 100 100	17, 23, 35, 48	0
1	В	296/310~(95%)	-0.44	0 100 100	18, 23, 36, 52	0
1	С	295/310~(95%)	-0.36	1 (0%) 94 94	19, 24, 37, 48	0
1	D	295/310~(95%)	-0.34	3 (1%) 82 83	20, 25, 40, 52	0
1	E	295/310~(95%)	-0.38	0 100 100	20, 26, 40, 53	0
1	F	296/310 (95%)	-0.31	1 (0%) 94 94	19, 26, 42, 58	0
All	All	1772/1860 (95%)	-0.37	5 (0%) 94 94	17, 25, 38, 58	0

All (5) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	F	267	GLU	2.7
1	С	281	GLU	2.6
1	D	294	LYS	2.5
1	D	4	ASN	2.4
1	D	267	GLU	2.1

6.2 Non-standard residues in protein, DNA, RNA chains (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$\mathbf{B} ext{-}\mathbf{factors}(\mathbf{\mathring{A}}^2)$	Q < 0.9
1	KPI	Ε	166	14/15	0.77	0.17	20,23,35,38	0
1	KPI	A	166	14/15	0.81	0.19	17,21,30,37	0
1	KPI	В	166	14/15	0.82	0.17	19,23,31,39	0
1	KPI	D	166	14/15	0.85	0.17	21,22,34,35	0

Continued on next page...



Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$\mathbf{B} ext{-}\mathbf{factors}(\mathbf{\mathring{A}}^2)$	Q < 0.9
1	KPI	F	166	14/15	0.85	0.15	20,23,36,43	0
1	KPI	С	166	14/15	0.88	0.16	18,20,33,36	0

6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	${f B\text{-factors}}({f \AA}^2)$	Q<0.9
2	MG	A	304	1/1	0.63	0.15	48,48,48,48	0
3	PGE	Е	305	10/10	0.64	0.43	34,38,42,47	0
3	PGE	A	308	10/10	0.68	0.31	20,20,20,20	0
5	ACT	D	312	4/4	0.69	0.26	39,43,46,53	0
4	EDO	F	308	4/4	0.74	0.35	40,42,43,43	0
2	MG	Е	303	1/1	0.75	0.13	52,52,52,52	0
2	MG	В	303	1/1	0.76	0.14	45,45,45,45	0
2	MG	A	305	1/1	0.76	0.12	47,47,47,47	0
4	EDO	F	307	4/4	0.78	0.31	28,29,29,37	0
6	PEG	В	315	7/7	0.78	0.32	27,34,39,48	0
2	MG	В	305	1/1	0.79	0.13	48,48,48,48	0
4	EDO	A	312	4/4	0.80	0.21	33,35,41,43	0
4	EDO	Е	307	4/4	0.80	0.47	29,33,36,38	0
5	ACT	A	314	4/4	0.81	0.23	24,25,32,45	0
5	ACT	F	311	4/4	0.81	0.21	40,45,49,50	0
5	ACT	С	308	4/4	0.81	0.17	36,38,42,51	0
4	EDO	A	309	4/4	0.82	0.20	32,39,41,44	0
3	PGE	F	304	10/10	0.82	0.25	34,40,49,50	0
4	EDO	В	310	4/4	0.82	0.19	35,39,39,41	0
6	PEG	A	316	7/7	0.82	0.27	27,38,42,51	0
4	EDO	С	307	4/4	0.82	0.39	31,33,34,50	0
4	EDO	В	308	4/4	0.83	0.15	30,32,37,37	0
4	EDO	A	311	4/4	0.83	0.25	43,46,48,56	0
3	PGE	В	307	10/10	0.84	0.18	33,37,49,53	0
5	ACT	A	315	4/4	0.84	0.14	39,43,46,50	0
5	ACT	F	313	4/4	0.84	0.19	47,49,49,52	0

Continued on next page...



 $Continued\ from\ previous\ page...$

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$\mathbf{B} ext{-}\mathbf{factors}(\mathbf{\mathring{A}}^2)$	Q < 0.9
2	MG	F	302	1/1	0.84	0.12	46,46,46,46	0
5	ACT	С	309	4/4	0.84	0.25	42,48,51,54	0
5	ACT	В	314	4/4	0.86	0.12	33,39,41,44	0
3	PGE	A	307	10/10	0.86	0.18	29,32,38,46	0
4	EDO	С	306	4/4	0.86	0.26	37,38,42,43	0
5	ACT	В	313	4/4	0.86	0.21	22,27,27,47	0
4	EDO	A	310	4/4	0.87	0.26	29,34,34,42	0
4	EDO	D	307	4/4	0.87	0.17	34,37,39,40	0
4	EDO	D	310	4/4	0.88	0.20	26,26,29,42	0
2	MG	С	302	1/1	0.88	0.12	44,44,44,44	0
2	MG	D	301	1/1	0.88	0.22	40,40,40,40	0
6	PEG	F	314	6/7	0.88	0.18	21,25,26,44	0
2	MG	F	303	1/1	0.89	0.09	50,50,50,50	0
4	EDO	Е	306	4/4	0.89	0.23	29,30,33,37	0
4	EDO	F	309	4/4	0.89	0.40	38,38,40,43	0
4	EDO	В	309	4/4	0.89	0.21	30,33,34,38	0
4	EDO	Е	308	4/4	0.89	0.22	24,27,28,33	0
5	ACT	F	312	4/4	0.90	0.26	44,49,50,58	0
7	LYS	F	315	10/10	0.90	0.16	22,26,28,33	0
3	PGE	D	306	10/10	0.91	0.20	33,39,41,50	0
4	EDO	F	310	4/4	0.91	0.40	34,34,36,36	0
2	MG	D	305	1/1	0.91	0.07	45,45,45,45	0
4	EDO	В	311	4/4	0.91	0.14	29,34,37,43	0
3	PGE	С	303	10/10	0.92	0.20	32,36,41,45	0
4	EDO	D	308	4/4	0.92	0.19	31,31,40,43	0
4	EDO	В	312	4/4	0.92	0.22	27,32,33,40	0
4	EDO	F	305	4/4	0.93	0.13	24,27,34,34	0
4	EDO	F	306	4/4	0.93	0.29	25,31,33,36	0
4	EDO	A	313	4/4	0.93	0.36	29,34,37,40	0
7	LYS	A	317	10/10	0.93	0.14	19,23,24,24	0
4	EDO	С	304	4/4	0.93	0.12	39,41,41,44	0
5	ACT	D	311	4/4	0.94	0.15	28,34,39,40	0
4	EDO	С	305	4/4	0.94	0.13	34,36,37,43	0
3	PGE	E	304	10/10	0.94	0.12	34,37,43,47	0
2	MG	D	302	1/1	0.94	0.20	40,40,40,40	0
5	ACT	С	310	4/4	0.94	0.16	20,20,20,20	0
4	EDO	D	309	4/4	0.95	0.16	26,26,26,30	0
7	LYS	С	311	10/10	0.95	0.13	19,22,25,26	0
7	LYS	D	313	10/10	0.95	0.10	20,23,25,28	0
2	MG	В	301	1/1	0.95	0.03	28,28,28,28	0
2	MG	В	302	1/1	0.96	0.14	35,35,35,35	0
2	MG	Е	301	1/1	0.96	0.10	37,37,37,37	0

Continued on next page...



Continued from previous page...


Mol	Type	Chain	Res	Atoms	RSCC	RSR	$\mathbf{B} ext{-}\mathbf{factors}(\mathbf{\mathring{A}}^2)$	Q<0.9
2	MG	Ε	302	1/1	0.96	0.14	21,21,21,21	0
7	LYS	Е	309	10/10	0.96	0.11	20,24,26,28	0
2	MG	A	303	1/1	0.96	0.20	40,40,40,40	0
2	MG	В	304	1/1	0.97	0.13	38,38,38,38	0
7	LYS	В	316	10/10	0.97	0.11	18,21,26,26	0
2	MG	D	304	1/1	0.97	0.07	40,40,40,40	0
2	MG	A	301	1/1	0.98	0.03	27,27,27,27	0
2	MG	С	301	1/1	0.98	0.20	17,17,17,17	0
2	MG	A	302	1/1	0.99	0.21	18,18,18,18	0
2	MG	F	301	1/1	0.99	0.19	20,20,20,20	0
2	MG	D	303	1/1	0.99	0.20	19,19,19,19	0
2	MG	A	306	1/1	0.99	0.07	31,31,31,31	0
2	MG	В	306	1/1	1.00	0.18	18,18,18,18	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.





Electron density around MG A 304: $2 {\rm mF}_o\text{-DF}_c \ ({\rm at}\ 0.7\ {\rm rmsd})\ {\rm in}\ {\rm gray}$ ${\rm mF}_o\text{-DF}_c \ ({\rm at}\ 3\ {\rm rmsd})\ {\rm in}\ {\rm purple}\ ({\rm negative})$

and green (positive)












Electron density around PGE A 308: 2mF_o-DF_c (at 0.7 rmsd) in gray mF_o-DF_c (at 3 rmsd) in purple (negative) and green (positive)











Electron density around MG E 303: $2 \mathrm{mF}_o\text{-}\mathrm{DF}_c$ (at 0.7 rmsd) in gray $\mathrm{mF}_{o}\text{-}\mathrm{DF}_{c}$ (at 3 rmsd) in purple (negative) and green (positive)




Electron density around MG B 303:

 $2 {
m mF}_o {
m -DF}_c$ (at 0.7 rmsd) in gray ${
m mF}_o {
m -DF}_c$ (at 3 rmsd) in purple (negative) and green (positive)












Electron density around MG A 305: $2 {\rm mF}_o\text{-DF}_c \ ({\rm at}\ 0.7\ {\rm rmsd})\ {\rm in}\ {\rm gray}$ ${\rm mF}_o\text{-DF}_c \ ({\rm at}\ 3\ {\rm rmsd})\ {\rm in}\ {\rm purple}\ ({\rm negative})$

and green (positive)










Electron density around EDO F 307:

 $2 {
m mF}_o {
m -DF}_c$ (at 0.7 rmsd) in gray ${
m mF}_o {
m -DF}_c$ (at 3 rmsd) in purple (negative) and green (positive)










Electron density around PEG B 315:


 $2 \mathrm{mF}_o\text{-}\mathrm{DF}_c$ (at 0.7 rmsd) in gray $\mathrm{mF}_o\text{-}\mathrm{DF}_c$ (at 3 rmsd) in purple (negative) and green (positive)



































Electron density around ACT C 308: 2mF_o-DF_c (at 0.7 rmsd) in gray mF_o-DF_c (at 3 rmsd) in purple (negative) and green (positive)
















Electron density around PEG A 316:


 $2 {
m mF}_o {
m -DF}_c$ (at 0.7 rmsd) in gray ${
m mF}_o {
m -DF}_c$ (at 3 rmsd) in purple (negative) and green (positive)










Electron density around EDO C 307:





















Electron density around ACT A 315:




















Electron density around ACT B 314: 2mF_o-DF_c (at 0.7 rmsd) in gray mF_o-DF_c (at 3 rmsd) in purple (negative) and green (positive)
























Electron density around EDO D 307:

 $2 {\rm mF}_o\text{-}{\rm DF}_c$ (at 0.7 rmsd) in gray ${\rm mF}_o\text{-}{\rm DF}_c$ (at 3 rmsd) in purple (negative) and green (positive)










Electron density around EDO D 310:


 $2 \mathrm{mF}_o\text{-}\mathrm{DF}_c$ (at 0.7 rmsd) in gray $\mathrm{mF}_o\text{-}\mathrm{DF}_c$ (at 3 rmsd) in purple (negative) and green (positive)
















Electron density around MG D 301:



















Electron density around EDO E 306: 2mF_o-DF_c (at 0.7 rmsd) in gray mF_o-DF_c (at 3 rmsd) in purple (negative) and green (positive)



Electron density around EDO F 309:












Electron density around EDO B 309:


 $2 {
m mF}_o {
m -DF}_c$ (at 0.7 rmsd) in gray ${
m mF}_o {
m -DF}_c$ (at 3 rmsd) in purple (negative) and green (positive)









Electron density around EDO E 308:












Electron density around ACT F 312:


 $2mF_o$ -DF_c (at 0.7 rmsd) in gray mF_o -DF_c (at 3 rmsd) in purple (negative) and green (positive)

























Electron density around MG D 305: $2 \mathrm{mF}_o\text{-}\mathrm{DF}_c$ (at 0.7 rmsd) in gray $\mathrm{mF}_{o}\text{-}\mathrm{DF}_{c}$ (at 3 rmsd) in purple (negative) and green (positive)




Electron density around EDO B 311:


 $2 \mathrm{mF}_o\text{-}\mathrm{DF}_c$ (at 0.7 rmsd) in gray $\mathrm{mF}_o\text{-}\mathrm{DF}_c$ (at 3 rmsd) in purple (negative) and green (positive)




















Electron density around EDO B 312: 2mF_o-DF_c (at 0.7 rmsd) in gray mF_o-DF_c (at 3 rmsd) in purple (negative) and green (positive)



















Electron density around EDO C 304: 2mF_o-DF_c (at 0.7 rmsd) in gray mF_o-DF_c (at 3 rmsd) in purple (negative) and green (positive)




Electron density around ACT D 311:












































Electron density around MG B 301:



























Electron density around MG A 303:









Electron density around MG B 304:











Electron density around LYS B 316: 2mF_o-DF_c (at 0.7 rmsd) in gray mF_o-DF_c (at 3 rmsd) in purple (negative) and green (positive)









Electron density around MG A 301:
















Electron density around MG A 302:









Electron density around MG F 301: $2 \mathrm{mF}_o\text{-}\mathrm{DF}_c$ (at 0.7 rmsd) in gray $\mathrm{mF}_{o}\text{-}\mathrm{DF}_{c}$ (at 3 rmsd) in purple (negative) and green (positive)



Electron density around MG D 303:

 $2 \mathrm{mF}_o\text{-}\mathrm{DF}_c$ (at 0.7 rmsd) in gray $\mathrm{mF}_o\text{-}\mathrm{DF}_c$ (at 3 rmsd) in purple (negative) and green (positive)








Electron density around MG A 306: $2 \mathrm{mF}_o\text{-}\mathrm{DF}_c$ (at 0.7 rmsd) in gray $\mathrm{mF}_{o}\text{-}\mathrm{DF}_{c}$ (at 3 rmsd) in purple (negative) and green (positive)





6.5 Other polymers (i)

There are no such residues in this entry.

