



Full wwPDB EM Validation Report ⓘ

Nov 16, 2022 – 11:46 PM EST

PDB ID : 7L8C
EMDB ID : EMD-23229
Title : BG505 SOSIP MD39 in complex with the polyclonal Fab pAbC-3 from animal Rh.33104 (Wk26 time point)
Authors : Antanasijevic, A.; Sewall, L.M.; Perrett, H.R.; Ward, A.B.
Deposited on : 2020-12-31
Resolution : 3.40 Å (reported)
Based on initial models : 4KTE, 6VL5

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev43
Mogul : 1.8.5 (274361), CSD as541be (2020)
MolProbity : 4.02b-467
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ : 1.9.9
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.31.2

1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 3.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



































Metric	Whole archive (#Entries)	EM structures (#Entries)
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	469	 91% 6%
1	C	469	 90% 6%
1	D	469	 90% 6%
2	B	147	 82% 16%
2	E	147	 82% 15%
2	F	147	 84% 15%
3	H	113	 99%
4	L	107	 100%
5	G	2	 100%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
5	J	2	 100%
5	K	2	 100%
5	M	2	 100%
5	N	2	 100%
5	P	2	 50%  100%
5	Q	2	 100%
5	R	2	 50%  100%
5	S	2	 50%  100%
5	T	2	 100%
5	U	2	 50%  100%
5	V	2	 50%  100%
5	W	2	 100%
5	X	2	 100%
5	Z	2	 100%
5	a	2	 100%
5	b	2	 100%
5	c	2	 100%
5	d	2	 100%
5	e	2	 100%
5	f	2	 100%
5	g	2	 100%
5	h	2	 100%
5	i	2	 50%  100%
5	k	2	 100%
5	m	2	 50%  100%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
5	o	2	 100%
5	p	2	 50% 100%
5	q	2	 100%
5	r	2	 100%
5	s	2	 100%
5	t	2	 50% 100%
5	u	2	 100%
5	v	2	 100%
5	w	2	 50% 100%
5	x	2	 50% 100%
6	I	5	 20% 100%
6	n	5	 100%
7	O	3	 33% 100%
7	Y	3	 100%
7	j	3	 100%
7	l	3	 100%

2 Entry composition [i](#)

There are 8 unique types of molecules in this entry. The entry contains 15963 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called BG505 SOSIP MD39 - gp120.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	A	439	Total	C	N	O	S	0	0
			3455	2173	606	649	27		
1	C	439	Total	C	N	O	S	0	0
			3455	2173	606	649	27		
1	D	439	Total	C	N	O	S	0	0
			3455	2173	606	649	27		

- Molecule 2 is a protein called BG505 SOSIP MD39 - gp41.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
2	B	124	Total	C	N	O	S	0	0
			986	622	171	187	6		
2	E	125	Total	C	N	O	S	0	0
			994	626	172	190	6		
2	F	125	Total	C	N	O	S	0	0
			994	626	172	190	6		

- Molecule 3 is a protein called Rh.33104 pAbC-3 - Heavy Chain.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
3	H	113	Total	C	N	O	0	0
			565	339	113	113		

- Molecule 4 is a protein called Rh.33104 pAbC-3 - Light Chain.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
4	L	107	Total	C	N	O	0	0
			535	321	107	107		

- Molecule 5 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				AltConf	Trace
5	G	2	Total	C	N	O	0	0
			28	16	2	10		
5	J	2	Total	C	N	O	0	0
			28	16	2	10		
5	K	2	Total	C	N	O	0	0
			28	16	2	10		
5	M	2	Total	C	N	O	0	0
			28	16	2	10		
5	N	2	Total	C	N	O	0	0
			28	16	2	10		
5	P	2	Total	C	N	O	0	0
			28	16	2	10		
5	Q	2	Total	C	N	O	0	0
			28	16	2	10		
5	R	2	Total	C	N	O	0	0
			28	16	2	10		
5	S	2	Total	C	N	O	0	0
			28	16	2	10		
5	T	2	Total	C	N	O	0	0
			28	16	2	10		
5	U	2	Total	C	N	O	0	0
			28	16	2	10		
5	V	2	Total	C	N	O	0	0
			28	16	2	10		
5	W	2	Total	C	N	O	0	0
			28	16	2	10		
5	X	2	Total	C	N	O	0	0
			28	16	2	10		
5	Z	2	Total	C	N	O	0	0
			28	16	2	10		
5	a	2	Total	C	N	O	0	0
			28	16	2	10		
5	b	2	Total	C	N	O	0	0
			28	16	2	10		
5	c	2	Total	C	N	O	0	0
			28	16	2	10		
5	d	2	Total	C	N	O	0	0
			28	16	2	10		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
5	e	2	28	16	2	10	0	0
5	f	2	28	16	2	10	0	0
5	g	2	28	16	2	10	0	0
5	h	2	28	16	2	10	0	0
5	i	2	28	16	2	10	0	0
5	k	2	28	16	2	10	0	0
5	m	2	28	16	2	10	0	0
5	o	2	28	16	2	10	0	0
5	p	2	28	16	2	10	0	0
5	q	2	28	16	2	10	0	0
5	r	2	28	16	2	10	0	0
5	s	2	28	16	2	10	0	0
5	t	2	28	16	2	10	0	0
5	u	2	28	16	2	10	0	0
5	v	2	28	16	2	10	0	0
5	w	2	28	16	2	10	0	0
5	x	2	28	16	2	10	0	0

- Molecule 6 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
6	I	5	61	34	2	25	0	0
6	n	5	61	34	2	25	0	0

- Molecule 7 is an oligosaccharide called beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
7	O	3	39	22	2	15	0	0
7	Y	3	39	22	2	15	0	0
7	j	3	39	22	2	15	0	0
7	l	3	39	22	2	15	0	0

- Molecule 8 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula: $C_8H_{15}NO_6$).




Mol	Chain	Residues	Atoms				AltConf
8	A	1	Total	C	N	O	0
			70	40	5	25	
8	A	1	Total	C	N	O	0
			70	40	5	25	
8	A	1	Total	C	N	O	0
			70	40	5	25	
8	A	1	Total	C	N	O	0
			70	40	5	25	
8	A	1	Total	C	N	O	0
			70	40	5	25	
8	B	1	Total	C	N	O	0
			28	16	2	10	
8	B	1	Total	C	N	O	0
			28	16	2	10	
8	C	1	Total	C	N	O	0
			56	32	4	20	
8	C	1	Total	C	N	O	0
			56	32	4	20	
8	C	1	Total	C	N	O	0
			56	32	4	20	
8	C	1	Total	C	N	O	0
			56	32	4	20	
8	E	1	Total	C	N	O	0
			14	8	1	5	
8	D	1	Total	C	N	O	0
			42	24	3	15	
8	D	1	Total	C	N	O	0
			42	24	3	15	
8	D	1	Total	C	N	O	0
			42	24	3	15	
8	F	1	Total	C	N	O	0
			28	16	2	10	
8	F	1	Total	C	N	O	0
			28	16	2	10	


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: BG505 SOSIP MD39 - gp120




- Molecule 1: BG505 SOSIP MD39 - gp120




- Molecule 1: BG505 SOSIP MD39 - gp120





- Molecule 2: BG505 SOSIP MD39 - gp41








• Molecule 2: BG505 SOSIP MD39 - gp41




• Molecule 2: BG505 SOSIP MD39 - gp41



• Molecule 3: Rh.33104 pAbC-3 - Heavy Chain



• Molecule 4: Rh.33104 pAbC-3 - Light Chain




• Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



• Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose




- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain K:  100%

MAG1
MAG2

- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain M:  100%

MAG1
MAG2

- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain N:  100%


MAG1
MAG2

- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain P:  50% 100%

♦
MAG1
MAG2

- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain Q:  100%

MAG1
MAG2

- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain R:  50% 100%

♦
MAG1
MAG2

- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose




- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose




MAG1
MAG2


- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain a:  100%MAG1
MAG2

- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain b:  100%MAG1
MAG2

- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain c:  100%MAG1
MAG2

- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain d:  100%MAG1
MAG2


- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain e:  100%MAG1
MAG2

- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose


Chain f:  100%MAG1
MAG2

- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain g:  100%

MAG1
MAG2

- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain h:  100%


MAG1
MAG2

- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain i:  50% 100%

MAG1
MAG2

- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain k:  100%


MAG1
MAG2

- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain m:  50% 100%

MAG1
MAG2

- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose


Chain o:  100%

MAG1
MAG2


- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



MAG1
MAG2

- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



MAG1
MAG2

- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



MAG1
MAG2

- Molecule 6: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



MAG1
MAG2
BMA3
MAN4
MAN5

- Molecule 6: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



MAG1
MAG2
BMA3
MAN4
MAN5

- Molecule 7: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose




MAG1
MAG2
BMA3

- Molecule 7: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain Y:  100%

NAG1
NAG2
BMA3

- Molecule 7: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain j:  100%

NAG1
NAG2
BMA3

- Molecule 7: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain l:  100%

NAG1
NAG2
BMA3

4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	58378	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	44.9	Depositor
Minimum defocus (nm)	600	Depositor
Maximum defocus (nm)	1600	Depositor
Magnification	29000	Depositor
Image detector	GATAN K2 SUMMIT (4k x 4k)	Depositor
Maximum map value	0.134	Depositor
Minimum map value	-0.071	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.004	Depositor
Recommended contour level	0.02	Depositor
Map size (Å)	370.8, 370.8, 370.8	wwPDB
Map dimensions	360, 360, 360	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.03, 1.03, 1.03	Depositor

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: MAN, BMA, NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	1.27	14/3527 (0.4%)	0.92	7/4791 (0.1%)
1	C	1.28	13/3527 (0.4%)	0.91	8/4791 (0.2%)
1	D	1.30	20/3527 (0.6%)	0.91	7/4791 (0.1%)
2	B	1.36	4/1005 (0.4%)	0.84	0/1364
2	E	1.38	4/1013 (0.4%)	0.85	1/1375 (0.1%)
2	F	1.37	1/1013 (0.1%)	0.89	1/1375 (0.1%)
All	All	1.30	56/13612 (0.4%)	0.90	24/18487 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
3	H	0	1

All (56) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	F	571	TRP	CB-CG	-12.21	1.28	1.50
2	B	571	TRP	CB-CG	-10.57	1.31	1.50
1	A	479	TRP	CD2-CE2	-8.58	1.31	1.41
1	D	479	TRP	CG-CD1	-8.16	1.25	1.36
1	C	479	TRP	CD2-CE2	-8.13	1.31	1.41
1	A	479	TRP	CG-CD1	-8.03	1.25	1.36
1	D	479	TRP	CD2-CE2	-7.77	1.32	1.41
2	E	571	TRP	CB-CG	-7.61	1.36	1.50
1	C	479	TRP	CG-CD1	-7.30	1.26	1.36
1	A	479	TRP	C-O	-7.04	1.09	1.23
1	C	479	TRP	CZ3-CH2	-6.78	1.29	1.40
1	C	191	TYR	CG-CD1	-6.52	1.30	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	479	TRP	C-O	-6.50	1.11	1.23
1	D	195	ASN	CB-CG	-6.30	1.36	1.51
1	C	195	ASN	CB-CG	-6.29	1.36	1.51
1	A	479	TRP	CZ3-CH2	-6.13	1.30	1.40
2	B	654	GLU	CD-OE1	-6.01	1.19	1.25
1	A	479	TRP	CE2-CZ2	-5.95	1.29	1.39
1	D	177	TYR	CB-CG	-5.91	1.42	1.51
2	B	634	GLU	CD-OE1	-5.89	1.19	1.25
2	E	634	GLU	CD-OE1	-5.87	1.19	1.25
1	C	376	PHE	CB-CG	-5.84	1.41	1.51
2	E	654	GLU	CD-OE1	-5.78	1.19	1.25
1	A	46	LYS	C-O	-5.73	1.12	1.23
1	D	91	GLU	CD-OE2	-5.72	1.19	1.25
1	C	91	GLU	CD-OE1	-5.68	1.19	1.25
1	A	486	TYR	CB-CG	-5.67	1.43	1.51
1	D	479	TRP	C-O	-5.54	1.12	1.23
1	A	91	GLU	CD-OE2	-5.48	1.19	1.25
1	D	217	TYR	CB-CG	-5.46	1.43	1.51
1	D	479	TRP	CE3-CZ3	-5.41	1.29	1.38
1	C	181	VAL	CB-CG1	-5.40	1.41	1.52
2	E	522	PHE	CB-CG	-5.39	1.42	1.51
1	A	191	TYR	CG-CD1	-5.37	1.32	1.39
1	C	164	GLU	CD-OE2	-5.31	1.19	1.25
1	D	486	TYR	CB-CG	-5.28	1.43	1.51
1	D	191	TYR	CG-CD1	-5.26	1.32	1.39
1	D	127	VAL	CB-CG1	-5.24	1.41	1.52
2	B	634	GLU	CD-OE2	-5.23	1.19	1.25
1	D	102	GLU	CD-OE2	-5.21	1.20	1.25
1	A	486	TYR	CG-CD1	-5.20	1.32	1.39
1	D	83	GLU	CG-CD	-5.17	1.44	1.51
1	D	479	TRP	CZ3-CH2	-5.17	1.31	1.40
1	D	42	VAL	CB-CG1	-5.16	1.42	1.52
1	C	102	GLU	CD-OE2	-5.13	1.20	1.25
1	C	484	TYR	CG-CD1	-5.12	1.32	1.39
1	A	181	VAL	CB-CG1	-5.12	1.42	1.52
1	C	42	VAL	CB-CG1	-5.11	1.42	1.52
1	D	74	CYS	CB-SG	-5.10	1.73	1.81
1	D	83	GLU	CD-OE1	-5.08	1.20	1.25
1	D	484	TYR	CG-CD1	-5.07	1.32	1.39
1	A	102	GLU	CD-OE2	-5.07	1.20	1.25
1	D	479	TRP	CE2-CZ2	-5.06	1.31	1.39
1	A	503	ARG	NE-CZ	5.04	1.39	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	D	486	TYR	CG-CD1	-5.01	1.32	1.39
1	A	153	GLU	CD-OE1	-5.00	1.20	1.25

All (24) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	166	ARG	NE-CZ-NH2	-12.17	114.22	120.30
1	C	166	ARG	NE-CZ-NH2	-11.25	114.68	120.30
1	D	166	ARG	NE-CZ-NH2	-11.12	114.74	120.30
1	A	469	ARG	NE-CZ-NH2	-9.67	115.47	120.30
1	C	273	ARG	NE-CZ-NH1	8.78	124.69	120.30
1	D	273	ARG	NE-CZ-NH1	8.26	124.43	120.30
1	D	217	TYR	CB-CG-CD2	-8.26	116.05	121.00
1	C	327	ARG	NE-CZ-NH2	-8.22	116.19	120.30
1	C	217	TYR	CB-CG-CD1	-7.89	116.27	121.00
1	A	217	TYR	CB-CG-CD1	-7.87	116.28	121.00
2	F	571	TRP	CA-CB-CG	-7.34	99.76	113.70
1	D	151	ARG	NE-CZ-NH2	-6.95	116.83	120.30
1	A	456	ARG	NE-CZ-NH2	-6.85	116.88	120.30
1	A	166	ARG	NE-CZ-NH1	6.78	123.69	120.30
1	C	166	ARG	NE-CZ-NH1	6.23	123.42	120.30
2	E	588	ARG	NE-CZ-NH2	-6.14	117.23	120.30
1	D	166	ARG	NE-CZ-NH1	6.11	123.36	120.30
1	D	456	ARG	NE-CZ-NH2	-5.84	117.38	120.30
1	A	503	ARG	NE-CZ-NH1	5.45	123.02	120.30
1	A	469	ARG	NE-CZ-NH1	5.39	122.99	120.30
1	C	308	ARG	NE-CZ-NH2	-5.33	117.64	120.30
1	C	151	ARG	NE-CZ-NH2	-5.30	117.65	120.30
1	D	503	ARG	NE-CZ-NH1	5.24	122.92	120.30
1	C	503	ARG	NE-CZ-NH1	5.19	122.89	120.30

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
3	H	67	UNK	Mainchain

5.2 Too-close contacts [i](#)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	431/469 (92%)	423 (98%)	8 (2%)	0	100	100
1	C	431/469 (92%)	423 (98%)	8 (2%)	0	100	100
1	D	431/469 (92%)	423 (98%)	8 (2%)	0	100	100
2	B	120/147 (82%)	120 (100%)	0	0	100	100
2	E	121/147 (82%)	118 (98%)	3 (2%)	0	100	100
2	F	121/147 (82%)	120 (99%)	1 (1%)	0	100	100
All	All	1655/1848 (90%)	1627 (98%)	28 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	394/419 (94%)	394 (100%)	0	100	100
1	C	394/419 (94%)	394 (100%)	0	100	100
1	D	394/419 (94%)	394 (100%)	0	100	100
2	B	107/128 (84%)	107 (100%)	0	100	100
2	E	108/128 (84%)	107 (99%)	1 (1%)	78	90
2	F	108/128 (84%)	108 (100%)	0	100	100
All	All	1505/1641 (92%)	1504 (100%)	1 (0%)	93	98

All (1) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
2	E	571	TRP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	114	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

94 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	NAG	G	1	5,1	14,14,15	1.89	5 (35%)	17,19,21	1.11	2 (11%)
5	NAG	G	2	5	14,14,15	1.89	5 (35%)	17,19,21	0.95	1 (5%)
6	NAG	I	1	6,1	14,14,15	1.80	3 (21%)	17,19,21	1.12	1 (5%)
6	NAG	I	2	6	14,14,15	1.79	4 (28%)	17,19,21	0.91	1 (5%)
6	BMA	I	3	6	11,11,12	1.37	3 (27%)	15,15,17	0.68	0
6	MAN	I	4	6	11,11,12	1.88	5 (45%)	15,15,17	0.67	0
6	MAN	I	5	6	11,11,12	1.89	4 (36%)	15,15,17	0.75	0
5	NAG	J	1	5,1	14,14,15	1.86	4 (28%)	17,19,21	1.11	0
5	NAG	J	2	5	14,14,15	1.91	6 (42%)	17,19,21	0.88	1 (5%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	NAG	K	1	5,1	14,14,15	1.82	4 (28%)	17,19,21	1.23	3 (17%)
5	NAG	K	2	5	14,14,15	1.97	5 (35%)	17,19,21	0.95	1 (5%)
5	NAG	M	1	5,1	14,14,15	1.78	3 (21%)	17,19,21	1.16	2 (11%)
5	NAG	M	2	5	14,14,15	1.79	4 (28%)	17,19,21	1.07	3 (17%)
5	NAG	N	1	5,1	14,14,15	1.83	4 (28%)	17,19,21	1.10	0
5	NAG	N	2	5	14,14,15	1.86	4 (28%)	17,19,21	0.88	1 (5%)
7	NAG	O	1	7,1	14,14,15	1.74	2 (14%)	17,19,21	1.17	2 (11%)
7	NAG	O	2	7	14,14,15	1.92	5 (35%)	17,19,21	0.86	0
7	BMA	O	3	7	11,11,12	1.92	5 (45%)	15,15,17	0.80	0
5	NAG	P	1	5,1	14,14,15	1.98	5 (35%)	17,19,21	1.06	1 (5%)
5	NAG	P	2	5	14,14,15	1.84	5 (35%)	17,19,21	0.93	2 (11%)
5	NAG	Q	1	5,1	14,14,15	2.02	6 (42%)	17,19,21	1.31	2 (11%)
5	NAG	Q	2	5	14,14,15	1.87	4 (28%)	17,19,21	0.87	1 (5%)
5	NAG	R	1	5,1	14,14,15	1.94	5 (35%)	17,19,21	1.21	2 (11%)
5	NAG	R	2	5	14,14,15	1.83	5 (35%)	17,19,21	0.99	2 (11%)
5	NAG	S	1	5,1	14,14,15	1.94	5 (35%)	17,19,21	1.01	1 (5%)
5	NAG	S	2	5	14,14,15	1.89	5 (35%)	17,19,21	0.94	0
5	NAG	T	1	5,1	14,14,15	2.01	5 (35%)	17,19,21	1.19	2 (11%)
5	NAG	T	2	5	14,14,15	2.01	6 (42%)	17,19,21	0.89	1 (5%)
5	NAG	U	1	2,5	14,14,15	2.03	4 (28%)	17,19,21	0.99	1 (5%)
5	NAG	U	2	5	14,14,15	1.84	4 (28%)	17,19,21	0.83	0
5	NAG	V	1	5,1	14,14,15	1.92	5 (35%)	17,19,21	1.02	0
5	NAG	V	2	5	14,14,15	1.95	5 (35%)	17,19,21	0.85	1 (5%)
5	NAG	W	1	5,1	14,14,15	0.45	0	17,19,21	1.30	3 (17%)
5	NAG	W	2	5	14,14,15	1.71	4 (28%)	17,19,21	0.88	1 (5%)
5	NAG	X	1	5,1	14,14,15	1.92	4 (28%)	17,19,21	1.09	2 (11%)
5	NAG	X	2	5	14,14,15	1.89	5 (35%)	17,19,21	0.91	1 (5%)
7	NAG	Y	1	7,1	14,14,15	1.86	4 (28%)	17,19,21	1.19	2 (11%)
7	NAG	Y	2	7	14,14,15	1.79	4 (28%)	17,19,21	0.97	1 (5%)
7	BMA	Y	3	7	11,11,12	0.70	0	15,15,17	1.03	2 (13%)
5	NAG	Z	1	5,1	14,14,15	1.84	4 (28%)	17,19,21	1.07	0
5	NAG	Z	2	5	14,14,15	1.85	4 (28%)	17,19,21	0.86	1 (5%)
5	NAG	a	1	5,1	14,14,15	1.90	5 (35%)	17,19,21	1.16	1 (5%)
5	NAG	a	2	5	14,14,15	1.78	5 (35%)	17,19,21	0.86	1 (5%)
5	NAG	b	1	5,1	14,14,15	1.71	4 (28%)	17,19,21	1.33	3 (17%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	NAG	b	2	5	14,14,15	1.94	5 (35%)	17,19,21	0.94	1 (5%)
5	NAG	c	1	5,1	14,14,15	1.87	4 (28%)	17,19,21	1.03	1 (5%)
5	NAG	c	2	5	14,14,15	1.79	4 (28%)	17,19,21	0.96	1 (5%)
5	NAG	d	1	5,1	14,14,15	1.99	6 (42%)	17,19,21	1.12	1 (5%)
5	NAG	d	2	5	14,14,15	1.88	6 (42%)	17,19,21	0.88	1 (5%)
5	NAG	e	1	5,1	14,14,15	1.82	5 (35%)	17,19,21	1.26	3 (17%)
5	NAG	e	2	5	14,14,15	1.81	6 (42%)	17,19,21	0.99	1 (5%)
5	NAG	f	1	5,1	14,14,15	1.85	4 (28%)	17,19,21	1.07	1 (5%)
5	NAG	f	2	5	14,14,15	1.84	4 (28%)	17,19,21	0.84	0
5	NAG	g	1	5	14,14,15	0.50	0	17,19,21	1.08	1 (5%)
5	NAG	g	2	5	14,14,15	0.38	0	17,19,21	0.89	1 (5%)
5	NAG	h	1	5,1	14,14,15	2.04	5 (35%)	17,19,21	0.98	1 (5%)
5	NAG	h	2	5	14,14,15	1.93	7 (50%)	17,19,21	0.88	1 (5%)
5	NAG	i	1	2,5	14,14,15	1.97	6 (42%)	17,19,21	0.97	0
5	NAG	i	2	5	14,14,15	1.86	6 (42%)	17,19,21	0.87	1 (5%)
7	NAG	j	1	2,7	14,14,15	1.92	4 (28%)	17,19,21	1.06	2 (11%)
7	NAG	j	2	7	14,14,15	1.85	5 (35%)	17,19,21	0.88	1 (5%)
7	BMA	j	3	7	11,11,12	1.91	5 (45%)	15,15,17	0.76	0
5	NAG	k	1	5,1	14,14,15	2.01	5 (35%)	17,19,21	0.98	1 (5%)
5	NAG	k	2	5	14,14,15	1.91	6 (42%)	17,19,21	0.88	1 (5%)
7	NAG	l	1	7,1	14,14,15	1.76	4 (28%)	17,19,21	1.14	2 (11%)
7	NAG	l	2	7	14,14,15	1.85	5 (35%)	17,19,21	0.84	0
7	BMA	l	3	7	11,11,12	1.94	5 (45%)	15,15,17	0.75	0
5	NAG	m	1	5,1	14,14,15	1.97	5 (35%)	17,19,21	1.14	2 (11%)
5	NAG	m	2	5	14,14,15	1.91	6 (42%)	17,19,21	0.99	1 (5%)
6	NAG	n	1	6,1	14,14,15	1.79	2 (14%)	17,19,21	1.16	3 (17%)
6	NAG	n	2	6	14,14,15	1.68	4 (28%)	17,19,21	0.93	1 (5%)
6	BMA	n	3	6	11,11,12	1.30	3 (27%)	15,15,17	0.71	0
6	MAN	n	4	6	11,11,12	1.96	6 (54%)	15,15,17	0.72	0
6	MAN	n	5	6	11,11,12	1.90	4 (36%)	15,15,17	0.79	0
5	NAG	o	1	5,1	14,14,15	1.76	3 (21%)	17,19,21	1.20	2 (11%)
5	NAG	o	2	5	14,14,15	1.85	5 (35%)	17,19,21	0.89	0
5	NAG	p	1	5,1	14,14,15	1.95	5 (35%)	17,19,21	1.05	1 (5%)
5	NAG	p	2	5	14,14,15	1.80	5 (35%)	17,19,21	0.97	2 (11%)
5	NAG	q	1	5,1	14,14,15	1.73	4 (28%)	17,19,21	1.42	3 (17%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	NAG	q	2	5	14,14,15	2.01	6 (42%)	17,19,21	1.14	3 (17%)
5	NAG	r	1	5,1	14,14,15	1.78	4 (28%)	17,19,21	1.07	1 (5%)
5	NAG	r	2	5	14,14,15	1.78	5 (35%)	17,19,21	1.06	3 (17%)
5	NAG	s	1	5,1	14,14,15	2.07	6 (42%)	17,19,21	1.47	3 (17%)
5	NAG	s	2	5	14,14,15	1.90	5 (35%)	17,19,21	0.85	1 (5%)
5	NAG	t	1	5,1	14,14,15	1.87	4 (28%)	17,19,21	1.09	1 (5%)
5	NAG	t	2	5	14,14,15	1.89	6 (42%)	17,19,21	0.89	1 (5%)
5	NAG	u	1	5,1	14,14,15	1.92	6 (42%)	17,19,21	1.40	2 (11%)
5	NAG	u	2	5	14,14,15	1.92	4 (28%)	17,19,21	0.88	1 (5%)
5	NAG	v	1	5,1	14,14,15	1.92	3 (21%)	17,19,21	1.03	2 (11%)
5	NAG	v	2	5	14,14,15	1.86	6 (42%)	17,19,21	1.00	1 (5%)
5	NAG	w	1	5,1	14,14,15	2.01	6 (42%)	17,19,21	0.98	1 (5%)
5	NAG	w	2	5	14,14,15	1.92	6 (42%)	17,19,21	0.87	1 (5%)
5	NAG	x	1	2,5	14,14,15	1.98	7 (50%)	17,19,21	1.20	2 (11%)
5	NAG	x	2	5	14,14,15	1.90	5 (35%)	17,19,21	0.85	1 (5%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	NAG	G	1	5,1	-	0/6/23/26	0/1/1/1
5	NAG	G	2	5	-	0/6/23/26	0/1/1/1
6	NAG	I	1	6,1	-	0/6/23/26	0/1/1/1
6	NAG	I	2	6	-	0/6/23/26	0/1/1/1
6	BMA	I	3	6	-	0/2/19/22	0/1/1/1
6	MAN	I	4	6	-	0/2/19/22	0/1/1/1
6	MAN	I	5	6	-	0/2/19/22	0/1/1/1
5	NAG	J	1	5,1	-	0/6/23/26	0/1/1/1
5	NAG	J	2	5	-	0/6/23/26	0/1/1/1
5	NAG	K	1	5,1	-	0/6/23/26	0/1/1/1
5	NAG	K	2	5	-	0/6/23/26	0/1/1/1
5	NAG	M	1	5,1	-	0/6/23/26	0/1/1/1
5	NAG	M	2	5	-	0/6/23/26	0/1/1/1
5	NAG	N	1	5,1	-	0/6/23/26	0/1/1/1
5	NAG	N	2	5	-	0/6/23/26	0/1/1/1
7	NAG	O	1	7,1	-	0/6/23/26	0/1/1/1
7	NAG	O	2	7	-	0/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	BMA	O	3	7	-	1/2/19/22	0/1/1/1
5	NAG	P	1	5,1	-	0/6/23/26	0/1/1/1
5	NAG	P	2	5	-	0/6/23/26	0/1/1/1
5	NAG	Q	1	5,1	-	1/6/23/26	0/1/1/1
5	NAG	Q	2	5	-	0/6/23/26	0/1/1/1
5	NAG	R	1	5,1	-	0/6/23/26	0/1/1/1
5	NAG	R	2	5	-	0/6/23/26	0/1/1/1
5	NAG	S	1	5,1	-	1/6/23/26	0/1/1/1
5	NAG	S	2	5	-	1/6/23/26	0/1/1/1
5	NAG	T	1	5,1	-	0/6/23/26	0/1/1/1
5	NAG	T	2	5	-	0/6/23/26	0/1/1/1
5	NAG	U	1	2,5	-	0/6/23/26	0/1/1/1
5	NAG	U	2	5	-	0/6/23/26	0/1/1/1
5	NAG	V	1	5,1	-	0/6/23/26	0/1/1/1
5	NAG	V	2	5	-	0/6/23/26	0/1/1/1
5	NAG	W	1	5,1	-	2/6/23/26	0/1/1/1
5	NAG	W	2	5	-	0/6/23/26	0/1/1/1
5	NAG	X	1	5,1	-	0/6/23/26	0/1/1/1
5	NAG	X	2	5	-	0/6/23/26	0/1/1/1
7	NAG	Y	1	7,1	-	0/6/23/26	0/1/1/1
7	NAG	Y	2	7	-	0/6/23/26	0/1/1/1
7	BMA	Y	3	7	-	1/2/19/22	0/1/1/1
5	NAG	Z	1	5,1	-	0/6/23/26	0/1/1/1
5	NAG	Z	2	5	-	0/6/23/26	0/1/1/1
5	NAG	a	1	5,1	-	0/6/23/26	0/1/1/1
5	NAG	a	2	5	-	0/6/23/26	0/1/1/1
5	NAG	b	1	5,1	-	0/6/23/26	0/1/1/1
5	NAG	b	2	5	-	0/6/23/26	0/1/1/1
5	NAG	c	1	5,1	-	0/6/23/26	0/1/1/1
5	NAG	c	2	5	-	0/6/23/26	0/1/1/1
5	NAG	d	1	5,1	-	0/6/23/26	0/1/1/1
5	NAG	d	2	5	-	0/6/23/26	0/1/1/1
5	NAG	e	1	5,1	-	0/6/23/26	0/1/1/1
5	NAG	e	2	5	-	0/6/23/26	0/1/1/1
5	NAG	f	1	5,1	-	0/6/23/26	0/1/1/1
5	NAG	f	2	5	-	0/6/23/26	0/1/1/1
5	NAG	g	1	5	-	4/6/23/26	0/1/1/1
5	NAG	g	2	5	-	2/6/23/26	0/1/1/1
5	NAG	h	1	5,1	-	0/6/23/26	0/1/1/1
5	NAG	h	2	5	-	0/6/23/26	0/1/1/1
5	NAG	i	1	2,5	-	0/6/23/26	0/1/1/1
5	NAG	i	2	5	-	0/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	NAG	j	1	2,7	-	0/6/23/26	0/1/1/1
7	NAG	j	2	7	-	0/6/23/26	0/1/1/1
7	BMA	j	3	7	-	0/2/19/22	0/1/1/1
5	NAG	k	1	5,1	-	0/6/23/26	0/1/1/1
5	NAG	k	2	5	-	0/6/23/26	0/1/1/1
7	NAG	l	1	7,1	-	0/6/23/26	0/1/1/1
7	NAG	l	2	7	-	0/6/23/26	0/1/1/1
7	BMA	l	3	7	-	0/2/19/22	0/1/1/1
5	NAG	m	1	5,1	-	0/6/23/26	0/1/1/1
5	NAG	m	2	5	-	0/6/23/26	0/1/1/1
6	NAG	n	1	6,1	-	0/6/23/26	0/1/1/1
6	NAG	n	2	6	-	0/6/23/26	0/1/1/1
6	BMA	n	3	6	-	0/2/19/22	0/1/1/1
6	MAN	n	4	6	-	0/2/19/22	0/1/1/1
6	MAN	n	5	6	-	1/2/19/22	0/1/1/1
5	NAG	o	1	5,1	-	1/6/23/26	0/1/1/1
5	NAG	o	2	5	-	0/6/23/26	0/1/1/1
5	NAG	p	1	5,1	-	1/6/23/26	0/1/1/1
5	NAG	p	2	5	-	2/6/23/26	0/1/1/1
5	NAG	q	1	5,1	-	0/6/23/26	0/1/1/1
5	NAG	q	2	5	-	1/6/23/26	0/1/1/1
5	NAG	r	1	5,1	-	0/6/23/26	0/1/1/1
5	NAG	r	2	5	-	0/6/23/26	0/1/1/1
5	NAG	s	1	5,1	-	0/6/23/26	0/1/1/1
5	NAG	s	2	5	-	0/6/23/26	0/1/1/1
5	NAG	t	1	5,1	-	0/6/23/26	0/1/1/1
5	NAG	t	2	5	-	0/6/23/26	0/1/1/1
5	NAG	u	1	5,1	-	0/6/23/26	0/1/1/1
5	NAG	u	2	5	-	0/6/23/26	0/1/1/1
5	NAG	v	1	5,1	-	0/6/23/26	0/1/1/1
5	NAG	v	2	5	-	2/6/23/26	0/1/1/1
5	NAG	w	1	5,1	-	0/6/23/26	0/1/1/1
5	NAG	w	2	5	-	0/6/23/26	0/1/1/1
5	NAG	x	1	2,5	-	0/6/23/26	0/1/1/1
5	NAG	x	2	5	-	0/6/23/26	0/1/1/1

All (425) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	p	1	NAG	C1-C2	4.93	1.59	1.52
5	d	1	NAG	C1-C2	4.85	1.59	1.52
5	k	1	NAG	C1-C2	4.83	1.59	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	m	1	NAG	C1-C2	4.83	1.59	1.52
6	n	1	NAG	C1-C2	4.83	1.59	1.52
5	f	1	NAG	C1-C2	4.83	1.59	1.52
5	P	1	NAG	C1-C2	4.82	1.59	1.52
5	h	1	NAG	C1-C2	4.82	1.59	1.52
5	V	1	NAG	C1-C2	4.78	1.59	1.52
5	U	1	NAG	C1-C2	4.77	1.59	1.52
5	w	1	NAG	C1-C2	4.71	1.59	1.52
5	a	1	NAG	C1-C2	4.69	1.59	1.52
7	Y	1	NAG	C1-C2	4.68	1.59	1.52
5	c	1	NAG	C1-C2	4.66	1.59	1.52
5	T	1	NAG	C1-C2	4.66	1.59	1.52
5	J	1	NAG	C1-C2	4.64	1.59	1.52
5	V	2	NAG	C1-C2	4.63	1.59	1.52
5	x	1	NAG	C1-C2	4.62	1.59	1.52
5	T	2	NAG	C1-C2	4.61	1.59	1.52
5	Q	1	NAG	C1-C2	4.60	1.59	1.52
5	v	1	NAG	C1-C2	4.60	1.59	1.52
7	j	1	NAG	C1-C2	4.60	1.59	1.52
5	S	1	NAG	C1-C2	4.58	1.59	1.52
5	G	1	NAG	C1-C2	4.57	1.59	1.52
5	R	1	NAG	C1-C2	4.56	1.59	1.52
5	s	1	NAG	C1-C2	4.55	1.59	1.52
6	I	1	NAG	C1-C2	4.54	1.59	1.52
5	u	2	NAG	C1-C2	4.51	1.59	1.52
5	o	1	NAG	C1-C2	4.51	1.59	1.52
5	Z	1	NAG	C1-C2	4.47	1.59	1.52
5	X	1	NAG	C1-C2	4.45	1.59	1.52
5	t	1	NAG	C1-C2	4.44	1.59	1.52
5	q	2	NAG	C1-C2	4.44	1.59	1.52
5	r	1	NAG	C1-C2	4.42	1.58	1.52
5	u	1	NAG	C1-C2	4.40	1.58	1.52
5	N	1	NAG	C1-C2	4.38	1.58	1.52
5	G	2	NAG	C1-C2	4.38	1.58	1.52
5	i	1	NAG	C1-C2	4.34	1.58	1.52
5	m	2	NAG	C1-C2	4.34	1.58	1.52
5	K	1	NAG	C1-C2	4.34	1.58	1.52
5	M	1	NAG	C1-C2	4.34	1.58	1.52
5	X	2	NAG	C1-C2	4.34	1.58	1.52
7	O	1	NAG	C1-C2	4.33	1.58	1.52
5	e	1	NAG	C1-C2	4.33	1.58	1.52
5	k	2	NAG	C1-C2	4.33	1.58	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	h	2	NAG	C1-C2	4.32	1.58	1.52
5	w	2	NAG	C1-C2	4.32	1.58	1.52
5	J	2	NAG	C1-C2	4.31	1.58	1.52
5	b	2	NAG	C1-C2	4.29	1.58	1.52
5	x	2	NAG	C1-C2	4.29	1.58	1.52
5	Z	2	NAG	C1-C2	4.28	1.58	1.52
5	K	2	NAG	C1-C2	4.27	1.58	1.52
5	Q	2	NAG	C1-C2	4.26	1.58	1.52
5	s	2	NAG	C1-C2	4.26	1.58	1.52
7	l	1	NAG	C1-C2	4.22	1.58	1.52
5	S	2	NAG	C1-C2	4.22	1.58	1.52
5	r	2	NAG	C1-C2	4.20	1.58	1.52
5	N	2	NAG	C1-C2	4.19	1.58	1.52
5	M	2	NAG	C1-C2	4.16	1.58	1.52
7	O	2	NAG	C1-C2	4.14	1.58	1.52
5	P	2	NAG	C1-C2	4.09	1.58	1.52
5	t	2	NAG	C1-C2	4.08	1.58	1.52
5	U	2	NAG	C1-C2	4.07	1.58	1.52
5	v	2	NAG	C1-C2	4.07	1.58	1.52
5	c	2	NAG	C1-C2	4.04	1.58	1.52
7	Y	2	NAG	C1-C2	4.04	1.58	1.52
5	f	2	NAG	C1-C2	4.04	1.58	1.52
5	R	2	NAG	C1-C2	4.03	1.58	1.52
5	i	2	NAG	C1-C2	4.03	1.58	1.52
5	o	2	NAG	C1-C2	4.01	1.58	1.52
7	l	2	NAG	C1-C2	4.00	1.58	1.52
5	p	2	NAG	C1-C2	4.00	1.58	1.52
5	e	2	NAG	C1-C2	3.97	1.58	1.52
5	a	2	NAG	C1-C2	3.96	1.58	1.52
5	q	1	NAG	C1-C2	3.94	1.58	1.52
6	I	2	NAG	C1-C2	3.92	1.58	1.52
5	d	2	NAG	C1-C2	3.90	1.58	1.52
5	b	1	NAG	C1-C2	3.86	1.58	1.52
7	j	2	NAG	C1-C2	3.77	1.58	1.52
5	W	2	NAG	C1-C2	3.73	1.57	1.52
6	n	2	NAG	C1-C2	3.71	1.57	1.52
6	n	4	MAN	C2-C3	3.37	1.57	1.52
7	l	3	BMA	C2-C3	3.34	1.57	1.52
6	n	5	MAN	C2-C3	3.32	1.57	1.52
5	d	2	NAG	O5-C5	3.27	1.50	1.43
7	j	3	BMA	C2-C3	3.24	1.57	1.52
6	I	5	MAN	C2-C3	3.19	1.57	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	n	4	MAN	O5-C5	3.16	1.49	1.43
5	h	1	NAG	O5-C5	3.16	1.49	1.43
5	x	2	NAG	O5-C5	3.16	1.49	1.43
7	O	3	BMA	C2-C3	3.14	1.57	1.52
5	U	2	NAG	O5-C5	3.12	1.49	1.43
5	s	2	NAG	O5-C5	3.09	1.49	1.43
5	i	2	NAG	O5-C5	3.08	1.49	1.43
5	q	2	NAG	O5-C5	3.08	1.49	1.43
6	I	4	MAN	O5-C5	3.07	1.49	1.43
5	h	2	NAG	O5-C5	3.07	1.49	1.43
5	f	2	NAG	O5-C5	3.06	1.49	1.43
5	w	2	NAG	O5-C5	3.06	1.49	1.43
5	T	2	NAG	O5-C5	3.04	1.49	1.43
5	i	1	NAG	O5-C5	3.04	1.49	1.43
5	m	2	NAG	O5-C5	3.04	1.49	1.43
5	J	2	NAG	O5-C5	3.00	1.49	1.43
5	w	1	NAG	O5-C5	3.00	1.49	1.43
5	k	1	NAG	O5-C5	3.00	1.49	1.43
5	u	2	NAG	O5-C5	2.99	1.49	1.43
5	N	2	NAG	O5-C5	2.99	1.49	1.43
5	Q	2	NAG	O5-C5	2.98	1.49	1.43
6	I	4	MAN	C2-C3	2.98	1.56	1.52
5	v	2	NAG	O5-C5	2.97	1.49	1.43
5	S	2	NAG	O5-C5	2.97	1.49	1.43
7	j	3	BMA	O5-C5	2.96	1.49	1.43
5	G	2	NAG	O5-C5	2.95	1.49	1.43
6	I	5	MAN	O5-C5	2.94	1.49	1.43
5	X	1	NAG	O5-C5	2.92	1.49	1.43
5	T	1	NAG	O5-C5	2.91	1.49	1.43
5	t	2	NAG	O5-C5	2.91	1.49	1.43
5	V	2	NAG	O5-C5	2.90	1.49	1.43
7	O	3	BMA	O5-C5	2.89	1.49	1.43
6	I	2	NAG	O5-C5	2.89	1.49	1.43
5	e	2	NAG	O5-C5	2.88	1.49	1.43
5	U	1	NAG	O5-C5	2.88	1.49	1.43
5	s	1	NAG	O5-C5	2.88	1.49	1.43
6	n	5	MAN	O5-C5	2.87	1.49	1.43
5	c	2	NAG	O5-C5	2.86	1.49	1.43
5	X	2	NAG	O5-C5	2.85	1.49	1.43
7	j	2	NAG	O5-C5	2.85	1.49	1.43
7	O	2	NAG	O5-C5	2.85	1.49	1.43
5	Z	2	NAG	O5-C5	2.84	1.49	1.43

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
7	Y	2	NAG	O5-C5	2.84	1.49	1.43
7	O	3	BMA	C1-C2	2.83	1.58	1.52
5	P	2	NAG	O5-C5	2.83	1.49	1.43
5	o	2	NAG	O5-C5	2.82	1.49	1.43
5	p	2	NAG	O5-C5	2.82	1.49	1.43
5	R	2	NAG	O5-C5	2.82	1.49	1.43
7	l	3	BMA	O5-C5	2.82	1.49	1.43
5	m	1	NAG	O5-C5	2.81	1.49	1.43
5	K	2	NAG	O5-C5	2.81	1.49	1.43
5	t	1	NAG	O5-C5	2.81	1.49	1.43
7	l	3	BMA	C1-C2	2.81	1.58	1.52
5	k	2	NAG	O5-C5	2.80	1.49	1.43
7	j	1	NAG	O5-C5	2.79	1.49	1.43
5	K	2	NAG	C4-C5	2.78	1.58	1.53
5	P	1	NAG	O5-C5	2.78	1.49	1.43
5	b	2	NAG	O5-C5	2.78	1.49	1.43
7	l	2	NAG	O5-C5	2.77	1.49	1.43
5	M	2	NAG	O5-C5	2.77	1.49	1.43
5	d	1	NAG	O5-C5	2.75	1.49	1.43
5	G	1	NAG	O5-C5	2.74	1.49	1.43
5	W	2	NAG	O5-C5	2.74	1.49	1.43
5	i	1	NAG	O5-C1	2.72	1.48	1.43
5	a	2	NAG	O5-C5	2.71	1.48	1.43
6	n	4	MAN	C1-C2	2.69	1.58	1.52
5	N	1	NAG	O5-C5	2.69	1.48	1.43
5	S	1	NAG	O5-C5	2.67	1.48	1.43
5	h	1	NAG	O5-C1	2.67	1.48	1.43
5	v	1	NAG	O5-C5	2.66	1.48	1.43
5	p	1	NAG	O5-C5	2.66	1.48	1.43
5	U	1	NAG	O5-C1	2.63	1.47	1.43
5	s	1	NAG	O5-C1	2.62	1.47	1.43
5	q	2	NAG	C4-C5	2.62	1.58	1.53
5	x	1	NAG	C4-C5	2.61	1.58	1.53
5	K	1	NAG	O5-C5	2.60	1.48	1.43
7	Y	1	NAG	O5-C5	2.60	1.48	1.43
7	j	3	BMA	C1-C2	2.60	1.58	1.52
5	x	1	NAG	O5-C5	2.60	1.48	1.43
6	n	5	MAN	C1-C2	2.59	1.58	1.52
5	v	1	NAG	O5-C1	2.59	1.47	1.43
6	I	5	MAN	C1-C2	2.59	1.58	1.52
5	U	1	NAG	C4-C5	2.59	1.58	1.53
5	Q	1	NAG	O5-C5	2.59	1.48	1.43

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	r	2	NAG	O5-C5	2.59	1.48	1.43
5	s	1	NAG	C4-C3	2.58	1.58	1.52
5	V	1	NAG	O5-C5	2.57	1.48	1.43
5	t	2	NAG	C3-C2	2.57	1.58	1.52
6	n	5	MAN	C4-C5	2.57	1.58	1.53
6	I	5	MAN	C4-C5	2.57	1.58	1.53
5	R	1	NAG	O5-C5	2.56	1.48	1.43
5	P	2	NAG	C3-C2	2.55	1.57	1.52
6	I	4	MAN	C1-C2	2.54	1.58	1.52
5	u	1	NAG	O5-C5	2.53	1.48	1.43
5	Q	1	NAG	C3-C2	2.53	1.57	1.52
7	O	2	NAG	C4-C5	2.51	1.58	1.53
5	J	1	NAG	O5-C5	2.48	1.48	1.43
6	n	2	NAG	O5-C5	2.47	1.48	1.43
5	T	2	NAG	C4-C5	2.46	1.58	1.53
5	T	2	NAG	C3-C2	2.46	1.57	1.52
5	q	1	NAG	O5-C5	2.45	1.48	1.43
5	w	1	NAG	O5-C1	2.44	1.47	1.43
5	b	2	NAG	C4-C5	2.44	1.58	1.53
5	X	2	NAG	C3-C2	2.43	1.57	1.52
5	i	1	NAG	C4-C5	2.43	1.58	1.53
7	O	3	BMA	C4-C5	2.42	1.58	1.53
5	k	2	NAG	C3-C2	2.42	1.57	1.52
5	b	1	NAG	O5-C5	2.42	1.48	1.43
5	Q	1	NAG	C4-C5	2.42	1.58	1.53
5	R	2	NAG	C3-C2	2.41	1.57	1.52
7	j	3	BMA	C4-C5	2.40	1.58	1.53
5	a	1	NAG	O5-C5	2.40	1.48	1.43
5	m	1	NAG	O5-C1	2.40	1.47	1.43
5	k	1	NAG	O5-C1	2.40	1.47	1.43
5	u	1	NAG	C4-C5	2.39	1.58	1.53
5	P	1	NAG	O5-C1	2.39	1.47	1.43
5	T	1	NAG	O5-C1	2.39	1.47	1.43
5	Z	1	NAG	O5-C5	2.39	1.48	1.43
5	c	1	NAG	O5-C5	2.38	1.48	1.43
5	S	2	NAG	C3-C2	2.38	1.57	1.52
5	d	2	NAG	C3-C2	2.38	1.57	1.52
5	e	1	NAG	O5-C5	2.38	1.48	1.43
5	S	2	NAG	C4-C5	2.37	1.58	1.53
5	u	2	NAG	C3-C2	2.36	1.57	1.52
5	e	2	NAG	C3-C2	2.35	1.57	1.52
5	v	2	NAG	C4-C5	2.35	1.58	1.53

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	m	2	NAG	C4-C5	2.35	1.58	1.53
7	j	2	NAG	C4-C5	2.35	1.58	1.53
5	J	2	NAG	C3-C2	2.34	1.57	1.52
7	l	2	NAG	C4-C5	2.34	1.58	1.53
5	G	2	NAG	C3-C2	2.34	1.57	1.52
5	M	1	NAG	C3-C2	2.34	1.57	1.52
6	I	1	NAG	O5-C5	2.34	1.48	1.43
5	k	2	NAG	C4-C5	2.33	1.57	1.53
5	s	2	NAG	C3-C2	2.33	1.57	1.52
5	V	2	NAG	C3-C2	2.33	1.57	1.52
5	T	1	NAG	C4-C5	2.33	1.57	1.53
5	Q	2	NAG	C3-C2	2.33	1.57	1.52
5	w	2	NAG	C3-C2	2.32	1.57	1.52
7	O	2	NAG	C4-C3	2.32	1.58	1.52
5	f	2	NAG	C3-C2	2.32	1.57	1.52
5	w	2	NAG	C4-C5	2.32	1.57	1.53
5	a	2	NAG	C3-C2	2.32	1.57	1.52
5	b	2	NAG	C3-C2	2.32	1.57	1.52
5	x	2	NAG	C4-C5	2.31	1.57	1.53
5	p	2	NAG	C4-C5	2.31	1.57	1.53
5	d	1	NAG	C4-C5	2.31	1.57	1.53
5	Z	1	NAG	C3-C2	2.31	1.57	1.52
5	X	1	NAG	O5-C1	2.31	1.47	1.43
6	I	4	MAN	C4-C5	2.31	1.57	1.53
7	j	1	NAG	O5-C1	2.30	1.47	1.43
5	N	2	NAG	C3-C2	2.30	1.57	1.52
5	b	2	NAG	C4-C3	2.30	1.58	1.52
6	I	2	NAG	C3-C2	2.29	1.57	1.52
5	K	2	NAG	C3-C2	2.29	1.57	1.52
5	h	2	NAG	C4-C5	2.29	1.57	1.53
6	I	3	BMA	C2-C3	2.29	1.55	1.52
5	K	2	NAG	C4-C3	2.27	1.58	1.52
5	a	1	NAG	C4-C5	2.27	1.57	1.53
7	j	1	NAG	C4-C5	2.27	1.57	1.53
5	P	1	NAG	C4-C5	2.27	1.57	1.53
5	U	2	NAG	C3-C2	2.27	1.57	1.52
7	l	2	NAG	C3-C2	2.27	1.57	1.52
5	M	1	NAG	O5-C5	2.27	1.48	1.43
5	Z	2	NAG	C3-C2	2.26	1.57	1.52
5	x	2	NAG	C3-C2	2.26	1.57	1.52
5	S	1	NAG	O5-C1	2.26	1.47	1.43
5	Q	1	NAG	C2-N2	2.26	1.50	1.46

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	Z	2	NAG	C4-C5	2.26	1.57	1.53
5	c	2	NAG	C3-C2	2.26	1.57	1.52
7	j	2	NAG	C4-C3	2.26	1.58	1.52
5	t	1	NAG	C4-C5	2.26	1.57	1.53
5	M	2	NAG	C3-C2	2.26	1.57	1.52
5	R	1	NAG	O5-C1	2.26	1.47	1.43
5	S	1	NAG	C3-C2	2.25	1.57	1.52
5	N	1	NAG	C4-C5	2.25	1.57	1.53
5	w	1	NAG	C4-C5	2.25	1.57	1.53
7	l	3	BMA	C4-C5	2.25	1.57	1.53
5	R	1	NAG	C3-C2	2.24	1.57	1.52
5	W	2	NAG	C3-C2	2.24	1.57	1.52
5	h	2	NAG	C3-C2	2.24	1.57	1.52
7	O	2	NAG	C3-C2	2.24	1.57	1.52
6	n	2	NAG	C3-C2	2.24	1.57	1.52
5	t	1	NAG	O5-C1	2.24	1.47	1.43
5	V	2	NAG	C4-C5	2.23	1.57	1.53
5	J	1	NAG	C4-C5	2.23	1.57	1.53
5	m	1	NAG	C3-C2	2.23	1.57	1.52
5	J	2	NAG	C4-C5	2.23	1.57	1.53
5	p	1	NAG	O5-C1	2.23	1.47	1.43
5	b	1	NAG	C4-C5	2.23	1.57	1.53
5	G	1	NAG	O5-C1	2.23	1.47	1.43
5	d	1	NAG	O5-C1	2.22	1.47	1.43
5	r	1	NAG	C3-C2	2.22	1.57	1.52
5	p	2	NAG	C3-C2	2.22	1.57	1.52
5	o	2	NAG	C4-C5	2.22	1.57	1.53
5	f	2	NAG	C4-C5	2.22	1.57	1.53
5	U	2	NAG	C4-C5	2.22	1.57	1.53
5	G	2	NAG	C4-C5	2.21	1.57	1.53
5	t	2	NAG	C4-C5	2.21	1.57	1.53
5	c	1	NAG	C3-C2	2.20	1.57	1.52
7	Y	2	NAG	C3-C2	2.20	1.57	1.52
5	N	1	NAG	O5-C1	2.20	1.47	1.43
5	f	1	NAG	C4-C5	2.20	1.57	1.53
5	p	1	NAG	C4-C5	2.20	1.57	1.53
6	I	3	BMA	C1-C2	2.20	1.57	1.52
7	Y	1	NAG	C4-C5	2.19	1.57	1.53
5	i	2	NAG	C4-C5	2.19	1.57	1.53
5	s	1	NAG	C4-C5	2.19	1.57	1.53
5	Q	1	NAG	O5-C1	2.19	1.47	1.43
5	m	2	NAG	C3-C2	2.18	1.57	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	Q	2	NAG	C4-C5	2.18	1.57	1.53
6	n	2	NAG	C4-C3	2.18	1.57	1.52
5	i	2	NAG	C3-C2	2.18	1.57	1.52
7	l	1	NAG	O5-C5	2.18	1.47	1.43
6	I	1	NAG	C3-C2	2.18	1.57	1.52
5	v	2	NAG	C2-N2	2.18	1.50	1.46
5	d	2	NAG	C4-C5	2.17	1.57	1.53
7	l	1	NAG	C4-C3	2.17	1.57	1.52
6	n	4	MAN	C4-C5	2.17	1.57	1.53
5	V	1	NAG	C4-C5	2.17	1.57	1.53
5	q	1	NAG	C4-C5	2.17	1.57	1.53
5	K	1	NAG	O5-C1	2.17	1.47	1.43
5	R	1	NAG	C4-C3	2.16	1.57	1.52
5	r	2	NAG	C3-C2	2.16	1.57	1.52
5	v	2	NAG	C3-C2	2.16	1.57	1.52
5	X	1	NAG	C4-C5	2.16	1.57	1.53
5	S	2	NAG	C4-C3	2.16	1.57	1.52
5	e	1	NAG	C4-C3	2.16	1.57	1.52
5	x	1	NAG	C4-C3	2.16	1.57	1.52
7	l	1	NAG	C4-C5	2.15	1.57	1.53
5	r	1	NAG	C4-C3	2.15	1.57	1.52
5	o	2	NAG	C3-C2	2.14	1.57	1.52
5	T	1	NAG	C4-C3	2.14	1.57	1.52
5	R	2	NAG	C4-C5	2.14	1.57	1.53
7	j	2	NAG	C3-C2	2.14	1.57	1.52
5	a	1	NAG	C4-C3	2.14	1.57	1.52
5	r	1	NAG	O5-C5	2.14	1.47	1.43
5	P	1	NAG	C4-C3	2.13	1.57	1.52
5	v	2	NAG	C4-C3	2.13	1.57	1.52
5	P	2	NAG	C4-C5	2.13	1.57	1.53
5	r	2	NAG	C2-N2	2.13	1.49	1.46
5	V	1	NAG	O5-C1	2.13	1.47	1.43
5	X	2	NAG	C4-C5	2.13	1.57	1.53
5	d	1	NAG	C4-C3	2.13	1.57	1.52
7	l	3	BMA	C4-C3	2.13	1.57	1.52
6	n	3	BMA	O5-C5	2.13	1.47	1.43
5	W	2	NAG	C4-C5	2.13	1.57	1.53
5	w	1	NAG	C3-C2	2.13	1.57	1.52
5	o	1	NAG	O5-C5	2.13	1.47	1.43
5	G	1	NAG	C3-C2	2.12	1.57	1.52
5	o	2	NAG	C4-C3	2.12	1.57	1.52
5	q	1	NAG	C4-C3	2.12	1.57	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	S	1	NAG	C4-C3	2.12	1.57	1.52
5	G	2	NAG	C2-N2	2.12	1.49	1.46
7	l	2	NAG	C4-C3	2.12	1.57	1.52
5	M	2	NAG	C4-C5	2.12	1.57	1.53
5	h	1	NAG	C4-C5	2.12	1.57	1.53
5	s	1	NAG	C3-C2	2.12	1.57	1.52
5	k	2	NAG	C2-N2	2.12	1.49	1.46
5	u	1	NAG	C4-C3	2.11	1.57	1.52
5	q	2	NAG	C4-C3	2.11	1.57	1.52
5	m	2	NAG	C2-N2	2.10	1.49	1.46
5	e	1	NAG	C4-C5	2.10	1.57	1.53
5	s	2	NAG	C4-C5	2.10	1.57	1.53
5	u	1	NAG	O5-C1	2.10	1.47	1.43
5	P	2	NAG	C4-C3	2.10	1.57	1.52
6	I	2	NAG	C4-C3	2.10	1.57	1.52
7	j	3	BMA	C4-C3	2.10	1.57	1.52
6	n	1	NAG	O5-C5	2.10	1.47	1.43
5	c	2	NAG	C4-C5	2.10	1.57	1.53
5	b	1	NAG	C4-C3	2.10	1.57	1.52
7	O	1	NAG	O5-C5	2.09	1.47	1.43
5	T	2	NAG	O5-C1	2.09	1.47	1.43
5	a	2	NAG	C4-C5	2.09	1.57	1.53
6	n	3	BMA	C1-C2	2.09	1.57	1.52
5	a	1	NAG	O5-C1	2.09	1.47	1.43
5	p	2	NAG	C4-C3	2.09	1.57	1.52
7	Y	2	NAG	C4-C3	2.09	1.57	1.52
5	d	2	NAG	O5-C1	2.09	1.47	1.43
5	x	1	NAG	C2-N2	2.09	1.49	1.46
7	O	3	BMA	C4-C3	2.09	1.57	1.52
5	f	1	NAG	O5-C5	2.09	1.47	1.43
5	T	2	NAG	C2-N2	2.08	1.49	1.46
5	h	2	NAG	C4-C3	2.08	1.57	1.52
5	R	2	NAG	C4-C3	2.08	1.57	1.52
5	o	1	NAG	C3-C2	2.08	1.56	1.52
5	u	1	NAG	C3-C2	2.08	1.56	1.52
6	I	4	MAN	O5-C1	2.08	1.47	1.43
5	X	2	NAG	C2-N2	2.07	1.49	1.46
5	i	1	NAG	C4-C3	2.07	1.57	1.52
5	Z	1	NAG	O5-C1	2.07	1.47	1.43
5	r	2	NAG	C4-C5	2.07	1.57	1.53
5	k	1	NAG	C3-C2	2.07	1.56	1.52
5	h	1	NAG	C3-C2	2.07	1.56	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	c	1	NAG	O5-C1	2.06	1.47	1.43
5	e	2	NAG	C4-C3	2.06	1.57	1.52
5	t	2	NAG	C4-C3	2.06	1.57	1.52
5	p	1	NAG	C4-C3	2.06	1.57	1.52
5	i	1	NAG	C3-C2	2.05	1.56	1.52
5	s	2	NAG	C2-N2	2.05	1.49	1.46
5	i	2	NAG	O5-C1	2.05	1.47	1.43
5	u	2	NAG	C4-C5	2.05	1.57	1.53
5	q	2	NAG	C3-C2	2.05	1.56	1.52
5	V	2	NAG	C4-C3	2.05	1.57	1.52
5	N	2	NAG	C4-C5	2.05	1.57	1.53
5	J	2	NAG	C4-C3	2.04	1.57	1.52
5	f	1	NAG	C3-C2	2.04	1.56	1.52
5	w	1	NAG	C4-C3	2.04	1.57	1.52
7	Y	1	NAG	C3-C2	2.04	1.56	1.52
5	e	2	NAG	C4-C5	2.04	1.57	1.53
5	K	1	NAG	C4-C3	2.04	1.57	1.52
5	V	1	NAG	C3-C2	2.04	1.56	1.52
5	w	2	NAG	C4-C3	2.04	1.57	1.52
5	J	1	NAG	C3-C2	2.04	1.56	1.52
5	d	1	NAG	C3-C2	2.03	1.56	1.52
5	h	2	NAG	O5-C1	2.03	1.47	1.43
6	n	4	MAN	O5-C1	2.03	1.47	1.43
6	n	4	MAN	C4-C3	2.03	1.57	1.52
5	x	1	NAG	C3-C2	2.03	1.56	1.52
5	d	2	NAG	C2-N2	2.03	1.49	1.46
6	n	3	BMA	C2-C3	2.02	1.55	1.52
5	i	2	NAG	C4-C3	2.02	1.57	1.52
5	q	2	NAG	O5-C1	2.02	1.46	1.43
5	a	2	NAG	C4-C3	2.02	1.57	1.52
5	m	1	NAG	C4-C5	2.02	1.57	1.53
5	J	2	NAG	C2-N2	2.02	1.49	1.46
5	x	2	NAG	C4-C3	2.02	1.57	1.52
5	w	2	NAG	C2-N2	2.01	1.49	1.46
6	I	3	BMA	O5-C5	2.01	1.47	1.43
5	t	2	NAG	C2-N2	2.01	1.49	1.46
5	k	2	NAG	C4-C3	2.01	1.57	1.52
5	k	1	NAG	C4-C5	2.01	1.57	1.53
5	x	1	NAG	O5-C1	2.01	1.46	1.43
5	h	2	NAG	C2-N2	2.00	1.49	1.46
5	G	1	NAG	C4-C5	2.00	1.57	1.53
5	e	2	NAG	C2-N2	2.00	1.49	1.46

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	e	1	NAG	O5-C1	2.00	1.46	1.43
5	m	2	NAG	C4-C3	2.00	1.57	1.52

All (113) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	u	1	NAG	C8-C7-N2	3.60	122.20	116.10
5	s	1	NAG	O4-C4-C3	3.39	118.20	110.35
5	W	1	NAG	O5-C1-C2	-3.31	106.06	111.29
5	R	1	NAG	C8-C7-N2	3.27	121.64	116.10
5	q	1	NAG	C1-C2-N2	-3.03	105.31	110.49
5	Q	1	NAG	C2-N2-C7	3.03	127.22	122.90
5	b	1	NAG	C1-C2-N2	-3.02	105.32	110.49
5	e	1	NAG	C8-C7-N2	2.93	121.07	116.10
5	a	1	NAG	C8-C7-N2	2.90	121.01	116.10
5	b	1	NAG	C8-C7-N2	2.79	120.82	116.10
5	q	1	NAG	C8-C7-N2	2.76	120.78	116.10
7	O	1	NAG	C8-C7-N2	2.72	120.70	116.10
7	l	1	NAG	C8-C7-N2	2.66	120.61	116.10
5	T	1	NAG	C8-C7-N2	2.66	120.60	116.10
5	K	1	NAG	C8-C7-N2	2.64	120.57	116.10
6	n	1	NAG	C8-C7-N2	2.63	120.55	116.10
5	W	1	NAG	C3-C4-C5	-2.61	105.59	110.24
5	P	1	NAG	C8-C7-N2	2.59	120.49	116.10
5	q	1	NAG	O7-C7-C8	-2.59	117.25	122.06
5	u	1	NAG	O7-C7-C8	-2.58	117.26	122.06
5	K	1	NAG	O7-C7-C8	-2.51	117.40	122.06
5	p	1	NAG	C8-C7-N2	2.50	120.33	116.10
7	Y	2	NAG	C8-C7-N2	2.50	120.32	116.10
5	m	1	NAG	C8-C7-N2	2.48	120.30	116.10
5	R	1	NAG	O7-C7-C8	-2.48	117.45	122.06
5	x	1	NAG	C8-C7-N2	2.46	120.27	116.10
5	W	1	NAG	C1-O5-C5	2.45	115.52	112.19
5	b	1	NAG	O7-C7-C8	-2.44	117.52	122.06
5	r	2	NAG	C8-C7-N2	2.43	120.21	116.10
5	r	2	NAG	C1-O5-C5	2.41	115.46	112.19
5	K	1	NAG	C1-C2-N2	-2.41	106.37	110.49
5	v	2	NAG	C8-C7-N2	2.40	120.17	116.10
5	s	1	NAG	C8-C7-N2	2.40	120.17	116.10
5	R	2	NAG	C8-C7-N2	2.39	120.15	116.10
5	M	2	NAG	C8-C7-N2	2.39	120.15	116.10
7	Y	1	NAG	C8-C7-N2	2.39	120.14	116.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	e	2	NAG	C8-C7-N2	2.38	120.13	116.10
5	o	1	NAG	C1-O5-C5	2.38	115.41	112.19
6	I	1	NAG	C8-C7-N2	2.37	120.11	116.10
5	G	1	NAG	C1-C2-N2	-2.37	106.44	110.49
5	q	2	NAG	C8-C7-N2	2.35	120.07	116.10
5	v	1	NAG	C8-C7-N2	2.30	119.99	116.10
5	c	2	NAG	C8-C7-N2	2.30	119.99	116.10
5	s	1	NAG	C1-C2-N2	-2.29	106.57	110.49
5	X	2	NAG	C8-C7-N2	2.28	119.96	116.10
5	m	2	NAG	C8-C7-N2	2.28	119.95	116.10
5	X	1	NAG	C8-C7-N2	2.27	119.94	116.10
5	f	1	NAG	C1-O5-C5	2.24	115.23	112.19
5	q	2	NAG	C1-O5-C5	2.23	115.22	112.19
5	J	2	NAG	C8-C7-N2	2.22	119.86	116.10
5	g	1	NAG	C6-C5-C4	-2.22	107.80	113.00
5	e	1	NAG	O7-C7-C8	-2.22	117.93	122.06
5	g	2	NAG	O5-C5-C6	2.22	110.68	107.20
5	t	2	NAG	C8-C7-N2	2.21	119.84	116.10
5	T	2	NAG	C8-C7-N2	2.21	119.84	116.10
5	U	1	NAG	C8-C7-N2	2.20	119.83	116.10
7	Y	1	NAG	C1-O5-C5	2.20	115.17	112.19
5	u	2	NAG	C8-C7-N2	2.19	119.81	116.10
5	w	2	NAG	C8-C7-N2	2.19	119.80	116.10
7	Y	3	BMA	C2-C3-C4	-2.18	107.11	110.89
5	b	2	NAG	C8-C7-N2	2.18	119.78	116.10
5	X	1	NAG	C1-C2-N2	-2.17	106.77	110.49
5	r	1	NAG	C8-C7-N2	2.17	119.78	116.10
5	G	1	NAG	C8-C7-N2	2.17	119.78	116.10
7	Y	3	BMA	C1-C2-C3	-2.17	107.00	109.67
5	Z	2	NAG	C8-C7-N2	2.16	119.76	116.10
5	w	1	NAG	C8-C7-N2	2.16	119.75	116.10
7	O	1	NAG	O7-C7-C8	-2.15	118.06	122.06
5	G	2	NAG	C8-C7-N2	2.15	119.74	116.10
5	N	2	NAG	C8-C7-N2	2.14	119.73	116.10
5	Q	2	NAG	C8-C7-N2	2.14	119.73	116.10
5	k	1	NAG	C8-C7-N2	2.14	119.72	116.10
5	m	1	NAG	O7-C7-C8	-2.14	118.09	122.06
5	M	2	NAG	C1-O5-C5	2.13	115.08	112.19
5	k	2	NAG	C8-C7-N2	2.13	119.70	116.10
5	x	2	NAG	C8-C7-N2	2.13	119.70	116.10
5	M	2	NAG	O7-C7-C8	-2.12	118.11	122.06
5	d	2	NAG	C8-C7-N2	2.12	119.69	116.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	I	2	NAG	C8-C7-N2	2.12	119.69	116.10
6	n	1	NAG	O7-C7-C8	-2.11	118.15	122.06
5	t	1	NAG	C1-C2-N2	-2.10	106.89	110.49
5	h	2	NAG	C8-C7-N2	2.10	119.66	116.10
5	K	2	NAG	C8-C7-N2	2.10	119.66	116.10
5	T	1	NAG	O4-C4-C3	-2.10	105.50	110.35
5	W	2	NAG	C8-C7-N2	2.10	119.65	116.10
7	l	1	NAG	O7-C7-C8	-2.09	118.18	122.06
7	j	2	NAG	C8-C7-N2	2.08	119.63	116.10
5	S	1	NAG	C8-C7-N2	2.08	119.62	116.10
5	V	2	NAG	C8-C7-N2	2.08	119.62	116.10
5	x	1	NAG	O4-C4-C3	-2.08	105.54	110.35
5	M	1	NAG	O4-C4-C5	-2.08	104.14	109.30
5	e	1	NAG	C1-O5-C5	2.07	115.00	112.19
6	n	1	NAG	C1-O5-C5	2.07	115.00	112.19
7	j	1	NAG	O4-C4-C3	-2.07	105.56	110.35
5	P	2	NAG	C8-C7-N2	2.07	119.60	116.10
5	p	2	NAG	C8-C7-N2	2.07	119.60	116.10
5	P	2	NAG	C1-O5-C5	2.07	114.99	112.19
5	o	1	NAG	C8-C7-N2	2.06	119.59	116.10
5	s	2	NAG	C8-C7-N2	2.06	119.59	116.10
5	v	1	NAG	O4-C4-C3	-2.06	105.59	110.35
5	p	2	NAG	C1-O5-C5	2.05	114.96	112.19
5	h	1	NAG	C8-C7-N2	2.04	119.56	116.10
5	d	1	NAG	C8-C7-N2	2.04	119.55	116.10
5	c	1	NAG	C8-C7-N2	2.03	119.54	116.10
5	a	2	NAG	C8-C7-N2	2.03	119.53	116.10
6	n	2	NAG	C8-C7-N2	2.02	119.53	116.10
5	q	2	NAG	O7-C7-C8	-2.02	118.30	122.06
5	i	2	NAG	C8-C7-N2	2.02	119.52	116.10
5	r	2	NAG	O7-C7-C8	-2.02	118.30	122.06
5	M	1	NAG	C8-C7-N2	2.02	119.52	116.10
5	Q	1	NAG	C8-C7-N2	2.01	119.50	116.10
5	R	2	NAG	C1-O5-C5	2.00	114.91	112.19
7	j	1	NAG	C8-C7-N2	2.00	119.49	116.10

There are no chirality outliers.

All (21) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	Q	1	NAG	C3-C2-N2-C7
5	g	2	NAG	C8-C7-N2-C2

Continued on next page...


Continued from previous page...


Mol	Chain	Res	Type	Atoms
5	g	2	NAG	O7-C7-N2-C2
5	g	1	NAG	C4-C5-C6-O6
5	g	1	NAG	O5-C5-C6-O6
5	p	2	NAG	O5-C5-C6-O6
5	v	2	NAG	O5-C5-C6-O6
7	Y	3	BMA	O5-C5-C6-O6
6	n	5	MAN	O5-C5-C6-O6
5	g	1	NAG	C1-C2-N2-C7
7	O	3	BMA	O5-C5-C6-O6
5	q	2	NAG	O5-C5-C6-O6
5	W	1	NAG	C4-C5-C6-O6
5	W	1	NAG	O5-C5-C6-O6
5	S	1	NAG	C4-C5-C6-O6
5	o	1	NAG	C4-C5-C6-O6
5	g	1	NAG	C3-C2-N2-C7
5	p	2	NAG	C4-C5-C6-O6
5	p	1	NAG	C4-C5-C6-O6
5	S	2	NAG	C4-C5-C6-O6
5	v	2	NAG	C4-C5-C6-O6


There are no ring outliers.


No monomer is involved in short contacts.


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.





















































































































5.6 Ligand geometry [i](#)

17 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
8	NAG	D	602	1	14,14,15	2.15	6 (42%)	17,19,21	0.95	0
8	NAG	C	603	1	14,14,15	2.09	6 (42%)	17,19,21	1.05	2 (11%)
8	NAG	A	602	1	14,14,15	2.08	5 (35%)	17,19,21	1.05	2 (11%)
8	NAG	D	601	1	14,14,15	2.04	5 (35%)	17,19,21	0.99	0
8	NAG	B	701	2	14,14,15	2.13	5 (35%)	17,19,21	0.98	1 (5%)
8	NAG	A	604	1	14,14,15	1.97	4 (28%)	17,19,21	1.03	1 (5%)
8	NAG	C	601	1	14,14,15	2.08	5 (35%)	17,19,21	0.98	1 (5%)
8	NAG	D	603	1	14,14,15	2.01	6 (42%)	17,19,21	1.09	1 (5%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
8	NAG	F	702	2	14,14,15	2.12	5 (35%)	17,19,21	1.06	1 (5%)
8	NAG	C	604	1	14,14,15	0.28	0	17,19,21	0.71	0
8	NAG	A	601	1	14,14,15	1.99	4 (28%)	17,19,21	0.97	1 (5%)
8	NAG	E	701	2	14,14,15	0.34	0	17,19,21	0.83	0
8	NAG	A	603	1	14,14,15	2.04	5 (35%)	17,19,21	1.00	1 (5%)
8	NAG	F	701	2	14,14,15	2.11	4 (28%)	17,19,21	1.02	2 (11%)
8	NAG	C	602	1	14,14,15	2.08	7 (50%)	17,19,21	1.20	3 (17%)
8	NAG	B	702	2	14,14,15	2.11	5 (35%)	17,19,21	0.92	0
8	NAG	A	605	1	14,14,15	2.21	5 (35%)	17,19,21	0.91	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
8	NAG	D	602	1	-	0/6/23/26	0/1/1/1
8	NAG	C	603	1	-	0/6/23/26	0/1/1/1
8	NAG	A	602	1	-	0/6/23/26	0/1/1/1
8	NAG	D	601	1	-	1/6/23/26	0/1/1/1
8	NAG	B	701	2	-	0/6/23/26	0/1/1/1
8	NAG	A	604	1	-	0/6/23/26	0/1/1/1
8	NAG	C	601	1	-	0/6/23/26	0/1/1/1
8	NAG	D	603	1	-	0/6/23/26	0/1/1/1
8	NAG	F	702	2	-	0/6/23/26	0/1/1/1
8	NAG	C	604	1	-	3/6/23/26	0/1/1/1
8	NAG	A	601	1	-	1/6/23/26	0/1/1/1
8	NAG	E	701	2	-	3/6/23/26	0/1/1/1
8	NAG	A	603	1	-	0/6/23/26	0/1/1/1
8	NAG	F	701	2	-	0/6/23/26	0/1/1/1
8	NAG	C	602	1	-	0/6/23/26	0/1/1/1
8	NAG	B	702	2	-	0/6/23/26	0/1/1/1
8	NAG	A	605	1	-	0/6/23/26	0/1/1/1

All (77) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
8	A	605	NAG	C1-C2	5.75	1.60	1.52
8	F	702	NAG	C1-C2	5.42	1.60	1.52
8	B	702	NAG	C1-C2	5.35	1.60	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
8	D	602	NAG	C1-C2	5.34	1.60	1.52
8	B	701	NAG	C1-C2	5.27	1.60	1.52
8	D	601	NAG	C1-C2	5.15	1.60	1.52
8	F	701	NAG	C1-C2	5.15	1.60	1.52
8	A	601	NAG	C1-C2	5.12	1.60	1.52
8	C	601	NAG	C1-C2	5.04	1.59	1.52
8	A	602	NAG	C1-C2	5.01	1.59	1.52
8	D	603	NAG	C1-C2	4.99	1.59	1.52
8	C	603	NAG	C1-C2	4.85	1.59	1.52
8	A	603	NAG	C1-C2	4.83	1.59	1.52
8	C	602	NAG	C1-C2	4.82	1.59	1.52
8	A	604	NAG	C1-C2	4.61	1.59	1.52
8	F	701	NAG	O5-C5	3.29	1.50	1.43
8	C	603	NAG	O5-C5	3.25	1.50	1.43
8	B	701	NAG	O5-C5	3.22	1.50	1.43
8	C	601	NAG	O5-C5	3.20	1.49	1.43
8	D	602	NAG	O5-C5	3.16	1.49	1.43
8	A	602	NAG	O5-C5	3.08	1.49	1.43
8	F	702	NAG	O5-C5	3.07	1.49	1.43
8	A	604	NAG	O5-C5	3.03	1.49	1.43
8	B	702	NAG	O5-C5	3.03	1.49	1.43
8	A	605	NAG	O5-C5	2.97	1.49	1.43
8	A	603	NAG	O5-C5	2.97	1.49	1.43
8	A	601	NAG	O5-C5	2.92	1.49	1.43
8	F	701	NAG	O5-C1	2.90	1.48	1.43
8	D	601	NAG	O5-C5	2.87	1.49	1.43
8	D	602	NAG	O5-C1	2.86	1.48	1.43
8	B	701	NAG	O5-C1	2.80	1.48	1.43
8	C	601	NAG	O5-C1	2.75	1.48	1.43
8	A	603	NAG	O5-C1	2.73	1.48	1.43
8	A	602	NAG	O5-C1	2.72	1.48	1.43
8	C	603	NAG	O5-C1	2.72	1.48	1.43
8	A	605	NAG	O5-C1	2.68	1.48	1.43
8	B	702	NAG	O5-C1	2.67	1.48	1.43
8	D	603	NAG	O5-C5	2.67	1.48	1.43
8	D	601	NAG	O5-C1	2.66	1.48	1.43
8	A	601	NAG	O5-C1	2.65	1.47	1.43
8	F	702	NAG	O5-C1	2.62	1.47	1.43
8	C	602	NAG	O5-C5	2.60	1.48	1.43
8	D	603	NAG	C3-C2	2.50	1.57	1.52
8	C	602	NAG	C4-C3	2.43	1.58	1.52
8	A	603	NAG	C3-C2	2.41	1.57	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
8	C	602	NAG	C3-C2	2.41	1.57	1.52
8	A	604	NAG	O5-C1	2.37	1.47	1.43
8	C	603	NAG	C3-C2	2.36	1.57	1.52
8	F	701	NAG	C3-C2	2.35	1.57	1.52
8	D	603	NAG	O5-C1	2.35	1.47	1.43
8	A	605	NAG	C3-C2	2.33	1.57	1.52
8	C	603	NAG	C4-C5	2.32	1.57	1.53
8	B	701	NAG	C3-C2	2.30	1.57	1.52
8	D	601	NAG	C3-C2	2.29	1.57	1.52
8	D	602	NAG	C3-C2	2.28	1.57	1.52
8	C	601	NAG	C3-C2	2.27	1.57	1.52
8	C	602	NAG	C2-N2	2.22	1.50	1.46
8	B	701	NAG	C4-C5	2.21	1.57	1.53
8	C	602	NAG	O5-C1	2.21	1.47	1.43
8	A	605	NAG	C4-C5	2.20	1.57	1.53
8	C	601	NAG	C4-C5	2.19	1.57	1.53
8	C	602	NAG	C4-C5	2.18	1.57	1.53
8	F	702	NAG	C4-C5	2.18	1.57	1.53
8	A	602	NAG	C4-C5	2.16	1.57	1.53
8	A	602	NAG	C3-C2	2.15	1.57	1.52
8	A	604	NAG	C3-C2	2.14	1.57	1.52
8	B	702	NAG	C4-C5	2.13	1.57	1.53
8	D	601	NAG	C4-C5	2.12	1.57	1.53
8	D	603	NAG	C4-C5	2.10	1.57	1.53
8	C	603	NAG	C4-C3	2.09	1.57	1.52
8	D	602	NAG	C4-C3	2.09	1.57	1.52
8	A	603	NAG	C4-C5	2.08	1.57	1.53
8	A	601	NAG	C3-C2	2.06	1.56	1.52
8	B	702	NAG	C3-C2	2.05	1.56	1.52
8	D	602	NAG	C4-C5	2.05	1.57	1.53
8	F	702	NAG	C4-C3	2.00	1.57	1.52
8	D	603	NAG	C4-C3	2.00	1.57	1.52

All (16) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
8	C	602	NAG	C8-C7-N2	2.76	120.78	116.10
8	A	602	NAG	C8-C7-N2	2.54	120.41	116.10
8	D	603	NAG	C1-O5-C5	2.49	115.56	112.19
8	F	702	NAG	C8-C7-N2	2.45	120.25	116.10
8	F	701	NAG	C8-C7-N2	2.40	120.16	116.10
8	A	604	NAG	C8-C7-N2	2.30	120.00	116.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
8	C	603	NAG	C8-C7-N2	2.26	119.93	116.10
8	B	701	NAG	C8-C7-N2	2.19	119.81	116.10
8	C	601	NAG	C8-C7-N2	2.17	119.77	116.10
8	C	602	NAG	O7-C7-C8	-2.17	118.03	122.06
8	C	603	NAG	O7-C7-C8	-2.16	118.05	122.06
8	A	602	NAG	O7-C7-C8	-2.12	118.12	122.06
8	A	603	NAG	C8-C7-N2	2.12	119.69	116.10
8	A	601	NAG	C1-O5-C5	2.05	114.98	112.19
8	C	602	NAG	O4-C4-C5	-2.04	104.22	109.30
8	F	701	NAG	O7-C7-C8	-2.03	118.29	122.06

There are no chirality outliers.

All (8) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
8	C	604	NAG	C3-C2-N2-C7
8	C	604	NAG	C8-C7-N2-C2
8	C	604	NAG	O7-C7-N2-C2
8	E	701	NAG	C3-C2-N2-C7
8	E	701	NAG	C8-C7-N2-C2
8	E	701	NAG	O7-C7-N2-C2
8	D	601	NAG	O5-C5-C6-O6
8	A	601	NAG	O5-C5-C6-O6

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-23229. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)

6.1.1 Primary map




6.1.2 Raw map




The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 180




Y Index: 180




Z Index: 180


6.2.2 Raw map



X Index: 180



Y Index: 180




Z Index: 180


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 172




Y Index: 170




Z Index: 192


6.3.2 Raw map



X Index: 172



Y Index: 164




Z Index: 192

The images above show the largest variance slices of the map in three orthogonal directions.


6.4 Orthogonal surface views [i](#)

6.4.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.02. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.4.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.5 Mask visualisation [i](#)

This section shows the 3D surface view of the primary map at 50% transparency overlaid with the specified mask at 0% transparency


A mask typically either:

- Encompasses the whole structure
- Separates out a domain, a functional unit, a monomer or an area of interest from a larger structure


6.5.1 emd_23229_msk_1.map [i](#)



X



Y




Z

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 133 nm³; this corresponds to an approximate mass of 120 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum [i](#)




*Reported resolution corresponds to spatial frequency of 0.294 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.294 Å⁻¹

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.40	-	-
Author-provided FSC curve	3.42	3.98	3.46
Unmasked-calculated*	4.13	7.39	4.21

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 4.13 differs from the reported value 3.4 by more than 10 %

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-23229 and PDB model 7L8C. Per-residue inclusion information can be found in section 3 on page 10.

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.02 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.02).







































































9.4 Atom inclusion [i](#)



At the recommended contour level, 91% of all backbone atoms, 84% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary

































The table lists the average atom inclusion at the recommended contour level (0.02) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.8367	 0.5130
A	 0.8497	 0.5250
B	 0.8484	 0.5250
C	 0.8575	 0.5290
D	 0.8563	 0.5270
E	 0.8535	 0.5350
F	 0.8197	 0.5180
G	 0.5714	 0.4380
H	 0.8690	 0.4350
I	 0.8033	 0.4630
J	 0.7500	 0.4060
K	 0.6071	 0.4230
L	 0.8991	 0.4680
M	 0.7143	 0.4760
N	 0.5714	 0.4050
O	 0.5385	 0.4020
P	 0.6071	 0.4400
Q	 0.6071	 0.4880
R	 0.6071	 0.4250
S	 0.4286	 0.3720
T	 0.4643	 0.2940
U	 0.5000	 0.4020
V	 0.4286	 0.3480
W	 0.7500	 0.4000
X	 0.6429	 0.4230
Y	 0.8462	 0.4690
Z	 0.8214	 0.4630
a	 0.7500	 0.4330
b	 0.8214	 0.4190
c	 0.6786	 0.4220
d	 0.6786	 0.4690
e	 0.6786	 0.4330
f	 0.6071	 0.4020
g	 0.7857	 0.5220
h	 0.6071	 0.4100



Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
i	 0.5000	 0.4120
j	 0.7179	 0.4390
k	 0.6071	 0.3500
l	 0.7179	 0.4760
m	 0.5000	 0.4480
n	 0.6885	 0.4370
o	 0.6786	 0.4330
p	 0.6071	 0.3780
q	 0.7500	 0.4690
r	 0.6786	 0.4560
s	 0.5714	 0.3530
t	 0.5714	 0.4000
u	 0.6071	 0.4730
v	 0.6429	 0.4140
w	 0.5357	 0.3950
x	 0.5000	 0.3980