



# Full wwPDB X-ray Structure Validation Report i

Aug 6, 2023 – 03:34 AM EDT

PDB ID : 1LBY

Title : Crystal Structure of a complex (P32 crystal form) of dual activity FB-Pase/IMPase (AF2372) from Archaeoglobus fulgidus with 3 Manganese ions, Fructose-6-Phosphate, and Phosphate ion

Authors : Stieglitz, K.A.; Johnson, K.A.; Yang, H.; Roberts, M.F.; Seaton, B.A.; Head, J.F.; Stec, B.

Deposited on : 2002-04-04

Resolution : 2.25 Å (reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the i symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references \(1\)](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.35
buster-report	:	1.1.7 (2018)
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.35


## 1 Overall quality at a glance [\(i\)](#)

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*


The reported resolution of this entry is 2.25 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	1377 (2.26-2.26)
Clashscore	141614	1487 (2.26-2.26)
Ramachandran outliers	138981	1449 (2.26-2.26)
Sidechain outliers	138945	1450 (2.26-2.26)
RSRZ outliers	127900	1356 (2.26-2.26)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5%. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.



The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	F6P	A	295	-	-	X	-
4	PO4	B	593	-	-	X	-

## 2 Entry composition (i)


There are 5 unique types of molecules in this entry. The entry contains 4166 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called fructose 1,6-bisphosphatase/inositol monophosphatase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	252	1966	1243	333	380	10	0	0	0
1	B	252	1966	1243	333	380	10	0	0	0

- Molecule 2 is 6-O-phosphono-beta-D-fructofuranose (three-letter code: F6P) (formula: C<sub>6</sub>H<sub>13</sub>O<sub>9</sub>P).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	O	P		
2	A	1	16	6	9	1	0	0
2	B	1	16	6	9	1	0	0

- Molecule 3 is MANGANESE (II) ION (three-letter code: MN) (formula: Mn).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	3	Total Mn 3 3	0	0
3	B	3	Total Mn 3 3	0	0

- Molecule 4 is PHOSPHATE ION (three-letter code: PO4) (formula: O<sub>4</sub>P).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total O P 5 4 1	0	0
4	B	1	Total O P 5 4 1	0	0


- Molecule 5 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	89	Total O 89 89	0	0
5	B	97	Total O 97 97	0	0

### 3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: fructose 1,6-bisphosphatase/inositol monophosphatase



## 4 Data and refinement statistics i

Property	Value	Source
Space group	P 32	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	89.25Å 89.25Å 102.97Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	30.00 – 2.25 44.63 – 2.25	Depositor EDS
% Data completeness (in resolution range)	96.1 (30.00-2.25) 94.6 (44.63-2.25)	Depositor EDS
$R_{merge}$	0.13	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle^1$	2.46 (at 2.24Å)	Xtriage
Refinement program	SHELXL-97	Depositor
$R$ , $R_{free}$	0.152 , 0.210 0.167 , 0.168	Depositor DCC
$R_{free}$ test set	4135 reflections (10.03%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	17.5	Xtriage
Anisotropy	0.007	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.33 , 43.7	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	0.024 for -h,-k,l 0.477 for h,-h-k,-l 0.028 for -k,-h,-l	Xtriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	4166	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	26.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 7.84% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality i

### 5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: F6P, MN, PO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.43	1/1999 (0.1%)	1.10	9/2688 (0.3%)
1	B	0.34	0/1999	1.03	4/2688 (0.1%)
All	All	0.39	1/3998 (0.0%)	1.07	13/5376 (0.2%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	35	MET	CA-CB	-5.94	1.40	1.53

All (13) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	144	ASP	CB-CA-C	-11.20	88.00	110.40
1	B	347	ARG	NE-CZ-NH1	8.96	124.78	120.30
1	A	145	ALA	N-CA-CB	-8.72	97.89	110.10
1	A	27	ARG	CD-NE-CZ	8.10	134.94	123.60
1	B	347	ARG	CD-NE-CZ	7.57	134.19	123.60
1	A	11	ARG	CD-NE-CZ	7.21	133.70	123.60
1	A	229	ASP	C-N-CA	7.00	139.21	121.70
1	A	231	GLN	C-N-CA	6.88	138.91	121.70
1	A	236	ILE	C-N-CA	6.15	137.07	121.70
1	A	47	ARG	CD-NE-CZ	6.08	132.11	123.60
1	B	481	ASP	CB-CG-OD2	5.83	123.55	118.30
1	A	27	ARG	NE-CZ-NH1	5.69	123.14	120.30
1	B	456	TYR	CB-CG-CD1	-5.06	117.96	121.00

There are no chirality outliers.

There are no planarity outliers.

## 5.2 Too-close contacts [\(i\)](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1966	0	1948	119	0
1	B	1966	0	1946	111	0
2	A	16	0	11	8	0
2	B	16	0	11	4	0
3	A	3	0	0	0	0
3	B	3	0	0	0	0
4	A	5	0	0	0	0
4	B	5	0	0	2	0
5	A	89	0	0	7	0
5	B	97	0	0	7	0
All	All	4166	0	3916	230	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 29.

All (230) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:342:THR:HG21	1:B:347:ARG:HD3	1.39	1.00
1:A:141:GLU:HA	1:A:211:ALA:HB1	1.53	0.91
1:A:240:ASN:HD22	1:A:242:LYS:H	1.16	0.89
1:B:545:PRO:HA	1:B:548:LEU:HD12	1.64	0.80
1:A:7:LEU:O	1:A:11:ARG:HG3	1.86	0.75
1:A:27:ARG:HG2	1:A:27:ARG:HH11	1.52	0.74
1:B:399:VAL:HG23	1:B:420:LEU:HD21	1.66	0.74
1:A:187:PHE:O	1:A:188:LEU:HD23	1.86	0.74
1:A:230:MET:HB3	5:A:1042:HOH:O	1.87	0.74
1:A:30:VAL:HG13	1:A:91:THR:HB	1.70	0.73
1:A:26:LEU:O	1:A:30:VAL:HG22	1.89	0.73
1:A:231:GLN:HG2	5:A:1050:HOH:O	1.88	0.73
1:B:366:THR:HG22	1:B:370:GLY:O	1.89	0.72
1:B:488:LEU:HD23	1:B:537:VAL:HG13	1.70	0.72
1:A:194:LYS:HE2	1:A:217:GLU:OE1	1.89	0.72
1:A:18:ARG:HD3	5:A:1147:HOH:O	1.90	0.72
1:B:478:PHE:HB3	1:B:483:SER:OG	1.91	0.71

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:324:MET:HE2	1:B:329:ARG:HG2	1.74	0.70
1:A:217:GLU:HG3	1:A:218:LEU:H	1.56	0.69
1:A:158:ASP:HB2	1:A:159:ARG:HH11	1.58	0.68
1:A:159:ARG:HA	1:B:458:ASP:O	1.94	0.68
1:B:387:THR:O	1:B:391:THR:HG23	1.95	0.67
1:B:481:ASP:OD2	1:B:483:SER:HB3	1.94	0.67
1:A:226:LYS:HA	1:A:232:GLU:OE2	1.94	0.66
1:B:501:ALA:O	1:B:505:VAL:HG23	1.97	0.65
1:A:242:LYS:O	1:A:245:PRO:HD2	1.97	0.65
1:A:37:LYS:HB2	1:A:68:GLU:O	1.97	0.64
1:A:240:ASN:HD22	1:A:242:LYS:N	1.93	0.63
1:A:142:VAL:HG13	5:A:1171:HOH:O	1.97	0.63
1:B:455:TYR:CE2	2:B:595:F6P:H62	2.34	0.63
1:B:364:VAL:O	1:B:371:VAL:HA	1.99	0.62
1:B:455:TYR:HE2	2:B:595:F6P:H62	1.65	0.62
1:B:519:ASP:OD2	1:B:521:GLU:HB2	1.99	0.62
1:B:503:ALA:O	1:B:507:ILE:HD12	2.00	0.62
1:B:526:LYS:HE2	1:B:534:LEU:HB3	1.81	0.62
1:A:252:LYS:OXT	1:A:252:LYS:HG3	1.99	0.61
1:B:307:LEU:O	1:B:311:ARG:HG3	2.01	0.60
1:B:497:ARG:HD3	1:B:533:ARG:NH2	2.17	0.60
1:A:155:TYR:O	1:A:191:ARG:HG3	2.01	0.60
1:B:450:CYS:HB2	1:B:485:ASP:OD2	2.02	0.60
1:A:226:LYS:HE3	1:A:234:LEU:HD21	1.83	0.59
1:A:128:ALA:HB1	1:A:210:LYS:HG3	1.84	0.59
1:B:316:GLU:OE2	1:B:319:LYS:HE2	2.02	0.59
1:B:451:ASN:ND2	1:B:465:ARG:HG3	2.18	0.59
1:B:488:LEU:CD2	1:B:537:VAL:HG13	2.33	0.59
1:B:544:HIS:CE1	1:B:548:LEU:HD11	2.37	0.59
1:A:3:GLU:OE2	1:A:129:ASP:HB2	2.03	0.59
1:B:547:LEU:O	1:B:551:ILE:HG12	2.03	0.58
1:A:155:TYR:CE2	2:A:295:F6P:H62	2.37	0.58
1:B:325:PRO:HD2	1:B:328:GLU:HB2	1.85	0.58
1:A:231:GLN:HA	1:A:231:GLN:HE21	1.67	0.58
1:B:541:GLU:O	1:B:545:PRO:HD2	2.03	0.58
1:A:65:VAL:HG23	1:A:80:ALA:HA	1.85	0.58
1:A:108:LYS:HD3	1:A:225:ASN:HA	1.86	0.58
1:B:407:ASP:HB3	1:B:408:LYS:CE	2.34	0.58
1:B:451:ASN:ND2	1:B:465:ARG:HH11	2.02	0.58
1:A:232:GLU:O	1:A:233:ARG:HD3	2.04	0.57
1:A:198:ILE:O	1:A:202:ALA:HB2	2.04	0.57

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:67:GLU:HB3	1:A:68:GLU:OE2	2.04	0.57
1:B:410:LYS:HD3	5:B:1040:HOH:O	2.04	0.57
1:A:194:LYS:HG3	1:A:235:ASN:ND2	2.19	0.56
1:A:65:VAL:CG2	1:A:80:ALA:HA	2.36	0.56
4:B:593:PO4:O3	5:B:1165:HOH:O	2.17	0.56
1:A:30:VAL:CG1	1:A:91:THR:HB	2.35	0.56
1:B:414:PHE:CE1	1:B:416:TYR:HB2	2.41	0.56
1:A:240:ASN:ND2	1:A:243:LEU:H	2.04	0.56
1:A:226:LYS:HE3	1:A:234:LEU:CD2	2.36	0.55
1:A:234:LEU:HD22	1:A:236:ILE:CD1	2.36	0.55
1:A:245:PRO:O	1:A:249:GLU:HG2	2.07	0.55
1:B:514:LYS:HD2	1:B:541:GLU:OE2	2.06	0.55
1:B:488:LEU:HD11	1:B:547:LEU:HD22	1.89	0.55
1:A:81:LEU:HD12	1:A:82:ASP:N	2.22	0.55
1:B:408:LYS:HD2	1:B:408:LYS:N	2.21	0.55
1:B:486:CYS:HB2	1:B:538:ALA:O	2.07	0.55
1:B:321:ILE:HD11	1:B:349:ALA:HB2	1.89	0.54
1:B:543:LEU:O	1:B:546:LYS:HB2	2.08	0.54
1:A:109:LEU:HD23	1:A:223:LEU:O	2.08	0.54
1:A:232:GLU:HA	1:A:232:GLU:OE1	2.07	0.53
1:A:215:VAL:HG13	1:A:238:ALA:HB2	1.90	0.53
1:B:451:ASN:HD21	1:B:465:ARG:HH11	1.55	0.53
1:A:8:ARG:HG2	1:A:8:ARG:HH21	1.73	0.53
1:A:240:ASN:O	1:A:244:HIS:HB2	2.09	0.53
1:B:362:VAL:HG12	1:B:377:VAL:HB	1.91	0.53
1:A:188:LEU:HD22	1:A:237:VAL:HA	1.91	0.52
1:A:214:LYS:HG2	1:A:244:HIS:CE1	2.44	0.52
1:B:497:ARG:O	1:B:500:ASP:HB2	2.09	0.52
1:A:84:LEU:O	1:A:84:LEU:HG	2.08	0.52
1:B:478:PHE:HB3	1:B:484:PHE:HD1	1.74	0.52
1:B:448:LEU:HD13	1:B:550:LEU:HD22	1.92	0.52
1:B:351:ASP:O	1:B:355:GLU:HG3	2.10	0.51
1:B:414:PHE:HE1	1:B:416:TYR:HB2	1.75	0.51
1:A:183:SER:HB3	1:B:392:ARG:HG2	1.92	0.51
1:B:455:TYR:CZ	1:B:468:ILE:HG23	2.45	0.51
1:B:324:MET:HE2	1:B:329:ARG:CG	2.40	0.51
1:B:526:LYS:CE	1:B:534:LEU:HB3	2.39	0.51
1:A:32:ASP:OD2	1:A:43:LYS:HD3	2.10	0.51
1:B:496:LEU:O	1:B:533:ARG:HA	2.10	0.51
1:B:490:ILE:HG22	1:B:518:LEU:HD11	1.92	0.51
1:A:158:ASP:HB2	1:A:159:ARG:NH1	2.24	0.51

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:338:ASP:HA	1:B:497:ARG:HH22	1.75	0.51
1:B:399:VAL:CG2	1:B:420:LEU:HD21	2.38	0.51
1:A:245:PRO:O	1:A:249:GLU:OE1	2.29	0.50
1:B:314:ALA:O	1:B:318:ARG:HB2	2.11	0.50
1:A:228:PHE:O	1:A:230:MET:O	2.30	0.50
1:B:407:ASP:HB3	1:B:408:LYS:NZ	2.27	0.50
1:A:240:ASN:ND2	1:A:242:LYS:HB2	2.26	0.50
1:A:126:TYR:HE2	1:A:181:ASP:OD2	1.95	0.50
1:B:327:ARG:HG2	1:B:328:GLU:OE2	2.12	0.50
1:A:189:ASP:O	1:A:235:ASN:OD1	2.29	0.50
1:B:344:ALA:O	1:B:348:VAL:HG23	2.10	0.49
1:A:159:ARG:HD3	1:A:161:PHE:CZ	2.48	0.49
1:B:549:GLU:O	1:B:552:LYS:HB2	2.11	0.49
1:A:50:GLU:HG2	1:A:54:LEU:HD12	1.95	0.49
1:A:188:LEU:CD2	1:A:237:VAL:HA	2.41	0.49
1:A:61:ARG:HH11	1:A:61:ARG:HG3	1.77	0.49
1:A:158:ASP:HB2	1:A:159:ARG:HD2	1.95	0.49
1:A:223:LEU:HD22	1:A:234:LEU:HD21	1.94	0.49
1:A:191:ARG:HH12	2:A:295:F6P:P	2.34	0.49
1:A:119:ASN:HB3	1:A:124:ASP:HB2	1.95	0.48
1:A:229:ASP:O	1:A:229:ASP:OD2	2.31	0.48
1:A:234:LEU:HD22	1:A:236:ILE:HD12	1.95	0.48
1:B:330:VAL:HB	1:B:391:THR:HB	1.93	0.48
1:A:65:VAL:HG23	1:A:65:VAL:O	2.12	0.48
1:B:429:ASP:OD1	1:B:431:SER:OG	2.29	0.48
1:A:67:GLU:HG3	1:A:199:TYR:CE1	2.48	0.48
1:A:116:TYR:CE2	1:A:118:TYR:HB2	2.49	0.48
1:B:330:VAL:HG22	1:B:343:LYS:NZ	2.28	0.48
1:A:172:ALA:H	2:A:295:F6P:C3	2.27	0.48
1:B:496:LEU:HB2	1:B:534:LEU:O	2.14	0.48
1:B:385:ASP:HA	4:B:593:PO4:O2	2.14	0.48
1:B:337:LYS:HG2	1:B:368:GLU:O	2.14	0.48
1:A:12:GLU:OE2	1:A:56:ILE:HG12	2.14	0.48
1:A:158:ASP:CB	1:A:159:ARG:HD2	2.44	0.48
1:A:50:GLU:HG2	1:A:54:LEU:CD1	2.44	0.47
1:A:127:TYR:HA	1:A:207:ILE:HD11	1.96	0.47
1:A:182:GLY:HA2	5:A:1171:HOH:O	2.15	0.47
1:A:190:ILE:HG22	1:A:218:LEU:CD2	2.45	0.47
1:A:191:ARG:HH22	2:A:295:F6P:P	2.37	0.47
1:A:85:ASP:OD2	2:A:295:F6P:O3	2.30	0.47
1:A:88:PHE:O	1:A:92:ARG:HG3	2.15	0.47

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:385:ASP:OD2	2:B:595:F6P:O3	2.33	0.47
1:B:356:ILE:O	1:B:359:LYS:HD3	2.14	0.47
1:A:119:ASN:CB	1:A:124:ASP:HB2	2.45	0.47
1:B:304:ARG:HE	1:B:304:ARG:HB2	1.49	0.47
1:B:330:VAL:HG22	1:B:343:LYS:HZ3	1.80	0.46
1:B:355:GLU:HG3	5:B:1060:HOH:O	2.16	0.46
1:B:365:VAL:HG13	1:B:365:VAL:O	2.15	0.46
1:A:16:GLU:HB3	1:A:52:ALA:HB1	1.96	0.46
1:B:406:SER:OG	1:B:411:ASP:OD2	2.29	0.46
1:B:440:ILE:HB	1:B:481:ASP:HA	1.97	0.46
1:B:313:ILE:O	1:B:317:VAL:HG23	2.15	0.46
1:B:490:ILE:HG22	1:B:518:LEU:CD1	2.45	0.46
1:A:7:LEU:HD11	1:A:11:ARG:CZ	2.45	0.45
1:A:95:PRO:HG2	1:B:395:PRO:O	2.16	0.45
1:A:108:LYS:HD2	1:A:110:LYS:HE2	1.98	0.45
1:B:398:SER:HB3	1:B:418:TYR:O	2.16	0.45
1:A:240:ASN:HD21	1:A:243:LEU:H	1.63	0.45
1:A:241:GLU:HG2	5:A:1081:HOH:O	2.15	0.45
1:B:356:ILE:HG23	1:B:359:LYS:NZ	2.32	0.45
1:B:519:ASP:OD1	1:B:520:GLY:N	2.50	0.45
1:A:58:ARG:HG3	1:A:58:ARG:HH11	1.82	0.45
1:A:215:VAL:HG12	1:A:223:LEU:HD11	1.98	0.45
1:B:327:ARG:NH1	1:B:328:GLU:OE2	2.49	0.45
1:A:8:ARG:HG2	1:A:8:ARG:NH2	2.31	0.45
1:A:30:VAL:O	1:A:43:LYS:HD2	2.17	0.45
1:B:456:TYR:CE2	1:B:468:ILE:HD13	2.52	0.45
1:B:362:VAL:CA	1:B:375:GLY:HA3	2.47	0.45
1:B:434:TYR:CE2	1:B:439:ARG:HD2	2.51	0.44
1:A:219:ASP:OD1	1:A:221:GLU:HG3	2.17	0.44
1:B:330:VAL:HG22	1:B:330:VAL:O	2.18	0.44
1:B:432:GLY:HA3	1:B:439:ARG:NH2	2.33	0.44
1:B:514:LYS:HD2	1:B:541:GLU:CD	2.38	0.44
1:A:16:GLU:OE2	1:A:56:ILE:HD11	2.17	0.44
1:A:193:GLY:O	1:A:195:MET:N	2.50	0.44
1:B:383:PRO:HG2	5:B:1005:HOH:O	2.16	0.44
1:B:509:GLU:HG3	1:B:515:VAL:CG2	2.47	0.44
1:B:450:CYS:O	1:B:464:LYS:N	2.50	0.44
1:B:481:ASP:OD2	1:B:483:SER:N	2.50	0.44
1:A:21:ILE:CD1	1:A:45:ALA:HB1	2.48	0.44
1:B:381:LEU:HA	1:B:400:SER:O	2.18	0.44
1:B:519:ASP:OD1	1:B:519:ASP:N	2.50	0.44

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:396:VAL:HG11	1:B:469:PHE:HB3	2.00	0.44
1:B:388:PHE:O	1:B:392:ARG:HD2	2.17	0.43
1:B:455:TYR:OH	1:B:475:GLU:OE2	2.29	0.43
1:A:157:PRO:HA	1:A:161:PHE:HE1	1.83	0.43
1:A:234:LEU:HD22	1:A:236:ILE:HD11	2.00	0.43
1:B:318:ARG:NH2	1:B:421:ALA:O	2.51	0.43
1:B:406:SER:OG	1:B:407:ASP:N	2.50	0.43
1:A:99:VAL:O	1:A:99:VAL:HG13	2.18	0.43
1:A:172:ALA:CB	2:A:295:F6P:H3	2.49	0.43
1:B:364:VAL:HG12	1:B:366:THR:HB	1.99	0.43
1:A:247:LEU:O	1:A:250:LEU:HB3	2.18	0.43
1:B:478:PHE:O	1:B:483:SER:N	2.50	0.43
1:A:189:ASP:OD2	1:A:196:LEU:HG	2.19	0.43
1:B:389:ASN:ND2	5:B:1010:HOH:O	2.50	0.43
1:B:518:LEU:HD22	1:B:535:ASN:CG	2.39	0.42
1:A:195:MET:HG2	5:A:1142:HOH:O	2.18	0.42
1:A:194:LYS:HD3	1:A:234:LEU:HA	2.01	0.42
1:A:240:ASN:ND2	1:A:242:LYS:H	1.98	0.42
1:A:191:ARG:HA	1:A:192:PRO:HD3	1.93	0.42
1:A:231:GLN:HA	1:A:231:GLN:NE2	2.34	0.42
1:B:389:ASN:HB3	1:B:394:ILE:O	2.20	0.42
1:A:50:GLU:HA	1:A:83:PRO:HB3	2.01	0.42
1:B:404:SER:HA	1:B:412:ALA:HA	2.02	0.42
1:B:471:SER:HA	2:B:595:F6P:O3	2.20	0.42
1:B:516:THR:HA	1:B:523:LEU:HD22	2.02	0.42
1:A:9:ILE:HG22	1:A:13:ILE:HD12	2.02	0.41
1:A:57:LEU:HA	1:A:57:LEU:HD23	1.88	0.41
1:A:27:ARG:HG2	1:A:27:ARG:NH1	2.23	0.41
1:B:359:LYS:HB2	1:B:359:LYS:HE2	1.57	0.41
1:A:102:CYS:HB3	1:A:202:ALA:HB1	2.02	0.41
2:A:295:F6P:P	2:A:295:F6P:O5	2.79	0.41
1:B:356:ILE:HA	1:B:359:LYS:HD3	2.00	0.41
1:A:49:ALA:HB1	1:A:83:PRO:O	2.21	0.41
1:A:61:ARG:HG3	1:A:61:ARG:NH1	2.36	0.41
1:B:364:VAL:CG1	1:B:366:THR:HB	2.50	0.41
1:B:324:MET:CE	1:B:329:ARG:HA	2.51	0.41
1:B:451:ASN:HD21	1:B:465:ARG:NH1	2.19	0.41
1:A:65:VAL:HG22	1:A:79:VAL:O	2.21	0.41
1:A:190:ILE:H	1:A:190:ILE:HG13	1.74	0.41
1:A:101:LEU:O	1:A:203:ALA:HB2	2.21	0.40
1:A:128:ALA:HB1	1:A:210:LYS:HB2	2.03	0.40

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:231:GLN:HB3	1:A:233:ARG:HH12	1.85	0.40
1:A:32:ASP:OD2	1:A:43:LYS:NZ	2.50	0.40
1:A:119:ASN:HB3	1:A:124:ASP:H	1.85	0.40
1:A:119:ASN:O	1:A:123:GLY:N	2.50	0.40
1:B:337:LYS:NZ	5:B:1167:HOH:O	2.49	0.40
2:A:295:F6P:O5	2:A:295:F6P:O1P	2.40	0.40
1:B:316:GLU:HG2	5:B:1067:HOH:O	2.20	0.40
1:B:505:VAL:HG13	1:B:515:VAL:HG11	2.02	0.40

There are no symmetry-related clashes.

### 5.3 Torsion angles [\(i\)](#)

#### 5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	250/252 (99%)	229 (92%)	18 (7%)	3 (1%)	13 9
1	B	250/252 (99%)	238 (95%)	12 (5%)	0	100 100
All	All	500/504 (99%)	467 (93%)	30 (6%)	3 (1%)	25 25

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	194	LYS
1	A	229	ASP
1	A	84	LEU

#### 5.3.2 Protein sidechains [\(i\)](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	204/204 (100%)	177 (87%)	27 (13%)	4 2
1	B	204/204 (100%)	172 (84%)	32 (16%)	2 1
All	All	408/408 (100%)	349 (86%)	59 (14%)	3 1

All (59) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	3	GLU
1	A	4	ARG
1	A	12	GLU
1	A	21	ILE
1	A	23	SER
1	A	27	ARG
1	A	28	GLU
1	A	30	VAL
1	A	38	ASP
1	A	66	THR
1	A	74	GLU
1	A	76	ASP
1	A	92	ARG
1	A	119	ASN
1	A	135	ARG
1	A	138	GLU
1	A	148	LEU
1	A	159	ARG
1	A	194	LYS
1	A	227	LYS
1	A	229	ASP
1	A	230	MET
1	A	231	GLN
1	A	236	ILE
1	A	240	ASN
1	A	249	GLU
1	A	252	LYS
1	B	301	MET
1	B	304	ARG
1	B	318	ARG
1	B	328	GLU
1	B	347	ARG
1	B	358	ARG

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	359	LYS
1	B	361	ARG
1	B	372	LEU
1	B	374	GLU
1	B	392	ARG
1	B	403	PHE
1	B	406	SER
1	B	407	ASP
1	B	408	LYS
1	B	410	LYS
1	B	443	SER
1	B	447	GLU
1	B	454	ILE
1	B	456	TYR
1	B	459	ARG
1	B	460	LYS
1	B	483	SER
1	B	495	MET
1	B	517	GLU
1	B	523	LEU
1	B	525	ASN
1	B	531	GLN
1	B	533	ARG
1	B	534	LEU
1	B	541	GLU
1	B	552	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	119	ASN
1	A	231	GLN
1	A	240	ASN
1	B	389	ASN
1	B	451	ASN

### 5.3.3 RNA (i)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [\(i\)](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [\(i\)](#)

Of 10 ligands modelled in this entry, 6 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z  > 2$	Counts	RMSZ	# $ Z  > 2$
2	F6P	A	295	-	15,16,16	1.25	1 (6%)	17,25,25	1.82	4 (23%)
4	PO4	B	593	3	4,4,4	1.22	0	6,6,6	0.33	0
4	PO4	A	293	3	4,4,4	1.20	0	6,6,6	0.47	0
2	F6P	B	595	-	15,16,16	1.21	1 (6%)	17,25,25	1.59	3 (17%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	F6P	A	295	-	-	7/9/28/28	0/1/1/1
2	F6P	B	595	-	-	1/9/28/28	0/1/1/1

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	295	F6P	O5-C2	-3.27	1.38	1.43
2	B	595	F6P	O5-C2	-3.07	1.38	1.43

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	295	F6P	O4-C4-C5	4.54	124.18	111.05
2	A	295	F6P	O4-C4-C3	-3.39	102.00	112.15
2	B	595	F6P	O4-C4-C5	3.36	120.76	111.05
2	B	595	F6P	O4-C4-C3	-3.00	103.16	112.15
2	A	295	F6P	O3P-P-O6	2.77	114.12	106.73
2	B	595	F6P	O3P-P-O6	2.45	113.25	106.73
2	A	295	F6P	C5-C4-C3	-2.09	95.20	101.91

There are no chirality outliers.

All (8) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	A	295	F6P	C5-C6-O6-P
2	A	295	F6P	C6-O6-P-O3P
2	A	295	F6P	O1-C1-C2-O2
2	A	295	F6P	C6-O6-P-O1P
2	A	295	F6P	O1-C1-C2-O5
2	A	295	F6P	O1-C1-C2-C3
2	B	595	F6P	O1-C1-C2-C3
2	A	295	F6P	C6-O6-P-O2P

There are no ring outliers.

3 monomers are involved in 14 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	295	F6P	8	0
4	B	593	PO4	2	0
2	B	595	F6P	4	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



## 5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [\(i\)](#)

### 6.1 Protein, DNA and RNA chains [\(i\)](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	252/252 (100%)	-0.91	0 [100] [100]	11, 23, 50, 64	0
1	B	252/252 (100%)	-0.92	0 [100] [100]	8, 22, 48, 63	0
All	All	504/504 (100%)	-0.92	0 [100] [100]	8, 23, 49, 64	0

There are no RSRZ outliers to report.

### 6.2 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [\(i\)](#)

There are no monosaccharides in this entry.

### 6.4 Ligands [\(i\)](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
2	F6P	A	295	16/16	0.85	0.29	11,42,83,89	16
2	F6P	B	595	16/16	0.90	0.28	9,41,59,74	16
3	MN	B	592	1/1	0.98	0.04	23,23,23,23	0
4	PO4	A	293	5/5	0.98	0.08	11,23,26,32	0
3	MN	A	290	1/1	0.99	0.03	15,15,15,15	0
3	MN	A	291	1/1	0.99	0.03	10,10,10,10	0
4	PO4	B	593	5/5	0.99	0.10	11,16,23,61	0


*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
3	MN	A	292	1/1	1.00	0.02	18,18,18,18	0
3	MN	B	590	1/1	1.00	0.02	14,14,14,14	0
3	MN	B	591	1/1	1.00	0.02	6,6,6,6	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.





## 6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.