



# Full wwPDB X-ray Structure Validation Report ⓘ

Aug 28, 2023 – 03:05 AM EDT

PDB ID : 3LCE  
Title : Crystal Structure of Oxa-10 Beta-Lactamase Covalently Bound to Cyclobutanone Beta-Lactam Mimic  
Authors : Gretes, M.; Strynadka, N.C.J.  
Deposited on : 2010-01-10  
Resolution : 2.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.35  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.35


# 1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	8085 (2.00-2.00)
Clashscore	141614	9178 (2.00-2.00)
Ramachandran outliers	138981	9054 (2.00-2.00)
Sidechain outliers	138945	9053 (2.00-2.00)
RSRZ outliers	127900	7900 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	246	 3% 76% 21%
1	B	246	 5% 77% 20%
1	C	246	 2% 83% 16%
1	D	246	 3% 83% 16%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	GOL	A	267	-	-	X	-
2	GOL	D	267	-	X	-	-
2	GOL	D	268	-	-	X	-
3	LCE	A	269	-	-	X	X
3	LCE	B	270	-	-	X	X

## 2 Entry composition [i](#)


There are 5 unique types of molecules in this entry. The entry contains 8885 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Beta-lactamase OXA-10.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	245	Total 1969	C 1256	N 332	O 374	S 7	0	4	0
1	B	245	Total 1962	C 1251	N 329	O 376	S 6	0	4	0
1	C	246	Total 1961	C 1250	N 329	O 376	S 6	0	3	0
1	D	246	Total 1970	C 1255	N 331	O 378	S 6	0	4	0

- Molecule 2 is GLYCEROL (three-letter code: GOL) (formula: C<sub>3</sub>H<sub>8</sub>O<sub>3</sub>).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
			Total	C	O		
2	A	1	Total 6	C 3	O 3	0	0
2	A	1	Total 6	C 3	O 3	0	0

*Continued on next page...*

Continued from previous page...


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			6	3	3		
2	B	1	Total	C	O	0	0
			6	3	3		
2	B	1	Total	C	O	0	0
			6	3	3		
2	B	1	Total	C	O	0	0
			6	3	3		
2	B	1	Total	C	O	0	0
			6	3	3		
2	C	1	Total	C	O	0	0
			6	3	3		
2	D	1	Total	C	O	0	0
			6	3	3		
2	D	1	Total	C	O	0	0
			6	3	3		
2	D	1	Total	C	O	0	0
			6	3	3		

- Molecule 3 is (1S,3S,4S,5S)-7,7-dichloro-3-methoxy-2-thiabicyclo[3.2.0]heptan-6-one-4-carboxylic acid (three-letter code: LCE) (formula: C<sub>8</sub>H<sub>8</sub>Cl<sub>2</sub>O<sub>4</sub>S).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	Cl	O	S	0	0
			15	8	2	4	1		
3	B	1	Total	C	Cl	O	S	0	0
			15	8	2	4	1		

- Molecule 4 is PHOSPHATE ION (three-letter code: PO4) (formula: O<sub>4</sub>P).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	C	1	Total O P 5 4 1	0	0
4	D	1	Total O P 5 4 1	0	0


- Molecule 5 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	206	Total O 206 206	0	0
5	B	208	Total O 208 208	0	0
5	C	244	Total O 244 244	0	0
5	D	259	Total O 259 259	0	0


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Beta-lactamase OXA-10




- Molecule 1: Beta-lactamase OXA-10



- Molecule 1: Beta-lactamase OXA-10



- Molecule 1: Beta-lactamase OXA-10







## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	65.70Å 82.54Å 102.36Å 90.00° 94.63° 90.00°	Depositor
Resolution (Å)	102.06 – 2.00 27.55 – 1.92	Depositor EDS
% Data completeness (in resolution range)	99.4 (102.06-2.00) 99.3 (27.55-1.92)	Depositor EDS
$R_{merge}$	0.08	Depositor
$R_{sym}$	0.08	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.53 (at 1.92Å)	Xtrriage
Refinement program	REFMAC	Depositor
R, $R_{free}$	0.178 , 0.233 0.162 , 0.215	Depositor DCC
$R_{free}$ test set	4141 reflections (4.98%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	19.8	Xtrriage
Anisotropy	0.162	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.38 , 67.3	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.96	EDS
Total number of atoms	8885	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	20.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.08% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: PO4, GOL, LCE, KCX

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.88	1/1997 (0.1%)	0.82	1/2696 (0.0%)
1	B	0.88	0/1990	0.81	1/2688 (0.0%)
1	C	0.88	0/1989	0.88	3/2685 (0.1%)
1	D	0.91	0/1998	0.85	1/2697 (0.0%)
All	All	0.89	1/7974 (0.0%)	0.84	6/10766 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	24	GLU	CD-OE2	5.20	1.31	1.25

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	250	ARG	NE-CZ-NH1	13.05	126.83	120.30
1	C	250	ARG	NE-CZ-NH2	-10.82	114.89	120.30
1	B	109	ARG	NE-CZ-NH1	-7.82	116.39	120.30
1	D	64	LEU	CA-CB-CG	7.08	131.57	115.30
1	A	131	ARG	NE-CZ-NH1	-6.00	117.30	120.30
1	C	250	ARG	CD-NE-CZ	5.23	130.92	123.60

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	67[B]	SER	Mainchain

## 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1969	0	1955	69	0
1	B	1962	0	1943	66	0
1	C	1961	0	1943	26	0
1	D	1970	0	1950	56	0
2	A	18	0	24	7	0
2	B	24	0	32	7	0
2	C	6	0	8	3	0
2	D	18	0	24	8	2
3	A	15	0	7	16	0
3	B	15	0	7	15	0
4	C	5	0	0	1	0
4	D	5	0	0	1	0
5	A	206	0	0	15	0
5	B	208	0	0	15	4
5	C	244	0	0	5	1
5	D	259	0	0	17	1
All	All	8885	0	7893	219	4

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 14.

All (219) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:21:SER:HB3	5:D:496:HOH:O	1.17	1.28
1:B:182:LYS:HD3	1:D:183:GLU:OE2	1.28	1.25
1:B:67[A]:SER:OG	3:B:270:LCE:CAU	1.89	1.19
1:B:182:LYS:CD	1:D:183:GLU:OE2	1.94	1.15
1:B:117:VAL:CG2	3:B:270:LCE:CLAG	2.39	1.07

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:200:TYR:OH	1:B:264:ILE:HG12	1.54	1.06
1:A:199:GLU:HG3	5:C:772:HOH:O	1.57	1.05
1:A:250:ARG:HH22	3:A:269:LCE:HAAA	1.23	1.01
1:A:67[A]:SER:OG	3:A:269:LCE:CAU	2.09	1.00
1:A:109[B]:ARG:HG3	1:A:191:ALA:HA	1.43	1.00
1:A:227:GLU:OE1	5:A:563:HOH:O	1.79	0.99
1:D:99:MET:HG3	5:D:567:HOH:O	1.60	0.99
1:B:21:SER:CA	5:B:376:HOH:O	2.10	0.98
1:A:117:VAL:CG2	3:A:269:LCE:CLAG	2.49	0.97
1:D:99:MET:CG	5:D:567:HOH:O	2.10	0.97
1:D:98:ALA:HB1	1:D:99:MET:CE	1.96	0.95
1:B:181:SER:HA	2:B:269:GOL:H12	1.44	0.94
1:B:182:LYS:CE	1:D:183:GLU:OE2	2.14	0.94
2:B:1:GOL:O1	2:B:1:GOL:O3	1.73	0.94
1:A:67[A]:SER:CB	3:A:269:LCE:CAU	2.46	0.93
1:A:200:TYR:OH	1:A:264:ILE:HG12	1.68	0.92
1:A:87:HIS:CD2	5:A:861:HOH:O	2.20	0.92
1:B:208:PHE:O	3:B:270:LCE:CLAH	2.25	0.92
1:A:250:ARG:NH2	2:A:267:GOL:H31	1.86	0.91
1:B:67[A]:SER:CB	3:B:270:LCE:CAU	2.47	0.90
1:A:250:ARG:HH21	2:A:267:GOL:H31	1.34	0.90
1:D:98:ALA:C	1:D:99:MET:HE2	1.93	0.90
1:A:87:HIS:HD2	5:A:861:HOH:O	1.53	0.89
1:B:182:LYS:HD3	1:D:183:GLU:CD	1.93	0.89
1:A:67[A]:SER:HB2	3:A:269:LCE:CAU	2.02	0.89
1:B:86:GLU:HB3	5:D:885:HOH:O	1.71	0.88
1:D:98:ALA:CB	1:D:99:MET:HE2	2.03	0.88
1:A:208:PHE:O	3:A:269:LCE:CLAH	2.28	0.88
1:A:99[B]:MET:HE2	5:A:448:HOH:O	1.72	0.88
1:B:203:HIS:HD2	5:B:312:HOH:O	1.55	0.88
1:A:239:MET:HE2	5:A:445:HOH:O	1.75	0.86
1:B:117:VAL:HG21	3:B:270:LCE:CLAG	2.12	0.86
1:D:98:ALA:CB	1:D:99:MET:CE	2.54	0.85
1:A:109[B]:ARG:NH1	2:C:267:GOL:O3	2.10	0.84
1:A:183:GLU:HG3	5:A:330:HOH:O	1.76	0.83
1:B:21:SER:N	5:B:376:HOH:O	2.09	0.82
2:B:1:GOL:H32	5:B:638:HOH:O	1.77	0.82
1:D:98:ALA:C	1:D:99:MET:CE	2.47	0.81
1:B:182:LYS:HE2	1:D:183:GLU:OE2	1.81	0.80
1:A:117:VAL:HG22	3:A:269:LCE:CLAG	2.19	0.78
1:D:147[A]:SER:O	5:D:283:HOH:O	2.00	0.78

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:A:269:LCE:CLAH	5:A:334:HOH:O	2.38	0.77
1:A:259:GLU:HG2	1:A:264:ILE:HG22	1.66	0.77
1:B:117:VAL:HG22	3:B:270:LCE:CLAG	2.22	0.77
1:B:21:SER:HA	5:B:376:HOH:O	1.78	0.77
1:B:99:MET:CE	1:B:101:GLN:OE1	2.32	0.77
2:B:269:GOL:H11	5:B:609:HOH:O	1.84	0.77
1:D:99:MET:SD	5:D:567:HOH:O	2.42	0.77
1:A:117:VAL:HG21	3:A:269:LCE:CLAG	2.23	0.76
1:B:183:GLU:HG3	5:B:304:HOH:O	1.85	0.76
1:D:26:THR:HG22	5:D:497:HOH:O	1.86	0.76
1:D:147[B]:SER:O	5:D:283:HOH:O	2.02	0.75
2:A:1:GOL:H11	5:A:854:HOH:O	1.86	0.75
3:A:269:LCE:OAE	3:A:269:LCE:OAK	2.02	0.75
1:D:98:ALA:O	1:D:99:MET:HE1	1.88	0.73
1:D:158[B]:GLN:OE1	2:D:268:GOL:O1	2.06	0.72
1:A:109[B]:ARG:HG3	1:A:191:ALA:CA	2.18	0.72
1:C:149:GLY:N	5:C:776:HOH:O	2.21	0.72
1:D:92:TRP:CE2	1:D:94:GLY:HA2	2.24	0.72
1:B:23:THR:CG2	5:B:591:HOH:O	2.38	0.72
1:B:109:ARG:HD3	2:D:267:GOL:H31	1.72	0.71
1:B:152:LYS:HD2	5:B:892:HOH:O	1.88	0.71
1:B:99:MET:HE3	1:B:101:GLN:OE1	1.91	0.71
1:B:207:GLY:N	3:B:270:LCE:OAE	2.24	0.70
1:B:207:GLY:CA	3:B:270:LCE:OAE	2.40	0.70
1:B:61:LYS:HD3	1:B:63:TYR:OH	1.91	0.69
1:B:23:THR:HG22	5:B:591:HOH:O	1.92	0.69
1:D:158[A]:GLN:HE21	2:D:268:GOL:H2	1.58	0.68
1:A:250:ARG:HH22	3:A:269:LCE:CAA	2.04	0.68
1:D:199:GLU:C	2:D:267:GOL:H11	2.14	0.68
1:B:67[A]:SER:HB2	3:B:270:LCE:CAU	2.17	0.67
1:D:92:TRP:CZ2	1:D:94:GLY:HA2	2.30	0.67
1:A:129:GLU:OE2	5:A:581:HOH:O	2.12	0.66
1:D:31:GLU:HB3	5:D:759:HOH:O	1.96	0.65
2:D:268:GOL:C3	5:D:620:HOH:O	2.44	0.65
1:A:250:ARG:NH2	3:A:269:LCE:HAAA	2.05	0.65
1:A:203:HIS:HD2	5:A:271:HOH:O	1.78	0.64
1:B:45:LYS:O	1:B:46[A]:SER:HB2	1.97	0.64
1:D:250:ARG:NH1	4:D:2:PO4:O1	2.31	0.64
1:A:23:THR:HG23	5:A:460:HOH:O	1.98	0.63
1:A:239:MET:CE	5:A:445:HOH:O	2.38	0.62
1:B:203:HIS:HE1	1:D:190:GLU:OE2	1.82	0.62

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:64:LEU:HD21	1:C:155:LEU:O	2.00	0.62
1:C:148:GLY:C	5:C:776:HOH:O	2.37	0.62
1:B:122:GLN:NE2	1:B:125:ARG:HH11	1.99	0.61
1:B:200:TYR:HH	1:B:264:ILE:HG12	1.64	0.61
1:C:250:ARG:NH2	4:C:1:PO4:O2	2.34	0.61
1:B:80:THR:HG22	2:B:267:GOL:H12	1.81	0.61
2:D:268:GOL:O3	5:D:620:HOH:O	2.03	0.61
1:A:259:GLU:CG	1:A:264:ILE:HG22	2.31	0.61
1:D:158[A]:GLN:NE2	2:D:268:GOL:H2	2.15	0.61
1:D:98:ALA:O	1:D:99:MET:CE	2.48	0.60
1:B:44:CYS:SG	1:B:167:VAL:HG11	2.41	0.60
1:D:98:ALA:HB3	1:D:99:MET:HE2	1.84	0.59
1:C:231:GLU:HG3	1:C:232:VAL:N	2.18	0.59
1:B:41:PHE:CE1	1:B:254:PRO:HB3	2.38	0.58
1:A:99[B]:MET:CE	5:A:448:HOH:O	2.42	0.58
1:D:176:ASN:ND2	1:D:182:LYS:HE3	2.18	0.58
1:A:27:SER:O	1:A:30:LYS:HG3	2.04	0.57
1:D:129:GLU:HG3	1:D:146:ILE:HD11	1.87	0.57
3:B:270:LCE:OAD	3:B:270:LCE:HAAB	2.05	0.56
1:D:178:LEU:H	1:D:185:GLN:HE22	1.52	0.56
1:D:99:MET:HE2	1:D:99:MET:N	2.22	0.55
1:A:207:GLY:CA	3:A:269:LCE:OAD	2.55	0.55
1:A:208:PHE:HB3	3:A:269:LCE:HAR	1.88	0.55
1:C:45:LYS:HG3	1:C:233:TYR:CE2	2.42	0.55
3:B:270:LCE:OAD	3:B:270:LCE:CAA	2.55	0.54
1:D:92:TRP:CE2	1:D:94:GLY:CA	2.89	0.54
1:D:130:VAL:HG23	5:D:343:HOH:O	2.07	0.54
1:A:109[B]:ARG:CG	1:A:191:ALA:HA	2.29	0.54
1:A:203:HIS:HE1	1:C:190:GLU:OE2	1.90	0.54
1:C:227:GLU:HB3	2:C:267:GOL:H11	1.90	0.54
1:B:129:GLU:HG3	1:B:146:ILE:HD11	1.90	0.54
1:A:104:ARG:NH1	5:A:765:HOH:O	2.40	0.53
1:D:44:CYS:SG	1:D:167:VAL:HG11	2.47	0.53
1:A:259:GLU:CG	1:A:264:ILE:CG2	2.87	0.53
1:D:98:ALA:CA	1:D:99:MET:HE2	2.39	0.53
1:B:145:ASN:HD22	1:B:147[B]:SER:H	1.56	0.53
1:D:98:ALA:HB1	1:D:99:MET:HE3	1.84	0.53
1:C:178:LEU:H	1:C:185:GLN:HE22	1.56	0.52
1:C:44:CYS:SG	1:C:167:VAL:HG11	2.49	0.52
1:B:99:MET:HE1	1:B:101:GLN:OE1	2.10	0.52
1:A:67[A]:SER:OG	1:A:70:KCX:NZ	2.40	0.51

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:199:GLU:HB3	5:C:628:HOH:O	2.10	0.51
1:A:129:GLU:HG3	1:A:146:ILE:HD11	1.92	0.51
1:A:83:ILE:HD11	1:A:123:ILE:HD13	1.92	0.51
1:D:214:GLU:O	1:D:214:GLU:HG3	2.11	0.51
1:A:33:SER:O	1:A:34:ALA:C	2.49	0.51
1:B:206:THR:C	3:B:270:LCE:OAE	2.49	0.51
1:B:181:SER:CA	2:B:269:GOL:H12	2.30	0.51
1:C:145:ASN:C	1:C:145:ASN:HD22	2.14	0.50
1:A:259:GLU:HG3	1:A:264:ILE:CG2	2.41	0.50
1:B:86:GLU:CB	5:D:885:HOH:O	2.46	0.50
1:A:44:CYS:SG	1:A:167:VAL:HG11	2.52	0.50
1:A:200:TYR:OH	1:A:264:ILE:CG1	2.53	0.50
1:A:175:LEU:CD1	1:A:177:LYS:HD2	2.42	0.50
1:A:31:GLU:HA	1:A:31:GLU:OE1	2.12	0.49
1:B:31:GLU:HA	1:B:31:GLU:OE1	2.12	0.49
1:B:145:ASN:HD22	1:B:145:ASN:C	2.15	0.49
1:A:148:GLY:O	1:A:152:LYS:HE2	2.12	0.49
1:B:145:ASN:ND2	1:B:147[B]:SER:H	2.11	0.49
1:D:261:GLU:OE2	5:D:621:HOH:O	2.20	0.49
1:C:45:LYS:O	1:C:46[B]:SER:HB3	2.13	0.48
1:A:175:LEU:HB2	1:A:177:LYS:HD2	1.94	0.48
1:D:21:SER:CB	5:D:496:HOH:O	2.01	0.48
1:B:145:ASN:HD22	1:B:147[A]:SER:H	1.60	0.48
1:A:49:LYS:HG2	5:A:706:HOH:O	2.12	0.48
1:B:122:GLN:HE21	1:B:125:ARG:HH11	1.61	0.47
1:B:208:PHE:HB3	3:B:270:LCE:HAR	1.96	0.47
1:B:26:THR:O	1:B:29:ASN:HB2	2.15	0.46
1:B:145:ASN:ND2	1:B:147[A]:SER:H	2.13	0.46
1:D:176:ASN:HA	1:D:185:GLN:NE2	2.30	0.46
1:D:158[A]:GLN:HE21	2:D:268:GOL:C2	2.28	0.46
1:A:207:GLY:N	3:A:269:LCE:OAD	2.48	0.46
1:C:88:GLN:HG3	1:C:89:VAL:N	2.29	0.46
1:B:203:HIS:CD2	5:B:312:HOH:O	2.44	0.46
1:C:71:ILE:HB	1:C:72:PRO:CD	2.46	0.46
1:A:250:ARG:HH21	2:A:267:GOL:C3	2.17	0.46
2:A:268:GOL:H12	1:C:109:ARG:CG	2.46	0.46
1:C:117:VAL:N	1:C:118:PRO:HD2	2.30	0.46
1:D:142:GLY:H	1:D:165:ASN:HD21	1.64	0.46
1:B:215:SER:OG	5:B:720:HOH:O	2.21	0.46
2:B:1:GOL:HO1	2:B:1:GOL:HO3	1.40	0.45
1:D:117:VAL:N	1:D:118:PRO:CD	2.78	0.45

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:27:SER:O	1:B:30:LYS:HE2	2.17	0.45
1:A:215:SER:C	1:A:216:ASN:OD1	2.55	0.45
1:D:64:LEU:HD11	1:D:155:LEU:O	2.16	0.45
1:B:152:LYS:HB3	1:B:152:LYS:HE3	1.16	0.45
1:A:164:VAL:O	1:A:168:GLU:HG3	2.16	0.45
1:A:229:GLU:HA	5:C:269:HOH:O	2.17	0.45
1:A:175:LEU:CB	1:A:177:LYS:HD2	2.47	0.45
1:C:37:VAL:HG21	1:C:253:ILE:CD1	2.46	0.45
1:A:264:ILE:HA	1:A:265:GLY:HA3	1.53	0.44
1:B:228:LYS:O	1:B:229:GLU:C	2.55	0.44
1:A:207:GLY:C	3:A:269:LCE:OAD	2.56	0.44
1:B:237:PHE:CG	1:B:254:PRO:HG3	2.52	0.44
1:C:247:LEU:N	1:C:248:PRO:HD3	2.33	0.44
1:C:208:PHE:HZ	1:C:211:VAL:HG23	1.83	0.43
1:B:45:LYS:O	1:B:46[B]:SER:HB3	2.12	0.43
1:B:117:VAL:HG23	3:B:270:LCE:CLAG	2.45	0.43
1:C:178:LEU:HB2	1:C:185:GLN:NE2	2.34	0.43
1:D:178:LEU:H	1:D:185:GLN:NE2	2.16	0.43
1:A:176:ASN:ND2	1:A:182:LYS:HE3	2.34	0.43
1:C:247:LEU:N	1:C:248:PRO:CD	2.82	0.43
1:B:142:GLY:H	1:B:165:ASN:HD21	1.66	0.43
1:A:197:ALA:HB1	1:A:198:PRO:CD	2.48	0.43
1:A:198:PRO:HA	1:C:113:GLN:HB3	2.01	0.43
1:A:109[B]:ARG:NH1	2:C:267:GOL:HO3	2.10	0.43
1:B:231:GLU:HG3	1:B:232:VAL:N	2.33	0.43
1:D:174:TYR:CD2	1:D:175:LEU:HD13	2.54	0.43
1:D:211:VAL:HG21	1:D:244:GLU:HB2	2.01	0.43
2:A:268:GOL:H12	1:C:109:ARG:CD	2.49	0.42
1:B:21:SER:C	5:B:376:HOH:O	2.47	0.42
1:A:129:GLU:HG3	1:A:146:ILE:CD1	2.50	0.42
1:C:176:ASN:ND2	1:C:182:LYS:HE3	2.35	0.42
1:A:259:GLU:HG3	1:A:264:ILE:HG21	2.02	0.42
1:B:21:SER:HA	5:B:648:HOH:O	2.20	0.42
1:B:178:LEU:H	1:B:185:GLN:HE22	1.68	0.42
1:A:27:SER:O	1:A:30:LYS:HE2	2.19	0.41
1:D:208:PHE:HZ	1:D:211:VAL:HG23	1.84	0.41
1:A:210:GLY:O	1:A:218:GLY:HA3	2.20	0.41
1:C:145:ASN:HD22	1:C:147:SER:H	1.67	0.41
1:D:142:GLY:H	1:D:165:ASN:ND2	2.19	0.41
1:B:62:GLU:HB3	1:B:160:ARG:HB3	2.01	0.41
1:A:95:LYS:HE3	1:D:208:PHE:O	2.20	0.41

*Continued on next page...*



Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:26:THR:CG2	5:D:497:HOH:O	2.55	0.41
1:D:210:GLY:O	1:D:218:GLY:HA3	2.20	0.41
1:B:229:GLU:HB3	5:B:721:HOH:O	2.20	0.41
1:D:98:ALA:C	1:D:99:MET:HE1	2.27	0.41
1:C:231:GLU:CG	1:C:232:VAL:N	2.83	0.41
1:D:182:LYS:NZ	5:D:885:HOH:O	2.41	0.41
1:A:251:LYS:HE3	2:A:267:GOL:H12	2.03	0.40
1:A:161:ILE:CG1	1:A:165:ASN:HB3	2.50	0.40
1:B:207:GLY:C	3:B:270:LCE:OAE	2.59	0.40

All (4) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:B:284:HOH:O	5:D:620:HOH:O[2_555]	1.74	0.46
2:D:268:GOL:O3	5:B:284:HOH:O[2_545]	1.82	0.38
5:B:859:HOH:O	5:C:849:HOH:O[1_554]	1.96	0.24
2:D:268:GOL:C3	5:B:284:HOH:O[2_545]	2.08	0.12

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	246/246 (100%)	237 (96%)	9 (4%)	0	100	100
1	B	246/246 (100%)	235 (96%)	11 (4%)	0	100	100
1	C	246/246 (100%)	238 (97%)	8 (3%)	0	100	100
1	D	247/246 (100%)	238 (96%)	9 (4%)	0	100	100
All	All	985/984 (100%)	948 (96%)	37 (4%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	213/209 (102%)	207 (97%)	6 (3%)	43	44
1	B	213/209 (102%)	204 (96%)	9 (4%)	30	27
1	C	212/209 (101%)	204 (96%)	8 (4%)	33	31
1	D	213/209 (102%)	204 (96%)	9 (4%)	30	27
All	All	851/836 (102%)	819 (96%)	32 (4%)	34	31

All (32) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	65	PRO
1	A	73	ASN
1	A	104	ARG
1	A	166	GLN
1	A	199	GLU
1	A	215	SER
1	B	21	SER
1	B	23	THR
1	B	30	LYS
1	B	65	PRO
1	B	73	ASN
1	B	100	LYS
1	B	145	ASN
1	B	152	LYS
1	B	199	GLU
1	C	73	ASN
1	C	115	SER
1	C	145	ASN
1	C	152	LYS
1	C	165	ASN
1	C	195	GLU
1	C	241	ILE
1	C	250	ARG
1	D	26	THR

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	D	49	LYS
1	D	91	LYS
1	D	115	SER
1	D	158[A]	GLN
1	D	158[B]	GLN
1	D	166	GLN
1	D	175	LEU
1	D	241	ILE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (24) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	73	ASN
1	A	158	GLN
1	A	165	ASN
1	A	166	GLN
1	A	203	HIS
1	B	73	ASN
1	B	122	GLN
1	B	133	GLN
1	B	145	ASN
1	B	165	ASN
1	B	185	GLN
1	B	203	HIS
1	C	73	ASN
1	C	101	GLN
1	C	113	GLN
1	C	121	GLN
1	C	145	ASN
1	C	185	GLN
1	D	87	HIS
1	D	113	GLN
1	D	121	GLN
1	D	165	ASN
1	D	166	GLN
1	D	185	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

4 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
1	KCX	B	70	1	9,11,12	1.14	1 (11%)	5,12,14	0.73	0
1	KCX	C	70	1	9,11,12	1.23	1 (11%)	5,12,14	1.57	1 (20%)
1	KCX	A	70	1	9,11,12	1.13	0	5,12,14	1.29	1 (20%)
1	KCX	D	70	1	9,11,12	1.08	0	5,12,14	1.69	1 (20%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	KCX	B	70	1	-	0/9/10/12	-
1	KCX	C	70	1	-	0/9/10/12	-
1	KCX	A	70	1	-	0/9/10/12	-
1	KCX	D	70	1	-	0/9/10/12	-

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	70	KCX	OQ1-CX	2.15	1.25	1.21
1	C	70	KCX	CE-NZ	2.05	1.50	1.46

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	70	KCX	OQ1-CX-NZ	-3.28	119.87	124.96
1	C	70	KCX	OQ1-CX-NZ	-2.92	120.43	124.96
1	A	70	KCX	CE-NZ-CX	2.78	126.35	121.89

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	A	70	KCX	1	0

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

15 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z  > 2$	Counts	RMSZ	# $ Z  > 2$
2	GOL	B	267	-	5,5,5	0.45	0	5,5,5	1.00	0
3	LCE	A	269	1	11,16,16	4.46	3 (27%)	12,26,26	8.72	6 (50%)
2	GOL	C	267	-	5,5,5	0.35	0	5,5,5	0.82	0
4	PO4	D	2	-	4,4,4	1.40	0	6,6,6	1.37	1 (16%)
2	GOL	D	268	-	5,5,5	0.57	0	5,5,5	0.57	0
2	GOL	B	268	-	5,5,5	0.53	0	5,5,5	0.91	0
2	GOL	A	268	-	5,5,5	0.36	0	5,5,5	1.20	0
2	GOL	A	267	-	5,5,5	0.52	0	5,5,5	1.20	0
2	GOL	B	269	-	5,5,5	0.27	0	5,5,5	0.72	0
2	GOL	D	1	-	5,5,5	0.43	0	5,5,5	0.39	0
2	GOL	D	267	-	5,5,5	0.30	0	5,5,5	2.18	2 (40%)
2	GOL	B	1	-	5,5,5	0.39	0	5,5,5	0.86	0
2	GOL	A	1	-	5,5,5	0.48	0	5,5,5	0.52	0
3	LCE	B	270	1	11,16,16	4.27	4 (36%)	12,26,26	8.62	6 (50%)
4	PO4	C	1	-	4,4,4	1.66	1 (25%)	6,6,6	0.99	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral

centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	GOL	B	267	-	-	2/4/4/4	-
3	LCE	A	269	1	-	1/5/38/38	0/2/2/2
2	GOL	C	267	-	-	2/4/4/4	-
2	GOL	D	268	-	-	2/4/4/4	-
2	GOL	B	268	-	-	2/4/4/4	-
2	GOL	A	268	-	-	4/4/4/4	-
2	GOL	A	267	-	-	4/4/4/4	-
2	GOL	B	269	-	-	4/4/4/4	-
2	GOL	D	1	-	-	1/4/4/4	-
2	GOL	D	267	-	-	4/4/4/4	-
2	GOL	B	1	-	-	4/4/4/4	-
2	GOL	A	1	-	-	0/4/4/4	-
3	LCE	B	270	1	-	1/5/38/38	0/2/2/2

All (8) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	269	LCE	OAF-CAU	14.06	1.45	1.21
3	B	270	LCE	OAF-CAU	13.33	1.44	1.21
3	B	270	LCE	CAT-CLAG	-2.91	1.70	1.78
3	A	269	LCE	OAD-CAN	-2.56	1.22	1.30
3	B	270	LCE	CAT-CAU	-2.51	1.50	1.54
4	C	1	PO4	P-O4	-2.49	1.47	1.54
3	A	269	LCE	CAR-CAP	-2.44	1.52	1.54
3	B	270	LCE	OAD-CAN	-2.30	1.23	1.30

All (15) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	269	LCE	OAF-CAU-CAT	-28.65	104.17	132.38
3	B	270	LCE	OAF-CAU-CAT	-28.55	104.26	132.38
3	A	269	LCE	CAT-CAU-CAS	-5.65	86.13	91.59
3	B	270	LCE	CAT-CAU-CAS	-4.43	87.31	91.59
3	B	270	LCE	CAS-CAR-CAN	-4.26	104.66	115.07
3	B	270	LCE	CAP-SAM-CAQ	3.81	99.41	93.73
3	A	269	LCE	CAS-CAR-CAN	-3.79	105.82	115.07
3	A	269	LCE	CAP-CAR-CAN	-3.70	103.05	112.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	270	LCE	CLAH-CAT-CLAG	3.66	112.90	109.98
3	A	269	LCE	OAE-CAN-CAR	-3.03	114.70	122.78
3	A	269	LCE	CAP-SAM-CAQ	3.00	98.21	93.73
2	D	267	GOL	C3-C2-C1	-2.79	100.87	111.70
4	D	2	PO4	O4-P-O3	2.51	116.04	107.97
2	D	267	GOL	O2-C2-C1	2.51	120.18	109.12
3	B	270	LCE	OAE-CAN-CAR	-2.01	117.42	122.78

There are no chirality outliers.

All (31) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	267	GOL	O1-C1-C2-C3
2	A	267	GOL	C1-C2-C3-O3
2	A	267	GOL	O2-C2-C3-O3
2	B	1	GOL	C1-C2-C3-O3
2	B	1	GOL	O2-C2-C3-O3
2	B	268	GOL	O1-C1-C2-C3
2	D	268	GOL	O1-C1-C2-C3
3	B	270	LCE	CAR-CAP-OAK-CAA
2	A	268	GOL	O2-C2-C3-O3
2	D	268	GOL	O1-C1-C2-O2
2	A	268	GOL	O1-C1-C2-C3
2	A	268	GOL	C1-C2-C3-O3
2	B	1	GOL	O1-C1-C2-C3
2	B	269	GOL	O1-C1-C2-C3
2	C	267	GOL	C1-C2-C3-O3
2	D	1	GOL	C1-C2-C3-O3
2	D	267	GOL	O1-C1-C2-C3
2	B	268	GOL	O1-C1-C2-O2
2	B	269	GOL	O1-C1-C2-O2
2	C	267	GOL	O2-C2-C3-O3
2	D	267	GOL	O1-C1-C2-O2
3	A	269	LCE	CAR-CAP-OAK-CAA
2	B	1	GOL	O1-C1-C2-O2
2	D	267	GOL	O2-C2-C3-O3
2	A	267	GOL	O1-C1-C2-O2
2	B	267	GOL	C1-C2-C3-O3
2	A	268	GOL	O1-C1-C2-O2
2	B	267	GOL	O2-C2-C3-O3
2	B	269	GOL	C1-C2-C3-O3
2	D	267	GOL	C1-C2-C3-O3

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
2	B	269	GOL	O2-C2-C3-O3


There are no ring outliers.


13 monomers are involved in 60 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	267	GOL	1	0
3	A	269	LCE	16	0
2	C	267	GOL	3	0
4	D	2	PO4	1	0
2	D	268	GOL	6	2
2	A	268	GOL	2	0
2	A	267	GOL	4	0
2	B	269	GOL	3	0
2	D	267	GOL	2	0
2	B	1	GOL	3	0
2	A	1	GOL	1	0
3	B	270	LCE	15	0
4	C	1	PO4	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	244/246 (99%)	-0.11	7 (2%) 51 50	8, 18, 31, 44	1 (0%)
1	B	244/246 (99%)	-0.06	12 (4%) 29 28	9, 18, 32, 42	0
1	C	245/246 (99%)	-0.21	6 (2%) 59 57	8, 17, 32, 46	0
1	D	245/246 (99%)	-0.22	7 (2%) 51 50	6, 15, 31, 45	0
All	All	978/984 (99%)	-0.15	32 (3%) 46 45	6, 17, 32, 46	1 (0%)

All (32) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	148	GLY	4.8
1	C	100	LYS	4.8
1	B	214	GLU	4.1
1	D	21	SER	3.9
1	D	148	GLY	3.8
1	B	265	GLY	3.6
1	A	214	GLU	3.6
1	B	26	THR	3.5
1	C	94	GLY	3.5
1	B	215	SER	3.5
1	A	216	ASN	3.4
1	D	93	ASP	3.4
1	A	215	SER	3.3
1	B	264	ILE	3.3
1	A	265	GLY	3.2
1	A	213	THR	3.0
1	D	100	LYS	2.9
1	D	94	GLY	2.8
1	B	213	THR	2.7
1	B	30	LYS	2.7
1	D	95	LYS	2.7

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	D	92	TRP	2.7
1	B	216	ASN	2.6
1	C	95	LYS	2.4
1	C	93	ASP	2.3
1	A	30	LYS	2.3
1	C	21	SER	2.2
1	B	199	GLU	2.2
1	B	27	SER	2.2
1	B	34	ALA	2.1
1	B	71	ILE	2.1
1	A	199	GLU	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
1	KCX	C	70	12/13	0.96	0.17	9,11,14,15	0
1	KCX	B	70	12/13	0.97	0.14	9,10,14,15	0
1	KCX	D	70	12/13	0.97	0.15	8,10,12,14	0
1	KCX	A	70	12/13	0.98	0.14	9,11,12,14	0

## 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
3	LCE	A	269	15/15	0.52	0.47	9,30,43,46	15
2	GOL	B	269	6/6	0.57	0.34	40,47,49,53	0
3	LCE	B	270	15/15	0.59	0.42	12,32,41,43	15


*Continued on next page...*

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
2	GOL	B	267	6/6	0.74	0.21	44,47,50,51	0
2	GOL	A	1	6/6	0.77	0.23	39,46,47,48	0
2	GOL	B	1	6/6	0.83	0.25	52,56,57,58	0
2	GOL	B	268	6/6	0.89	0.14	27,34,36,37	0
2	GOL	A	268	6/6	0.90	0.15	34,35,36,42	0
2	GOL	D	1	6/6	0.90	0.18	26,33,33,34	0
2	GOL	C	267	6/6	0.92	0.15	23,27,29,29	0
2	GOL	D	267	6/6	0.92	0.14	25,28,29,30	0
2	GOL	A	267	6/6	0.94	0.12	28,28,31,39	0
2	GOL	D	268	6/6	0.95	0.19	19,26,33,33	0
4	PO4	C	1	5/5	0.98	0.12	27,29,32,32	0
4	PO4	D	2	5/5	0.98	0.10	31,32,35,37	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.





## 6.5 Other polymers [i](#)

There are no such residues in this entry.