

# Full wwPDB X-ray Structure Validation Report (i)

#### Sep 11, 2023 – 11:30 PM EDT

PDB ID	:	4LCM
Title	:	Simvastatin Synthase (LOVD), from Aspergillus Terreus, LovD9 mutant
		$(\sinh 9014)$
Authors	:	Gao, X.; Sawaya, M.R.; Yeates, T.O.; Tang, Y.
Deposited on	:	2013-06-21
Resolution	:	3.19 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Xtriage (Phenix)	:	1.13
EDS	:	2.35.1
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.35.1

# 1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:  $X\text{-}RAY \, DIFFRACTION$ 

The reported resolution of this entry is 3.19 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	$egin{array}{c} { m Whole \ archive} \ (\#{ m Entries}) \end{array}$	${f Similar\ resolution}\ (\#{ m Entries,\ resolution\ range}({ m \AA}))$		
R <sub>free</sub>	130704	1133 (3.20-3.20)		
Clashscore	141614	1253 (3.20-3.20)		
Ramachandran outliers	138981	1234 (3.20-3.20)		
Sidechain outliers	138945	1233 (3.20-3.20)		
RSRZ outliers	127900	1095 (3.20-3.20)		

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain		
1	А	421	% 67%	24%	• 7%
1	В	421	4% 67%	24%	• 7%
1	С	421	<sup>2%</sup> 69%	22%	• 7%
1	D	421	3% 70%	21%	• 7%



#### 4LCM

# 2 Entry composition (i)

There are 2 unique types of molecules in this entry. The entry contains 12356 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

Mol	Chain	Residues		At	oms		ZeroOcc	AltConf	Trace	
1 1	202	Total	С	Ν	0	$\mathbf{S}$	0	0	0	
	A	393	3086	1942	555	565	24	0	0	U
1	1 B	393	Total	С	Ν	0	S	0	0	0
1			3086	1942	555	565	24			
1	1 0	202	Total	С	Ν	0	S	0	0	0
	393	3086	1942	555	565	24	0	0	0	
1 D	р	) 202	Total	С	Ν	0	S	0	0	0
	აჟა	3086	1942	555	565	24	0	U	U	

• Molecule 1 is a protein called Transesterase.

There are 156 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
А	-1	MET	-	expression tag	UNP Q9Y7D1
А	0	VAL	-	expression tag	UNP Q9Y7D1
А	4	ASN	ILE	engineered mutation	UNP Q9Y7D1
А	9	VAL	ALA	engineered mutation	UNP Q9Y7D1
А	26	GLU	LYS	engineered mutation	UNP Q9Y7D1
А	28	SER	ARG	engineered mutation	UNP Q9Y7D1
А	35	LEU	ILE	engineered mutation	UNP Q9Y7D1
А	40	ALA	CYS	engineered mutation	UNP Q9Y7D1
А	43	ARG	ASN	engineered mutation	UNP Q9Y7D1
А	60	ASN	CYS	engineered mutation	UNP Q9Y7D1
А	96	ARG	ASP	engineered mutation	UNP Q9Y7D1
А	109	CYS	SER	engineered mutation	UNP Q9Y7D1
А	123	PRO	ALA	engineered mutation	UNP Q9Y7D1
А	157	VAL	MET	engineered mutation	UNP Q9Y7D1
А	164	GLY	SER	engineered mutation	UNP Q9Y7D1
А	172	ASN	SER	engineered mutation	UNP Q9Y7D1
А	174	PHE	LEU	engineered mutation	UNP Q9Y7D1
A	178	LEU	ALA	engineered mutation	UNP Q9Y7D1
A	191	GLY	ASN	engineered mutation	UNP Q9Y7D1
А	192	ILE	LEU	engineered mutation	UNP Q9Y7D1
А	241	MET	GLN	engineered mutation	UNP Q9Y7D1



Chain	<b>Residue</b>	Modelled	Actual	Comment	Reference
A	247	SEB	ALA	engineered mutation	UNP Q9Y7D1
A	250	LYS	ARG	engineered mutation	UNP Q9Y7D1
A	256	THR	SER	engineered mutation	UNP Q9Y7D1
A	261	HIS	ALA	engineered mutation	UNP Q9Y7D1
A	275	SER	GLY	engineered mutation	UNP Q9Y7D1
A	297	GLY	GLN	engineered mutation	UNP Q9Y7D1
A	335	MET	LEU	engineered mutation	UNP Q9Y7D1
A	361	MET	LEU	engineered mutation	UNP Q9Y7D1
A	370	ILE	VAL	engineered mutation	UNP Q9Y7D1
A	383	VAL	ALA	engineered mutation	UNP Q9Y7D1
A	391	SER	ASN	engineered mutation	UNP Q9Y7D1
A	404	LYS	HIS	engineered mutation	UNP Q9Y7D1
A	414	HIS	_	expression tag	UNP Q9Y7D1
A	415	HIS	-	expression tag	UNP Q9Y7D1
А	416	HIS	-	expression tag	UNP Q9Y7D1
А	417	HIS	-	expression tag	UNP Q9Y7D1
А	418	HIS	-	expression tag	UNP Q9Y7D1
А	419	HIS	-	expression tag	UNP Q9Y7D1
В	-1	MET	-	expression tag	UNP Q9Y7D1
В	0	VAL	-	expression tag	UNP Q9Y7D1
В	4	ASN	ILE	engineered mutation	UNP Q9Y7D1
В	9	VAL	ALA	engineered mutation	UNP Q9Y7D1
В	26	GLU	LYS	engineered mutation	UNP Q9Y7D1
В	28	SER	ARG	engineered mutation	UNP Q9Y7D1
В	35	LEU	ILE	engineered mutation	UNP Q9Y7D1
В	40	ALA	CYS	engineered mutation	UNP Q9Y7D1
В	43	ARG	ASN	engineered mutation	UNP Q9Y7D1
В	60	ASN	CYS	engineered mutation	UNP Q9Y7D1
B	96	ARG	ASP	engineered mutation	UNP Q9Y7D1
B	109	CYS	SER	engineered mutation	UNP Q9Y7D1
B	123	PRO	ALA	engineered mutation	UNP Q9Y7D1
B	157	VAL	MET	engineered mutation	UNP Q9Y7D1
B	164	GLY	SER	engineered mutation	UNP Q9Y7D1
B	172	ASN	SER	engineered mutation	UNP Q9Y7D1
B	174	PHE	LEU	engineered mutation	UNP Q9Y7D1
B	178	LEU	ALA	engineered mutation	UNP Q9Y7D1
В	191	GLY	ASN	engineered mutation	UNP Q9Y7D1
B	192	ILE	LEU	engineered mutation	UNP Q9Y7D1
B	241	MET	GLN	engineered mutation	UNP Q9Y7D1
B	247	SER	ALA	engineered mutation	UNP Q9Y7D1
B	250	LYS	ARG	engineered mutation	UNP Q9Y7D1
B	256	THR	SER	engineered mutation	UNP Q9Y7D1



	Bosiduo	Modelled	Actual	Commont	Boforonco
			ACTIA		IND OV7D1
B D	201		ALA	engineered mutation	UNP Q9Y7D1
D	273	SER CLV	GLI	engineered mutation	UNP Q917D1
D	297	GLI	GLN	engineered mutation	UNP Q917D1
D			LEU	engineered mutation	$\frac{\text{UNP Q917D1}}{\text{UNP OV7D1}}$
D	301			engineered mutation	UNP Q917D1
	370		VAL	engineered mutation	UNP Q9Y7D1
B D	383	VAL	ALA	engineered mutation	UNP Q9Y7D1
B D	391	SER LVC	ASN	engineered mutation	UNP Q9Y7D1
B	404		HIS	engineered mutation	UNP Q9Y7D1
B	414	HIS	-	expression tag	UNP Q9Y7D1
B	415	HIS	-	expression tag	UNP Q9Y7D1
B	416	HIS	-	expression tag	UNP Q9Y7D1
B	417	HIS	-	expression tag	UNP Q9Y7D1
B	418	HIS	-	expression tag	UNP Q9Y7D1
B	419	HIS	-	expression tag	UNP Q9Y7D1
C	-1	MET	-	expression tag	UNP Q9Y7D1
C	0	VAL	-	expression tag	UNP Q9Y7D1
C	4	ASN	ILE	engineered mutation	UNP Q9Y7D1
C	9	VAL	ALA	engineered mutation	UNP Q9Y7D1
C	26	GLU	LYS	engineered mutation	UNP Q9Y7D1
C	28	SER	ARG	engineered mutation	UNP Q9Y7D1
C	35	LEU	ILE	engineered mutation	UNP Q9Y7D1
C	40	ALA	CYS	engineered mutation	UNP Q9Y7D1
C	43	ARG	ASN	engineered mutation	UNP Q9Y7D1
C	60	ASN	CYS	engineered mutation	UNP Q9Y7D1
C	96	ARG	ASP	engineered mutation	UNP Q9Y7D1
C	109	CYS	SER	engineered mutation	UNP Q9Y7D1
C	123	PRO	ALA	engineered mutation	UNP Q9Y7D1
C	157	VAL	MET	engineered mutation	UNP Q9Y7D1
C	164	GLY	SER	engineered mutation	UNP Q9Y7D1
C	172	ASN	SER	engineered mutation	UNP Q9Y7D1
C	174	PHE	LEU	engineered mutation	UNP Q9Y7D1
С	178	LEU	ALA	engineered mutation	UNP Q9Y7D1
С	191	GLY	ASN	engineered mutation	UNP Q9Y7D1
С	192	ILE	LEU	engineered mutation	UNP Q9Y7D1
С	241	MET	GLN	engineered mutation	UNP Q9Y7D1
С	247	SER	ALA	engineered mutation	UNP Q9Y7D1
С	250	LYS	ARG	engineered mutation	UNP Q9Y7D1
С	256	THR	SER	engineered mutation	UNP Q9Y7D1
С	261	HIS	ALA	engineered mutation	UNP Q9Y7D1
С	275	SER	GLY	engineered mutation	UNP Q9Y7D1
С	297	GLY	GLN	engineered mutation	UNP Q9Y7D1

ntia J fa .....  $\alpha$ 



		voious page	<b>A</b> 1	0	Defenses
Chain	Residue	Modelled	Actual	Comment	Reference
C	335	MET	LEU	engineered mutation	UNP Q9Y7D1
C	361	MET	LEU	engineered mutation	UNP Q9Y7D1
C	370	ILE	VAL	engineered mutation	UNP Q9Y7D1
C	383	VAL	ALA	engineered mutation	UNP Q9Y7D1
C	391	SER	ASN	engineered mutation	UNP Q9Y7D1
C	404	LYS	HIS	engineered mutation	UNP Q9Y7D1
C	414	HIS	-	expression tag	UNP Q9Y7D1
C	415	HIS	-	expression tag	UNP Q9Y7D1
C	416	HIS	-	expression tag	UNP Q9Y7D1
С	417	HIS	-	expression tag	UNP Q9Y7D1
С	418	HIS	-	expression tag	UNP Q9Y7D1
С	419	HIS	-	expression tag	UNP Q9Y7D1
D	-1	MET	-	expression tag	UNP Q9Y7D1
D	0	VAL	-	expression tag	UNP Q9Y7D1
D	4	ASN	ILE	engineered mutation	UNP Q9Y7D1
D	9	VAL	ALA	engineered mutation	UNP Q9Y7D1
D	26	GLU	LYS	engineered mutation	UNP Q9Y7D1
D	28	SER	ARG	engineered mutation	UNP Q9Y7D1
D	35	LEU	ILE	engineered mutation	UNP Q9Y7D1
D	40	ALA	CYS	engineered mutation	UNP Q9Y7D1
D	43	ARG	ASN	engineered mutation	UNP Q9Y7D1
D	60	ASN	CYS	engineered mutation	UNP Q9Y7D1
D	96	ARG	ASP	engineered mutation	UNP Q9Y7D1
D	109	CYS	SER	engineered mutation	UNP Q9Y7D1
D	123	PRO	ALA	engineered mutation	UNP Q9Y7D1
D	157	VAL	MET	engineered mutation	UNP Q9Y7D1
D	164	GLY	SER	engineered mutation	UNP Q9Y7D1
D	172	ASN	SER	engineered mutation	UNP Q9Y7D1
D	174	PHE	LEU	engineered mutation	UNP Q9Y7D1
D	178	LEU	ALA	engineered mutation	UNP Q9Y7D1
D	191	GLY	ASN	engineered mutation	UNP Q9Y7D1
D	192	ILE	LEU	engineered mutation	UNP Q9Y7D1
D	241	MET	GLN	engineered mutation	UNP Q9Y7D1
D	247	SER	ALA	engineered mutation	UNP Q9Y7D1
D	250	LYS	ARG	engineered mutation	UNP Q9Y7D1
D	256	THR	SER	engineered mutation	UNP Q9Y7D1
D	261	HIS	ALA	engineered mutation	UNP Q9Y7D1
D	275	SER	GLY	engineered mutation	UNP Q9Y7D1
D	297	GLY	GLN	engineered mutation	UNP Q9Y7D1
D	335	MET	LEU	engineered mutation	UNP Q9Y7D1
D	361	MET	LEU	engineered mutation	UNP Q9Y7D1
D	370	ILE	VAL	engineered mutation	UNP Q9Y7D1

...... Contin d fa



4LCM	

Chain	Residue	Modelled	Actual	Comment	Reference
D	383	VAL	ALA	engineered mutation	UNP Q9Y7D1
D	391	SER	ASN	engineered mutation	UNP Q9Y7D1
D	404	LYS	HIS	engineered mutation	UNP Q9Y7D1
D	414	HIS	-	expression tag	UNP Q9Y7D1
D	415	HIS	-	expression tag	UNP Q9Y7D1
D	416	HIS	-	expression tag	UNP Q9Y7D1
D	417	HIS	-	expression tag	UNP Q9Y7D1
D	418	HIS	-	expression tag	UNP Q9Y7D1
D	419	HIS	-	expression tag	UNP Q9Y7D1

• Molecule 2 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	А	3	Total O 3 3	0	0
2	В	2	Total O 2 2	0	0
2	С	4	Total O 4 4	0	0
2	D	3	Total O 3 3	0	0



# 3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



• Molecule 1: Transesterase





# 4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 1	Depositor
Cell constants	56.31Å 83.94Å 99.20Å	Deperitor
a, b, c, $\alpha$ , $\beta$ , $\gamma$	$102.56^{\circ}$ $89.02^{\circ}$ $107.64^{\circ}$	Depositor
$\mathbf{P}_{\text{assolution}}(\hat{\mathbf{A}})$	19.66 - 3.19	Depositor
Resolution (A)	19.66 - 3.19	EDS
% Data completeness	(Not available) $(19.66-3.19)$	Depositor
(in resolution range)	92.7(19.66-3.19)	EDS
R <sub>merge</sub>	0.17	Depositor
R <sub>sym</sub>	(Not available)	Depositor
$< I/\sigma(I) > 1$	$1.66 (at 3.22 \text{\AA})$	Xtriage
Refinement program	BUSTER-TNT, BUSTER 2.8.0	Depositor
D D.	0.208 , $0.252$	Depositor
$\Pi, \Pi_{free}$	0.227 , $0.277$	DCC
$R_{free}$ test set	1302 reflections $(5.02%)$	wwPDB-VP
Wilson B-factor ( $Å^2$ )	43.1	Xtriage
Anisotropy	0.556	Xtriage
Bulk solvent $k_{sol}(e/Å^3)$ , $B_{sol}(Å^2)$	0.31, 59.4	EDS
L-test for $twinning^2$	$< L >=0.47, < L^2>=0.29$	Xtriage
Estimated twinning fraction	0.029 for h,-h-k,-l	Xtriage
$F_o, F_c$ correlation	0.88	EDS
Total number of atoms	12356	wwPDB-VP
Average B, all atoms $(Å^2)$	50.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The analyses of the Patterson function reveals a significant off-origin peak that is 23.64 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 4.4796e-03. The detected translational NCS is most likely also responsible for the elevated intensity ratio.

<sup>&</sup>lt;sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



<sup>&</sup>lt;sup>1</sup>Intensities estimated from amplitudes.

# 5 Model quality (i)

# 5.1 Standard geometry (i)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol Chain		Bond	lengths	Bond angles	
	RMS		# Z  > 5	RMSZ	# Z  > 5
1	А	0.53	0/3152	0.79	0/4264
1	В	0.51	0/3152	0.78	0/4264
1	С	0.51	0/3152	0.78	0/4264
1	D	0.52	0/3152	0.78	0/4264
All	All	0.52	0/12608	0.78	0/17056

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

## 5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	3086	0	3069	51	0
1	В	3086	0	3069	50	0
1	С	3086	0	3069	43	0
1	D	3086	0	3069	43	0
2	А	3	0	0	0	0
2	В	2	0	0	0	0
2	С	4	0	0	0	0
2	D	3	0	0	0	0
All	All	12356	0	12276	183	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.



Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance $(\text{\AA})$	overlap (Å)
1:A:96:ARG:HB3	1:A:99:GLU:HB2	1.56	0.87
1:C:96:ARG:HB3	1:C:99:GLU:HB2	1.56	0.87
1:B:96:ARG:HB3	1:B:99:GLU:HB2	1.56	0.86
1:D:96:ARG:HB3	1:D:99:GLU:HB2	1.57	0.85
1:C:15:VAL:HG11	1:D:15:VAL:HG11	1.59	0.82
1:D:146:TYR:HB2	1:D:149:LEU:HD12	1.72	0.72
1:C:146:TYR:HB2	1:C:149:LEU:HD12	1.72	0.71
1:A:146:TYR:HB2	1:A:149:LEU:HD12	1.73	0.70
1:B:146:TYR:HB2	1:B:149:LEU:HD12	1.73	0.69
1:D:52:ALA:HA	1:D:65:PRO:HA	1.78	0.65
1:C:52:ALA:HA	1:C:65:PRO:HA	1.78	0.64
1:B:52:ALA:HA	1:B:65:PRO:HA	1.78	0.64
1:A:52:ALA:HA	1:A:65:PRO:HA	1.78	0.64
1:D:37:ALA:HB3	1:D:46:TYR:HB3	1.84	0.60
1:B:37:ALA:HB3	1:B:46:TYR:HB3	1.84	0.59
1:C:37:ALA:HB3	1:C:46:TYR:HB3	1.85	0.59
1:D:68:VAL:HA	1:D:276:PRO:HG2	1.83	0.59
1:C:68:VAL:HA	1:C:276:PRO:HG2	1.83	0.59
1:B:68:VAL:HA	1:B:276:PRO:HG2	1.83	0.59
1:A:37:ALA:HB3	1:A:46:TYR:HB3	1.85	0.58
1:A:68:VAL:HA	1:A:276:PRO:HG2	1.83	0.58
1:D:167:LYS:HE3	1:D:168:PHE:CZ	2.39	0.58
1:A:167:LYS:HE3	1:A:168:PHE:CZ	2.39	0.58
1:C:167:LYS:HE3	1:C:168:PHE:CZ	2.39	0.57
1:A:74:LEU:HB3	1:A:77:ALA:HB3	1.87	0.56
1:B:167:LYS:HE3	1:B:168:PHE:CZ	2.40	0.56
1:A:338:SER:HB2	1:A:347:LEU:HD11	1.88	0.56
1:D:74:LEU:HB3	1:D:77:ALA:HB3	1.87	0.56
1:B:74:LEU:HB3	1:B:77:ALA:HB3	1.88	0.56
1:D:219:LEU:HD11	1:D:293:LEU:HD11	1.88	0.55
1:C:74:LEU:HB3	1:C:77:ALA:HB3	1.88	0.55
1:C:356:ARG:HH22	1:C:362:THR:HG21	1.72	0.55
1:B:168:PHE:HB2	1:B:170:ILE:HG12	1.89	0.55
1:D:356:ARG:HH22	1:D:362:THR:HG21	1.72	0.55
1:C:219:LEU:HD11	1:C:293:LEU:HD11	1.88	0.54
1:D:168:PHE:HB2	1:D:170:ILE:HG12	1.88	0.54
1:B:356:ARG:HH22	1:B:362:THR:HG21	1.73	0.54
1:D:338:SER:HB2	1:D:347:LEU:HD11	1.89	0.54
1:B:338:SER:HB2	1:B:347:LEU:HD11	1.89	0.53
1:C:338:SER:HB2	1:C:347:LEU:HD11	1.89	0.53

All (183) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:B:219:LEU:HD11	1:B:293:LEU:HD11	1.88	0.53
1:D:372:GLN:HE22	1:D:374:ASP:HB2	1.74	0.53
1:A:372:GLN:HE22	1:A:374:ASP:HB2	1.74	0.53
1:B:372:GLN:HE22	1:B:374:ASP:HB2	1.74	0.53
1:A:128:ARG:HG3	1:A:128:ARG:HH11	1.75	0.52
1:A:168:PHE:HB2	1:A:170:ILE:HG12	1.91	0.52
1:A:219:LEU:HD11	1:A:293:LEU:HD11	1.89	0.52
1:A:356:ARG:HH22	1:A:362:THR:HG21	1.73	0.52
1:B:128:ARG:HH11	1:B:128:ARG:HG3	1.75	0.52
1:C:128:ARG:NH1	1:C:132:ILE:HD11	2.25	0.52
1:C:372:GLN:HE22	1:C:374:ASP:HB2	1.75	0.51
1:B:128:ARG:NH1	1:B:132:ILE:HD11	2.25	0.51
1:C:128:ARG:HH11	1:C:128:ARG:HG3	1.75	0.51
1:B:33:ALA:HB2	1:B:385:PHE:CE1	2.45	0.51
1:C:17:MET:HG3	1:C:402:PHE:HA	1.92	0.51
1:C:33:ALA:HB2	1:C:385:PHE:CE1	2.45	0.51
1:D:128:ARG:NH1	1:D:132:ILE:HD11	2.26	0.51
1:B:305:PRO:HB3	1:B:338:SER:HB3	1.93	0.51
1:A:128:ARG:NH1	1:A:132:ILE:HD11	2.25	0.51
1:B:17:MET:HG3	1:B:402:PHE:HA	1.93	0.51
1:D:33:ALA:HB2	1:D:385:PHE:CE1	2.45	0.51
1:A:17:MET:HG3	1:A:402:PHE:HA	1.93	0.51
1:A:33:ALA:HB2	1:A:385:PHE:CE1	2.46	0.51
1:A:280:MET:HA	1:A:283:LEU:HD12	1.93	0.50
1:B:280:MET:HA	1:B:283:LEU:HD12	1.94	0.50
1:D:228:LEU:HD13	1:D:235:LEU:HG	1.93	0.50
1:C:228:LEU:HD13	1:C:235:LEU:HG	1.94	0.50
1:A:305:PRO:HB3	1:A:338:SER:HB3	1.94	0.50
1:C:280:MET:HA	1:C:283:LEU:HD12	1.93	0.50
1:D:17:MET:HG3	1:D:402:PHE:HA	1.93	0.49
1:C:168:PHE:HB2	1:C:170:ILE:HG12	1.93	0.49
1:D:350:LEU:HD22	1:D:356:ARG:HB2	1.94	0.49
1:D:128:ARG:HG3	1:D:128:ARG:HH11	1.76	0.49
1:D:280:MET:HA	1:D:283:LEU:HD12	1.94	0.49
1:B:228:LEU:HD13	1:B:235:LEU:HG	1.94	0.49
1:B:74:LEU:HD21	1:B:274:SER:HB3	1.95	0.48
1:C:212:GLN:HA	1:C:216:CYS:HB2	1.95	0.48
1:C:350:LEU:HD22	1:C:356:ARG:HB2	1.94	0.48
1:B:212:GLN:HA	1:B:216:CYS:HB2	1.95	0.48
1:C:305:PRO:HB3	1:C:338:SER:HB3	1.94	0.48
1:B:350:LEU:HD22	1:B:356:ARG:HB2	1.94	0.48



	louis page	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:D:212:GLN:HA	1:D:216:CYS:HB2	1.96	0.48
1:A:350:LEU:HD22	1:A:356:ARG:HB2	1.95	0.48
1:D:305:PRO:HB3	1:D:338:SER:HB3	1.94	0.48
1:A:283:LEU:HA	1:A:286:LEU:HD12	1.95	0.48
1:B:150:HIS:HE1	1:B:152:LEU:HD12	1.78	0.48
1:B:283:LEU:HA	1:B:286:LEU:HD12	1.95	0.48
1:D:283:LEU:HA	1:D:286:LEU:HD12	1.95	0.48
1:A:74:LEU:HD21	1:A:274:SER:HB3	1.96	0.47
1:A:228:LEU:HD13	1:A:235:LEU:HG	1.95	0.47
1:C:283:LEU:HA	1:C:286:LEU:HD12	1.94	0.47
1:D:116:GLY:HA2	1:D:152:LEU:HD22	1.97	0.47
1:A:169:GLY:HA3	1:B:110:ALA:O	2.14	0.47
1:C:70:THR:O	1:C:275:SER:HA	2.15	0.47
1:D:150:HIS:HE1	1:D:152:LEU:HD12	1.78	0.47
1:A:212:GLN:HA	1:A:216:CYS:HB2	1.97	0.47
1:C:74:LEU:HD21	1:C:274:SER:HB3	1.96	0.47
1:D:70:THR:O	1:D:275:SER:HA	2.15	0.47
1:A:150:HIS:HE1	1:A:152:LEU:HD12	1.80	0.46
1:A:70:THR:O	1:A:275:SER:HA	2.14	0.46
1:C:150:HIS:HE1	1:C:152:LEU:HD12	1.80	0.46
1:A:116:GLY:HA2	1:A:152:LEU:HD22	1.96	0.46
1:B:116:GLY:HA2	1:B:152:LEU:HD22	1.97	0.46
1:B:222:THR:O	1:B:231:ARG:NH1	2.49	0.46
1:A:222:THR:O	1:A:231:ARG:NH1	2.49	0.46
1:A:108:LEU:O	1:A:128:ARG:NH2	2.49	0.46
1:A:34:VAL:HG23	1:A:66:LEU:HD23	1.98	0.46
1:D:74:LEU:HD21	1:D:274:SER:HB3	1.97	0.46
1:B:30:ILE:HD13	1:B:385:PHE:HE1	1.81	0.45
1:D:34:VAL:HG23	1:D:66:LEU:HD23	1.97	0.45
1:D:84:ILE:HD11	1:D:286:LEU:HD11	1.97	0.45
1:B:34:VAL:HG23	1:B:66:LEU:HD23	1.98	0.45
1:A:382:LEU:HD13	1:A:384:PHE:CD1	2.51	0.45
1:C:34:VAL:HG23	1:C:66:LEU:HD23	1.99	0.45
1:C:116:GLY:HA2	1:C:152:LEU:HD22	1.98	0.45
1:C:222:THR:O	1:C:231:ARG:NH1	2.49	0.45
1:B:108:LEU:O	1:B:128:ARG:NH2	2.50	0.45
1:B:70:THR:O	1:B:275:SER:HA	2.16	0.45
1:B:382:LEU:HD13	1:B:384:PHE:CD1	2.52	0.45
1:C:382:LEU:HD13	1:C:384:PHE:CD1	2.52	0.45
1:B:84:ILE:HD11	1:B:286:LEU:HD11	1.97	0.44
1:C:108:LEU:O	1:C:128:ARG:NH2	2.50	0.44



		Interatomic	Clash	
Atom-1	Atom-2	distance (Å)	overlap (Å)	
1:A:30:ILE:HD13	1:A:385:PHE:HE1	1.83	0.44	
1:A:136:HIS:HB3	1:A:142:SER:HA	1.99	0.44	
1:D:222:THR:O	1:D:231:ARG:NH1	2.50	0.44	
1:B:370:ILE:HG21	1:B:399:THR:HG21	1.98	0.44	
1:D:382:LEU:HD13	1:D:384:PHE:CD1	2.52	0.44	
1:A:370:ILE:HG21	1:A:399:THR:HG21	1.98	0.44	
1:C:30:ILE:HD13	1:C:385:PHE:HE1	1.82	0.44	
1:D:108:LEU:O	1:D:128:ARG:NH2	2.51	0.44	
1:C:136:HIS:HB3	1:C:142:SER:HA	1.99	0.44	
1:D:211:LEU:HD21	1:D:224:MET:HG2	1.99	0.44	
1:A:44:LEU:HD11	1:A:406:ILE:HD12	2.00	0.43	
1:B:211:LEU:HD21	1:B:224:MET:HG2	2.00	0.43	
1:C:44:LEU:HD11	1:C:406:ILE:HD12	2.00	0.43	
1:D:136:HIS:HB3	1:D:142:SER:HA	1.99	0.43	
1:A:282:VAL:O	1:A:285:SER:HB3	2.19	0.43	
1:B:136:HIS:HB3	1:B:142:SER:HA	2.00	0.43	
1:A:180:ASN:HD22	1:A:185:GLU:HG2	1.84	0.43	
1:A:211:LEU:HD21	1:A:224:MET:HG2	2.00	0.43	
1:D:370:ILE:HG21	1:D:399:THR:HG21	2.00	0.43	
1:A:167:LYS:HD2	1:B:156:TYR:OH	2.19	0.43	
1:D:30:ILE:HD13	1:D:385:PHE:HE1	1.82	0.43	
1:D:44:LEU:HD11	1:D:406:ILE:HD12	2.01	0.43	
1:C:211:LEU:HD21	1:C:224:MET:HG2	2.00	0.43	
1:D:282:VAL:O	1:D:285:SER:HB3	2.19	0.43	
1:D:216:CYS:HA	1:D:221:ILE:HB	2.01	0.43	
1:C:84:ILE:HD11	1:C:286:LEU:HD11	2.00	0.43	
1:B:282:VAL:O	1:B:285:SER:HB3	2.19	0.42	
1:B:356:ARG:NH2	1:B:362:THR:HG21	2.34	0.42	
1:C:370:ILE:HG21	1:C:399:THR:HG21	2.00	0.42	
1:A:39:ASP:HB3	1:A:44:LEU:HB3	2.01	0.42	
1:D:356:ARG:NH2	1:D:362:THR:HG21	2.34	0.42	
1:A:156:TYR:OH	1:B:167:LYS:HD2	2.20	0.42	
1:C:180:ASN:HD22	1:C:185:GLU:HG2	1.84	0.42	
1:A:84:ILE:HD11	1:A:286:LEU:HD11	2.00	0.42	
1:B:39:ASP:HB3	1:B:44:LEU:HB3	2.02	0.42	
1:D:39:ASP:HB3	1:D:44:LEU:HB3	2.02	0.42	
1:C:39:ASP:HB3	1:C:44:LEU:HB3	2.02	0.42	
1:A:216:CYS:HA	1:A:221:ILE:HB	2.01	0.41	
1:C:356:ARG:NH2	1:C:362:THR:HG21	2.34	0.41	
1:B:44:LEU:HD11	1:B:406:ILE:HD12	2.02	0.41	
1:C:216:CYS:HA	1:C:221:ILE:HB	2.02	0.41	



Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance $(\text{\AA})$	overlap (Å)
1:A:175:ALA:N	1:A:176:PRO:HD3	2.36	0.41
1:A:78:THR:HG23	1:A:272:VAL:HB	2.03	0.41
1:A:185:GLU:HA	1:A:311:LEU:HD22	2.03	0.41
1:A:356:ARG:NH2	1:A:362:THR:HG21	2.35	0.41
1:C:175:ALA:N	1:C:176:PRO:HD3	2.36	0.41
1:C:282:VAL:O	1:C:285:SER:HB3	2.20	0.41
1:D:112:PRO:HB2	1:D:125:LEU:HB3	2.02	0.41
1:B:324:HIS:CD2	1:B:325:ILE:HG13	2.56	0.41
1:A:88:GLN:OE1	1:A:214:ASN:HB3	2.22	0.40
1:A:373:ILE:O	1:A:375:PRO:HD3	2.20	0.40
1:B:216:CYS:HA	1:B:221:ILE:HB	2.02	0.40
1:A:134:LEU:HD22	1:A:138:LEU:HD11	2.03	0.40
1:B:70:THR:HA	1:B:71:PRO:HD3	2.00	0.40
1:B:134:LEU:HD22	1:B:138:LEU:HD11	2.04	0.40
1:B:180:ASN:HD22	1:B:185:GLU:HG2	1.85	0.40
1:B:295:GLN:O	1:B:299:VAL:HG23	2.22	0.40
1:B:373:ILE:O	1:B:375:PRO:HD3	2.22	0.40
1:A:44:LEU:HD22	1:A:379:LEU:CD2	2.51	0.40
1:B:112:PRO:HB2	1:B:125:LEU:HB3	2.03	0.40
1:D:295:GLN:O	1:D:299:VAL:HG23	2.22	0.40

There are no symmetry-related clashes.

# 5.3 Torsion angles (i)

#### 5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	entiles
1	А	389/421~(92%)	358~(92%)	29 (8%)	2(0%)	29	67
1	В	389/421~(92%)	358~(92%)	29~(8%)	2~(0%)	29	67
1	С	389/421~(92%)	358~(92%)	29 (8%)	2(0%)	29	67
1	D	389/421~(92%)	359~(92%)	28 (7%)	2(0%)	29	67
All	All	1556/1684~(92%)	1433 (92%)	115 (7%)	8 (0%)	29	67



Mol	Chain	Res	Type
1	А	271	GLY
1	В	271	GLY
1	С	271	GLY
1	D	271	GLY
1	А	356	ARG
1	В	356	ARG
1	С	356	ARG
1	D	356	ARG

All (8) Ramachandran outliers are listed below:

#### 5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Pe	erc	entiles
1	А	330/352~(94%)	290~(88%)	40 (12%)		5	22
1	В	330/352~(94%)	291~(88%)	39~(12%)		5	23
1	С	330/352~(94%)	291 (88%)	39 (12%)		5	23
1	D	330/352~(94%)	292~(88%)	38 (12%)		5	24
All	All	1320/1408~(94%)	1164 (88%)	156 (12%)		5	23

All (156) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	А	15	VAL
1	А	23	LYS
1	А	53	ARG
1	А	56	ARG
1	А	73	ARG
1	А	83	THR
1	А	92	ARG
1	А	95	VAL
1	А	97	LEU
1	А	104	LEU
1	А	107	ASP
1	А	113	VAL



Mol	Chain	Res	Type
1	А	114	LEU
1	А	119	ASP
1	А	124	ARG
1	А	128	ARG
1	А	134	LEU
1	А	142	SER
1	А	166	GLU
1	А	167	LYS
1	А	178	LEU
1	А	197	LYS
1	А	222	THR
1	А	228	LEU
1	А	229	GLN
1	А	233	ASP
1	А	235	LEU
1	A	248	ASP
1	А	252	ARG
1	А	267	PHE
1	А	270	GLN
1	А	301	LEU
1	А	337	ARG
1	А	341	LEU
1	А	354	ASN
1	А	363	PHE
1	А	372	GLN
1	А	391	SER
1	А	406	ILE
1	А	411	GLN
1	В	15	VAL
1	В	23	LYS
1	В	53	ARG
1	В	56	ARG
1	B	73	ARG
1	B	83	THR
1	В	92	ARG
1	В	95	VAL
1	В	97	LEU
1	B	104	LEU
1	В	107	ASP
1	B	113	VAL
1	В	114	LEU
1	В	119	ASP



Mol	Chain	Res	Type
1	В	124	ARG
1	В	128	ARG
1	В	134	LEU
1	В	142	SER
1	В	166	GLU
1	В	167	LYS
1	В	178	LEU
1	В	197	LYS
1	В	222	THR
1	В	228	LEU
1	В	229	GLN
1	В	233	ASP
1	В	235	LEU
1	В	248	ASP
1	В	252	ARG
1	В	270	GLN
1	В	301	LEU
1	В	337	ARG
1	В	341	LEU
1	В	354	ASN
1	В	363	PHE
1	В	372	GLN
1	В	391	SER
1	В	406	ILE
1	В	411	GLN
1	С	15	VAL
1	С	23	LYS
1	С	53	ARG
1	С	56	ARG
1	С	73	ARG
1	С	83	THR
1	С	92	ARG
1	C	95	VAL
1	С	97	LEU
1	С	100	THR
1	С	107	ASP
1	С	113	VAL
1	С	114	LEU
1	С	119	ASP
1	С	124	ARG
1	С	128	ARG
1	С	134	LEU



Mol	Chain	Res	Type
1	С	142	SER
1	С	166	GLU
1	С	167	LYS
1	С	178	LEU
1	С	197	LYS
1	С	222	THR
1	С	228	LEU
1	С	229	GLN
1	С	233	ASP
1	С	235	LEU
1	С	248	ASP
1	С	252	ARG
1	С	270	GLN
1	C	301	LEU
1	С	337	ARG
1	С	341	LEU
1	С	354	ASN
1	С	363	PHE
1	С	372	GLN
1	С	391	SER
1	С	406	ILE
1	С	411	GLN
1	D	15	VAL
1	D	23	LYS
1	D	53	ARG
1	D	56	ARG
1	D	73	ARG
1	D	83	THR
1	D	92	ARG
1	D	95	VAL
1	D	97	LEU
1	D	107	ASP
1	D	113	VAL
1	D	114	
1	D	119	ASP
1	D	124	ARG
1	D	128	ARG
1	D	134	LEU
1	D	142	SER
1	D	166	GLU
1		167	LYS
1	D	178	LEU



Mol	Chain	Res	Type
1	D	197	LYS
1	D	222	THR
1	D	228	LEU
1	D	229	GLN
1	D	233	ASP
1	D	235	LEU
1	D	248	ASP
1	D	252	ARG
1	D	270	GLN
1	D	301	LEU
1	D	337	ARG
1	D	341	LEU
1	D	354	ASN
1	D	363	PHE
1	D	372	GLN
1	D	391	SER
1	D	406	ILE
1	D	411	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (16) such sidechains are listed below:

Mol	Chain	Res	Type
1	А	212	GLN
1	А	229	GLN
1	А	295	GLN
1	А	372	GLN
1	В	212	GLN
1	В	229	GLN
1	В	295	GLN
1	В	372	GLN
1	С	212	GLN
1	С	229	GLN
1	С	295	GLN
1	С	372	GLN
1	D	212	GLN
1	D	229	GLN
1	D	295	GLN
1	D	372	GLN



#### 5.3.3 RNA (i)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry (i)

There are no ligands in this entry.

## 5.7 Other polymers (i)

There are no such residues in this entry.

## 5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



# 6 Fit of model and data (i)

# 6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median,  $95^{th}$  percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	< <b>RSRZ</b> >	#RSRZ>2	$OWAB(Å^2)$	Q<0.9
1	А	393/421~(93%)	-0.23	3 (0%) 86 78	14, 42, 75, 105	0
1	В	393/421~(93%)	-0.06	15 (3%) 40 26	18, 51, 84, 115	0
1	С	393/421~(93%)	-0.13	9 (2%) 60 47	22, 49, 87, 114	0
1	D	393/421~(93%)	-0.16	11 (2%) 53 37	19, 46, 76, 116	0
All	All	1572/1684~(93%)	-0.15	38 (2%) 59 44	14, 48, 81, 116	0

All (38) RSRZ outliers are listed below:

Mol	Chain	$\mathbf{Res}$	Type	RSRZ
1	С	413	GLY	4.6
1	С	122	ASN	4.6
1	В	256	THR	4.0
1	D	256	THR	3.8
1	С	412	GLN	3.6
1	D	12	ASP	3.5
1	D	122	ASN	3.4
1	В	119	ASP	3.3
1	В	62	GLN	3.3
1	D	119	ASP	3.2
1	В	121	GLY	3.1
1	D	59	GLU	3.1
1	С	121	GLY	3.0
1	С	256	THR	3.0
1	С	120	ALA	3.0
1	D	60	ASN	2.9
1	С	59	GLU	2.9
1	А	119	ASP	2.9
1	В	60	ASN	2.8
1	D	413	GLY	2.8
1	В	230	GLN	2.8



Mol	Chain	Res	Type	RSRZ
1	С	119	ASP	2.6
1	D	324	HIS	2.6
1	В	118	ASP	2.6
1	В	255	ASP	2.6
1	D	121	GLY	2.5
1	D	61	ASN	2.4
1	В	58	ASP	2.4
1	В	59	GLU	2.3
1	В	412	GLN	2.3
1	В	122	ASN	2.3
1	С	61	ASN	2.3
1	D	255	ASP	2.2
1	А	220	GLY	2.2
1	А	412	GLN	2.2
1	В	324	HIS	2.2
1	В	12	ASP	2.1
1	В	413	GLY	2.0

### 6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

### 6.4 Ligands (i)

There are no ligands in this entry.

### 6.5 Other polymers (i)

There are no such residues in this entry.

