

# wwPDB X-ray Structure Validation Summary Report (i)

#### Aug 17, 2022 – 05:23 PM EDT

PDB ID	:	4LCZ
Title	:	Crystal structure of a multilayer-packed major light-harvesting complex
Authors	:	Wan, T.; Li, M.; Chang, W.R.
Deposited on	:	2013-06-24
Resolution	:	2.60  Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	1.13
$\mathrm{EDS}$	:	2.29
buster-report	:	1.1.7 (2018)
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.29

# 1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:  $X\text{-}RAY \, DIFFRACTION$ 

The reported resolution of this entry is 2.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	$egin{array}{c} { m Whole \ archive} \ (\#{ m Entries}) \end{array}$	${f Similar\ resolution}\ (\#{ m Entries,\ resolution\ range}({ m \AA}))$
R <sub>free</sub>	130704	3163 (2.60-2.60)
Clashscore	141614	3518 (2.60-2.60)
Ramachandran outliers	138981	3455 (2.60-2.60)
Sidechain outliers	138945	3455 (2.60-2.60)
RSRZ outliers	127900	3104 (2.60-2.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain		
1	А	224	<mark>6%</mark> 75%	17%	• 7%
1	В	224	75%	18%	7%
1	С	224	4%	14%	7%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:



41	LCZ

Mol	Type	Chain	$\mathbf{Res}$	Chirality	Geometry	Clashes	Electron density
5	CHL	А	305	Х	-	-	-
5	CHL	А	309	Х	-	-	-
5	CHL	А	310	Х	-	-	-
5	CHL	А	311	Х	-	-	-
5	CHL	А	312	Х	-	-	-
5	CHL	А	313	Х	-	-	-
5	CHL	В	305	Х	-	-	-
5	CHL	В	309	Х	-	-	-
5	CHL	В	310	Х	-	-	-
5	CHL	В	311	Х	-	-	-
5	CHL	В	312	Х	-	-	-
5	CHL	В	313	Х	-	-	-
5	CHL	С	305	Х	-	-	-
5	CHL	С	309	Х	-	-	-
5	CHL	С	310	Х	-	-	-
5	CHL	С	311	Х	-	-	-
5	CHL	С	312	Х	-	-	-
5	CHL	С	313	Х	-	-	-
6	CLA	А	307	Х	-	-	-
6	CLA	В	316	Х	-	-	-
6	CLA	С	307	-	_	Х	-



# 2 Entry composition (i)

There are 10 unique types of molecules in this entry. The entry contains 8016 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace	
1	1 1	200	Total	С	Ν	Ο	S	0	0	0
I A	208	1579	1023	257	292	$\overline{7}$	0	0	0	
1	1 B	208	Total	С	Ν	Ο	S	0	0	0
			1579	1023	257	292	$\overline{7}$	0	0	
1	1 0	208	Total	С	Ν	Ο	S	0	0	0
	U		1579	1023	257	292	7	0	0	0

 $\bullet\,$  Molecule 1 is a protein called Major chlorophyll a/b binding protein LHCb1.3.

• Molecule 2 is (3R,3'R,6S)-4,5-DIDEHYDRO-5,6-DIHYDRO-BETA,BETA-CAROTENE-3, 3'-DIOL (three-letter code: LUT) (formula:  $C_{40}H_{56}O_2$ ).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	А	1	Total         C         O           42         40         2	0	0
2	А	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 42 & 40 & 2 \end{array}$	0	0
2	В	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 42 & 40 & 2 \end{array}$	0	0



Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	В	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 42 & 40 & 2 \end{array}$	0	0
2	С	1	Total         C         O           42         40         2	0	0
2	С	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 42 & 40 & 2 \end{array}$	0	0

• Molecule 3 is (1R,3R)-6-{(3E,5E,7E,9E,11E,13E,15E,17E)-18-[(1S,4R,6R)-4-HYDROXY-2, 2,6-TRIMETHYL-7-OXABICYCLO[4.1.0]HEPT-1-YL]-3,7,12,16-TETRAMETHYLOCTA DECA-1,3,5,7,9,11,13,15,17-NONAENYLIDENE}-1,5,5-TRIMETHYLCYCLOHEXANE-1, 3-DIOL (three-letter code: NEX) (formula:  $C_{40}H_{56}O_4$ ).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	А	1	Total         C         O           44         40         4	0	0
3	В	1	Total         C         O           44         40         4	0	0
3	С	1	Total         C         O           44         40         4	0	0

• Molecule 4 is 1,2-DIPALMITOYL-PHOSPHATIDYL-GLYCEROLE (three-letter code: LHG) (formula:  $C_{38}H_{75}O_{10}P$ ).





Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	А	1	Total         C         O         P           49         38         10         1	0	0
4	В	1	Total         C         O         P           49         38         10         1	0	0
4	С	1	Total         C         O         P           49         38         10         1	0	0

• Molecule 5 is CHLOROPHYLL B (three-letter code: CHL) (formula:  $C_{55}H_{70}MgN_4O_6$ ).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
5	А	1	Total 66	$\begin{array}{c} \mathrm{C} \\ 55 \end{array}$	Mg 1	N 4	O 6	0	0



Mol	Chain	Residues	90	At	oms			ZeroOcc	AltConf
~		1	Total	С	Mg	Ν	0	0	0
5	А	1	48	37	1	4	6	0	0
-	٨	1	Total	С	Mg	Ν	Ο	0	0
б	А	1	51	40	1	4	6	0	0
E	٨	1	Total	С	Mg	Ν	Ο	0	0
5	A	L	66	55	1	4	6	0	0
F	Δ	1	Total	С	Mg	Ν	0	0	0
5	A	L	66	55	1	4	6	0	0
F	Δ	1	Total	С	Mg	Ν	Ο	0	0
5	A	L	66	55	1	4	6	0	0
5	Р	1	Total	С	Mg	Ν	0	0	0
5	D	L	66	55	1	4	6	0	0
5	Р	1	Total	С	Mg	Ν	Ο	0	0
5	D	L	48	37	1	4	6	0	0
5	5 B	1	Total	С	Mg	Ν	Ο	0	0
0		T	51	40	1	4	6	0	0
5	P	1	Total	С	Mg	Ν	Ο	0	0
5	D	T	66	55	1	4	6	0	0
5	В	1	Total	С	Mg	Ν	Ο	0	0
0	D	T	66	55	1	4	6	0	0
5	В	1	Total	С	Mg	Ν	Ο	0	0
5	D	T	66	55	1	4	6	0	0
5	С	1	Total	С	Mg	Ν	Ο	0	0
5	U	T	66	55	1	4	6	0	0
5	С	1	Total	С	Mg	Ν	Ο	0	0
5	U	T	48	37	1	4	6	0	0
5	С	1	Total	С	Mg	Ν	Ο	0	0
5	U	T	51	40	1	4	6	0	0
5	С	1	Total	С	Mg	Ν	Ο	0	0
5	U	T	66	55	1	4	6	0	U
5	C	1	Total	С	Mg	Ν	0	0	0
		1	66	55	1	4	6	0	U
5	C	1	Total	С	Mg	N	0	0	0
0			66	55	1	4	6	0	

• Molecule 6 is CHLOROPHYLL A (three-letter code: CLA) (formula:  $C_{55}H_{72}MgN_4O_5$ ).





Mol	Chain	Residues		At	oms			ZeroOcc	AltConf						
C	Δ	1	Total	С	Mg	Ν	0	0	0						
0	A	1	65	55	1	4	5	0	0						
6	٨	1	Total	С	Mg	Ν	Ο	0	0						
0	A	L	65	55	1	4	5	0	0						
6	Δ	1	Total	С	Mg	Ν	Ο	0	0						
0	A		62	52	1	4	5	0	0						
6	Δ	1	Total	С	Mg	Ν	Ο	0	0						
0	A	L	65	55	1	4	5	0	0						
6	Δ	1	Total	С	Mg	Ν	Ο	0	0						
0	A	L	65	55	1	4	5	0	0						
6	6 A	Δ	Δ	1	Total	С	Mg	Ν	Ο	0	0				
0		L	65	55	1	4	5	0	0						
6	6 A	1	Total	С	Mg	Ν	Ο	0	0						
0			65	55	1	4	5	0	0						
6	А	1	Total	С	Mg	Ν	Ο	0	0						
0		A	Л	L	41	33	1	4	3	0	0				
6	D	Р	B	1	Total	С	Mg	Ν	Ο	0	0				
0	D	L	65	55	1	4	5	0	0						
6	D	1	Total	С	Mg	Ν	Ο	0	0						
0	D	L	65	55	1	4	5	0	0						
6	D	1	Total	С	Mg	Ν	Ο	0	0						
0	D	L	62	52	1	4	5	0	0						
6	D	1	Total	С	Mg	Ν	0	0	0						
0	D	L	65	55	1	4	5	U	0						
6	D	1	Total	С	Mg	Ν	0	0	0						
	D	L	65	55	1	4	5	U							
6	В	1	Total	С	Mg	Ν	0	0	0						
	В	В	В	В	В	В	В	1	65	55	1	4	5	U	



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf					
6	D	1	Total	С	Mg	Ν	0	0	0					
0	D	1	65	55	1	4	5	0	0					
6	D	1	Total	С	Mg	Ν	Ο	0	0					
0	D		41	33	1	4	3		0					
6	C	1	Total	С	Mg	Ν	Ο	0	0					
0	C	1	65	55	1	4	5	0						
6	C	1	Total	С	Mg	Ν	Ο	0	0					
0		L	65	55	1	4	5	0	0					
6	6 C	С	С	С	С	С	1	Total	С	Mg	Ν	Ο	0	0
0		1	62	52	1	4	5	0	0					
6	С	С	1	Total	С	Mg	Ν	Ο	0	0				
0	U	1	65	55	1	4	5	0	0					
6	С	1	Total	С	Mg	Ν	0	0	0					
0	U	1	65	55	1	4	5	0	0					
6	С	1	Total	С	Mg	Ν	Ο	0	0					
0	U	1	65	55	1	4	5	0	0					
6	С	1	Total	С	Mg	Ν	Ο	0	0					
	U U	L	65	55	1	4	5	U	U					
6	С	C 1	Total	С	Mg	Ν	0	0	0					
			40	32	1	4	3	U	U					

• Molecule 7 is CACODYLATE ION (three-letter code: CAC) (formula:  $C_2H_6AsO_2$ ).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
7	А	1	Total 5	As 1	$\begin{array}{c} \mathrm{C} \\ \mathrm{2} \end{array}$	O 2	0	0



Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
7	В	1	Total 5	As 1	${ m C} 2$	O 2	0	0
7	С	1	Total 5	As 1	${ m C} 2$	O 2	0	0

• Molecule 8 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
8	А	3	Total Zn 3 3	0	0
8	В	1	Total Zn 1 1	0	0
8	С	1	Total Zn 1 1	0	0

• Molecule 9 is SODIUM ION (three-letter code: NA) (formula: Na).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
9	В	2	Total Na 2 2	0	0
9	С	3	Total Na 3 3	0	0

• Molecule 10 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
10	А	58	$\begin{array}{cc} \text{Total} & \text{O} \\ 58 & 58 \end{array}$	0	0
10	В	46	$\begin{array}{cc} \text{Total} & \text{O} \\ 46 & 46 \end{array}$	0	0
10	С	52	$\begin{array}{cc} \text{Total} & \text{O} \\ 52 & 52 \end{array}$	0	0



# 3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Major chlorophyll a/b binding protein LHCb1.3





## 4 Data and refinement statistics (i)

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants	199.19Å 115.10Å 109.60Å	Deperitor
a, b, c, $\alpha$ , $\beta$ , $\gamma$	$90.00^{\circ}$ $113.23^{\circ}$ $90.00^{\circ}$	Depositor
$\mathbf{P}_{\mathrm{oscolution}}(\mathbf{\hat{A}})$	43.45 - 2.60	Depositor
Resolution (A)	49.97 - 2.60	EDS
% Data completeness	86.4 (43.45-2.60)	Depositor
(in resolution range)	83.4 (49.97-2.60)	EDS
$R_{merge}$	0.08	Depositor
R <sub>sym</sub>	(Not available)	Depositor
$< I/\sigma(I) > 1$	3.69 (at 2.61 Å)	Xtriage
Refinement program	PHENIX (phenix.refine: 1.7.3_928)	Depositor
D D	0.250 , $0.258$	Depositor
$\Lambda, \Lambda_{free}$	0.241 , $0.262$	DCC
$R_{free}$ test set	3046 reflections $(5.02%)$	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	30.1	Xtriage
Anisotropy	0.152	Xtriage
Bulk solvent $k_{sol}(e/Å^3), B_{sol}(Å^2)$	0.37, $75.6$	EDS
L-test for twinning <sup>2</sup>	$< L >=0.45, < L^2>=0.27$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.86	EDS
Total number of atoms	8016	wwPDB-VP
Average B, all atoms $(Å^2)$	39.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 18.45% of the height of the origin peak. No significant pseudotranslation is detected.

<sup>&</sup>lt;sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



<sup>&</sup>lt;sup>1</sup>Intensities estimated from amplitudes.

# 5 Model quality (i)

## 5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: NEX, NA, LUT, CAC, ZN, CHL, LHG, CLA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Chain	Bo	nd lengths	Bond angles		
	Unam	RMSZ	# Z  > 5	RMSZ	# Z  > 5	
1	А	0.51	1/1626~(0.1%)	0.60	0/2212	
1	В	0.53	0/1626	0.60	0/2212	
1	С	0.53	0/1626	0.64	0/2212	
All	All	0.52	1/4878~(0.0%)	0.61	0/6636	

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	А	69	CYS	CB-SG	-5.30	1.73	1.81

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	1579	0	1520	33	0
1	В	1579	0	1521	31	0
1	С	1579	0	1521	20	0
2	А	84	0	112	6	0
2	В	84	0	112	15	0
2	С	84	0	112	7	0
3	А	44	0	56	3	0



4L	CZ

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	В	44	0	56	3	0
3	С	44	0	56	3	0
4	А	49	0	74	9	0
4	В	49	0	74	5	0
4	С	49	0	74	5	0
5	А	363	0	350	23	0
5	В	363	0	350	22	0
5	С	363	0	350	21	0
6	А	493	0	522	43	0
6	В	493	0	524	43	0
6	С	492	0	521	47	0
7	А	5	0	0	0	0
7	В	5	0	0	0	0
7	С	5	0	0	0	0
8	А	3	0	0	0	0
8	В	1	0	0	0	0
8	С	1	0	0	0	0
9	В	2	0	0	0	0
9	С	3	0	0	0	0
10	А	58	0	0	1	0
10	В	46	0	0	2	0
10	С	52	0	0	2	0
All	All	8016	0	7905	250	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 16.

The worst 5 of 250 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:C:304:LHG:C14	6:C:317:CLA:H93	1.72	1.19
6:C:306:CLA:H92	6:C:307:CLA:HMA1	1.20	1.14
4:A:304:LHG:H142	6:A:317:CLA:H93	1.22	1.12
4:A:304:LHG:C14	6:A:317:CLA:H93	1.83	1.08
6:B:306:CLA:H92	6:B:307:CLA:HMA1	1.32	1.08

There are no symmetry-related clashes.



### 5.3 Torsion angles (i)

### 5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Ilowed Outliers		Percentiles		
1	А	206/224~(92%)	199~(97%)	6 (3%)	1 (0%)	29	52		
1	В	206/224~(92%)	199~(97%)	7 (3%)	0	100	100		
1	С	206/224~(92%)	198 (96%)	7 (3%)	1 (0%)	29	52		
All	All	618/672~(92%)	596 (96%)	20 (3%)	2~(0%)	41	64		

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	А	43	ASP
1	С	119	VAL

#### 5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles		
1	А	160/174~(92%)	157~(98%)	3~(2%)	57 79		
1	В	160/174~(92%)	157~(98%)	3~(2%)	57 79		
1	С	160/174~(92%)	154 (96%)	6 (4%)	33 59		
All	All	480/522 (92%)	468 (98%)	12 (2%)	47 73		

5 of 12 residues with a non-rotameric sidechain are listed below:

1 C 94 GLU	Mol	Chain	Res	Type
	1	С	94	GLU



Continued from previous page...

Mol	Chain	Res	Type
1	С	96	VAL
1	С	217	VAL
1	С	181	ILE
1	В	181	ILE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

#### 5.3.3 RNA (i)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

### 5.6 Ligand geometry (i)

Of 67 ligands modelled in this entry, 10 are monoatomic - leaving 57 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol Type		Chain	Dec	Tinle	Bond lengths			Bond angles					
IVIOI	woi Type Chain .	nes	LINK	Counts	RMSZ		# Z >2	2	Counts	RMSZ	# Z  >	> 2	
2	LUT	А	301	-	42,43,43	0.89		1 (2%)		51,60,60	1.53	10 (19	<mark>%)</mark>
5	CHL	В	311	10	66,74,74	1.98		15 (22%)		73,114,114	2.00	16 (21)	<mark>%)</mark>
6	CLA	В	308	10	62,70,73	2.71		15(24%)		72,109,113	1.91	13 (18)	<mark>%)</mark>
5	CHL	С	312	10	66,74,74	2.32		15 (22%)		73,114,114	2.02	20 (27)	%)
4	LHG	А	304	6	48,48,48	0.93		2 (4%)		51,54,54	1.01	2 (3%	<mark>5)</mark>



Mol	Tuno	Chain	Dog	Link	B	Bond lengths		Bond angles		
	туре	Chain	nes		Counts	RMSZ	# Z >2	Counts	RMSZ	# Z >2
6	CLA	С	314	1	65,73,73	2.36	15 (23%)	76,113,113	1.87	19 (25%)
5	CHL	А	312	10	66,74,74	2.27	14 (21%)	73,114,114	1.92	16 (21%)
6	CLA	А	317	1	65,73,73	2.16	14 (21%)	76,113,113	1.63	14 (18%)
6	CLA	А	306	1	65,73,73	2.14	15 (23%)	76,113,113	1.96	15 (19%)
6	CLA	А	308	10	62,70,73	2.70	14 (22%)	72,109,113	1.98	18 (25%)
6	CLA	С	315	4	65,73,73	2.60	16 (24%)	76,113,113	1.80	19 (25%)
5	CHL	С	311	10	66,74,74	1.99	15 (22%)	73,114,114	2.00	18 (24%)
6	CLA	В	315	4	65,73,73	2.48	15 (23%)	76,113,113	2.11	20 (26%)
6	CLA	С	318	1	39,48,73	3.01	16 (41%)	45,82,113	2.08	15 (33%)
6	CLA	В	307	1	65,73,73	2.47	16 (24%)	76,113,113	2.04	18 (23%)
5	CHL	С	305	1	66,74,74	2.12	15 (22%)	73,114,114	1.96	19 (26%)
5	CHL	В	305	1	66,74,74	2.38	15 (22%)	73,114,114	2.10	18 (24%)
5	CHL	А	310	10	51,59,74	2.78	14 (27%)	55,96,114	2.14	16 (29%)
6	CLA	В	316	1	65,73,73	2.63	14 (21%)	76,113,113	2.07	16 (21%)
2	LUT	С	302	-	42,43,43	0.82	1 (2%)	51,60,60	1.69	11 (21%)
2	LUT	В	302	-	42,43,43	0.99	3 (7%)	51,60,60	1.69	13 (25%)
6	CLA	А	315	4	65,73,73	2.53	15 (23%)	76,113,113	1.94	20 (26%)
6	CLA	С	317	1	65,73,73	2.40	17 (26%)	76,113,113	1.79	19 (25%)
6	CLA	А	318	1	41,49,73	<b>3.06</b>	17 (41%)	47,84,113	2.01	12 (25%)
6	CLA	А	307	1	65,73,73	2.19	15 (23%)	76,113,113	2.06	23 (30%)
5	CHL	А	305	1	66,74,74	1.99	14 (21%)	73,114,114	1.99	19 (26%)
6	CLA	А	316	1	65,73,73	2.88	14 (21%)	76,113,113	1.87	14 (18%)
5	CHL	В	309	1	48,56,74	2.55	13 (27%)	51,92,114	2.05	13 (25%)
3	NEX	В	303	-	38,46,46	0.97	2 (5%)	50,70,70	3.01	16 (32%)
3	NEX	С	303	-	38,46,46	1.02	1 (2%)	50,70,70	3.13	17 (34%)
2	LUT	А	302	-	42,43,43	0.88	1 (2%)	51,60,60	1.53	8 (15%)
3	NEX	А	303	-	38,46,46	0.97	2 (5%)	50,70,70	<b>3.03</b>	17 (34%)
4	LHG	В	304	6	48,48,48	0.98	2 (4%)	51,54,54	1.10	3 (5%)
4	LHG	С	304	6	48,48,48	0.95	2 (4%)	51,54,54	1.03	4 (7%)
6	CLA	С	306	1	65,73,73	2.56	16 (24%)	76,113,113	1.95	22 (28%)
6	CLA	В	314	1	65,73,73	2.26	15 (23%)	76,113,113	1.72	15 (19%)
6	CLA	С	307	1	65,73,73	2.24	16 (24%)	76,113,113	2.02	24 (31%)
5	CHL	В	310	10	51,59,74	2.55	13 (25%)	55,96,114	2.16	14 (25%)
6	CLA	С	308	10	62,70,73	2.19	14 (22%)	72,109,113	1.85	17 (23%)
7	CAC	А	319	8	0,4,4	-	-	0,6,6	-	-



Mal	Turne	Chain	Dec	Tink	Bond lengths			Bond angles		
	туре	Unam	nes	LIIIK	Counts	RMSZ	# Z >2	Counts	RMSZ	# Z  > 2
5	CHL	С	310	10	51,59,74	2.48	15 (29%)	55,96,114	2.16	16 (29%)
5	CHL	А	309	1	48,56,74	2.59	15 (31%)	51,92,114	2.23	14 (27%)
5	CHL	В	313	1	66,74,74	2.25	11 (16%)	73,114,114	1.71	15 (20%)
5	CHL	С	309	1	48,56,74	2.62	16 (33%)	51,92,114	2.06	15 (29%)
2	LUT	В	301	-	42,43,43	0.88	0	51,60,60	1.71	14 (27%)
5	CHL	С	313	1	66,74,74	2.13	15 (22%)	73,114,114	1.79	18 (24%)
6	CLA	А	314	1	65,73,73	2.44	15 (23%)	76,113,113	1.81	17 (22%)
6	CLA	С	316	1	65,73,73	2.56	13 (20%)	76,113,113	1.96	17 (22%)
7	CAC	В	319	8	0,4,4	-	-	0,6,6	-	-
7	CAC	С	319	8	0,4,4	-	-	0,6,6	-	-
2	LUT	С	301	-	42,43,43	1.02	1 (2%)	51,60,60	1.89	15 (29%)
5	CHL	А	313	1	66,74,74	2.22	14 (21%)	73,114,114	1.71	13 (17%)
5	CHL	А	311	10	66,74,74	2.23	12 (18%)	73,114,114	1.82	13 (17%)
5	CHL	В	312	10	66,74,74	2.08	16 (24%)	73,114,114	1.78	18 (24%)
6	CLA	В	318	1	41,49,73	3.10	17 (41%)	47,84,113	2.01	12 (25%)
6	CLA	В	306	1	65,73,73	2.21	15 (23%)	76,113,113	1.92	18 (23%)
6	CLA	В	317	1	65,73,73	2.21	11 (16%)	76,113,113	1.63	15 (19%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	LUT	А	301	-	-	2/29/67/67	0/2/2/2
5	CHL	В	311	10	4/4/20/26	22/39/137/137	-
6	CLA	В	308	10	-	13/34/112/115	-
5	CHL	С	312	10	4/4/20/26	13/39/137/137	-
4	LHG	А	304	6	-	17/53/53/53	-
6	CLA	С	314	1	-	9/37/115/115	-
5	CHL	А	312	10	4/4/20/26	11/39/137/137	-
6	CLA	А	317	1	-	18/37/115/115	-
6	CLA	А	306	1	-	7/37/115/115	-
6	CLA	А	308	10	-	16/34/112/115	-
6	CLA	С	315	4	-	10/37/115/115	-
5	CHL	С	311	10	4/4/20/26	20/39/137/137	-



Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	CLA	В	315	4	-	12/37/115/115	-
6	CLA	С	318	1	-	1/8/82/115	-
6	CLA	В	307	1	-	13/37/115/115	-
5	CHL	С	305	1	4/4/20/26	26/39/137/137	-
5	CHL	В	305	1	4/4/20/26	27/39/137/137	-
5	CHL	А	310	10	3/3/17/26	8/21/119/137	-
6	CLA	В	316	1	1/1/15/20	12/37/115/115	-
2	LUT	С	302	-	-	3/29/67/67	0/2/2/2
2	LUT	В	302	-	_	1/29/67/67	0/2/2/2
6	CLA	А	315	4	-	14/37/115/115	-
6	CLA	С	317	1	-	11/37/115/115	-
6	CLA	А	318	1	-	1/8/86/115	-
6	CLA	А	307	1	1/1/15/20	14/37/115/115	-
5	CHL	А	305	1	4/4/20/26	27/39/137/137	-
6	CLA	А	316	1	-	13/37/115/115	-
5	CHL	В	309	1	3/3/16/26	7/18/116/137	-
3	NEX	В	303	-	-	4/27/83/83	0/3/3/3
3	NEX	С	303	-	_	5/27/83/83	0/3/3/3
2	LUT	А	302	-	-	3/29/67/67	0/2/2/2
3	NEX	А	303	-	-	4/27/83/83	0/3/3/3
4	LHG	В	304	6	-	17/53/53/53	-
4	LHG	С	304	6	-	14/53/53/53	-
6	CLA	С	306	1	-	9/37/115/115	-
6	CLA	В	314	1	-	4/37/115/115	-
6	CLA	С	307	1	-	13/37/115/115	-
5	CHL	В	310	10	3/3/17/26	7/21/119/137	-
6	CLA	С	308	10	-	11/34/112/115	-
5	CHL	С	310	10	3/3/17/26	6/21/119/137	-
5	CHL	А	309	1	3/3/16/26	5/18/116/137	-
5	CHL	В	313	1	4/4/20/26	13/39/137/137	-
5	CHL	С	309	1	3/3/16/26	1/18/116/137	-
2	LUT	В	301	-	_	1/29/67/67	0/2/2/2
5	CHL	С	313	1	4/4/20/26	15/39/137/137	-
6	CLA	А	314	1	-	3/37/115/115	-
6	CLA	С	316	1	-	12/37/115/115	-



Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	CHL	А	313	1	4/4/20/26	14/39/137/137	-
2	LUT	С	301	-	-	3/29/67/67	0/2/2/2
5	CHL	А	311	10	4/4/20/26	21/39/137/137	-
5	CHL	В	312	10	4/4/20/26	13/39/137/137	-
6	CLA	В	318	1	-	1/8/86/115	-
6	CLA	В	306	1	-	6/37/115/115	-
6	CLA	В	317	1	-	20/37/115/115	-

The worst 5 of 635 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	А	316	CLA	MG-NA	18.03	2.49	2.06
6	А	308	CLA	MG-NA	15.46	2.43	2.06
6	В	316	CLA	MG-NA	15.07	2.42	2.06
6	С	316	CLA	MG-NA	14.04	2.39	2.06
5	А	310	CHL	MG-NA	13.49	2.38	2.06

The worst 5 of 833 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
3	С	303	NEX	O24-C25-C24	16.37	125.68	113.38
3	В	303	NEX	O24-C25-C24	15.85	125.29	113.38
3	А	303	NEX	O24-C25-C24	14.75	124.46	113.38
6	А	314	CLA	C4A-NA-C1A	7.55	110.10	106.71
5	А	312	CHL	C4A-NA-C1A	7.47	110.06	106.71

5 of 68 chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
5	А	305	CHL	NA
5	А	305	CHL	C8
5	А	305	CHL	ND
5	А	305	CHL	NC
5	А	309	CHL	NA

5 of 573 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	А	303	NEX	C11-C12-C13-C14
3	А	303	NEX	C11-C12-C13-C20



Continued from previous page...

Mol	Chain	Res	Type	Atoms
3	В	303	NEX	O24-C26-C27-C28
4	А	304	LHG	C4-O6-P-O3
4	А	304	LHG	C4-O6-P-O4

There are no ring outliers.

51 monomers are involved in 204 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	А	301	LUT	5	0
5	В	311	CHL	4	0
6	В	308	CLA	1	0
5	С	312	CHL	5	0
4	А	304	LHG	9	0
6	С	314	CLA	7	0
5	А	312	CHL	5	0
6	А	317	CLA	7	0
6	А	306	CLA	7	0
6	С	315	CLA	2	0
5	С	311	CHL	3	0
6	В	315	CLA	5	0
6	С	318	CLA	2	0
6	В	307	CLA	16	0
5	С	305	CHL	8	0
5	В	305	CHL	10	0
5	А	310	CHL	2	0
6	В	316	CLA	7	0
2	С	302	LUT	5	0
2	В	302	LUT	6	0
6	А	315	CLA	3	0
6	С	317	CLA	4	0
6	А	318	CLA	1	0
6	А	307	CLA	18	0
5	А	305	CHL	7	0
6	А	316	CLA	4	0
5	В	309	CHL	1	0
3	В	303	NEX	3	0
3	С	303	NEX	3	0
2	А	302	LUT	1	0
3	А	303	NEX	3	0
4	В	304	LHG	5	0
4	С	304	LHG	5	0
6	С	306	CLA	15	0



Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	В	314	CLA	9	0
6	С	307	CLA	23	0
5	В	310	CHL	2	0
5	С	310	CHL	1	0
5	А	309	CHL	2	0
5	В	313	CHL	3	0
2	В	301	LUT	9	0
5	С	313	CHL	5	0
6	А	314	CLA	10	0
6	С	316	CLA	2	0
2	С	301	LUT	2	0
5	А	313	CHL	6	0
5	А	311	CHL	3	0
5	В	312	CHL	3	0
6	В	318	CLA	1	0
6	В	306	CLA	12	0
6	В	317	CLA	3	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.








































































































### 5.7 Other polymers (i)

There are no such residues in this entry.

# 5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



## 6 Fit of model and data (i)

### 6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median,  $95^{th}$  percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	$\langle RSRZ \rangle$	#RSRZ>2	$OWAB(Å^2)$	Q<0.9
1	А	208/224~(92%)	0.01	14 (6%) 17 13	6, 39, 77, 97	0
1	В	208/224~(92%)	-0.17	7 (3%) 45 38	8, 34, 67, 94	0
1	С	208/224~(92%)	-0.20	10 (4%) 30 24	6, 33, 69, 107	0
All	All	624/672~(92%)	-0.12	31 (4%) 28 23	6, 35, 70, 107	0

The worst 5 of 31 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	А	89	GLY	4.5
1	С	217	VAL	4.5
1	В	89	GLY	4.5
1	В	88	ASN	4.4
1	А	213	LEU	4.2

#### 6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

#### 6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

#### 6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median,  $95^{th}$  percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.



Mol	Type	Chain	Res	Atoms	RSCC	RSR	$B-factors(A^2)$	Q<0.9
9	NA	С	322	1/1	-0.09	0.39	80,80,80,80	1
9	NA	С	320	1/1	0.84	0.21	60,60,60,60	0
6	CLA	А	318	41/65	0.85	0.31	44,79,96,119	0
3	NEX	В	303	44/44	0.88	0.23	26,42,94,97	0
6	CLA	В	318	41/65	0.88	0.24	44,76,92,115	0
3	NEX	С	303	44/44	0.91	0.20	14,32,90,92	0
6	CLA	С	318	40/65	0.91	0.23	36,69,91,110	0
9	NA	В	322	1/1	0.91	0.17	$47,\!47,\!47,\!47$	0
6	CLA	А	315	65/65	0.91	0.21	$28,\!48,\!76,\!86$	0
3	NEX	А	303	44/44	0.91	0.22	26,39,94,96	0
5	CHL	С	311	66/66	0.92	0.19	$11,\!31,\!94,\!115$	0
5	CHL	А	311	66/66	0.92	0.18	$19,\!37,\!99,\!119$	0
8	ZN	А	322	1/1	0.92	0.21	122,122,122,122	0
6	CLA	А	316	65/65	0.92	0.21	30,41,88,98	0
5	CHL	С	309	48/66	0.92	0.22	$26,\!43,\!97,\!104$	0
6	CLA	В	315	65/65	0.92	0.23	$20,\!43,\!74,\!83$	0
6	CLA	С	315	65/65	0.93	0.20	$21,\!45,\!74,\!87$	0
6	CLA	С	316	65/65	0.93	0.20	22,37,84,97	0
5	CHL	А	305	66/66	0.93	0.18	17,32,86,104	0
5	CHL	В	309	48/66	0.93	0.23	$35,\!52,\!99,\!105$	0
6	CLA	А	308	62/65	0.93	0.17	20,35,82,89	0
6	CLA	В	316	65/65	0.93	0.25	$28,\!41,\!89,\!99$	0
5	CHL	В	311	66/66	0.93	0.18	21,38,99,119	0
4	LHG	В	304	49/49	0.94	0.20	$14,\!40,\!98,\!107$	0
6	CLA	С	308	62/65	0.94	0.16	$12,\!28,\!80,\!87$	0
6	CLA	С	314	65/65	0.94	0.19	$15,\!27,\!79,\!93$	0
4	LHG	А	304	49/49	0.94	0.18	$19,\!42,\!98,\!108$	0
6	CLA	А	317	65/65	0.94	0.18	$21,\!37,\!90,\!99$	0
5	CHL	С	312	66/66	0.94	0.16	$9,\!32,\!66,\!79$	0
6	CLA	В	308	62/65	0.94	0.18	$21,\!37,\!83,\!91$	0
6	CLA	В	314	65/65	0.94	0.20	24,31,80,96	0
5	CHL	А	309	48/66	0.94	0.26	$32,\!48,\!95,\!101$	0
6	CLA	А	314	65/65	0.94	0.18	$23,\!34,\!78,\!93$	0
5	CHL	А	310	51/66	0.95	0.16	$21,\!36,\!94,\!100$	0
5	CHL	С	313	66/66	0.95	0.18	$5,\!21,\!66,\!80$	0
2	LUT	С	301	42/42	0.95	0.17	$15,\!22,\!35,\!57$	0
6	CLA	С	317	65/65	0.95	0.16	16,31,87,95	0
5	CHL	В	312	66/66	0.95	0.15	22,40,71,83	0
5	CHL	С	305	66/66	0.95	0.16	14,34,87,104	0
6	CLA	В	317	65/65	0.95	0.17	14,30,85,94	0
5	CHL	A	312	66/66	0.95	0.14	$19,\!36,\!68,\!81$	0
5	CHL	В	305	66/66	0.95	0.16	8,26,81,100	0
2	LUT	A	302	42/42	0.96	0.16	7,21,31,37	0

Continued on next page...



4	LC	$^{\rm Z}$
4	LC	$\mathbf{Z}$

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
5	CHL	В	313	66/66	0.96	0.17	14,28,69,85	0
4	LHG	С	304	49/49	0.96	0.18	$16,\!42,\!96,\!107$	0
5	CHL	А	313	66/66	0.96	0.16	14,25,68,82	0
5	CHL	С	310	51/66	0.96	0.13	13,27,89,94	0
6	CLA	В	307	65/65	0.96	0.20	9,20,82,94	0
2	LUT	В	301	42/42	0.96	0.15	$18,\!26,\!42,\!62$	0
2	LUT	В	302	42/42	0.96	0.16	$6,\!19,\!32,\!35$	0
8	ZN	С	321	1/1	0.96	0.13	64,64,64,64	0
5	CHL	В	310	51/66	0.96	0.13	$20,\!32,\!92,\!97$	0
6	CLA	А	306	65/65	0.96	0.17	$13,\!21,\!43,\!63$	0
2	LUT	А	301	42/42	0.96	0.15	$20,\!25,\!39,\!61$	0
9	NA	С	323	1/1	0.96	0.22	$68,\!68,\!68,\!68$	0
6	CLA	С	307	65/65	0.97	0.21	$6,\!18,\!80,\!92$	0
6	CLA	В	306	65/65	0.97	0.16	$9,\!19,\!39,\!58$	0
6	CLA	А	307	65/65	0.97	0.21	10,20,81,93	0
7	CAC	С	319	5/5	0.97	0.18	57,62,79,156	0
6	CLA	С	306	65/65	0.97	0.17	7,19,41,60	0
8	ZN	В	321	1/1	0.98	0.12	$66,\!66,\!66,\!66$	0
7	CAC	В	319	5/5	0.98	0.17	$59,\!62,\!68,\!97$	0
2	LUT	С	302	42/42	0.98	0.15	$6,\!16,\!30,\!35$	0
8	ZN	А	320	1/1	0.98	0.09	98,98,98,98	0
8	ZN	А	321	1/1	0.98	0.09	56, 56, 56, 56	0
7	CAC	A	319	5/5	0.98	0.17	57,59,68,81	0
9	NA	В	320	1/1	0.99	0.05	$4\overline{2,}42,42,42$	0

Continued from previous page...

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.
































































































































































## 6.5 Other polymers (i)

There are no such residues in this entry.

