



Full wwPDB X-ray Structure Validation Report ⓘ

May 25, 2020 – 05:00 pm BST

PDB ID : 5LGE
Title : Crystal Structure of human IDH1 mutant (R132H) in complex with NADP+ and an Inhibitor related to BAY 1436032
Authors : Hillig, R.C.; Hars, U.; Korndorfer, I.P.
Deposited on : 2016-07-07
Resolution : 2.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.11
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.11


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	2808 (2.70-2.70)
Clashscore	141614	3122 (2.70-2.70)
Ramachandran outliers	138981	3069 (2.70-2.70)
Sidechain outliers	138945	3069 (2.70-2.70)
RSRZ outliers	127900	2737 (2.70-2.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	425	 7% 86% 8% . .
1	B	425	 8% 86% 8% . .
1	C	425	 4% 88% 8% . .
1	D	425	 8% 89% 7% . .

2 Entry composition i

There are 6 unique types of molecules in this entry. The entry contains 13809 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Isocitrate dehydrogenase [NADP] cytoplasmic.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	406	Total 3222	C 2052	N 545	O 607	S 18	0	0	0
1	B	407	Total 3235	C 2061	N 547	O 609	S 18	0	1	0
1	C	414	Total 3297	C 2098	N 559	O 622	S 18	0	3	0
1	D	412	Total 3274	C 2083	N 555	O 618	S 18	0	1	0

There are 48 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	132	HIS	ARG	engineered mutation	UNP O75874
A	415	SER	-	expression tag	UNP O75874
A	416	LEU	-	expression tag	UNP O75874
A	417	GLU	-	expression tag	UNP O75874
A	418	HIS	-	expression tag	UNP O75874
A	419	HIS	-	expression tag	UNP O75874
A	420	HIS	-	expression tag	UNP O75874
A	421	HIS	-	expression tag	UNP O75874
A	422	HIS	-	expression tag	UNP O75874
A	423	HIS	-	expression tag	UNP O75874
A	424	HIS	-	expression tag	UNP O75874
A	425	HIS	-	expression tag	UNP O75874
B	132	HIS	ARG	engineered mutation	UNP O75874
B	415	SER	-	expression tag	UNP O75874
B	416	LEU	-	expression tag	UNP O75874
B	417	GLU	-	expression tag	UNP O75874
B	418	HIS	-	expression tag	UNP O75874
B	419	HIS	-	expression tag	UNP O75874
B	420	HIS	-	expression tag	UNP O75874
B	421	HIS	-	expression tag	UNP O75874
B	422	HIS	-	expression tag	UNP O75874

Continued on next page...


Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	423	HIS	-	expression tag	UNP O75874
B	424	HIS	-	expression tag	UNP O75874
B	425	HIS	-	expression tag	UNP O75874
C	132	HIS	ARG	engineered mutation	UNP O75874
C	415	SER	-	expression tag	UNP O75874
C	416	LEU	-	expression tag	UNP O75874
C	417	GLU	-	expression tag	UNP O75874
C	418	HIS	-	expression tag	UNP O75874
C	419	HIS	-	expression tag	UNP O75874
C	420	HIS	-	expression tag	UNP O75874
C	421	HIS	-	expression tag	UNP O75874
C	422	HIS	-	expression tag	UNP O75874
C	423	HIS	-	expression tag	UNP O75874
C	424	HIS	-	expression tag	UNP O75874
C	425	HIS	-	expression tag	UNP O75874
D	132	HIS	ARG	engineered mutation	UNP O75874
D	415	SER	-	expression tag	UNP O75874
D	416	LEU	-	expression tag	UNP O75874
D	417	GLU	-	expression tag	UNP O75874
D	418	HIS	-	expression tag	UNP O75874
D	419	HIS	-	expression tag	UNP O75874
D	420	HIS	-	expression tag	UNP O75874
D	421	HIS	-	expression tag	UNP O75874
D	422	HIS	-	expression tag	UNP O75874
D	423	HIS	-	expression tag	UNP O75874
D	424	HIS	-	expression tag	UNP O75874
D	425	HIS	-	expression tag	UNP O75874

- Molecule 2 is NADP NICOTINAMIDE-ADENINE-DINUCLEOTIDE PHOSPHATE (three-letter code: NAP) (formula: C₂₁H₂₈N₇O₁₇P₃).


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			4	2	2		
3	C	1	Total	C	O	0	0
			4	2	2		
3	C	1	Total	C	O	0	0
			4	2	2		

- Molecule 4 is 2-[(4-propan-2-ylphenyl)amino]-1-[(1 {S},5 {S})-3,3,5-trimethylcyclohexyl]benzimidazole-5-carboxylic acid (three-letter code: 6VN) (formula: C₂₆H₃₃N₃O₂).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	B	1	Total	C	N	O	0	0
			31	26	3	2		
4	D	1	Total	C	N	O	0	0
			31	26	3	2		

- Molecule 5 is ACETATE ION (three-letter code: ACT) (formula: C₂H₃O₂).



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	D	1	Total	C O	0	0
			4	2 2		


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	140	Total	O	0	0
			140	140		
6	B	133	Total	O	0	0
			133	133		
6	C	137	Total	O	0	0
			137	137		
6	D	101	Total	O	0	0
			101	101		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Isocitrate dehydrogenase [NADP] cytoplasmic




- Molecule 1: Isocitrate dehydrogenase [NADP] cytoplasmic



- Molecule 1: Isocitrate dehydrogenase [NADP] cytoplasmic



- Molecule 1: Isocitrate dehydrogenase [NADP] cytoplasmic



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	96.90Å 110.32Å 198.54Å 90.00° 91.19° 90.00°	Depositor
Resolution (Å)	29.94 – 2.70 29.94 – 2.70	Depositor EDS
% Data completeness (in resolution range)	98.5 (29.94-2.70) 98.6 (29.94-2.70)	Depositor EDS
R_{merge}	0.12	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.90 (at 2.68Å)	Xtrriage
Refinement program	REFMAC 5.8.0135	Depositor
R, R_{free}	0.195 , 0.230 0.196 , 0.231	Depositor DCC
R_{free} test set	2839 reflections (5.01%)	wwPDB-VP
Wilson B-factor (Å ²)	56.9	Xtrriage
Anisotropy	0.224	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 45.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	0.023 for -h,-k,l	Xtrriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	13809	wwPDB-VP
Average B, all atoms (Å ²)	73.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 14.53% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: 6VN, NAP, EDO, ACT

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.47	0/3289	0.74	8/4432 (0.2%)
1	B	0.48	0/3305	0.73	2/4455 (0.0%)
1	C	0.47	0/3374	0.69	1/4547 (0.0%)
1	D	0.49	1/3346 (0.0%)	0.72	4/4511 (0.1%)
All	All	0.48	1/13314 (0.0%)	0.72	15/17945 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	C	0	1
1	D	0	1
All	All	0	2

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	D	12	GLU	CD-OE2	-8.12	1.16	1.25

All (15) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	12	GLU	CG-CD-OE1	9.25	136.80	118.30
1	D	12	GLU	CG-CD-OE2	-8.16	101.97	118.30
1	A	270	LYS	CA-CB-CG	7.12	129.06	113.40
1	B	416	LEU	CA-CB-CG	6.58	130.44	115.30
1	B	338	ARG	CG-CD-NE	-6.15	98.88	111.80
1	A	140	ARG	NE-CZ-NH1	6.14	123.37	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	338	ARG	NE-CZ-NH2	-5.53	117.53	120.30
1	C	338	ARG	NE-CZ-NH2	-5.33	117.63	120.30
1	D	338	ARG	NE-CZ-NH2	-5.23	117.68	120.30
1	A	66	LYS	CB-CG-CD	-5.09	98.36	111.60
1	A	109	ARG	NE-CZ-NH1	5.08	122.84	120.30
1	A	100	ARG	NE-CZ-NH1	5.06	122.83	120.30
1	A	12	GLU	CG-CD-OE2	5.05	128.40	118.30
1	A	273	ASP	CB-CG-OD2	5.04	122.83	118.30
1	D	100	ARG	NE-CZ-NH1	5.02	122.81	120.30

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	C	212	LYS	Peptide
1	D	414	LEU	Peptide

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3222	0	3189	14	0
1	B	3235	0	3209	18	1
1	C	3297	0	3276	14	1
1	D	3274	0	3241	9	0
2	A	48	0	25	1	0
2	B	48	0	25	1	0
2	C	48	0	25	3	0
2	D	48	0	25	0	0
3	A	4	0	6	0	0
3	C	8	0	12	0	0
4	B	31	0	0	1	0
4	D	31	0	0	1	0
5	D	4	0	3	0	0
6	A	140	0	0	0	0
6	B	133	0	0	7	0
6	C	137	0	0	4	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
6	D	101	0	0	1	0
All	All	13809	0	13036	47	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (47) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:14[B]:GLN:NE2	6:C:601:HOH:O	1.87	1.07
1:B:14[B]:GLN:OE1	6:B:602:HOH:O	1.71	1.06
1:B:14[B]:GLN:CD	6:B:602:HOH:O	2.03	0.95
1:C:14[B]:GLN:CD	6:C:601:HOH:O	2.17	0.77
1:A:135:TYR:HE2	1:B:215:ILE:HG23	1.52	0.75
1:A:135:TYR:CE2	1:B:215:ILE:HG23	2.27	0.69
1:B:292:THR:OG1	1:B:338:ARG:NH1	2.28	0.66
1:B:215:ILE:HG22	1:B:216:LEU:HD13	1.77	0.66
1:C:120:LEU:HD22	1:D:120:LEU:HD22	1.81	0.61
1:C:170:HIS:CD2	1:D:183:TYR:CE2	2.90	0.60
1:B:172:PHE:HD1	6:B:604:HOH:O	1.83	0.60
1:B:14[A]:GLN:OE1	6:B:601:HOH:O	0.60	0.59
1:A:276:VAL:HG11	4:B:502:6VN:C5	2.33	0.59
1:A:53:ASN:ND2	1:C:89:LYS:HD2	2.19	0.57
1:C:213:ASN:OD1	1:C:215:ILE:HG23	2.04	0.57
1:C:75:THR:O	2:C:501:NAP:H2N	2.05	0.56
1:A:146:VAL:HG12	1:A:177:GLY:C	2.25	0.56
1:B:14[B]:GLN:NE2	6:B:602:HOH:O	2.35	0.56
1:D:282:ALA:HA	1:D:291:MET:HE3	1.88	0.55
1:A:270:LYS:HD3	1:A:270:LYS:C	2.29	0.53
1:A:75:THR:O	2:A:501:NAP:H2N	2.08	0.53
1:B:282:ALA:HA	1:B:291:MET:HE3	1.91	0.53
1:D:282:ALA:HB3	1:D:288:LEU:HD23	1.93	0.50
1:D:151:LYS:NZ	6:D:602:HOH:O	2.45	0.50
1:A:271:ASN:ND2	1:A:275:ASP:OD1	2.45	0.49
1:A:135:TYR:CE2	1:B:215:ILE:CG2	2.99	0.46
2:B:501:NAP:C5N	6:B:683:HOH:O	2.62	0.46
1:D:132[B]:HIS:NE2	4:D:503:6VN:O	2.50	0.45
1:A:120:LEU:HD22	1:B:120:LEU:HD22	1.99	0.45
1:B:233:LYS:HG3	1:B:234:GLN:HG3	1.99	0.44
1:B:212:LYS:C	1:B:214:THR:H	2.21	0.44
1:C:109[B]:ARG:NH2	1:C:279:ASP:OD1	2.50	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:216:LEU:HD22	1:D:143:ASP:HB3	2.00	0.43
1:B:18:MET:HA	1:B:21:ILE:HD12	2.01	0.43
1:C:169:VAL:HG12	1:D:183:TYR:CD1	2.54	0.42
1:A:170:HIS:CG	1:B:183:TYR:CE2	3.08	0.42
1:B:321:LYS:HE2	6:B:718:HOH:O	2.20	0.42
1:C:273:ASP:OD1	1:C:274:GLY:N	2.53	0.42
1:D:22:ILE:HD11	1:D:327:THR:HB	2.02	0.42
2:C:501:NAP:C5N	6:C:713:HOH:O	2.67	0.42
2:C:501:NAP:C6N	6:C:713:HOH:O	2.66	0.42
1:A:53:ASN:HD21	1:C:89:LYS:HD2	1.82	0.42
1:A:22:ILE:HD11	1:A:327:THR:HB	2.03	0.41
1:C:278:SER:OG	1:C:279:ASP:N	2.54	0.41
1:C:22:ILE:HD11	1:C:327:THR:HB	2.03	0.40
1:B:22:ILE:HD11	1:B:327:THR:HB	2.03	0.40
1:A:278:SER:OG	1:A:279:ASP:N	2.53	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:66:LYS:NZ	1:C:174:GLU:OE1[1_545]	2.18	0.02

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	400/425 (94%)	385 (96%)	13 (3%)	2 (0%)	29 54
1	B	404/425 (95%)	389 (96%)	15 (4%)	0	100 100
1	C	413/425 (97%)	397 (96%)	15 (4%)	1 (0%)	47 73
1	D	409/425 (96%)	393 (96%)	14 (3%)	2 (0%)	29 54

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
All	All	1626/1700 (96%)	1564 (96%)	57 (4%)	5 (0%)	41 66

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	D	213	ASN
1	D	278	SER
1	A	213	ASN
1	C	273	ASP
1	A	273	ASP

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	343/361 (95%)	320 (93%)	23 (7%)	16 37
1	B	345/361 (96%)	316 (92%)	29 (8%)	11 25
1	C	353/361 (98%)	328 (93%)	25 (7%)	14 34
1	D	350/361 (97%)	326 (93%)	24 (7%)	15 35
All	All	1391/1444 (96%)	1290 (93%)	101 (7%)	15 33

All (101) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	12	GLU
1	A	28	GLU
1	A	93	LYS
1	A	100	ARG
1	A	119	ARG
1	A	120	LEU
1	A	140	ARG
1	A	171	ASN
1	A	212	LYS
1	A	216	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	222	ARG
1	A	251	ILE
1	A	255	VAL
1	A	259	MET
1	A	269	CYS
1	A	270	LYS
1	A	273	ASP
1	A	275	ASP
1	A	277	GLN
1	A	283	GLN
1	A	304	GLU
1	A	348	ASN
1	A	408	LYS
1	B	12	GLU
1	B	14[A]	GLN
1	B	14[B]	GLN
1	B	28	GLU
1	B	93	LYS
1	B	100	ARG
1	B	119	ARG
1	B	120	LEU
1	B	140	ARG
1	B	171	ASN
1	B	209	LEU
1	B	212	LYS
1	B	213	ASN
1	B	214	THR
1	B	216	LEU
1	B	222	ARG
1	B	251	ILE
1	B	255	VAL
1	B	259	MET
1	B	269	CYS
1	B	275	ASP
1	B	278	SER
1	B	281	VAL
1	B	288	LEU
1	B	304	GLU
1	B	348	ASN
1	B	408	LYS
1	B	414	LEU
1	B	416	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	3	LYS
1	C	12	GLU
1	C	14[A]	GLN
1	C	14[B]	GLN
1	C	28[A]	GLU
1	C	28[B]	GLU
1	C	93	LYS
1	C	100	ARG
1	C	119	ARG
1	C	120	LEU
1	C	132	HIS
1	C	171	ASN
1	C	209	LEU
1	C	212	LYS
1	C	222	ARG
1	C	251	ILE
1	C	255	VAL
1	C	259	MET
1	C	269	CYS
1	C	277	GLN
1	C	283	GLN
1	C	304	GLU
1	C	348	ASN
1	C	408	LYS
1	C	414	LEU
1	D	93	LYS
1	D	100	ARG
1	D	119	ARG
1	D	120	LEU
1	D	132[A]	HIS
1	D	132[B]	HIS
1	D	140	ARG
1	D	171	ASN
1	D	209	LEU
1	D	212	LYS
1	D	214	THR
1	D	222	ARG
1	D	251	ILE
1	D	255	VAL
1	D	259	MET
1	D	269	CYS
1	D	273	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	275	ASP
1	D	278	SER
1	D	304	GLU
1	D	348	ASN
1	D	408	LYS
1	D	413	LYS
1	D	415	SER

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (13) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	53	ASN
1	A	170	HIS
1	A	171	ASN
1	A	283	GLN
1	A	323	GLN
1	B	171	ASN
1	B	323	GLN
1	B	348	ASN
1	C	171	ASN
1	D	171	ASN
1	D	271	ASN
1	D	323	GLN
1	D	348	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry

10 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	NAP	A	501	-	45,52,52	0.88	3 (6%)	56,80,80	1.27	6 (10%)
4	6VN	D	503	-	28,34,34	1.52	2 (7%)	37,51,51	1.04	1 (2%)
2	NAP	C	501	-	45,52,52	0.87	2 (4%)	56,80,80	1.22	6 (10%)
3	EDO	C	503	-	3,3,3	0.47	0	2,2,2	0.32	0
3	EDO	C	502	-	3,3,3	0.48	0	2,2,2	0.28	0
3	EDO	A	502	-	3,3,3	0.48	0	2,2,2	0.23	0
5	ACT	D	502	-	1,3,3	1.15	0	0,3,3	0.00	-
2	NAP	B	501	-	45,52,52	0.82	2 (4%)	56,80,80	1.20	5 (8%)
4	6VN	B	502	-	28,34,34	1.68	2 (7%)	37,51,51	0.79	0
2	NAP	D	501	-	45,52,52	0.82	1 (2%)	56,80,80	1.46	8 (14%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAP	A	501	-	-	16/31/67/67	0/5/5/5
4	6VN	D	503	-	-	0/6/30/30	0/4/4/4
2	NAP	C	501	-	-	12/31/67/67	0/5/5/5
3	EDO	C	503	-	-	0/1/1/1	-
3	EDO	C	502	-	-	0/1/1/1	-
3	EDO	A	502	-	-	0/1/1/1	-
2	NAP	B	501	-	-	12/31/67/67	0/5/5/5
4	6VN	B	502	-	-	0/6/30/30	0/4/4/4
2	NAP	D	501	-	-	10/31/67/67	0/5/5/5

All (12) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	B	502	6VN	C4-C7	7.02	1.54	1.47
4	D	503	6VN	C4-C7	5.32	1.52	1.47
4	D	503	6VN	C13-N2	-3.96	1.32	1.40
4	B	502	6VN	C13-N2	-3.77	1.32	1.40
2	C	501	NAP	C5A-C4A	2.55	1.47	1.40
2	A	501	NAP	C5A-C4A	2.54	1.47	1.40
2	B	501	NAP	C5A-C4A	2.52	1.47	1.40
2	C	501	NAP	O4B-C1B	2.48	1.44	1.41
2	D	501	NAP	C5A-C4A	2.29	1.47	1.40
2	A	501	NAP	C2A-N3A	2.11	1.35	1.32
2	B	501	NAP	O4B-C1B	2.10	1.44	1.41
2	A	501	NAP	O4B-C1B	2.06	1.44	1.41

All (26) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	501	NAP	N3A-C2A-N1A	-4.10	122.27	128.68
2	D	501	NAP	C6N-N1N-C2N	-3.83	118.48	121.97
2	C	501	NAP	C6N-N1N-C2N	-3.74	118.56	121.97
2	B	501	NAP	N3A-C2A-N1A	-3.53	123.17	128.68
2	D	501	NAP	O4D-C1D-C2D	-3.48	101.84	106.93
2	A	501	NAP	N3A-C2A-N1A	-3.41	123.35	128.68
2	C	501	NAP	N3A-C2A-N1A	-3.39	123.37	128.68
2	A	501	NAP	C6N-N1N-C2N	-3.35	118.92	121.97
2	A	501	NAP	PN-O3-PA	-3.19	121.87	132.83
2	D	501	NAP	C3N-C7N-N7N	2.96	121.30	117.75
2	B	501	NAP	C4A-C5A-N7A	-2.92	106.36	109.40
2	D	501	NAP	PN-O3-PA	-2.83	123.12	132.83
2	D	501	NAP	O7N-C7N-C3N	-2.81	116.27	119.63
2	B	501	NAP	C6N-N1N-C2N	-2.80	119.42	121.97
2	A	501	NAP	C3N-C2N-N1N	2.51	122.88	120.43
2	B	501	NAP	O4D-C1D-C2D	-2.50	103.27	106.93
2	A	501	NAP	O2B-P2B-O1X	-2.41	100.10	109.39
2	A	501	NAP	C4A-C5A-N7A	-2.34	106.97	109.40
2	D	501	NAP	C4A-C5A-N7A	-2.32	106.98	109.40
2	C	501	NAP	C4A-C5A-N7A	-2.28	107.02	109.40
2	C	501	NAP	C3N-C2N-N1N	2.22	122.59	120.43
2	C	501	NAP	O4D-C1D-C2D	-2.15	103.78	106.93
2	B	501	NAP	O3X-P2B-O2X	2.14	115.81	107.64
2	D	501	NAP	C2A-N1A-C6A	2.14	122.41	118.75
2	C	501	NAP	O2B-P2B-O1X	-2.05	101.46	109.39
4	D	503	6VN	C4-C2-C	-2.04	119.65	121.44

There are no chirality outliers.

All (50) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	501	NAP	C5B-O5B-PA-O1A
2	A	501	NAP	C5B-O5B-PA-O3
2	A	501	NAP	C2B-O2B-P2B-O1X
2	A	501	NAP	C5D-O5D-PN-O1N
2	A	501	NAP	C5D-O5D-PN-O2N
2	A	501	NAP	O4D-C1D-N1N-C2N
2	A	501	NAP	O4D-C1D-N1N-C6N
2	A	501	NAP	C2D-C1D-N1N-C2N
2	A	501	NAP	C2D-C1D-N1N-C6N
2	C	501	NAP	C5B-O5B-PA-O1A
2	C	501	NAP	C2B-O2B-P2B-O1X
2	C	501	NAP	O4D-C1D-N1N-C2N
2	C	501	NAP	O4D-C1D-N1N-C6N
2	C	501	NAP	C2D-C1D-N1N-C2N
2	C	501	NAP	C2D-C1D-N1N-C6N
2	C	501	NAP	C2N-C3N-C7N-O7N
2	C	501	NAP	C2N-C3N-C7N-N7N
2	B	501	NAP	C5B-O5B-PA-O1A
2	B	501	NAP	O4D-C1D-N1N-C2N
2	B	501	NAP	O4D-C1D-N1N-C6N
2	B	501	NAP	C2D-C1D-N1N-C2N
2	B	501	NAP	C2N-C3N-C7N-O7N
2	B	501	NAP	C2N-C3N-C7N-N7N
2	D	501	NAP	C5D-O5D-PN-O2N
2	D	501	NAP	O4D-C1D-N1N-C2N
2	D	501	NAP	C2D-C1D-N1N-C2N
2	D	501	NAP	C2N-C3N-C7N-O7N
2	D	501	NAP	C2N-C3N-C7N-N7N
2	B	501	NAP	C4N-C3N-C7N-O7N
2	B	501	NAP	C4N-C3N-C7N-N7N
2	D	501	NAP	C4N-C3N-C7N-O7N
2	D	501	NAP	C4N-C3N-C7N-N7N
2	A	501	NAP	C2N-C3N-C7N-O7N
2	C	501	NAP	C4N-C3N-C7N-O7N
2	A	501	NAP	C2N-C3N-C7N-N7N
2	C	501	NAP	C4N-C3N-C7N-N7N
2	A	501	NAP	C4N-C3N-C7N-O7N
2	A	501	NAP	C4N-C3N-C7N-N7N
2	A	501	NAP	C2B-O2B-P2B-O3X
2	C	501	NAP	C5B-O5B-PA-O3

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
2	C	501	NAP	C2B-O2B-P2B-O3X
2	D	501	NAP	C5D-O5D-PN-O3
2	A	501	NAP	C5B-O5B-PA-O2A
2	D	501	NAP	C5D-O5D-PN-O1N
2	B	501	NAP	C1B-C2B-O2B-P2B
2	B	501	NAP	C3B-C2B-O2B-P2B
2	A	501	NAP	C5D-O5D-PN-O3
2	B	501	NAP	C5B-O5B-PA-O3
2	B	501	NAP	C2D-C1D-N1N-C6N
2	D	501	NAP	C2D-C1D-N1N-C6N


There are no ring outliers.


5 monomers are involved in 7 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	501	NAP	1	0
4	D	503	6VN	1	0
2	C	501	NAP	3	0
2	B	501	NAP	1	0
4	B	502	6VN	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.














5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	406/425 (95%)	0.15	28 (6%) 16 15	37, 67, 152, 202	0
1	B	407/425 (95%)	0.24	36 (8%) 10 8	33, 64, 153, 195	0
1	C	414/425 (97%)	0.09	19 (4%) 32 31	37, 64, 116, 147	0
1	D	412/425 (96%)	0.24	32 (7%) 13 11	42, 72, 118, 160	0
All	All	1639/1700 (96%)	0.18	115 (7%) 16 14	33, 67, 135, 202	0

All (115) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	274	GLY	7.5
1	D	213	ASN	6.9
1	B	146	VAL	6.3
1	A	414	LEU	6.0
1	A	272	TYR	5.5
1	A	214	THR	5.4
1	B	272	TYR	5.3
1	A	158	PRO	5.3
1	A	138	GLN	5.1
1	B	151	LYS	5.0
1	A	273	ASP	5.0
1	B	171	ASN	4.9
1	C	2	SER	4.7
1	B	167	TYR	4.7
1	D	275	ASP	4.7
1	A	176	GLY	4.6
1	C	276	VAL	4.5
1	D	214	THR	4.4
1	B	147	PRO	4.0
1	D	132[A]	HIS	3.9
1	D	273	ASP	3.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	137	ASP	3.9
1	B	155	THR	3.8
1	B	165	VAL	3.6
1	D	242	GLN	3.5
1	A	156	TYR	3.5
1	D	162	THR	3.5
1	B	144	PHE	3.5
1	A	416	LEU	3.4
1	A	174	GLU	3.4
1	B	174	GLU	3.4
1	D	160	ASP	3.4
1	B	175	GLY	3.3
1	A	269	CYS	3.3
1	C	3	LYS	3.3
1	D	241	ALA	3.3
1	A	167	TYR	3.2
1	A	3	LYS	3.2
1	B	168	LEU	3.1
1	B	169	VAL	3.1
1	B	132	HIS	3.1
1	A	274	GLY	3.1
1	A	157	THR	3.1
1	A	147	PRO	3.1
1	B	269	CYS	3.1
1	C	138	GLN	3.0
1	B	213	ASN	3.0
1	D	276	VAL	3.0
1	B	173	GLU	3.0
1	D	131	GLY	3.0
1	B	214	THR	2.9
1	C	281	VAL	2.9
1	B	172	PHE	2.9
1	C	214	THR	2.9
1	B	243	LYS	2.9
1	C	272	TYR	2.9
1	B	176	GLY	2.9
1	D	412	ALA	2.9
1	D	137	ASP	2.8
1	A	136	GLY	2.8
1	D	278	SER	2.8
1	D	161	GLY	2.8
1	C	169	VAL	2.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	272	TYR	2.8
1	A	172	PHE	2.7
1	A	135	TYR	2.7
1	C	271	ASN	2.7
1	A	168	LEU	2.7
1	D	244	ILE	2.7
1	D	81	LYS	2.6
1	B	268	ALA	2.6
1	D	139	TYR	2.6
1	B	241	ALA	2.5
1	D	215	ILE	2.5
1	B	170	HIS	2.5
1	A	151	LYS	2.5
1	B	130	ILE	2.5
1	C	241	ALA	2.5
1	D	183	TYR	2.5
1	B	166	THR	2.4
1	C	170	HIS	2.4
1	C	416	LEU	2.4
1	A	139	TYR	2.4
1	B	271	ASN	2.4
1	A	137	ASP	2.4
1	B	225	ASP	2.3
1	D	414	LEU	2.3
1	A	413	LYS	2.3
1	B	274	GLY	2.3
1	B	242	GLN	2.3
1	D	138	GLN	2.2
1	B	133	HIS	2.2
1	C	163	GLN	2.2
1	B	80	GLU	2.2
1	D	84	GLU	2.2
1	A	276	VAL	2.2
1	C	174	GLU	2.2
1	C	273	ASP	2.2
1	B	131	GLY	2.2
1	A	142	THR	2.1
1	B	156	TYR	2.1
1	D	158	PRO	2.1
1	D	159	SER	2.1
1	D	217	LYS	2.1
1	D	269	CYS	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	80	GLU	2.1
1	C	277	GLN	2.1
1	A	140	ARG	2.1
1	B	145	VAL	2.1
1	D	415	SER	2.0
1	A	170	HIS	2.0
1	D	140	ARG	2.0
1	C	269	CYS	2.0
1	B	152	VAL	2.0
1	D	413	LYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.


6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	EDO	A	502	4/4	0.74	0.27	88,90,91,91	0
3	EDO	C	502	4/4	0.77	0.25	93,94,94,95	0
3	EDO	C	503	4/4	0.85	0.25	81,84,84,85	0
4	6VN	D	503	31/31	0.86	0.26	70,84,90,94	0
5	ACT	D	502	4/4	0.89	0.30	82,82,83,83	0
4	6VN	B	502	31/31	0.93	0.21	65,72,81,84	0
2	NAP	D	501	48/48	0.96	0.14	45,52,64,68	0
2	NAP	C	501	48/48	0.97	0.12	42,50,61,70	0
2	NAP	B	501	48/48	0.97	0.12	36,47,64,68	0
2	NAP	A	501	48/48	0.98	0.13	38,49,64,70	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers

as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around 6VN B 502:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around NAP D 501:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around NAP C 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around NAP B 501:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.