



Full wwPDB EM Validation Report ⓘ

Nov 16, 2022 – 02:57 AM JST

PDB ID : 6LI9
EMDB ID : EMD-0903
Title : Heteromeric amino acid transporter b0,+AT-rBAT complex bound with Arginine
Authors : Yan, R.H.; Li, Y.N.; Lei, J.L.; Zhou, Q.
Deposited on : 2019-12-10
Resolution : 2.30 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev43
Mogul : 1.8.5 (274361), CSD as541be (2020)
MolProbity : 4.02b-467
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ : 1.9.9
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.31.2

1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.






Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	158937	4297
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	699	<div style="display: flex; justify-content: space-between; align-items: center;"> <div style="text-align: right;">11%</div> <div style="width: 100%; height: 15px; background: linear-gradient(to right, red 11%, orange 11%, yellow 11%, green 11%, grey 11%);"></div> <div style="text-align: left;">83%</div> <div style="text-align: right;">6%</div> <div style="text-align: right;">11%</div> </div>
1	C	699	<div style="display: flex; justify-content: space-between; align-items: center;"> <div style="text-align: right;">11%</div> <div style="width: 100%; height: 15px; background: linear-gradient(to right, red 11%, orange 11%, yellow 11%, green 11%, grey 11%);"></div> <div style="text-align: left;">83%</div> <div style="text-align: right;">6%</div> <div style="text-align: right;">11%</div> </div>
2	B	507	<div style="display: flex; justify-content: space-between; align-items: center;"> <div style="text-align: right;">87%</div> <div style="width: 100%; height: 15px; background: linear-gradient(to right, red 87%, orange 87%, yellow 87%, green 87%, grey 87%);"></div> <div style="text-align: left;">85%</div> <div style="text-align: right;">6%</div> <div style="text-align: right;">10%</div> </div>
2	D	507	<div style="display: flex; justify-content: space-between; align-items: center;"> <div style="text-align: right;">87%</div> <div style="width: 100%; height: 15px; background: linear-gradient(to right, red 87%, orange 87%, yellow 87%, green 87%, grey 87%);"></div> <div style="text-align: left;">85%</div> <div style="text-align: right;">6%</div> <div style="text-align: right;">10%</div> </div>
3	E	2	<div style="display: flex; justify-content: space-between; align-items: center;"> <div style="text-align: right;">100%</div> <div style="width: 100%; height: 15px; background: linear-gradient(to right, red 100%, orange 100%, yellow 100%, green 100%, grey 100%);"></div> <div style="text-align: left;">50%</div> <div style="text-align: right;">50%</div> </div>
3	F	2	<div style="display: flex; justify-content: space-between; align-items: center;"> <div style="text-align: right;">100%</div> <div style="width: 100%; height: 15px; background: linear-gradient(to right, red 100%, orange 100%, yellow 100%, green 100%, grey 100%);"></div> <div style="text-align: left;">100%</div> </div>
3	G	2	<div style="display: flex; justify-content: space-between; align-items: center;"> <div style="text-align: right;">100%</div> <div style="width: 100%; height: 15px; background: linear-gradient(to right, red 100%, orange 100%, yellow 100%, green 100%, grey 100%);"></div> <div style="text-align: left;">100%</div> </div>
3	H	2	<div style="display: flex; justify-content: space-between; align-items: center;"> <div style="text-align: right;">100%</div> <div style="width: 100%; height: 15px; background: linear-gradient(to right, red 100%, orange 100%, yellow 100%, green 100%, grey 100%);"></div> <div style="text-align: left;">50%</div> <div style="text-align: right;">50%</div> </div>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	I	2	
3	J	2	
3	K	2	
3	L	2	
3	M	2	
3	N	2	

2 Entry composition i

There are 7 unique types of molecules in this entry. The entry contains 17988 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Neutral and basic amino acid transport protein rBAT.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	A	623	Total	C	N	O	S	0	0
			5084	3248	859	952	25		
1	C	623	Total	C	N	O	S	0	0
			5084	3248	859	952	25		

There are 30 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-13	MET	-	expression tag	UNP Q07837
A	-12	ALA	-	expression tag	UNP Q07837
A	-11	HIS	-	expression tag	UNP Q07837
A	-10	HIS	-	expression tag	UNP Q07837
A	-9	HIS	-	expression tag	UNP Q07837
A	-8	HIS	-	expression tag	UNP Q07837
A	-7	HIS	-	expression tag	UNP Q07837
A	-6	HIS	-	expression tag	UNP Q07837
A	-5	HIS	-	expression tag	UNP Q07837
A	-4	HIS	-	expression tag	UNP Q07837
A	-3	HIS	-	expression tag	UNP Q07837
A	-2	HIS	-	expression tag	UNP Q07837
A	-1	SER	-	expression tag	UNP Q07837
A	0	GLY	-	expression tag	UNP Q07837
A	1	ARG	-	expression tag	UNP Q07837
C	-13	MET	-	expression tag	UNP Q07837
C	-12	ALA	-	expression tag	UNP Q07837
C	-11	HIS	-	expression tag	UNP Q07837
C	-10	HIS	-	expression tag	UNP Q07837
C	-9	HIS	-	expression tag	UNP Q07837
C	-8	HIS	-	expression tag	UNP Q07837
C	-7	HIS	-	expression tag	UNP Q07837
C	-6	HIS	-	expression tag	UNP Q07837
C	-5	HIS	-	expression tag	UNP Q07837
C	-4	HIS	-	expression tag	UNP Q07837
C	-3	HIS	-	expression tag	UNP Q07837

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	-2	HIS	-	expression tag	UNP Q07837
C	-1	SER	-	expression tag	UNP Q07837
C	0	GLY	-	expression tag	UNP Q07837
C	1	ARG	-	expression tag	UNP Q07837

- Molecule 2 is a protein called b(0,+)-type amino acid transporter 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
2	B	458	Total	C	N	O	S	0	0
			3538	2368	543	607	20		
2	D	458	Total	C	N	O	S	0	0
			3538	2368	543	607	20		

There are 42 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	-19	MET	-	expression tag	UNP P82251
B	-18	ALA	-	expression tag	UNP P82251
B	-17	ASP	-	expression tag	UNP P82251
B	-16	TYR	-	expression tag	UNP P82251
B	-15	LYS	-	expression tag	UNP P82251
B	-14	ASP	-	expression tag	UNP P82251
B	-13	ASP	-	expression tag	UNP P82251
B	-12	ASP	-	expression tag	UNP P82251
B	-11	ASP	-	expression tag	UNP P82251
B	-10	LYS	-	expression tag	UNP P82251
B	-9	SER	-	expression tag	UNP P82251
B	-8	GLY	-	expression tag	UNP P82251
B	-7	PRO	-	expression tag	UNP P82251
B	-6	ASP	-	expression tag	UNP P82251
B	-5	GLU	-	expression tag	UNP P82251
B	-4	VAL	-	expression tag	UNP P82251
B	-3	ASP	-	expression tag	UNP P82251
B	-2	ALA	-	expression tag	UNP P82251
B	-1	SER	-	expression tag	UNP P82251
B	0	GLY	-	expression tag	UNP P82251
B	1	ARG	-	expression tag	UNP P82251
D	-19	MET	-	expression tag	UNP P82251
D	-18	ALA	-	expression tag	UNP P82251
D	-17	ASP	-	expression tag	UNP P82251
D	-16	TYR	-	expression tag	UNP P82251
D	-15	LYS	-	expression tag	UNP P82251

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	-14	ASP	-	expression tag	UNP P82251
D	-13	ASP	-	expression tag	UNP P82251
D	-12	ASP	-	expression tag	UNP P82251
D	-11	ASP	-	expression tag	UNP P82251
D	-10	LYS	-	expression tag	UNP P82251
D	-9	SER	-	expression tag	UNP P82251
D	-8	GLY	-	expression tag	UNP P82251
D	-7	PRO	-	expression tag	UNP P82251
D	-6	ASP	-	expression tag	UNP P82251
D	-5	GLU	-	expression tag	UNP P82251
D	-4	VAL	-	expression tag	UNP P82251
D	-3	ASP	-	expression tag	UNP P82251
D	-2	ALA	-	expression tag	UNP P82251
D	-1	SER	-	expression tag	UNP P82251
D	0	GLY	-	expression tag	UNP P82251
D	1	ARG	-	expression tag	UNP P82251

- Molecule 3 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
3	E	2	28	16	2	10	0	0
3	F	2	28	16	2	10	0	0
3	G	2	28	16	2	10	0	0
3	H	2	28	16	2	10	0	0
3	I	2	28	16	2	10	0	0
3	J	2	28	16	2	10	0	0
3	K	2	28	16	2	10	0	0
3	L	2	28	16	2	10	0	0

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms				AltConf	Trace
3	M	2	Total	C	N	O	0	0
			28	16	2	10		
3	N	2	Total	C	N	O	0	0
			28	16	2	10		

- Molecule 4 is CALCIUM ION (three-letter code: CA) (formula: Ca).


Mol	Chain	Residues	Atoms		AltConf
4	A	1	Total	Ca	0
			1	1	
4	C	1	Total	Ca	0
			1	1	

- Molecule 5 is ARGININE (three-letter code: ARG) (formula: C₆H₁₅N₄O₂) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				AltConf
5	B	1	Total	C	N	O	0
			12	6	4	2	
5	D	1	Total	C	N	O	0
			12	6	4	2	

- Molecule 6 is 1,2-DIACYL-GLYCEROL-3-SN-PHOSPHATE (three-letter code: 3PH) (formula: C₃₉H₇₇O₈P).



Mol	Chain	Residues	Atoms				AltConf
			Total	C	O	P	
6	B	1	96	78	16	2	0
6	B	1	96	78	16	2	0
6	D	1	96	78	16	2	0
6	D	1	96	78	16	2	0


- Molecule 7 is water.

Mol	Chain	Residues	Atoms		AltConf
			Total	O	
7	A	116	116	116	0
7	B	7	7	7	0
7	C	116	116	116	0
7	D	7	7	7	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Neutral and basic amino acid transport protein rBAT





- Molecule 1: Neutral and basic amino acid transport protein rBAT








• Molecule 2: b(0,+)-type amino acid transporter 1



• Molecule 2: b(0,+)-type amino acid transporter 1





- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose





- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C2	Depositor
Number of particles used	665827	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	50	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	Not provided	
Image detector	GATAN K2 QUANTUM (4k x 4k)	Depositor
Maximum map value	0.356	Depositor
Minimum map value	-0.244	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.006	Depositor
Recommended contour level	0.06	Depositor
Map size (Å)	349.12, 349.12, 349.12	wwPDB
Map dimensions	320, 320, 320	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.091, 1.091, 1.091	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: 3PH, CA, NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.33	0/5219	0.52	0/7086
1	C	0.33	0/5219	0.52	0/7086
2	B	0.38	0/3633	0.57	0/4968
2	D	0.38	0/3633	0.57	0/4968
All	All	0.35	0/17704	0.54	0/24108

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5084	0	4903	20	0
1	C	5084	0	4903	20	0
2	B	3538	0	3676	15	0
2	D	3538	0	3676	16	0
3	E	28	0	25	0	0
3	F	28	0	25	0	0
3	G	28	0	25	0	0
3	H	28	0	25	0	0
3	I	28	0	25	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	J	28	0	25	0	0
3	K	28	0	25	0	0
3	L	28	0	25	0	0
3	M	28	0	25	0	0
3	N	28	0	25	0	0
4	A	1	0	0	0	0
4	C	1	0	0	0	0
5	B	12	0	12	0	0
5	D	12	0	12	0	0
6	B	96	0	150	3	0
6	D	96	0	150	3	0
7	A	116	0	0	0	0
7	B	7	0	0	0	0
7	C	116	0	0	0	0
7	D	7	0	0	0	0
All	All	17988	0	17732	75	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (75) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:220:HIS:HD2	1:A:222:TRP:H	1.42	0.68
1:C:220:HIS:HD2	1:C:222:TRP:H	1.42	0.66
1:C:324:HIS:HD2	1:C:326:ARG:H	1.45	0.63
1:A:324:HIS:HD2	1:A:326:ARG:H	1.45	0.62
2:D:83:PHE:O	2:D:239:ASN:ND2	2.35	0.59
2:B:83:PHE:O	2:B:239:ASN:ND2	2.35	0.59
1:C:298:GLU:OE1	1:C:301:ARG:NH1	2.36	0.59
1:A:298:GLU:OE1	1:A:301:ARG:NH1	2.36	0.59
1:C:587:ASP:OD2	1:C:658:ARG:NH2	2.38	0.57
1:A:587:ASP:OD2	1:A:658:ARG:NH2	2.38	0.56
2:B:348:ARG:NH1	6:B:602:3PH:O14	2.39	0.56
1:A:444:MET:HG2	1:A:477:ILE:HB	1.88	0.55
1:A:663:ARG:NH1	1:A:663:ARG:O	2.40	0.55
1:C:410:ASN:H	1:C:442:ASN:HD21	1.54	0.55
1:C:663:ARG:O	1:C:663:ARG:NH1	2.40	0.55
1:C:444:MET:HG2	1:C:477:ILE:HB	1.88	0.54
1:A:410:ASN:H	1:A:442:ASN:HD21	1.54	0.54
2:D:348:ARG:NH1	6:D:602:3PH:O14	2.39	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:568:GLY:HA2	1:C:586:LEU:HD13	1.91	0.53
1:C:573:LEU:HA	1:C:665:ARG:HH21	1.73	0.53
1:A:568:GLY:HA2	1:A:586:LEU:HD13	1.91	0.53
2:D:396:MET:O	2:D:405:ARG:NH2	2.42	0.53
2:D:81:LEU:HD11	2:D:257:ILE:HD11	1.91	0.53
2:B:396:MET:O	2:B:405:ARG:NH2	2.42	0.52
1:A:200:ILE:HG23	1:A:205:LEU:HB2	1.92	0.52
1:C:122:PRO:HB3	1:C:476:PRO:HG2	1.91	0.52
2:B:81:LEU:HD11	2:B:257:ILE:HD11	1.91	0.52
1:A:122:PRO:HB3	1:A:476:PRO:HG2	1.91	0.51
1:C:200:ILE:HG23	1:C:205:LEU:HB2	1.92	0.51
2:D:116:SER:HA	2:D:120:ILE:HB	1.93	0.51
2:B:400:ARG:HB3	2:B:403:LEU:HD22	1.93	0.50
1:A:573:LEU:HA	1:A:665:ARG:HH21	1.73	0.50
2:D:400:ARG:HB3	2:D:403:LEU:HD22	1.93	0.50
2:D:118:ILE:HG13	2:D:119:VAL:HG23	1.94	0.50
2:B:116:SER:HA	2:B:120:ILE:HB	1.93	0.50
1:C:214:ASN:ND2	1:C:284:ASP:OD1	2.45	0.50
1:C:574:ARG:NH2	1:C:575:ASN:O	2.45	0.50
1:A:574:ARG:NH2	1:A:575:ASN:O	2.45	0.49
1:A:214:ASN:ND2	1:A:284:ASP:OD1	2.45	0.49
2:B:238:LEU:O	2:B:242:THR:OG1	2.30	0.49
2:B:118:ILE:HG13	2:B:119:VAL:HG23	1.94	0.48
1:C:394:VAL:HG13	1:C:436:PRO:HD3	1.95	0.48
2:D:238:LEU:O	2:D:242:THR:OG1	2.30	0.48
6:D:602:3PH:H262	6:D:602:3PH:H362	1.96	0.48
1:A:394:VAL:HG13	1:A:436:PRO:HD3	1.95	0.47
2:D:170:VAL:HB	2:D:350:THR:HG22	1.96	0.47
2:B:170:VAL:HB	2:B:350:THR:HG22	1.96	0.47
6:B:602:3PH:H362	6:B:602:3PH:H262	1.96	0.47
1:C:123:MET:HG2	1:C:159:THR:HB	1.96	0.46
1:A:123:MET:HG2	1:A:159:THR:HB	1.96	0.45
2:B:39:ILE:HG12	2:B:238:LEU:HD22	1.98	0.45
2:D:61:ALA:HB3	2:D:64:PRO:HD2	1.99	0.45
2:B:61:ALA:HB3	2:B:64:PRO:HD2	1.99	0.44
1:C:569:TRP:HZ2	1:C:671:ARG:HE	1.65	0.44
2:B:111:LEU:HD11	2:B:448:LEU:HD13	2.00	0.44
1:A:569:TRP:HZ2	1:A:671:ARG:HE	1.65	0.44
2:D:39:ILE:HG12	2:D:238:LEU:HD22	1.98	0.43
2:D:111:LEU:HD11	2:D:448:LEU:HD13	2.00	0.42
2:D:277:VAL:HG23	2:D:278:MET:HG3	2.01	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:445:ILE:HD12	1:A:453:LEU:HD13	2.01	0.42
2:B:277:VAL:HG23	2:B:278:MET:HG3	2.01	0.42
2:D:400:ARG:HA	2:D:400:ARG:HD2	1.84	0.42
1:A:488:ASN:O	1:A:530:ASN:ND2	2.53	0.42
2:D:353:PRO:HD3	2:D:479:VAL:HG11	2.02	0.42
1:A:453:LEU:HD11	1:A:465:MET:HG3	2.03	0.41
1:C:453:LEU:HD11	1:C:465:MET:HG3	2.03	0.41
1:A:605:LEU:HD21	1:A:607:LEU:HD13	2.01	0.41
2:B:353:PRO:HD3	2:B:479:VAL:HG11	2.02	0.41
1:C:445:ILE:HD12	1:C:453:LEU:HD13	2.01	0.41
2:D:75:LEU:HD21	2:D:420:ILE:HD13	2.03	0.41
1:C:450:SER:O	1:C:505:SER:OG	2.32	0.41
6:D:603:3PH:H3C1	6:D:603:3PH:H3F1	1.89	0.41
1:C:605:LEU:HD21	1:C:607:LEU:HD13	2.01	0.40
6:B:603:3PH:H3C1	6:B:603:3PH:H3F1	1.89	0.40
2:B:75:LEU:HD21	2:B:420:ILE:HD13	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	621/699 (89%)	595 (96%)	26 (4%)	0	100	100
1	C	621/699 (89%)	595 (96%)	26 (4%)	0	100	100
2	B	456/507 (90%)	428 (94%)	28 (6%)	0	100	100
2	D	456/507 (90%)	428 (94%)	28 (6%)	0	100	100
All	All	2154/2412 (89%)	2046 (95%)	108 (5%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	562/629 (89%)	559 (100%)	3 (0%)	88	95
1	C	562/629 (89%)	559 (100%)	3 (0%)	88	95
2	B	384/427 (90%)	384 (100%)	0	100	100
2	D	384/427 (90%)	384 (100%)	0	100	100
All	All	1892/2112 (90%)	1886 (100%)	6 (0%)	92	97

All (6) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	419	VAL
1	A	546	ARG
1	A	668	VAL
1	C	419	VAL
1	C	546	ARG
1	C	668	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (27) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	125	GLN
1	A	135	ASN
1	A	201	HIS
1	A	220	HIS
1	A	244	HIS
1	A	324	HIS
1	A	422	ASN
1	A	442	ASN
1	A	598	ASN
1	A	654	ASN
2	B	166	ASN
2	B	271	ASN
2	B	336	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	B	372	ASN
1	C	125	GLN
1	C	135	ASN
1	C	220	HIS
1	C	244	HIS
1	C	324	HIS
1	C	422	ASN
1	C	442	ASN
1	C	598	ASN
1	C	654	ASN
2	D	166	ASN
2	D	271	ASN
2	D	336	HIS
2	D	372	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

20 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	NAG	E	1	3,1	14,14,15	0.59	0	17,19,21	1.26	1 (5%)
3	NAG	E	2	3	14,14,15	0.61	0	17,19,21	0.38	0
3	NAG	F	1	3,1	14,14,15	0.54	0	17,19,21	1.19	2 (11%)
3	NAG	F	2	3	14,14,15	0.82	1 (7%)	17,19,21	2.31	4 (23%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	NAG	G	1	3,1	14,14,15	1.03	1 (7%)	17,19,21	1.34	1 (5%)
3	NAG	G	2	3	14,14,15	0.91	1 (7%)	17,19,21	2.26	4 (23%)
3	NAG	H	1	3,1	14,14,15	0.94	1 (7%)	17,19,21	2.36	3 (17%)
3	NAG	H	2	3	14,14,15	0.68	0	17,19,21	0.35	0
3	NAG	I	1	3,1	14,14,15	0.71	0	17,19,21	2.28	3 (17%)
3	NAG	I	2	3	14,14,15	0.49	0	17,19,21	0.40	0
3	NAG	J	1	3,1	14,14,15	0.59	0	17,19,21	1.26	1 (5%)
3	NAG	J	2	3	14,14,15	0.61	0	17,19,21	0.38	0
3	NAG	K	1	3,1	14,14,15	0.54	0	17,19,21	1.19	2 (11%)
3	NAG	K	2	3	14,14,15	0.82	1 (7%)	17,19,21	2.31	4 (23%)
3	NAG	L	1	3,1	14,14,15	1.03	1 (7%)	17,19,21	1.34	1 (5%)
3	NAG	L	2	3	14,14,15	0.91	1 (7%)	17,19,21	2.26	4 (23%)
3	NAG	M	1	3,1	14,14,15	0.94	1 (7%)	17,19,21	2.36	3 (17%)
3	NAG	M	2	3	14,14,15	0.68	0	17,19,21	0.35	0
3	NAG	N	1	3,1	14,14,15	0.71	0	17,19,21	2.28	3 (17%)
3	NAG	N	2	3	14,14,15	0.49	0	17,19,21	0.40	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAG	E	1	3,1	-	3/6/23/26	0/1/1/1
3	NAG	E	2	3	-	2/6/23/26	0/1/1/1
3	NAG	F	1	3,1	-	3/6/23/26	0/1/1/1
3	NAG	F	2	3	-	4/6/23/26	0/1/1/1
3	NAG	G	1	3,1	-	4/6/23/26	0/1/1/1
3	NAG	G	2	3	-	5/6/23/26	0/1/1/1
3	NAG	H	1	3,1	-	5/6/23/26	0/1/1/1
3	NAG	H	2	3	-	0/6/23/26	0/1/1/1
3	NAG	I	1	3,1	-	5/6/23/26	0/1/1/1
3	NAG	I	2	3	-	2/6/23/26	0/1/1/1
3	NAG	J	1	3,1	-	3/6/23/26	0/1/1/1
3	NAG	J	2	3	-	2/6/23/26	0/1/1/1
3	NAG	K	1	3,1	-	3/6/23/26	0/1/1/1
3	NAG	K	2	3	-	4/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAG	L	1	3,1	-	4/6/23/26	0/1/1/1
3	NAG	L	2	3	-	5/6/23/26	0/1/1/1
3	NAG	M	1	3,1	-	5/6/23/26	0/1/1/1
3	NAG	M	2	3	-	0/6/23/26	0/1/1/1
3	NAG	N	1	3,1	-	5/6/23/26	0/1/1/1
3	NAG	N	2	3	-	2/6/23/26	0/1/1/1

All (8) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	G	1	NAG	O5-C1	3.22	1.48	1.43
3	L	1	NAG	O5-C1	3.22	1.48	1.43
3	G	2	NAG	C1-C2	2.66	1.56	1.52
3	L	2	NAG	C1-C2	2.66	1.56	1.52
3	F	2	NAG	C1-C2	2.49	1.56	1.52
3	K	2	NAG	C1-C2	2.49	1.56	1.52
3	H	1	NAG	O5-C1	-2.46	1.39	1.43
3	M	1	NAG	O5-C1	-2.46	1.39	1.43

All (36) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	H	1	NAG	C2-N2-C7	7.94	134.21	122.90
3	M	1	NAG	C2-N2-C7	7.94	134.21	122.90
3	I	1	NAG	C2-N2-C7	7.83	134.05	122.90
3	N	1	NAG	C2-N2-C7	7.83	134.05	122.90
3	G	2	NAG	C2-N2-C7	7.72	133.90	122.90
3	L	2	NAG	C2-N2-C7	7.72	133.90	122.90
3	F	2	NAG	C2-N2-C7	7.69	133.85	122.90
3	K	2	NAG	C2-N2-C7	7.69	133.85	122.90
3	G	1	NAG	C1-O5-C5	4.87	118.78	112.19
3	L	1	NAG	C1-O5-C5	4.87	118.78	112.19
3	I	1	NAG	C1-C2-N2	3.94	117.22	110.49
3	N	1	NAG	C1-C2-N2	3.94	117.22	110.49
3	G	2	NAG	C1-C2-N2	3.83	117.03	110.49
3	L	2	NAG	C1-C2-N2	3.83	117.03	110.49
3	F	2	NAG	C1-C2-N2	3.74	116.87	110.49
3	K	2	NAG	C1-C2-N2	3.74	116.87	110.49
3	H	1	NAG	C1-C2-N2	3.73	116.87	110.49
3	M	1	NAG	C1-C2-N2	3.73	116.87	110.49
3	F	2	NAG	C1-O5-C5	3.17	116.49	112.19

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	K	2	NAG	C1-O5-C5	3.17	116.49	112.19
3	E	1	NAG	C2-N2-C7	3.15	127.39	122.90
3	J	1	NAG	C2-N2-C7	3.15	127.39	122.90
3	F	1	NAG	C2-N2-C7	3.14	127.38	122.90
3	K	1	NAG	C2-N2-C7	3.14	127.38	122.90
3	G	2	NAG	C1-O5-C5	2.22	115.20	112.19
3	L	2	NAG	C1-O5-C5	2.22	115.20	112.19
3	H	1	NAG	C8-C7-N2	2.10	119.66	116.10
3	M	1	NAG	C8-C7-N2	2.10	119.66	116.10
3	F	2	NAG	C8-C7-N2	2.09	119.64	116.10
3	K	2	NAG	C8-C7-N2	2.09	119.64	116.10
3	I	1	NAG	C8-C7-N2	2.08	119.62	116.10
3	N	1	NAG	C8-C7-N2	2.08	119.62	116.10
3	G	2	NAG	C8-C7-N2	2.06	119.59	116.10
3	L	2	NAG	C8-C7-N2	2.06	119.59	116.10
3	F	1	NAG	C1-O5-C5	2.00	114.90	112.19
3	K	1	NAG	C1-O5-C5	2.00	114.90	112.19

There are no chirality outliers.

All (66) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	G	2	NAG	C4-C5-C6-O6
3	L	2	NAG	C4-C5-C6-O6
3	I	2	NAG	O5-C5-C6-O6
3	N	2	NAG	O5-C5-C6-O6
3	E	1	NAG	O5-C5-C6-O6
3	J	1	NAG	O5-C5-C6-O6
3	G	2	NAG	O5-C5-C6-O6
3	L	2	NAG	O5-C5-C6-O6
3	E	1	NAG	C4-C5-C6-O6
3	I	2	NAG	C4-C5-C6-O6
3	J	1	NAG	C4-C5-C6-O6
3	N	2	NAG	C4-C5-C6-O6
3	H	1	NAG	O5-C5-C6-O6
3	M	1	NAG	O5-C5-C6-O6
3	G	1	NAG	O5-C5-C6-O6
3	L	1	NAG	O5-C5-C6-O6
3	H	1	NAG	C4-C5-C6-O6
3	M	1	NAG	C4-C5-C6-O6
3	F	1	NAG	O5-C5-C6-O6
3	K	1	NAG	O5-C5-C6-O6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
3	F	2	NAG	C8-C7-N2-C2
3	F	2	NAG	O7-C7-N2-C2
3	G	1	NAG	C8-C7-N2-C2
3	G	1	NAG	O7-C7-N2-C2
3	G	2	NAG	C8-C7-N2-C2
3	G	2	NAG	O7-C7-N2-C2
3	H	1	NAG	C8-C7-N2-C2
3	H	1	NAG	O7-C7-N2-C2
3	I	1	NAG	C8-C7-N2-C2
3	I	1	NAG	O7-C7-N2-C2
3	K	2	NAG	C8-C7-N2-C2
3	K	2	NAG	O7-C7-N2-C2
3	L	1	NAG	C8-C7-N2-C2
3	L	1	NAG	O7-C7-N2-C2
3	L	2	NAG	C8-C7-N2-C2
3	L	2	NAG	O7-C7-N2-C2
3	M	1	NAG	C8-C7-N2-C2
3	M	1	NAG	O7-C7-N2-C2
3	N	1	NAG	C8-C7-N2-C2
3	N	1	NAG	O7-C7-N2-C2
3	F	1	NAG	C4-C5-C6-O6
3	K	1	NAG	C4-C5-C6-O6
3	I	1	NAG	C4-C5-C6-O6
3	N	1	NAG	C4-C5-C6-O6
3	I	1	NAG	O5-C5-C6-O6
3	N	1	NAG	O5-C5-C6-O6
3	G	1	NAG	C4-C5-C6-O6
3	L	1	NAG	C4-C5-C6-O6
3	F	2	NAG	O5-C5-C6-O6
3	K	2	NAG	O5-C5-C6-O6
3	E	2	NAG	C4-C5-C6-O6
3	J	2	NAG	C4-C5-C6-O6
3	F	2	NAG	C3-C2-N2-C7
3	G	2	NAG	C3-C2-N2-C7
3	K	2	NAG	C3-C2-N2-C7
3	L	2	NAG	C3-C2-N2-C7
3	E	2	NAG	O5-C5-C6-O6
3	J	2	NAG	O5-C5-C6-O6
3	E	1	NAG	C3-C2-N2-C7
3	F	1	NAG	C3-C2-N2-C7
3	H	1	NAG	C3-C2-N2-C7
3	I	1	NAG	C3-C2-N2-C7

Continued on next page...


Continued from previous page...


Mol	Chain	Res	Type	Atoms
3	J	1	NAG	C3-C2-N2-C7
3	K	1	NAG	C3-C2-N2-C7
3	M	1	NAG	C3-C2-N2-C7
3	N	1	NAG	C3-C2-N2-C7


There are no ring outliers.


No monomer is involved in short contacts.


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.


























5.6 Ligand geometry [i](#)

Of 8 ligands modelled in this entry, 2 are monoatomic - leaving 6 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
6	3PH	D	603	-	47,47,47	0.91	2 (4%)	51,52,52	1.23	4 (7%)
5	ARG	D	601	-	10,11,11	0.77	1 (10%)	11,13,13	0.97	1 (9%)
6	3PH	B	602	-	47,47,47	0.92	2 (4%)	51,52,52	1.09	2 (3%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
6	3PH	D	602	-	47,47,47	0.92	2 (4%)	51,52,52	1.09	2 (3%)
6	3PH	B	603	-	47,47,47	0.91	2 (4%)	51,52,52	1.23	4 (7%)
5	ARG	B	601	-	10,11,11	0.77	1 (10%)	11,13,13	0.97	1 (9%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	3PH	D	603	-	-	13/49/49/49	-
5	ARG	D	601	-	-	2/11/11/11	-
6	3PH	B	602	-	-	5/49/49/49	-
6	3PH	D	602	-	-	5/49/49/49	-
6	3PH	B	603	-	-	13/49/49/49	-
5	ARG	B	601	-	-	2/11/11/11	-

All (10) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	B	603	3PH	O31-C31	4.05	1.45	1.33
6	D	603	3PH	O31-C31	4.05	1.45	1.33
6	B	602	3PH	O31-C31	4.04	1.45	1.33
6	D	602	3PH	O31-C31	4.04	1.45	1.33
6	B	602	3PH	O21-C21	3.95	1.45	1.34
6	D	602	3PH	O21-C21	3.95	1.45	1.34
6	B	603	3PH	O21-C21	3.86	1.45	1.34
6	D	603	3PH	O21-C21	3.86	1.45	1.34
5	B	601	ARG	OXT-C	-2.27	1.23	1.30
5	D	601	ARG	OXT-C	-2.27	1.23	1.30

All (14) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	B	603	3PH	O21-C21-C22	4.57	121.35	111.50
6	D	603	3PH	O21-C21-C22	4.57	121.35	111.50
6	B	602	3PH	O21-C21-C22	3.45	118.94	111.50
6	D	602	3PH	O21-C21-C22	3.45	118.94	111.50
6	B	603	3PH	C2-O21-C21	-3.28	109.71	117.79
6	D	603	3PH	C2-O21-C21	-3.28	109.71	117.79

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	B	602	3PH	O31-C31-C32	2.62	120.12	111.91
6	D	602	3PH	O31-C31-C32	2.62	120.12	111.91
6	B	603	3PH	O31-C31-C32	2.53	119.84	111.91
6	D	603	3PH	O31-C31-C32	2.53	119.84	111.91
5	B	601	ARG	OXT-C-O	-2.39	118.66	124.09
5	D	601	ARG	OXT-C-O	-2.39	118.66	124.09
6	B	603	3PH	O21-C21-O22	-2.16	118.48	123.70
6	D	603	3PH	O21-C21-O22	-2.16	118.48	123.70

There are no chirality outliers.

All (40) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
6	B	603	3PH	C1-O11-P-O12
6	D	603	3PH	C1-O11-P-O12
6	B	602	3PH	C21-C22-C23-C24
6	D	602	3PH	C21-C22-C23-C24
6	B	603	3PH	C3E-C3F-C3G-C3H
6	D	603	3PH	C3E-C3F-C3G-C3H
6	B	603	3PH	C3A-C3B-C3C-C3D
6	D	603	3PH	C3A-C3B-C3C-C3D
6	B	602	3PH	C22-C23-C24-C25
6	D	602	3PH	C22-C23-C24-C25
6	B	602	3PH	C34-C35-C36-C37
6	D	602	3PH	C34-C35-C36-C37
6	B	603	3PH	C22-C21-O21-C2
6	D	603	3PH	C22-C21-O21-C2
6	B	603	3PH	O22-C21-O21-C2
6	D	603	3PH	O22-C21-O21-C2
6	B	603	3PH	C39-C3A-C3B-C3C
6	D	603	3PH	C39-C3A-C3B-C3C
6	B	603	3PH	C2E-C2F-C2G-C2H
6	D	603	3PH	C2E-C2F-C2G-C2H
6	B	602	3PH	C31-C32-C33-C34
6	D	602	3PH	C31-C32-C33-C34
6	B	603	3PH	C1-C2-C3-O31
6	D	603	3PH	C1-C2-C3-O31
6	B	603	3PH	C3B-C3C-C3D-C3E
6	D	603	3PH	C3B-C3C-C3D-C3E
6	B	602	3PH	C29-C2A-C2B-C2C
6	D	602	3PH	C29-C2A-C2B-C2C
5	B	601	ARG	OXT-C-CA-CB

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
5	D	601	ARG	OXT-C-CA-CB
5	B	601	ARG	O-C-CA-CB
5	D	601	ARG	O-C-CA-CB
6	B	603	3PH	C31-C32-C33-C34
6	D	603	3PH	C31-C32-C33-C34
6	B	603	3PH	C37-C38-C39-C3A
6	D	603	3PH	C37-C38-C39-C3A
6	B	603	3PH	C2B-C2C-C2D-C2E
6	D	603	3PH	C2B-C2C-C2D-C2E
6	B	603	3PH	C1-O11-P-O13
6	D	603	3PH	C1-O11-P-O13


There are no ring outliers.

4 monomers are involved in 6 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	D	603	3PH	1	0
6	B	602	3PH	2	0
6	D	602	3PH	2	0
6	B	603	3PH	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-0903. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 160



Y Index: 160




Z Index: 160


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 155



Y Index: 146



Z Index: 190

The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal surface views [i](#)

6.4.1 Primary map



X



Y



Z

The images above show the 3D surface view of the map at the recommended contour level 0.06. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.5 Mask visualisation

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 43 nm^3 ; this corresponds to an approximate mass of 39 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum i



*Reported resolution corresponds to spatial frequency of 0.435 Å⁻¹


8 Fourier-Shell correlation

This section was not generated. No FSC curve or half-maps provided.

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-0903 and PDB model 6LI9. Per-residue inclusion information can be found in section 3 on page 9.

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.06 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.06).































9.4 Atom inclusion [i](#)



At the recommended contour level, 49% of all backbone atoms, 48% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (0.06) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.4825	 0.5450
A	 0.7979	 0.6630
B	 0.0627	 0.3940
C	 0.7979	 0.6620
D	 0.0627	 0.3920
E	 0.0357	 0.3320
F	 0.1429	 0.1660
G	 0.0000	 0.2460
H	 0.0000	 0.3000
I	 0.2857	 0.3390
J	 0.0357	 0.3210
K	 0.1429	 0.1650
L	 0.0000	 0.2840
M	 0.0000	 0.2880
N	 0.2857	 0.3330

