



wwPDB X-ray Structure Validation Summary Report ⓘ

Nov 6, 2023 – 05:35 am GMT

PDB ID : 5LTV
Title : LIGAND BINDING DOMAIN OF PSEUDOMONAS AERUGINOSA PAO1
AMINO ACID CHEMORECEPTOR PCTC IN COMPLEX WITH GABA
Authors : Gavira, J.A.; Rico-Jimenez, M.; Conejero-Muriel, M.; Krell, T.
Deposited on : 2016-09-07
Resolution : 2.31 Å (reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.4, CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.36
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.31 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.





Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	5974 (2.34-2.30)
Clashscore	141614	6604 (2.34-2.30)
Ramachandran outliers	138981	6523 (2.34-2.30)
Sidechain outliers	138945	6523 (2.34-2.30)
RSRZ outliers	127900	5855 (2.34-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	273	 2% (poor fit), 66% (0-1 outliers), 11% (2 outliers), 21% (3+ outliers or not modelled)
1	B	273	 5% (poor fit), 67% (0-1 outliers), 9% (2 outliers), 23% (3+ outliers or not modelled)
1	C	273	 3% (poor fit), 73% (0-1 outliers), 9% (2 outliers), 18% (3+ outliers or not modelled)
1	D	273	 0% (poor fit), 72% (0-1 outliers), 10% (2 outliers), 17% (3+ outliers or not modelled)
1	E	273	 4% (poor fit), 67% (0-1 outliers), 12% (2 outliers), 18% (3+ outliers or not modelled)

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	273	
1	G	273	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
5	ACT	B	306	-	-	-	X

2 Entry composition [i](#)

There are 6 unique types of molecules in this entry. The entry contains 12780 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Chemotactic transducer PctC.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	215	Total 1697	C 1085	N 282	O 325	S 5	0	7	0
1	B	209	Total 1623	C 1040	N 272	O 306	S 5	0	4	0
1	C	223	Total 1750	C 1119	N 294	O 332	S 5	0	6	0
1	D	226	Total 1791	C 1139	N 301	O 345	S 6	0	9	0
1	E	224	Total 1728	C 1104	N 287	O 332	S 5	0	3	0
1	F	219	Total 1735	C 1109	N 292	O 329	S 5	0	6	0
1	G	200	Total 1589	C 1020	N 271	O 293	S 5	0	7	0

There are 154 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	9	MET	-	initiating methionine	UNP A0A080VJ62
A	10	GLY	-	expression tag	UNP A0A080VJ62
A	11	SER	-	expression tag	UNP A0A080VJ62
A	12	SER	-	expression tag	UNP A0A080VJ62
A	13	HIS	-	expression tag	UNP A0A080VJ62
A	14	HIS	-	expression tag	UNP A0A080VJ62
A	15	HIS	-	expression tag	UNP A0A080VJ62
A	16	HIS	-	expression tag	UNP A0A080VJ62
A	17	HIS	-	expression tag	UNP A0A080VJ62
A	18	HIS	-	expression tag	UNP A0A080VJ62
A	19	SER	-	expression tag	UNP A0A080VJ62
A	20	SER	-	expression tag	UNP A0A080VJ62
A	21	GLY	-	expression tag	UNP A0A080VJ62
A	22	LEU	-	expression tag	UNP A0A080VJ62
A	23	VAL	-	expression tag	UNP A0A080VJ62

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	24	PRO	-	expression tag	UNP A0A080VJ62
A	25	ARG	-	expression tag	UNP A0A080VJ62
A	26	GLY	-	expression tag	UNP A0A080VJ62
A	27	SER	-	expression tag	UNP A0A080VJ62
A	28	HIS	-	expression tag	UNP A0A080VJ62
A	29	MET	-	expression tag	UNP A0A080VJ62
A	242	SER	ARG	conflict	UNP A0A080VJ62
B	9	MET	-	initiating methionine	UNP A0A080VJ62
B	10	GLY	-	expression tag	UNP A0A080VJ62
B	11	SER	-	expression tag	UNP A0A080VJ62
B	12	SER	-	expression tag	UNP A0A080VJ62
B	13	HIS	-	expression tag	UNP A0A080VJ62
B	14	HIS	-	expression tag	UNP A0A080VJ62
B	15	HIS	-	expression tag	UNP A0A080VJ62
B	16	HIS	-	expression tag	UNP A0A080VJ62
B	17	HIS	-	expression tag	UNP A0A080VJ62
B	18	HIS	-	expression tag	UNP A0A080VJ62
B	19	SER	-	expression tag	UNP A0A080VJ62
B	20	SER	-	expression tag	UNP A0A080VJ62
B	21	GLY	-	expression tag	UNP A0A080VJ62
B	22	LEU	-	expression tag	UNP A0A080VJ62
B	23	VAL	-	expression tag	UNP A0A080VJ62
B	24	PRO	-	expression tag	UNP A0A080VJ62
B	25	ARG	-	expression tag	UNP A0A080VJ62
B	26	GLY	-	expression tag	UNP A0A080VJ62
B	27	SER	-	expression tag	UNP A0A080VJ62
B	28	HIS	-	expression tag	UNP A0A080VJ62
B	29	MET	-	expression tag	UNP A0A080VJ62
B	242	SER	ARG	conflict	UNP A0A080VJ62
C	9	MET	-	initiating methionine	UNP A0A080VJ62
C	10	GLY	-	expression tag	UNP A0A080VJ62
C	11	SER	-	expression tag	UNP A0A080VJ62
C	12	SER	-	expression tag	UNP A0A080VJ62
C	13	HIS	-	expression tag	UNP A0A080VJ62
C	14	HIS	-	expression tag	UNP A0A080VJ62
C	15	HIS	-	expression tag	UNP A0A080VJ62
C	16	HIS	-	expression tag	UNP A0A080VJ62
C	17	HIS	-	expression tag	UNP A0A080VJ62
C	18	HIS	-	expression tag	UNP A0A080VJ62
C	19	SER	-	expression tag	UNP A0A080VJ62
C	20	SER	-	expression tag	UNP A0A080VJ62
C	21	GLY	-	expression tag	UNP A0A080VJ62

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	22	LEU	-	expression tag	UNP A0A080VJ62
C	23	VAL	-	expression tag	UNP A0A080VJ62
C	24	PRO	-	expression tag	UNP A0A080VJ62
C	25	ARG	-	expression tag	UNP A0A080VJ62
C	26	GLY	-	expression tag	UNP A0A080VJ62
C	27	SER	-	expression tag	UNP A0A080VJ62
C	28	HIS	-	expression tag	UNP A0A080VJ62
C	29	MET	-	expression tag	UNP A0A080VJ62
C	242	SER	ARG	conflict	UNP A0A080VJ62
D	9	MET	-	initiating methionine	UNP A0A080VJ62
D	10	GLY	-	expression tag	UNP A0A080VJ62
D	11	SER	-	expression tag	UNP A0A080VJ62
D	12	SER	-	expression tag	UNP A0A080VJ62
D	13	HIS	-	expression tag	UNP A0A080VJ62
D	14	HIS	-	expression tag	UNP A0A080VJ62
D	15	HIS	-	expression tag	UNP A0A080VJ62
D	16	HIS	-	expression tag	UNP A0A080VJ62
D	17	HIS	-	expression tag	UNP A0A080VJ62
D	18	HIS	-	expression tag	UNP A0A080VJ62
D	19	SER	-	expression tag	UNP A0A080VJ62
D	20	SER	-	expression tag	UNP A0A080VJ62
D	21	GLY	-	expression tag	UNP A0A080VJ62
D	22	LEU	-	expression tag	UNP A0A080VJ62
D	23	VAL	-	expression tag	UNP A0A080VJ62
D	24	PRO	-	expression tag	UNP A0A080VJ62
D	25	ARG	-	expression tag	UNP A0A080VJ62
D	26	GLY	-	expression tag	UNP A0A080VJ62
D	27	SER	-	expression tag	UNP A0A080VJ62
D	28	HIS	-	expression tag	UNP A0A080VJ62
D	29	MET	-	expression tag	UNP A0A080VJ62
D	242	SER	ARG	conflict	UNP A0A080VJ62
E	9	MET	-	initiating methionine	UNP A0A080VJ62
E	10	GLY	-	expression tag	UNP A0A080VJ62
E	11	SER	-	expression tag	UNP A0A080VJ62
E	12	SER	-	expression tag	UNP A0A080VJ62
E	13	HIS	-	expression tag	UNP A0A080VJ62
E	14	HIS	-	expression tag	UNP A0A080VJ62
E	15	HIS	-	expression tag	UNP A0A080VJ62
E	16	HIS	-	expression tag	UNP A0A080VJ62
E	17	HIS	-	expression tag	UNP A0A080VJ62
E	18	HIS	-	expression tag	UNP A0A080VJ62
E	19	SER	-	expression tag	UNP A0A080VJ62

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
E	20	SER	-	expression tag	UNP A0A080VJ62
E	21	GLY	-	expression tag	UNP A0A080VJ62
E	22	LEU	-	expression tag	UNP A0A080VJ62
E	23	VAL	-	expression tag	UNP A0A080VJ62
E	24	PRO	-	expression tag	UNP A0A080VJ62
E	25	ARG	-	expression tag	UNP A0A080VJ62
E	26	GLY	-	expression tag	UNP A0A080VJ62
E	27	SER	-	expression tag	UNP A0A080VJ62
E	28	HIS	-	expression tag	UNP A0A080VJ62
E	29	MET	-	expression tag	UNP A0A080VJ62
E	242	SER	ARG	conflict	UNP A0A080VJ62
F	9	MET	-	initiating methionine	UNP A0A080VJ62
F	10	GLY	-	expression tag	UNP A0A080VJ62
F	11	SER	-	expression tag	UNP A0A080VJ62
F	12	SER	-	expression tag	UNP A0A080VJ62
F	13	HIS	-	expression tag	UNP A0A080VJ62
F	14	HIS	-	expression tag	UNP A0A080VJ62
F	15	HIS	-	expression tag	UNP A0A080VJ62
F	16	HIS	-	expression tag	UNP A0A080VJ62
F	17	HIS	-	expression tag	UNP A0A080VJ62
F	18	HIS	-	expression tag	UNP A0A080VJ62
F	19	SER	-	expression tag	UNP A0A080VJ62
F	20	SER	-	expression tag	UNP A0A080VJ62
F	21	GLY	-	expression tag	UNP A0A080VJ62
F	22	LEU	-	expression tag	UNP A0A080VJ62
F	23	VAL	-	expression tag	UNP A0A080VJ62
F	24	PRO	-	expression tag	UNP A0A080VJ62
F	25	ARG	-	expression tag	UNP A0A080VJ62
F	26	GLY	-	expression tag	UNP A0A080VJ62
F	27	SER	-	expression tag	UNP A0A080VJ62
F	28	HIS	-	expression tag	UNP A0A080VJ62
F	29	MET	-	expression tag	UNP A0A080VJ62
F	242	SER	ARG	conflict	UNP A0A080VJ62
G	9	MET	-	initiating methionine	UNP A0A080VJ62
G	10	GLY	-	expression tag	UNP A0A080VJ62
G	11	SER	-	expression tag	UNP A0A080VJ62
G	12	SER	-	expression tag	UNP A0A080VJ62
G	13	HIS	-	expression tag	UNP A0A080VJ62
G	14	HIS	-	expression tag	UNP A0A080VJ62
G	15	HIS	-	expression tag	UNP A0A080VJ62
G	16	HIS	-	expression tag	UNP A0A080VJ62
G	17	HIS	-	expression tag	UNP A0A080VJ62

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
G	18	HIS	-	expression tag	UNP A0A080VJ62
G	19	SER	-	expression tag	UNP A0A080VJ62
G	20	SER	-	expression tag	UNP A0A080VJ62
G	21	GLY	-	expression tag	UNP A0A080VJ62
G	22	LEU	-	expression tag	UNP A0A080VJ62
G	23	VAL	-	expression tag	UNP A0A080VJ62
G	24	PRO	-	expression tag	UNP A0A080VJ62
G	25	ARG	-	expression tag	UNP A0A080VJ62
G	26	GLY	-	expression tag	UNP A0A080VJ62
G	27	SER	-	expression tag	UNP A0A080VJ62
G	28	HIS	-	expression tag	UNP A0A080VJ62
G	29	MET	-	expression tag	UNP A0A080VJ62
G	242	SER	ARG	conflict	UNP A0A080VJ62

- Molecule 2 is GAMMA-AMINO-BUTANOIC ACID (three-letter code: ABU) (formula: $C_4H_9NO_2$).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	N	O		
2	A	1	7	4	1	2	0	0
2	B	1	7	4	1	2	0	0
2	B	1	14	8	2	4	0	1
2	D	1	14	8	2	4	0	1

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	N	O		
2	E	1	14	8	2	4	0	1

- Molecule 3 is SULFATE ION (three-letter code: SO4) (formula: O₄S).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
			Total	O	S		
3	A	1	5	4	1	0	0
3	A	1	5	4	1	0	0
3	A	1	5	4	1	0	0
3	B	1	5	4	1	0	0
3	B	1	5	4	1	0	0
3	C	1	5	4	1	0	0
3	C	1	5	4	1	0	0
3	D	1	5	4	1	0	0
3	E	1	5	4	1	0	0
3	E	1	5	4	1	0	0

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	F	1	Total	O	S	0	0
			5	4	1		
3	G	1	Total	O	S	0	0
			5	4	1		
3	G	1	Total	O	S	0	0
			5	4	1		

- Molecule 4 is GLYCEROL (three-letter code: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			6	3	3		
4	F	1	Total	C	O	0	0
			6	3	3		
4	G	1	Total	C	O	0	0
			6	3	3		

- Molecule 5 is ACETATE ION (three-letter code: ACT) (formula: $C_2H_3O_2$).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	B	1	Total C O 4 2 2	0	0
5	B	1	Total C O 4 2 2	0	0
5	B	1	Total C O 4 2 2	0	0
5	C	1	Total C O 4 2 2	0	0
5	E	1	Total C O 4 2 2	0	0
5	F	1	Total C O 4 2 2	0	0

- Molecule 6 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	100	Total O 100 100	0	0
6	B	105	Total O 105 105	0	0
6	C	86	Total O 86 86	0	0
6	D	120	Total O 120 120	0	0
6	E	108	Total O 108 108	0	0
6	F	91	Total O 91 91	0	0

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	G	94	Total 94	O 94	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Chemotactic transducer PctC




- Molecule 1: Chemotactic transducer PctC




- Molecule 1: Chemotactic transducer PctC




- Molecule 1: Chemotactic transducer PctC




• Molecule 1: Chemotactic transducer PctC



• Molecule 1: Chemotactic transducer PctC



• Molecule 1: Chemotactic transducer PctC



4 Data and refinement statistics

Property	Value	Source
Space group	P 64	Depositor
Cell constants a, b, c, α , β , γ	209.76Å 209.76Å 68.89Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	48.63 – 2.31 48.63 – 2.31	Depositor EDS
% Data completeness (in resolution range)	99.8 (48.63-2.31) 99.8 (48.63-2.31)	Depositor EDS
R_{merge}	0.16	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.82 (at 2.32Å)	Xtrriage
Refinement program	PHENIX 1.10_2155	Depositor
R, R_{free}	0.177 , 0.226 0.178 , 0.224	Depositor DCC
R_{free} test set	3821 reflections (5.02%)	wwPDB-VP
Wilson B-factor (Å ²)	37.2	Xtrriage
Anisotropy	0.002	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 48.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtrriage
Estimated twinning fraction	0.027 for h,-h-k,-l	Xtrriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	12780	wwPDB-VP
Average B, all atoms (Å ²)	45.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 16.95% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: ABU, SO4, GOL, ACT

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.60	1/1731 (0.1%)	0.72	3/2354 (0.1%)
1	B	0.56	0/1657	0.94	6/2256 (0.3%)
1	C	0.53	0/1787	0.65	2/2430 (0.1%)
1	D	0.56	0/1829	0.67	1/2488 (0.0%)
1	E	0.62	2/1765 (0.1%)	0.82	6/2404 (0.2%)
1	F	0.61	0/1772	0.66	0/2410
1	G	0.59	0/1622	0.68	0/2204
All	All	0.58	3/12163 (0.0%)	0.74	18/16546 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	G	0	1

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	E	48	GLU	CB-CG	-7.06	1.38	1.52
1	A	80	GLN	C-N	-6.43	1.22	1.34
1	E	238	GLU	CB-CG	-5.40	1.41	1.52

The worst 5 of 18 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	189	LEU	CB-CG-CD2	-26.38	66.15	111.00
1	E	48	GLU	OE1-CD-OE2	-15.76	104.39	123.30
1	A	115	ARG	NE-CZ-NH1	8.45	124.53	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	115	ARG	NE-CZ-NH2	-7.55	116.52	120.30
1	B	64	ARG	NE-CZ-NH2	-7.41	116.59	120.30

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	G	178	LYS	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1697	0	1681	19	0
1	B	1623	0	1618	16	0
1	C	1750	0	1739	27	0
1	D	1791	0	1765	22	0
1	E	1728	0	1706	29	0
1	F	1735	0	1712	27	0
1	G	1589	0	1594	31	0
2	A	7	0	0	0	0
2	B	21	0	0	3	0
2	D	14	0	0	0	0
2	E	14	0	0	2	0
3	A	15	0	0	0	0
3	B	10	0	0	0	0
3	C	10	0	0	2	0
3	D	5	0	0	0	0
3	E	10	0	0	0	0
3	F	5	0	0	0	0
3	G	10	0	0	1	0
4	A	6	0	8	0	0
4	F	6	0	8	1	0
4	G	6	0	8	0	0
5	B	12	0	9	0	0
5	C	4	0	3	0	0
5	E	4	0	3	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	F	4	0	3	0	0
6	A	100	0	0	6	2
6	B	105	0	0	5	1
6	C	86	0	0	6	0
6	D	120	0	0	5	1
6	E	108	0	0	6	0
6	F	91	0	0	8	0
6	G	94	0	0	4	0
All	All	12780	0	11857	164	2

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

The worst 5 of 164 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:62:GLU:OE2	6:B:401:HOH:O	1.89	0.88
1:E:131:TRP:HE1	1:F:168:GLN:HE22	1.19	0.88
1:G:147:PHE:O	1:G:156:ILE:N	2.07	0.87
1:B:83:GLU:OE1	6:B:402:HOH:O	1.94	0.86
1:E:144:THR:OG1	6:E:401:HOH:O	1.92	0.85

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
6:A:424:HOH:O	6:D:475:HOH:O[1_556]	1.69	0.51
6:A:484:HOH:O	6:B:463:HOH:O[5_555]	2.04	0.16

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	214/273 (78%)	211 (99%)	3 (1%)	0	100	100
1	B	207/273 (76%)	204 (99%)	3 (1%)	0	100	100
1	C	225/273 (82%)	223 (99%)	2 (1%)	0	100	100
1	D	233/273 (85%)	230 (99%)	3 (1%)	0	100	100
1	E	223/273 (82%)	221 (99%)	2 (1%)	0	100	100
1	F	219/273 (80%)	217 (99%)	2 (1%)	0	100	100
1	G	199/273 (73%)	192 (96%)	7 (4%)	0	100	100
All	All	1520/1911 (80%)	1498 (99%)	22 (1%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	179/220 (81%)	173 (97%)	6 (3%)	37	51
1	B	170/220 (77%)	166 (98%)	4 (2%)	49	65
1	C	183/220 (83%)	183 (100%)	0	100	100
1	D	188/220 (86%)	185 (98%)	3 (2%)	62	77
1	E	181/220 (82%)	176 (97%)	5 (3%)	43	59
1	F	182/220 (83%)	180 (99%)	2 (1%)	73	85
1	G	166/220 (76%)	160 (96%)	6 (4%)	35	48
All	All	1249/1540 (81%)	1223 (98%)	26 (2%)	59	70

5 of 26 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	E	205	LYS
1	E	266	ASP
1	G	179	LEU
1	E	240	ASP
1	F	180[A]	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 8 such sidechains are listed below:

Mol	Chain	Res	Type
1	F	168	GLN
1	F	98	ASN
1	F	56	ASN
1	D	168	GLN
1	F	92	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

30 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	GOL	A	305	-	5,5,5	0.38	0	5,5,5	0.26	0
5	ACT	F	301	-	3,3,3	0.86	0	3,3,3	1.23	0
3	SO4	E	303	-	4,4,4	0.14	0	6,6,6	0.31	0
5	ACT	B	306	-	3,3,3	0.77	0	3,3,3	1.34	0
3	SO4	C	303	-	4,4,4	0.12	0	6,6,6	0.14	0
4	GOL	G	303	-	5,5,5	0.41	0	5,5,5	0.31	0
3	SO4	A	304	-	4,4,4	0.14	0	6,6,6	0.19	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	ACT	B	307	-	3,3,3	0.79	0	3,3,3	1.52	0
2	ABU	B	304[A]	-	6,6,6	0.83	0	6,6,6	0.77	0
2	ABU	B	301	-	6,6,6	0.80	0	6,6,6	0.83	0
3	SO4	E	304	-	4,4,4	0.15	0	6,6,6	0.28	0
3	SO4	A	303	-	4,4,4	0.27	0	6,6,6	0.30	0
3	SO4	D	302	-	4,4,4	0.20	0	6,6,6	0.60	0
3	SO4	C	302	-	4,4,4	0.14	0	6,6,6	0.61	0
3	SO4	B	303	-	4,4,4	0.19	0	6,6,6	0.72	0
2	ABU	B	304[B]	-	6,6,6	0.76	0	6,6,6	0.92	0
3	SO4	G	301	-	4,4,4	0.17	0	6,6,6	0.69	0
3	SO4	B	302	-	4,4,4	0.14	0	6,6,6	0.28	0
2	ABU	D	301[A]	-	6,6,6	0.89	0	6,6,6	0.84	0
5	ACT	E	302	-	3,3,3	0.77	0	3,3,3	1.45	0
2	ABU	A	301	-	6,6,6	0.77	0	6,6,6	1.32	1 (16%)
2	ABU	E	301[A]	-	6,6,6	0.81	0	6,6,6	0.97	0
3	SO4	F	302	-	4,4,4	0.22	0	6,6,6	0.34	0
5	ACT	B	305	-	3,3,3	0.77	0	3,3,3	1.52	0
3	SO4	A	302	-	4,4,4	0.17	0	6,6,6	0.30	0
4	GOL	F	303	-	5,5,5	0.32	0	5,5,5	0.58	0
2	ABU	D	301[B]	-	6,6,6	0.77	0	6,6,6	1.78	1 (16%)
5	ACT	C	301	-	3,3,3	0.73	0	3,3,3	1.37	0
3	SO4	G	302	-	4,4,4	0.16	0	6,6,6	0.17	0
2	ABU	E	301[B]	-	6,6,6	0.79	0	6,6,6	1.13	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	GOL	A	305	-	-	1/4/4/4	-
4	GOL	F	303	-	-	2/4/4/4	-
2	ABU	D	301[A]	-	-	3/4/4/4	-
2	ABU	D	301[B]	-	-	3/4/4/4	-
2	ABU	A	301	-	-	3/4/4/4	-
2	ABU	E	301[A]	-	-	2/4/4/4	-
2	ABU	E	301[B]	-	-	0/4/4/4	-
4	GOL	G	303	-	-	2/4/4/4	-
2	ABU	B	304[A]	-	-	1/4/4/4	-
2	ABU	B	304[B]	-	-	3/4/4/4	-
2	ABU	B	301	-	-	0/4/4/4	-

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
2	D	301[B]	ABU	CB-CG-C	-3.03	106.85	114.47
2	A	301	ABU	CB-CG-C	2.61	121.06	114.47

There are no chirality outliers.

5 of 20 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	301	ABU	CD-CB-CG-C
4	G	303	GOL	O1-C1-C2-C3
2	D	301[B]	ABU	CD-CB-CG-C
4	F	303	GOL	O1-C1-C2-C3
4	F	303	GOL	O1-C1-C2-O2

There are no ring outliers.

6 monomers are involved in 9 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	C	303	SO4	1	0
3	C	302	SO4	1	0
2	B	304[B]	ABU	3	0
3	G	301	SO4	1	0
4	F	303	GOL	1	0
2	E	301[B]	ABU	2	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	215/273 (78%)	-0.09	6 (2%) 53 60	21, 35, 85, 102	0
1	B	209/273 (76%)	-0.01	14 (6%) 17 23	21, 37, 87, 118	0
1	C	223/273 (81%)	-0.01	9 (4%) 38 45	22, 43, 98, 131	0
1	D	226/273 (82%)	-0.25	3 (1%) 77 81	22, 35, 77, 105	0
1	E	224/273 (82%)	-0.17	10 (4%) 33 40	22, 38, 89, 111	0
1	F	219/273 (80%)	-0.24	7 (3%) 47 55	24, 36, 83, 129	0
1	G	200/273 (73%)	0.01	14 (7%) 16 22	23, 42, 92, 113	1 (0%)
All	All	1516/1911 (79%)	-0.11	63 (4%) 36 43	21, 38, 89, 131	1 (0%)

The worst 5 of 63 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	225	LYS	5.6
1	B	223	TYR	5.1
1	B	245	PHE	5.1
1	C	166	ALA	4.9
1	B	224	PRO	4.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
5	ACT	B	306	4/4	0.70	0.73	111,111,112,112	0
4	GOL	A	305	6/6	0.72	0.28	95,98,99,100	0
4	GOL	F	303	6/6	0.79	0.34	63,69,76,87	0
5	ACT	C	301	4/4	0.79	0.19	87,88,89,90	0
3	SO4	C	303	5/5	0.84	0.31	111,111,111,111	5
5	ACT	E	302	4/4	0.90	0.23	69,69,69,69	0
4	GOL	G	303	6/6	0.91	0.12	73,73,76,77	0
5	ACT	F	301	4/4	0.92	0.15	67,69,69,71	0
3	SO4	A	304	5/5	0.93	0.15	109,109,110,110	0
5	ACT	B	305	4/4	0.93	0.10	68,71,71,72	0
2	ABU	E	301[A]	7/7	0.95	0.26	19,21,32,39	7
3	SO4	G	302	5/5	0.95	0.18	109,110,111,113	0
2	ABU	E	301[B]	7/7	0.95	0.26	15,19,21,23	7
3	SO4	A	303	5/5	0.95	0.11	65,66,67,67	0
2	ABU	A	301	7/7	0.95	0.19	24,31,34,35	0
2	ABU	D	301[A]	7/7	0.96	0.35	22,24,39,41	7
3	SO4	B	302	5/5	0.96	0.13	68,68,70,74	0
2	ABU	D	301[B]	7/7	0.96	0.35	19,21,23,27	7
5	ACT	B	307	4/4	0.96	0.12	63,63,63,64	0
2	ABU	B	301	7/7	0.96	0.14	27,28,29,31	0
2	ABU	B	304[A]	7/7	0.96	0.23	32,34,49,50	7
2	ABU	B	304[B]	7/7	0.96	0.23	27,33,35,36	7
3	SO4	E	304	5/5	0.97	0.17	73,76,77,78	0
3	SO4	A	302	5/5	0.98	0.09	39,40,45,46	0
3	SO4	G	301	5/5	0.98	0.11	42,47,48,52	0
3	SO4	D	302	5/5	0.99	0.10	32,37,41,43	0
3	SO4	E	303	5/5	0.99	0.12	44,45,48,50	0
3	SO4	C	302	5/5	0.99	0.10	47,49,52,53	0
3	SO4	F	302	5/5	0.99	0.11	37,40,41,47	0
3	SO4	B	303	5/5	0.99	0.12	41,44,48,49	0

6.5 Other polymers [i](#)

There are no such residues in this entry.