



wwPDB EM Validation Summary Report ⓘ

Nov 19, 2022 – 06:16 PM EST

PDB ID : 7LY9
EMDB ID : EMD-23589
Title : Cryo-EM structure of 2909 Fab in complex with 3BNC117 Fab and CAP256.wk34.c80 SOSIP.RnS2 N160K HIV-1 Env trimer
Authors : Gorman, J.; Kwong, P.D.
Deposited on : 2021-03-06
Resolution : 3.91 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev43
Mogul : 1.8.5 (274361), CSD as541be (2020)
MolProbity : 4.02b-467
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ : 1.9.9
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.31.2


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 3.91 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.





















Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	158937	4297
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	L	211	45% (green), 50% (grey)
2	H	231	49% (green), 6% (yellow), 44% (grey)
3	D	471	82% (green), 9% (yellow), 8% (orange), 1% (red)
3	G	471	81% (green), 11% (yellow), 7% (orange)
3	K	471	86% (green), 7% (yellow), 8% (orange)
4	A	226	52% (green), 46% (grey)
4	B	226	50% (green), 46% (grey)
4	E	226	51% (green), 46% (grey)

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
5	C	206	 41% 6% 52%
5	I	206	 39% 8% 52%
5	M	206	 42% 6% 53%
6	F	154	 68% 6% 27%
6	J	154	 73% 6% 25%
6	N	154	 64% 10% 26%
7	O	2	 100%
7	P	2	 100%
7	S	2	 100%
7	T	2	 100%
7	W	2	 100%
7	X	2	 100%
7	Y	2	 100%
8	Q	7	 29% 71%
8	U	7	 29% 71%
8	Z	7	 14% 86%
9	R	4	 75% 25%
10	V	3	 67% 33%

2 Entry composition

There are 11 unique types of molecules in this entry. The entry contains 21464 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 2909 Light Chain.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	L	105	797	495	139	161	2	0	0

- Molecule 2 is a protein called 2909 Heavy Chain.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
2	H	129	1023	641	168	207	7	0	0

- Molecule 3 is a protein called Envelope glycoprotein gp120.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
3	G	436	3449	2171	598	654	26	0	0
3	D	435	3440	2166	597	651	26	0	0
3	K	435	3442	2167	597	652	26	0	0

There are 60 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
G	160	LYS	ASN	conflict	UNP A0A0N9FF17
G	204	ILE	ALA	conflict	UNP A0A0N9FF17
G	302	MET	ASN	conflict	UNP A0A0N9FF17
G	320	LEU	THR	conflict	UNP A0A0N9FF17
G	329	PRO	ALA	conflict	UNP A0A0N9FF17
G	437	PRO	SER	conflict	UNP A0A0N9FF17
G	442	ASN	GLU	conflict	UNP A0A0N9FF17
G	501	CYS	-	expression tag	UNP A0A0N9FF17
G	502	ASN	-	expression tag	UNP A0A0N9FF17
G	503	ARG	-	expression tag	UNP A0A0N9FF17
G	504	THR	-	expression tag	UNP A0A0N9FF17

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
G	505	VAL	-	expression tag	UNP A0A0N9FF17
G	506	VAL	-	expression tag	UNP A0A0N9FF17
G	507	GLN	-	expression tag	UNP A0A0N9FF17
G	508	ARG	-	expression tag	UNP A0A0N9FF17
G	509	ARG	-	expression tag	UNP A0A0N9FF17
G	510	ARG	-	expression tag	UNP A0A0N9FF17
G	511	ARG	-	expression tag	UNP A0A0N9FF17
G	512	ARG	-	expression tag	UNP A0A0N9FF17
G	513	ARG	-	expression tag	UNP A0A0N9FF17
D	160	LYS	ASN	conflict	UNP A0A0N9FF17
D	204	ILE	ALA	conflict	UNP A0A0N9FF17
D	302	MET	ASN	conflict	UNP A0A0N9FF17
D	320	LEU	THR	conflict	UNP A0A0N9FF17
D	329	PRO	ALA	conflict	UNP A0A0N9FF17
D	437	PRO	SER	conflict	UNP A0A0N9FF17
D	442	ASN	GLU	conflict	UNP A0A0N9FF17
D	501	CYS	-	expression tag	UNP A0A0N9FF17
D	502	ASN	-	expression tag	UNP A0A0N9FF17
D	503	ARG	-	expression tag	UNP A0A0N9FF17
D	504	THR	-	expression tag	UNP A0A0N9FF17
D	505	VAL	-	expression tag	UNP A0A0N9FF17
D	506	VAL	-	expression tag	UNP A0A0N9FF17
D	507	GLN	-	expression tag	UNP A0A0N9FF17
D	508	ARG	-	expression tag	UNP A0A0N9FF17
D	509	ARG	-	expression tag	UNP A0A0N9FF17
D	510	ARG	-	expression tag	UNP A0A0N9FF17
D	511	ARG	-	expression tag	UNP A0A0N9FF17
D	512	ARG	-	expression tag	UNP A0A0N9FF17
D	513	ARG	-	expression tag	UNP A0A0N9FF17
K	160	LYS	ASN	conflict	UNP A0A0N9FF17
K	204	ILE	ALA	conflict	UNP A0A0N9FF17
K	302	MET	ASN	conflict	UNP A0A0N9FF17
K	320	LEU	THR	conflict	UNP A0A0N9FF17
K	329	PRO	ALA	conflict	UNP A0A0N9FF17
K	437	PRO	SER	conflict	UNP A0A0N9FF17
K	442	ASN	GLU	conflict	UNP A0A0N9FF17
K	501	CYS	-	expression tag	UNP A0A0N9FF17
K	502	ASN	-	expression tag	UNP A0A0N9FF17
K	503	ARG	-	expression tag	UNP A0A0N9FF17
K	504	THR	-	expression tag	UNP A0A0N9FF17
K	505	VAL	-	expression tag	UNP A0A0N9FF17
K	506	VAL	-	expression tag	UNP A0A0N9FF17

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
K	507	GLN	-	expression tag	UNP A0A0N9FF17
K	508	ARG	-	expression tag	UNP A0A0N9FF17
K	509	ARG	-	expression tag	UNP A0A0N9FF17
K	510	ARG	-	expression tag	UNP A0A0N9FF17
K	511	ARG	-	expression tag	UNP A0A0N9FF17
K	512	ARG	-	expression tag	UNP A0A0N9FF17
K	513	ARG	-	expression tag	UNP A0A0N9FF17

- Molecule 4 is a protein called 3BNC117 Heavy Chain.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
4	B	121	Total	C	N	O	S	0	0
			985	626	177	179	3		
4	E	121	Total	C	N	O	S	0	0
			985	626	177	179	3		
4	A	121	Total	C	N	O	S	0	0
			985	626	177	179	3		

- Molecule 5 is a protein called 3BNC117 Light Chain.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
5	C	98	Total	C	N	O	S	0	0
			783	493	137	150	3		
5	I	98	Total	C	N	O	S	0	0
			783	493	137	150	3		
5	M	96	Total	C	N	O	S	0	0
			767	483	135	146	3		

- Molecule 6 is a protein called Envelope glycoprotein gp41.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
6	F	113	Total	C	N	O	S	0	0
			899	576	149	167	7		
6	J	116	Total	C	N	O	S	0	0
			924	590	154	173	7		
6	N	114	Total	C	N	O	S	0	0
			912	582	152	171	7		

There are 39 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
F	535	ASN	ILE	conflict	UNP A0A0N9FF17

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
F	559	PRO	ILE	conflict	UNP A0A0N9FF17
F	569	GLY	THR	conflict	UNP A0A0N9FF17
F	573	PHE	ILE	conflict	UNP A0A0N9FF17
F	588	GLU	LYS	conflict	UNP A0A0N9FF17
F	589	VAL	ASP	conflict	UNP A0A0N9FF17
F	605	CYS	THR	conflict	UNP A0A0N9FF17
F	609	PRO	TYR	conflict	UNP A0A0N9FF17
F	636	GLY	ASP	conflict	UNP A0A0N9FF17
F	651	PHE	LYS	conflict	UNP A0A0N9FF17
F	655	ILE	SER	conflict	UNP A0A0N9FF17
F	660	ASN	LEU	conflict	UNP A0A0N9FF17
F	662	THR	ALA	conflict	UNP A0A0N9FF17
J	535	ASN	ILE	conflict	UNP A0A0N9FF17
J	559	PRO	ILE	conflict	UNP A0A0N9FF17
J	569	GLY	THR	conflict	UNP A0A0N9FF17
J	573	PHE	ILE	conflict	UNP A0A0N9FF17
J	588	GLU	LYS	conflict	UNP A0A0N9FF17
J	589	VAL	ASP	conflict	UNP A0A0N9FF17
J	605	CYS	THR	conflict	UNP A0A0N9FF17
J	609	PRO	TYR	conflict	UNP A0A0N9FF17
J	636	GLY	ASP	conflict	UNP A0A0N9FF17
J	651	PHE	LYS	conflict	UNP A0A0N9FF17
J	655	ILE	SER	conflict	UNP A0A0N9FF17
J	660	ASN	LEU	conflict	UNP A0A0N9FF17
J	662	THR	ALA	conflict	UNP A0A0N9FF17
N	535	ASN	ILE	conflict	UNP A0A0N9FF17
N	559	PRO	ILE	conflict	UNP A0A0N9FF17
N	569	GLY	THR	conflict	UNP A0A0N9FF17
N	573	PHE	ILE	conflict	UNP A0A0N9FF17
N	588	GLU	LYS	conflict	UNP A0A0N9FF17
N	589	VAL	ASP	conflict	UNP A0A0N9FF17
N	605	CYS	THR	conflict	UNP A0A0N9FF17
N	609	PRO	TYR	conflict	UNP A0A0N9FF17
N	636	GLY	ASP	conflict	UNP A0A0N9FF17
N	651	PHE	LYS	conflict	UNP A0A0N9FF17
N	655	ILE	SER	conflict	UNP A0A0N9FF17
N	660	ASN	LEU	conflict	UNP A0A0N9FF17
N	662	THR	ALA	conflict	UNP A0A0N9FF17

- Molecule 7 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
7	O	2	28	16	2	10	0	0
7	P	2	28	16	2	10	0	0
7	S	2	28	16	2	10	0	0
7	T	2	28	16	2	10	0	0
7	W	2	28	16	2	10	0	0
7	X	2	28	16	2	10	0	0
7	Y	2	28	16	2	10	0	0

- Molecule 8 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]alpha-D-mannopyranose-(1-6)-[alpha-D-mannopyranose-(1-3)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
8	Q	7	83	46	2	35	0	0
8	U	7	83	46	2	35	0	0
8	Z	7	83	46	2	35	0	0

- Molecule 9 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
9	R	4	50	28	2	20	0	0

- Molecule 10 is an oligosaccharide called beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
10	V	3	39	22	2	15	0	0

- Molecule 11 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula: C₈H₁₅NO₆).



Mol	Chain	Residues	Atoms				AltConf
			Total	C	N	O	
11	G	1	210	120	15	75	0
11	G	1	210	120	15	75	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				AltConf
			Total	C	N	O	
11	G	1	Total 210	C 120	N 15	O 75	0
11	G	1	Total 210	C 120	N 15	O 75	0
11	G	1	Total 210	C 120	N 15	O 75	0
11	G	1	Total 210	C 120	N 15	O 75	0
11	G	1	Total 210	C 120	N 15	O 75	0
11	G	1	Total 210	C 120	N 15	O 75	0
11	G	1	Total 210	C 120	N 15	O 75	0
11	G	1	Total 210	C 120	N 15	O 75	0
11	G	1	Total 210	C 120	N 15	O 75	0
11	G	1	Total 210	C 120	N 15	O 75	0
11	G	1	Total 210	C 120	N 15	O 75	0
11	G	1	Total 210	C 120	N 15	O 75	0
11	G	1	Total 210	C 120	N 15	O 75	0
11	G	1	Total 210	C 120	N 15	O 75	0
11	C	1	Total 14	C 8	N 1	O 5	0
11	F	1	Total 28	C 16	N 2	O 10	0
11	F	1	Total 28	C 16	N 2	O 10	0
11	D	1	Total 224	C 128	N 16	O 80	0
11	D	1	Total 224	C 128	N 16	O 80	0
11	D	1	Total 224	C 128	N 16	O 80	0
11	D	1	Total 224	C 128	N 16	O 80	0
11	D	1	Total 224	C 128	N 16	O 80	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				AltConf
			Total	C	N	O	
11	D	1	Total 224	C 128	N 16	O 80	0
11	D	1	Total 224	C 128	N 16	O 80	0
11	D	1	Total 224	C 128	N 16	O 80	0
11	D	1	Total 224	C 128	N 16	O 80	0
11	D	1	Total 224	C 128	N 16	O 80	0
11	D	1	Total 224	C 128	N 16	O 80	0
11	D	1	Total 224	C 128	N 16	O 80	0
11	D	1	Total 224	C 128	N 16	O 80	0
11	D	1	Total 224	C 128	N 16	O 80	0
11	D	1	Total 224	C 128	N 16	O 80	0
11	D	1	Total 224	C 128	N 16	O 80	0
11	D	1	Total 224	C 128	N 16	O 80	0
11	I	1	Total 14	C 8	N 1	O 5	0
11	J	1	Total 28	C 16	N 2	O 10	0
11	J	1	Total 28	C 16	N 2	O 10	0
11	K	1	Total 196	C 112	N 14	O 70	0
11	K	1	Total 196	C 112	N 14	O 70	0
11	K	1	Total 196	C 112	N 14	O 70	0
11	K	1	Total 196	C 112	N 14	O 70	0
11	K	1	Total 196	C 112	N 14	O 70	0
11	K	1	Total 196	C 112	N 14	O 70	0
11	K	1	Total 196	C 112	N 14	O 70	0

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms				AltConf
11	K	1	Total	C	N	O	0
			196	112	14	70	
11	K	1	Total	C	N	O	0
			196	112	14	70	
11	K	1	Total	C	N	O	0
			196	112	14	70	
11	K	1	Total	C	N	O	0
			196	112	14	70	
11	K	1	Total	C	N	O	0
			196	112	14	70	
11	K	1	Total	C	N	O	0
			196	112	14	70	
11	M	1	Total	C	N	O	0
			14	8	1	5	
11	N	1	Total	C	N	O	0
			28	16	2	10	
11	N	1	Total	C	N	O	0
			28	16	2	10	


3 Residue-property plots i

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: 2909 Light Chain




- Molecule 2: 2909 Heavy Chain





- Molecule 3: Envelope glycoprotein gp120








● Molecule 3: Envelope glycoprotein gp120




● Molecule 3: Envelope glycoprotein gp120




● Molecule 4: 3BNC117 Heavy Chain



● Molecule 4: 3BNC117 Heavy Chain




● Molecule 4: 3BNC117 Heavy Chain





ASP

- Molecule 6: Envelope glycoprotein gp41



- Molecule 6: Envelope glycoprotein gp41



- Molecule 7: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

MAG1
MAG2

- Molecule 7: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

MAG1
MAG2

- Molecule 7: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

MAG1
MAG2

- Molecule 7: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain T:  100%

MAG1
MAG2

- Molecule 7: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain W:  100%

MAG1
MAG2

- Molecule 7: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain X:  100%

MAG1
MAG2

- Molecule 7: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain Y:  100%

MAG1
MAG2

- Molecule 8: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]alpha-D-mannopyranose-(1-6)-[alpha-D-mannopyranose-(1-3)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain Q:  29% 71%

MAG1
MAG2
EMAG3
MAN4
MAN5
MAN6
MAN7

- Molecule 8: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]alpha-D-mannopyranose-(1-6)-[alpha-D-mannopyranose-(1-3)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain U:  29% 71%


MAG1
MAG2
EMAG3
MAN4
MAN5
MAN6
MAN7

- Molecule 8: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]alpha-D-mannopyranose-(1-6)-[alpha-D-mannopyranose-(1-3)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain Z:  14% 86%

MAG1
MAG2
BMA3
MAN4
MAN5
MAN6
MAN7

- Molecule 9: alpha-D-mannopyranose-(1-3)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain R:  75% 25%

MAG1
MAG2
BMA3
MAN4

- Molecule 10: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain V:  67% 33%

MAG1
MAG2
BMA3

4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	35406	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	66.88	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	Not provided	
Image detector	GATAN K2 SUMMIT (4k x 4k)	Depositor
Maximum map value	1.975	Depositor
Minimum map value	-0.479	Depositor
Average map value	0.010	Depositor
Map value standard deviation	0.061	Depositor
Recommended contour level	0.5	Depositor
Map size (\AA)	438.44, 438.44, 438.44	wwPDB
Map dimensions	400, 400, 400	wwPDB
Map angles ($^\circ$)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (\AA)	1.0961, 1.0961, 1.0961	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MAN, NAG, TYS, BMA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	L	0.25	0/817	0.46	0/1118
2	H	0.25	0/1013	0.46	0/1366
3	D	0.28	0/3510	0.49	0/4765
3	G	0.27	0/3519	0.49	0/4777
3	K	0.26	0/3512	0.47	0/4767
4	A	0.25	0/1017	0.45	0/1386
4	B	0.25	0/1017	0.46	0/1386
4	E	0.25	0/1017	0.45	0/1386
5	C	0.31	0/800	0.58	0/1086
5	I	0.26	0/800	0.50	0/1086
5	M	0.26	0/784	0.49	0/1064
6	F	0.24	0/920	0.40	0/1247
6	J	0.24	0/945	0.40	0/1280
6	N	0.24	0/933	0.41	0/1264
All	All	0.26	0/20604	0.47	0/27978

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	L	797	0	745	5	0
2	H	1023	0	946	9	0
3	D	3440	0	3368	47	0
3	G	3449	0	3375	33	0
3	K	3442	0	3369	21	0
4	A	985	0	919	2	0
4	B	985	0	919	6	0
4	E	985	0	919	4	0
5	C	783	0	763	9	0
5	I	783	0	763	14	0
5	M	767	0	748	7	0
6	F	899	0	857	6	0
6	J	924	0	880	3	0
6	N	912	0	866	9	0
7	O	28	0	25	0	0
7	P	28	0	25	0	0
7	S	28	0	25	0	0
7	T	28	0	25	0	0
7	W	28	0	25	0	0
7	X	28	0	25	0	0
7	Y	28	0	25	0	0
8	Q	83	0	70	1	0
8	U	83	0	70	1	0
8	Z	83	0	70	1	0
9	R	50	0	43	0	0
10	V	39	0	34	1	0
11	C	14	0	13	0	0
11	D	224	0	208	2	0
11	F	28	0	26	0	0
11	G	210	0	195	3	0
11	I	14	0	13	1	0
11	J	28	0	26	0	0
11	K	196	0	182	1	0
11	M	14	0	13	1	0
11	N	28	0	26	0	0
All	All	21464	0	20601	169	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

The worst 5 of 169 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:D:465:LYS:HG3	3:D:465:LYS:O	1.67	0.95
3:D:358:THR:H	3:D:464:THR:HB	1.46	0.80
3:G:457:ASP:OD2	3:G:467:THR:OG1	2.00	0.77
3:D:456:ARG:CB	3:D:456:ARG:HH11	2.00	0.73
3:D:261:LEU:H	3:D:261:LEU:HD22	1.54	0.72

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	L	103/211 (49%)	95 (92%)	8 (8%)	0	100	100
2	H	125/231 (54%)	117 (94%)	8 (6%)	0	100	100
3	D	425/471 (90%)	400 (94%)	24 (6%)	1 (0%)	47	79
3	G	426/471 (90%)	401 (94%)	25 (6%)	0	100	100
3	K	425/471 (90%)	407 (96%)	18 (4%)	0	100	100
4	A	119/226 (53%)	113 (95%)	6 (5%)	0	100	100
4	B	119/226 (53%)	112 (94%)	7 (6%)	0	100	100
4	E	119/226 (53%)	111 (93%)	8 (7%)	0	100	100
5	C	96/206 (47%)	83 (86%)	13 (14%)	0	100	100
5	I	96/206 (47%)	84 (88%)	12 (12%)	0	100	100
5	M	94/206 (46%)	86 (92%)	8 (8%)	0	100	100
6	F	109/154 (71%)	107 (98%)	2 (2%)	0	100	100
6	J	112/154 (73%)	109 (97%)	3 (3%)	0	100	100
6	N	110/154 (71%)	109 (99%)	1 (1%)	0	100	100
All	All	2478/3613 (69%)	2334 (94%)	143 (6%)	1 (0%)	100	100

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
3	D	232	THR

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	L	87/178 (49%)	87 (100%)	0	100	100
2	H	107/195 (55%)	107 (100%)	0	100	100
3	D	393/424 (93%)	385 (98%)	8 (2%)	55	74
3	G	394/424 (93%)	387 (98%)	7 (2%)	59	77
3	K	393/424 (93%)	391 (100%)	2 (0%)	88	93
4	A	102/193 (53%)	102 (100%)	0	100	100
4	B	102/193 (53%)	102 (100%)	0	100	100
4	E	102/193 (53%)	101 (99%)	1 (1%)	76	86
5	C	86/183 (47%)	86 (100%)	0	100	100
5	I	86/183 (47%)	86 (100%)	0	100	100
5	M	84/183 (46%)	83 (99%)	1 (1%)	71	83
6	F	94/130 (72%)	94 (100%)	0	100	100
6	J	97/130 (75%)	97 (100%)	0	100	100
6	N	96/130 (74%)	96 (100%)	0	100	100
All	All	2223/3163 (70%)	2204 (99%)	19 (1%)	79	88

5 of 19 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
3	D	465	LYS
3	K	503	ARG
5	M	61	ARG
3	K	276	ASN
3	D	262	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
3	D	287	HIS
4	A	39	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

2 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	TYS	H	100(C)	2	15,16,17	0.71	0	18,22,24	1.00	0
2	TYS	H	100(A)	2	15,16,17	0.68	0	18,22,24	1.28	2 (11%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '2' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	TYS	H	100(C)	2	-	2/10/11/13	0/1/1/1
2	TYS	H	100(A)	2	-	0/10/11/13	0/1/1/1

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	H	100(A)	TYS	OH-S-O2	-2.69	99.87	107.71
2	H	100(A)	TYS	CB-CA-C	-2.43	106.92	111.47

There are no chirality outliers.

All (2) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	H	100(C)	TYS	CE1-CZ-OH-S
2	H	100(C)	TYS	CE2-CZ-OH-S

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	H	100(A)	TYS	1	0

5.5 Carbohydrates [i](#)

42 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
7	NAG	O	1	3,7	14,14,15	0.22	0	17,19,21	0.38	0
7	NAG	O	2	7	14,14,15	0.21	0	17,19,21	0.42	0
7	NAG	P	1	3,7	14,14,15	0.22	0	17,19,21	0.38	0
7	NAG	P	2	7	14,14,15	0.23	0	17,19,21	0.42	0
8	NAG	Q	1	3,8	14,14,15	0.31	0	17,19,21	0.33	0
8	NAG	Q	2	8	14,14,15	0.26	0	17,19,21	0.38	0
8	BMA	Q	3	8	11,11,12	0.57	0	15,15,17	0.79	0
8	MAN	Q	4	8	11,11,12	0.60	0	15,15,17	0.95	2 (13%)
8	MAN	Q	5	8	11,11,12	0.63	0	15,15,17	1.00	2 (13%)
8	MAN	Q	6	8	11,11,12	0.62	0	15,15,17	1.01	2 (13%)
8	MAN	Q	7	8	11,11,12	0.62	0	15,15,17	0.95	2 (13%)
9	NAG	R	1	3,9	14,14,15	0.21	0	17,19,21	0.42	0
9	NAG	R	2	9	14,14,15	0.20	0	17,19,21	0.41	0
9	BMA	R	3	9	11,11,12	0.60	0	15,15,17	0.74	0
9	MAN	R	4	9	11,11,12	0.64	0	15,15,17	0.99	2 (13%)
7	NAG	S	1	3,7	14,14,15	0.19	0	17,19,21	0.40	0
7	NAG	S	2	7	14,14,15	0.22	0	17,19,21	0.42	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
7	NAG	T	1	3,7	14,14,15	0.20	0	17,19,21	0.42	0
7	NAG	T	2	7	14,14,15	0.21	0	17,19,21	0.41	0
8	NAG	U	1	3,8	14,14,15	0.22	0	17,19,21	0.38	0
8	NAG	U	2	8	14,14,15	0.21	0	17,19,21	0.43	0
8	BMA	U	3	8	11,11,12	0.58	0	15,15,17	0.72	0
8	MAN	U	4	8	11,11,12	0.60	0	15,15,17	1.05	2 (13%)
8	MAN	U	5	8	11,11,12	0.61	0	15,15,17	0.97	2 (13%)
8	MAN	U	6	8	11,11,12	0.67	0	15,15,17	0.99	2 (13%)
8	MAN	U	7	8	11,11,12	0.64	0	15,15,17	0.97	2 (13%)
10	NAG	V	1	3,10	14,14,15	0.39	0	17,19,21	0.47	0
10	NAG	V	2	10	14,14,15	0.17	0	17,19,21	0.59	0
10	BMA	V	3	10	11,11,12	0.56	0	15,15,17	0.72	0
7	NAG	W	1	3,7	14,14,15	0.22	0	17,19,21	0.43	0
7	NAG	W	2	7	14,14,15	0.20	0	17,19,21	0.57	0
7	NAG	X	1	3,7	14,14,15	0.21	0	17,19,21	0.39	0
7	NAG	X	2	7	14,14,15	0.20	0	17,19,21	0.44	0
7	NAG	Y	1	3,7	14,14,15	0.22	0	17,19,21	0.38	0
7	NAG	Y	2	7	14,14,15	0.21	0	17,19,21	0.42	0
8	NAG	Z	1	3,8	14,14,15	0.31	0	17,19,21	0.40	0
8	NAG	Z	2	8	14,14,15	0.23	0	17,19,21	0.54	0
8	BMA	Z	3	8	11,11,12	0.56	0	15,15,17	0.71	0
8	MAN	Z	4	8	11,11,12	0.60	0	15,15,17	1.04	2 (13%)
8	MAN	Z	5	8	11,11,12	0.63	0	15,15,17	0.98	2 (13%)
8	MAN	Z	6	8	11,11,12	0.66	0	15,15,17	0.99	2 (13%)
8	MAN	Z	7	8	11,11,12	0.64	0	15,15,17	0.98	2 (13%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	NAG	O	1	3,7	-	0/6/23/26	0/1/1/1
7	NAG	O	2	7	-	3/6/23/26	0/1/1/1
7	NAG	P	1	3,7	-	2/6/23/26	0/1/1/1
7	NAG	P	2	7	-	1/6/23/26	0/1/1/1
8	NAG	Q	1	3,8	-	2/6/23/26	0/1/1/1
8	NAG	Q	2	8	-	1/6/23/26	0/1/1/1
8	BMA	Q	3	8	-	0/2/19/22	0/1/1/1
8	MAN	Q	4	8	-	2/2/19/22	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
8	MAN	Q	5	8	-	0/2/19/22	0/1/1/1
8	MAN	Q	6	8	-	0/2/19/22	0/1/1/1
8	MAN	Q	7	8	-	1/2/19/22	0/1/1/1
9	NAG	R	1	3,9	-	0/6/23/26	0/1/1/1
9	NAG	R	2	9	-	0/6/23/26	0/1/1/1
9	BMA	R	3	9	-	0/2/19/22	0/1/1/1
9	MAN	R	4	9	-	0/2/19/22	0/1/1/1
7	NAG	S	1	3,7	-	0/6/23/26	0/1/1/1
7	NAG	S	2	7	-	3/6/23/26	0/1/1/1
7	NAG	T	1	3,7	-	2/6/23/26	0/1/1/1
7	NAG	T	2	7	-	1/6/23/26	0/1/1/1
8	NAG	U	1	3,8	-	0/6/23/26	0/1/1/1
8	NAG	U	2	8	-	0/6/23/26	0/1/1/1
8	BMA	U	3	8	-	0/2/19/22	0/1/1/1
8	MAN	U	4	8	-	2/2/19/22	0/1/1/1
8	MAN	U	5	8	-	0/2/19/22	0/1/1/1
8	MAN	U	6	8	-	0/2/19/22	0/1/1/1
8	MAN	U	7	8	-	1/2/19/22	0/1/1/1
10	NAG	V	1	3,10	-	2/6/23/26	0/1/1/1
10	NAG	V	2	10	-	3/6/23/26	0/1/1/1
10	BMA	V	3	10	-	0/2/19/22	0/1/1/1
7	NAG	W	1	3,7	-	0/6/23/26	0/1/1/1
7	NAG	W	2	7	-	3/6/23/26	0/1/1/1
7	NAG	X	1	3,7	-	2/6/23/26	0/1/1/1
7	NAG	X	2	7	-	4/6/23/26	0/1/1/1
7	NAG	Y	1	3,7	-	2/6/23/26	0/1/1/1
7	NAG	Y	2	7	-	1/6/23/26	0/1/1/1
8	NAG	Z	1	3,8	-	2/6/23/26	0/1/1/1
8	NAG	Z	2	8	-	2/6/23/26	0/1/1/1
8	BMA	Z	3	8	-	0/2/19/22	0/1/1/1
8	MAN	Z	4	8	-	0/2/19/22	0/1/1/1
8	MAN	Z	5	8	-	0/2/19/22	0/1/1/1
8	MAN	Z	6	8	-	0/2/19/22	0/1/1/1
8	MAN	Z	7	8	-	1/2/19/22	0/1/1/1

There are no bond length outliers.

The worst 5 of 26 bond angle outliers are listed below:

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
8	U	4	MAN	C1-O5-C5	2.70	115.85	112.19
8	Z	4	MAN	C1-O5-C5	2.47	115.53	112.19
8	Q	6	MAN	C1-O5-C5	2.36	115.39	112.19
8	Z	4	MAN	O2-C2-C3	-2.29	105.54	110.14
8	Q	5	MAN	C1-O5-C5	2.29	115.29	112.19

There are no chirality outliers.

5 of 43 torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
7	X	1	NAG	O5-C5-C6-O6
7	X	2	NAG	C4-C5-C6-O6
8	Z	1	NAG	C4-C5-C6-O6
8	Q	4	MAN	O5-C5-C6-O6
7	T	1	NAG	O5-C5-C6-O6


There are no ring outliers.


5 monomers are involved in 4 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
10	V	1	NAG	1	0
8	Z	2	NAG	1	0
8	Q	2	NAG	1	0
8	U	2	NAG	1	0
8	Z	1	NAG	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.





























5.6 Ligand geometry [i](#)

54 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul

statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
11	NAG	D	606	3	14,14,15	0.18	0	17,19,21	0.58	0
11	NAG	K	611	3	14,14,15	0.20	0	17,19,21	0.44	0
11	NAG	K	605	3	14,14,15	0.22	0	17,19,21	0.40	0
11	NAG	K	606	3	14,14,15	0.20	0	17,19,21	0.42	0
11	NAG	K	614	3	14,14,15	0.21	0	17,19,21	0.41	0
11	NAG	D	614	3	14,14,15	0.24	0	17,19,21	0.43	0
11	NAG	J	702	6	14,14,15	0.21	0	17,19,21	0.41	0
11	NAG	D	613	3	14,14,15	0.34	0	17,19,21	0.44	0
11	NAG	G	613	3	14,14,15	0.19	0	17,19,21	0.37	0
11	NAG	G	615	3	14,14,15	0.23	0	17,19,21	0.43	0
11	NAG	K	613	3	14,14,15	0.27	0	17,19,21	0.37	0
11	NAG	K	607	3	14,14,15	0.22	0	17,19,21	0.40	0
11	NAG	D	607	3	14,14,15	0.21	0	17,19,21	0.42	0
11	NAG	D	615	3	14,14,15	0.20	0	17,19,21	0.59	0
11	NAG	G	610	3	14,14,15	0.18	0	17,19,21	0.39	0
11	NAG	C	301	5	14,14,15	0.24	0	17,19,21	0.36	0
11	NAG	K	601	3	14,14,15	0.26	0	17,19,21	0.39	0
11	NAG	D	609	3	14,14,15	0.22	0	17,19,21	0.45	0
11	NAG	G	605	3	14,14,15	0.21	0	17,19,21	0.41	0
11	NAG	G	601	3	14,14,15	0.22	0	17,19,21	0.40	0
11	NAG	D	603	3	14,14,15	0.19	0	17,19,21	0.38	0
11	NAG	K	609	3	14,14,15	0.25	0	17,19,21	0.60	0
11	NAG	N	702	6	14,14,15	0.21	0	17,19,21	0.40	0
11	NAG	K	610	3	14,14,15	0.20	0	17,19,21	0.40	0
11	NAG	K	612	3	14,14,15	0.21	0	17,19,21	0.42	0
11	NAG	K	608	3	14,14,15	0.20	0	17,19,21	0.43	0
11	NAG	D	605	3	14,14,15	0.22	0	17,19,21	0.38	0
11	NAG	K	603	3	14,14,15	0.20	0	17,19,21	0.41	0
11	NAG	G	604	3	14,14,15	0.22	0	17,19,21	0.39	0
11	NAG	G	609	3	14,14,15	0.31	0	17,19,21	0.51	0
11	NAG	I	301	5	14,14,15	0.25	0	17,19,21	0.35	0
11	NAG	K	604	3	14,14,15	0.20	0	17,19,21	0.39	0
11	NAG	F	701	6	14,14,15	0.23	0	17,19,21	0.43	0
11	NAG	G	611	3	14,14,15	0.22	0	17,19,21	0.45	0
11	NAG	D	616	3	14,14,15	0.21	0	17,19,21	0.41	0
11	NAG	G	607	3	14,14,15	0.22	0	17,19,21	0.37	0
11	NAG	J	701	6	14,14,15	0.20	0	17,19,21	0.40	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
11	NAG	G	614	3	14,14,15	0.19	0	17,19,21	0.43	0
11	NAG	G	612	3	14,14,15	0.22	0	17,19,21	0.41	0
11	NAG	G	602	3	14,14,15	0.20	0	17,19,21	0.38	0
11	NAG	D	602	3	14,14,15	0.20	0	17,19,21	0.38	0
11	NAG	D	610	3	14,14,15	0.27	0	17,19,21	0.43	0
11	NAG	D	612	3	14,14,15	0.30	0	17,19,21	0.48	0
11	NAG	K	602	3	14,14,15	0.18	0	17,19,21	0.42	0
11	NAG	M	301	5	14,14,15	0.19	0	17,19,21	0.43	0
11	NAG	D	601	3	14,14,15	0.21	0	17,19,21	0.58	0
11	NAG	G	608	3	14,14,15	0.21	0	17,19,21	0.41	0
11	NAG	G	603	3	14,14,15	0.21	0	17,19,21	0.39	0
11	NAG	G	606	3	14,14,15	0.20	0	17,19,21	0.42	0
11	NAG	D	608	3	14,14,15	0.18	0	17,19,21	0.44	0
11	NAG	D	611	3	14,14,15	0.21	0	17,19,21	0.36	0
11	NAG	F	702	6	14,14,15	0.20	0	17,19,21	0.40	0
11	NAG	N	701	6	14,14,15	0.23	0	17,19,21	0.48	0
11	NAG	D	604	3	14,14,15	0.19	0	17,19,21	0.40	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
11	NAG	D	606	3	-	4/6/23/26	0/1/1/1
11	NAG	K	611	3	-	0/6/23/26	0/1/1/1
11	NAG	K	605	3	-	1/6/23/26	0/1/1/1
11	NAG	K	606	3	-	4/6/23/26	0/1/1/1
11	NAG	K	614	3	-	0/6/23/26	0/1/1/1
11	NAG	D	614	3	-	0/6/23/26	0/1/1/1
11	NAG	J	702	6	-	2/6/23/26	0/1/1/1
11	NAG	D	613	3	-	1/6/23/26	0/1/1/1
11	NAG	G	613	3	-	1/6/23/26	0/1/1/1
11	NAG	G	615	3	-	0/6/23/26	0/1/1/1
11	NAG	K	613	3	-	4/6/23/26	0/1/1/1
11	NAG	K	607	3	-	1/6/23/26	0/1/1/1
11	NAG	D	607	3	-	2/6/23/26	0/1/1/1
11	NAG	D	615	3	-	2/6/23/26	0/1/1/1
11	NAG	G	610	3	-	0/6/23/26	0/1/1/1
11	NAG	C	301	5	-	4/6/23/26	0/1/1/1
11	NAG	K	601	3	-	3/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
11	NAG	D	609	3	-	2/6/23/26	0/1/1/1
11	NAG	G	605	3	-	1/6/23/26	0/1/1/1
11	NAG	G	601	3	-	0/6/23/26	0/1/1/1
11	NAG	D	603	3	-	1/6/23/26	0/1/1/1
11	NAG	K	609	3	-	4/6/23/26	0/1/1/1
11	NAG	N	702	6	-	0/6/23/26	0/1/1/1
11	NAG	K	610	3	-	1/6/23/26	0/1/1/1
11	NAG	K	612	3	-	3/6/23/26	0/1/1/1
11	NAG	K	608	3	-	2/6/23/26	0/1/1/1
11	NAG	D	605	3	-	3/6/23/26	0/1/1/1
11	NAG	K	603	3	-	0/6/23/26	0/1/1/1
11	NAG	G	604	3	-	1/6/23/26	0/1/1/1
11	NAG	G	609	3	-	0/6/23/26	0/1/1/1
11	NAG	I	301	5	-	0/6/23/26	0/1/1/1
11	NAG	K	604	3	-	4/6/23/26	0/1/1/1
11	NAG	F	701	6	-	2/6/23/26	0/1/1/1
11	NAG	G	611	3	-	0/6/23/26	0/1/1/1
11	NAG	D	616	3	-	3/6/23/26	0/1/1/1
11	NAG	G	607	3	-	2/6/23/26	0/1/1/1
11	NAG	J	701	6	-	1/6/23/26	0/1/1/1
11	NAG	G	614	3	-	2/6/23/26	0/1/1/1
11	NAG	G	612	3	-	2/6/23/26	0/1/1/1
11	NAG	G	602	3	-	1/6/23/26	0/1/1/1
11	NAG	D	602	3	-	3/6/23/26	0/1/1/1
11	NAG	D	610	3	-	2/6/23/26	0/1/1/1
11	NAG	D	612	3	-	0/6/23/26	0/1/1/1
11	NAG	K	602	3	-	4/6/23/26	0/1/1/1
11	NAG	M	301	5	-	2/6/23/26	0/1/1/1
11	NAG	D	601	3	-	4/6/23/26	0/1/1/1
11	NAG	G	608	3	-	2/6/23/26	0/1/1/1
11	NAG	G	603	3	-	4/6/23/26	0/1/1/1
11	NAG	G	606	3	-	2/6/23/26	0/1/1/1
11	NAG	D	608	3	-	3/6/23/26	0/1/1/1
11	NAG	D	611	3	-	0/6/23/26	0/1/1/1
11	NAG	F	702	6	-	1/6/23/26	0/1/1/1
11	NAG	N	701	6	-	2/6/23/26	0/1/1/1
11	NAG	D	604	3	-	2/6/23/26	0/1/1/1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

5 of 95 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
11	N	701	NAG	C4-C5-C6-O6
11	D	608	NAG	C4-C5-C6-O6
11	G	606	NAG	O5-C5-C6-O6
11	D	606	NAG	O5-C5-C6-O6
11	N	701	NAG	O5-C5-C6-O6

There are no ring outliers.

7 monomers are involved in 8 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
11	D	613	NAG	1	0
11	K	601	NAG	1	0
11	G	609	NAG	1	0
11	I	301	NAG	1	0
11	G	611	NAG	2	0
11	D	612	NAG	1	0
11	M	301	NAG	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-23589. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 200




Y Index: 200




Z Index: 200


6.2.2 Raw map



X Index: 200



Y Index: 200




Z Index: 200


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 210




Y Index: 182




Z Index: 191


6.3.2 Raw map



X Index: 210



Y Index: 181




Z Index: 191

The images above show the largest variance slices of the map in three orthogonal directions.


6.4 Orthogonal surface views [i](#)

6.4.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.5. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.4.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.5 Mask visualisation [i](#)

This section shows the 3D surface view of the primary map at 50% transparency overlaid with the specified mask at 0% transparency


A mask typically either:

- Encompasses the whole structure
- Separates out a domain, a functional unit, a monomer or an area of interest from a larger structure


6.5.1 emd_23589_msk_1.map [i](#)



X



Y




Z

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 352 nm³; this corresponds to an approximate mass of 318 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum [i](#)




*Reported resolution corresponds to spatial frequency of 0.256 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.256\AA^{-1}

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.91	-	-
Author-provided FSC curve	-	-	-
Unmasked-calculated*	7.79	10.71	8.17

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 7.79 differs from the reported value 3.91 by more than 10 %

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-23589 and PDB model 7LY9. Per-residue inclusion information can be found in section 3 on page 13.

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.5 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.5).























































9.4 Atom inclusion [i](#)



At the recommended contour level, 99% of all backbone atoms, 89% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (0.5) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.8863	 0.3770
A	 0.8962	 0.4000
B	 0.9119	 0.4100
C	 0.8942	 0.3660
D	 0.8879	 0.3920
E	 0.8973	 0.4030
F	 0.8835	 0.3370
G	 0.8902	 0.3940
H	 0.8749	 0.3220
I	 0.8348	 0.3190
J	 0.8738	 0.3490
K	 0.8946	 0.3950
L	 0.8976	 0.3330
M	 0.8814	 0.3580
N	 0.8602	 0.3310
O	 0.8571	 0.3620
P	 0.7857	 0.3810
Q	 0.8675	 0.3850
R	 0.9200	 0.4090
S	 0.8571	 0.3460
T	 0.7500	 0.3170
U	 0.8554	 0.3400
V	 0.9231	 0.4290
W	 0.8929	 0.4050
X	 0.8214	 0.3340
Y	 0.7500	 0.3460
Z	 0.8675	 0.3690

