



Full wwPDB X-ray Structure Validation Report ⓘ

Jan 7, 2024 – 08:08 pm GMT

PDB ID : 5M2B
Title : Yeast 20S proteasome with human beta5i (1-138) and human beta6 (97-111; 118-133) in complex with thiazole based inhibitor Ro19
Authors : Groll, M.
Deposited on : 2016-10-12
Resolution : 2.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.4, CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.36
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	2808 (2.70-2.70)
Clashscore	141614	3122 (2.70-2.70)
Ramachandran outliers	138981	3069 (2.70-2.70)
Sidechain outliers	138945	3069 (2.70-2.70)
RSRZ outliers	127900	2737 (2.70-2.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	250	<div style="display: flex; align-items: center;"> <div style="width: 3%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 98%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 1%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 1%; height: 10px; background-color: grey;"></div> </div> <p style="margin-left: 20px;">98%</p>
1	O	250	<div style="display: flex; align-items: center;"> <div style="width: 2%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 97%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 1%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 1%; height: 10px; background-color: grey;"></div> </div> <p style="margin-left: 20px;">97%</p>
2	B	258	<div style="display: flex; align-items: center;"> <div style="width: 3%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 88%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 6%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 5%; height: 10px; background-color: grey;"></div> </div> <p style="margin-left: 20px;">88% 6% • 5%</p>
2	P	258	<div style="display: flex; align-items: center;"> <div style="width: 4%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 87%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 7%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 5%; height: 10px; background-color: grey;"></div> </div> <p style="margin-left: 20px;">87% 7% 5%</p>
3	C	254	<div style="display: flex; align-items: center;"> <div style="width: 7%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 87%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 6%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 6%; height: 10px; background-color: grey;"></div> </div> <p style="margin-left: 20px;">87% 6% • 6%</p>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	Q	254	7% 87% 6% • 6%
4	D	260	2% 85% 5% 10%
4	R	260	4% 85% 5% 10%
5	E	234	3% 94% • •
5	S	234	3% 94% 5% •
6	F	288	% 81% • 16%
6	T	288	2% 80% • 16%
7	G	252	2% 90% 5% •
7	U	252	3% 90% 5% • •
8	H	232	3% 90% 6% • •
8	V	232	3% 90% 6% • •
9	I	205	% 92% 8%
9	W	205	2% 92% 8%
10	J	198	3% 91% 6% • •
10	X	198	3% 91% 6% • • •
11	K	211	88% 10% •
11	Y	211	2% 90% 9% •
12	L	222	94% 5% •
12	Z	222	94% 5%
13	M	246	% 89% 5% 5%
13	a	246	92% • 5%
14	N	196	% 94% 5% •
14	b	196	% 97%

2 Entry composition

There are 18 unique types of molecules in this entry. The entry contains 49899 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Proteasome subunit alpha type-2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	250	Total	C	N	O	S	0	0	0
			1915	1219	315	377	4			
1	O	250	Total	C	N	O	S	0	0	0
			1915	1219	315	377	4			

- Molecule 2 is a protein called Proteasome subunit alpha type-3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	244	Total	C	N	O	S	0	0	0
			1904	1201	321	379	3			
2	P	244	Total	C	N	O	S	0	0	0
			1904	1201	321	379	3			

- Molecule 3 is a protein called Proteasome subunit alpha type-4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
3	C	240	Total	C	N	O	S	0	0	0
			1881	1176	329	372	4			
3	Q	240	Total	C	N	O	S	0	0	0
			1881	1176	329	372	4			

- Molecule 4 is a protein called Proteasome subunit alpha type-5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
4	D	235	Total	C	N	O	S	0	0	0
			1813	1136	304	366	7			
4	R	235	Total	C	N	O	S	0	0	0
			1813	1136	304	366	7			

- Molecule 5 is a protein called Proteasome subunit alpha type-6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
5	E	231	Total 1773	C 1114	N 307	O 348	S 4	0	0	0
5	S	231	Total 1773	C 1114	N 307	O 348	S 4	0	0	0

- Molecule 6 is a protein called Probable proteasome subunit alpha type-7.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
6	F	243	Total 1892	C 1203	N 329	O 356	S 4	0	0	0
6	T	243	Total 1892	C 1203	N 329	O 356	S 4	0	0	0

- Molecule 7 is a protein called Proteasome subunit alpha type-1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
7	G	241	Total 1907	C 1214	N 320	O 365	S 8	0	0	0
7	U	241	Total 1907	C 1214	N 320	O 365	S 8	0	0	0

- Molecule 8 is a protein called Proteasome subunit beta type-2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
8	H	226	Total 1719	C 1082	N 298	O 332	S 7	0	0	0
8	V	226	Total 1719	C 1082	N 298	O 332	S 7	0	0	0

- Molecule 9 is a protein called Proteasome subunit beta type-3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
9	I	204	Total 1581	C 1010	N 258	O 305	S 8	0	0	0
9	W	204	Total 1581	C 1010	N 258	O 305	S 8	0	0	0

- Molecule 10 is a protein called Proteasome subunit beta type-4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
10	J	195	Total 1561	C 992	N 264	O 299	S 6	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
10	X	195	1561	992	264	299	6	0	0	0

- Molecule 11 is a protein called Proteasome subunit beta type-8,Proteasome subunit beta type-5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
11	K	211	1640	1035	282	311	12	0	0	0
11	Y	211	1640	1035	282	311	12	0	0	0

- Molecule 12 is a protein called Proteasome subunit beta type-6,Proteasome subunit beta type,Proteasome subunit beta type-6,Proteasome subunit beta type,Proteasome subunit beta type-6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
12	L	222	1764	1119	305	336	4	0	0	0
12	Z	222	1764	1119	305	336	4	0	0	0

- Molecule 13 is a protein called Proteasome subunit beta type-7.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
13	M	233	1824	1154	312	351	7	0	0	0
13	a	233	1824	1154	312	351	7	0	0	0

- Molecule 14 is a protein called Proteasome subunit beta type-1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
14	N	196	1512	955	250	300	7	0	0	0
14	b	196	1512	955	250	300	7	0	0	0


- Molecule 15 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
15	G	1	Total Mg 1 1	0	0
15	I	1	Total Mg 1 1	0	0
15	J	1	Total Mg 1 1	0	0
15	K	1	Total Mg 1 1	0	0
15	L	1	Total Mg 1 1	0	0
15	N	1	Total Mg 1 1	0	0
15	Z	1	Total Mg 1 1	0	0

- Molecule 16 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
16	G	1	Total Cl 1 1	0	0
16	N	1	Total Cl 1 1	0	0
16	U	1	Total Cl 1 1	0	0
16	b	1	Total Cl 1 1	0	0

- Molecule 17 is (2 {S})-2-cyclohexyl-4-oxidanylidene-4-[[7-(4-phenyl-1,3-thiazol-2-yl)quinolin-2-yl]amino]butanoic acid (three-letter code: 7DX) (formula: C₂₈H₂₇N₃O₃S).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	S		
17	K	1	35	28	3	3	1	0	0
17	Y	1	35	28	3	3	1	0	0


- Molecule 18 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	O		
18	A	20	20	20	0	0
18	B	13	13	13	0	0
18	C	12	12	12	0	0
18	D	12	12	12	0	0
18	E	8	8	8	0	0
18	F	14	14	14	0	0
18	G	18	18	18	0	0
18	H	22	22	22	0	0
18	I	17	17	17	0	0
18	J	18	18	18	0	0


Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
18	K	15	Total O 15 15	0	0
18	L	15	Total O 15 15	0	0
18	M	25	Total O 25 25	0	0
18	N	19	Total O 19 19	0	0
18	O	18	Total O 18 18	0	0
18	P	16	Total O 16 16	0	0
18	Q	4	Total O 4 4	0	0
18	R	15	Total O 15 15	0	0
18	S	7	Total O 7 7	0	0
18	T	11	Total O 11 11	0	0
18	U	25	Total O 25 25	0	0
18	V	17	Total O 17 17	0	0
18	W	20	Total O 20 20	0	0
18	X	20	Total O 20 20	0	0
18	Y	11	Total O 11 11	0	0
18	Z	13	Total O 13 13	0	0
18	a	22	Total O 22 22	0	0
18	b	19	Total O 19 19	0	0




- Molecule 10: Proteasome subunit beta type-4




- Molecule 10: Proteasome subunit beta type-4




- Molecule 11: Proteasome subunit beta type-8, Proteasome subunit beta type-5




- Molecule 11: Proteasome subunit beta type-8, Proteasome subunit beta type-5



- Molecule 12: Proteasome subunit beta type-6, Proteasome subunit beta type, Proteasome subunit beta type-6, Proteasome subunit beta type, Proteasome subunit beta type-6




- Molecule 12: Proteasome subunit beta type-6, Proteasome subunit beta type, Proteasome subunit beta type-6, Proteasome subunit beta type, Proteasome subunit beta type-6







- Molecule 13: Proteasome subunit beta type-7




- Molecule 13: Proteasome subunit beta type-7



- Molecule 14: Proteasome subunit beta type-1



- Molecule 14: Proteasome subunit beta type-1



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	135.16Å 301.15Å 145.98Å 90.00° 112.81° 90.00°	Depositor
Resolution (Å)	15.00 – 2.70 15.00 – 2.70	Depositor EDS
% Data completeness (in resolution range)	96.7 (15.00-2.70) 96.7 (15.00-2.70)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.22 (at 2.69Å)	Xtrriage
Refinement program	REFMAC 5.7.0032	Depositor
R, R_{free}	0.200 , 0.218 0.204 , 0.221	Depositor DCC
R_{free} test set	14094 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	53.9	Xtrriage
Anisotropy	0.067	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.30 , 35.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	49899	wwPDB-VP
Average B, all atoms (Å ²)	60.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.29% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: 7DX, CL, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.26	0/1952	0.47	0/2642
1	O	0.26	0/1952	0.47	0/2642
2	B	0.29	0/1934	0.50	0/2618
2	P	0.27	0/1934	0.49	0/2618
3	C	0.28	0/1910	0.50	0/2586
3	Q	0.28	0/1910	0.50	0/2586
4	D	0.27	0/1837	0.47	0/2475
4	R	0.27	0/1837	0.47	0/2475
5	E	0.27	0/1800	0.47	0/2433
5	S	0.27	0/1800	0.47	0/2433
6	F	0.27	0/1932	0.44	0/2609
6	T	0.27	0/1932	0.45	0/2609
7	G	0.29	0/1945	0.47	0/2634
7	U	0.28	0/1945	0.77	4/2634 (0.2%)
8	H	0.25	0/1750	0.51	0/2373
8	V	0.25	0/1750	0.51	0/2373
9	I	0.27	0/1611	0.53	0/2174
9	W	0.27	0/1611	0.53	0/2174
10	J	0.27	0/1589	0.97	6/2142 (0.3%)
10	X	0.30	0/1589	0.94	6/2142 (0.3%)
11	K	0.30	0/1677	0.54	0/2263
11	Y	0.28	0/1677	0.54	0/2263
12	L	0.29	0/1802	0.77	3/2430 (0.1%)
12	Z	0.29	0/1802	0.74	3/2430 (0.1%)
13	M	0.26	0/1855	0.54	0/2514
13	a	0.28	0/1855	0.55	0/2514
14	N	0.25	0/1541	0.49	0/2087
14	b	0.25	0/1541	0.49	0/2087
All	All	0.27	0/50270	0.57	22/67960 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if

the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
7	U	0	1
10	J	0	2
10	X	0	2
All	All	0	5

There are no bond length outliers.

All (22) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	U	68	ARG	NE-CZ-NH2	-22.67	108.97	120.30
10	J	95	ARG	NE-CZ-NH2	-20.64	109.98	120.30
12	L	100	ARG	NE-CZ-NH1	-20.41	110.10	120.30
10	J	149	ARG	NE-CZ-NH1	-20.40	110.10	120.30
10	X	149	ARG	NE-CZ-NH2	-19.92	110.34	120.30
12	Z	100	ARG	NE-CZ-NH2	-19.51	110.55	120.30
10	X	95	ARG	NE-CZ-NH1	-18.86	110.87	120.30
12	L	100	ARG	NE-CZ-NH2	17.68	129.14	120.30
7	U	68	ARG	NE-CZ-NH1	17.06	128.83	120.30
12	Z	100	ARG	NE-CZ-NH1	16.57	128.58	120.30
10	J	149	ARG	NE-CZ-NH2	16.23	128.41	120.30
10	X	95	ARG	NE-CZ-NH2	15.81	128.21	120.30
10	X	149	ARG	NE-CZ-NH1	14.97	127.78	120.30
10	J	95	ARG	NE-CZ-NH1	13.77	127.19	120.30
7	U	68	ARG	CD-NE-CZ	10.87	138.82	123.60
10	J	95	ARG	CD-NE-CZ	10.45	138.23	123.60
10	J	149	ARG	CD-NE-CZ	10.29	138.00	123.60
10	X	149	ARG	CD-NE-CZ	9.65	137.11	123.60
10	X	95	ARG	CD-NE-CZ	9.05	136.27	123.60
12	L	100	ARG	CD-NE-CZ	8.71	135.80	123.60
12	Z	100	ARG	CD-NE-CZ	8.59	135.62	123.60
7	U	68	ARG	CG-CD-NE	-7.27	96.53	111.80

There are no chirality outliers.

All (5) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
10	J	149	ARG	Sidechain
10	J	95	ARG	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
7	U	68	ARG	Sidechain
10	X	149	ARG	Sidechain
10	X	95	ARG	Sidechain

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1915	0	1929	2	0
1	O	1915	0	1929	5	0
2	B	1904	0	1904	15	0
2	P	1904	0	1904	9	0
3	C	1881	0	1895	6	0
3	Q	1881	0	1895	6	0
4	D	1813	0	1797	5	0
4	R	1813	0	1797	5	0
5	E	1773	0	1775	2	0
5	S	1773	0	1775	3	0
6	F	1892	0	1883	3	0
6	T	1892	0	1883	4	0
7	G	1907	0	1901	3	0
7	U	1907	0	1901	4	0
8	H	1719	0	1719	11	0
8	V	1719	0	1719	9	0
9	I	1581	0	1574	12	0
9	W	1581	0	1574	10	0
10	J	1561	0	1569	9	0
10	X	1561	0	1569	10	0
11	K	1640	0	1581	18	0
11	Y	1640	0	1581	14	0
12	L	1764	0	1716	5	0
12	Z	1764	0	1716	4	0
13	M	1824	0	1832	5	0
13	a	1824	0	1832	0	0
14	N	1512	0	1481	3	0
14	b	1512	0	1481	0	0
15	G	1	0	0	0	0
15	I	1	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
15	J	1	0	0	0	0
15	K	1	0	0	0	0
15	L	1	0	0	0	0
15	N	1	0	0	0	0
15	Z	1	0	0	0	0
16	G	1	0	0	0	0
16	N	1	0	0	0	0
16	U	1	0	0	0	0
16	b	1	0	0	0	0
17	K	35	0	0	0	0
17	Y	35	0	0	1	0
18	A	20	0	0	0	0
18	B	13	0	0	0	0
18	C	12	0	0	0	0
18	D	12	0	0	0	0
18	E	8	0	0	0	0
18	F	14	0	0	0	0
18	G	18	0	0	0	0
18	H	22	0	0	0	0
18	I	17	0	0	0	0
18	J	18	0	0	0	0
18	K	15	0	0	0	0
18	L	15	0	0	0	0
18	M	25	0	0	1	0
18	N	19	0	0	0	0
18	O	18	0	0	0	0
18	P	16	0	0	1	0
18	Q	4	0	0	0	0
18	R	15	0	0	0	0
18	S	7	0	0	0	0
18	T	11	0	0	1	0
18	U	25	0	0	0	0
18	V	17	0	0	0	0
18	W	20	0	0	0	0
18	X	20	0	0	0	0
18	Y	11	0	0	0	0
18	Z	13	0	0	0	0
18	a	22	0	0	0	0
18	b	19	0	0	0	0
All	All	49899	0	49112	154	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (154) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:93:HIS:NE2	2:B:113:ARG:HD3	1.60	1.15
2:B:113:ARG:HH11	2:B:113:ARG:HG3	1.21	1.00
11:Y:35:ILE:HG22	11:Y:45:MET:HE3	1.45	0.97
11:K:35:ILE:HG22	11:K:45:MET:HE3	1.58	0.85
11:K:44:THR:O	11:K:99:SER:OG	1.96	0.82
11:Y:35:ILE:HG22	11:Y:45:MET:CE	2.17	0.74
11:K:35:ILE:HG22	11:K:45:MET:CE	2.19	0.73
10:J:3:ILE:HD11	10:J:168:LEU:HD13	1.75	0.68
10:X:3:ILE:HD11	10:X:168:LEU:HD13	1.75	0.68
2:B:93:HIS:CE1	2:B:113:ARG:HD3	2.28	0.67
10:J:23:ARG:NH2	11:K:119:THR:OG1	2.26	0.67
10:X:23:ARG:NH2	11:Y:119:THR:OG1	2.29	0.66
2:B:113:ARG:HG3	2:B:113:ARG:NH1	2.01	0.65
10:J:55:GLN:CD	11:K:88:CYS:SG	2.76	0.64
10:X:55:GLN:CD	11:Y:88:CYS:SG	2.80	0.60
2:B:113:ARG:HH11	2:B:113:ARG:CG	2.05	0.59
10:J:3:ILE:CD1	10:J:168:LEU:HD13	2.33	0.59
2:B:93:HIS:NE2	2:B:113:ARG:CD	2.53	0.58
10:J:55:GLN:NE2	11:K:88:CYS:SG	2.76	0.58
14:N:152:VAL:HA	14:N:175:MET:HE1	1.86	0.57
10:X:3:ILE:CD1	10:X:168:LEU:HD13	2.33	0.57
11:K:20:ALA:HB3	11:K:28:ALA:HB3	1.86	0.56
11:K:208:ASN:O	9:W:38:LYS:NZ	2.38	0.56
4:R:89:VAL:HG12	11:Y:61:LYS:HG3	1.87	0.56
11:Y:20:ALA:HB3	11:Y:28:ALA:HB3	1.87	0.56
8:H:50:ALA:CB	9:I:126:ILE:HG23	2.36	0.55
1:O:23:TYR:CD1	7:U:12:PRO:HA	2.42	0.54
10:X:55:GLN:NE2	11:Y:88:CYS:SG	2.81	0.54
2:P:93:HIS:HB3	18:P:301:HOH:O	2.07	0.54
11:K:144:LYS:HB2	11:K:147:LEU:HD13	1.90	0.54
4:D:89:VAL:HG12	11:K:61:LYS:HG3	1.89	0.53
12:Z:31:THR:HG23	12:Z:36:ASN:HD21	1.74	0.53
11:Y:144:LYS:HB2	11:Y:147:LEU:HD13	1.90	0.53
11:K:35:ILE:CG2	11:K:45:MET:CE	2.86	0.52
8:V:35:HIS:HB3	8:V:56:THR:HG21	1.91	0.52
8:H:35:HIS:HB3	8:H:56:THR:HG21	1.91	0.52
12:L:31:THR:HG23	12:L:36:ASN:HD21	1.74	0.52
9:I:38:LYS:NZ	11:Y:208:ASN:O	2.42	0.52
7:U:23:PHE:O	7:U:26:THR:HB	2.10	0.51
12:L:100:ARG:HD2	12:L:105:TYR:CE2	2.46	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:113:ARG:NH1	2:B:113:ARG:CG	2.71	0.51
3:C:201:VAL:O	3:C:202:GLN:CB	2.58	0.51
3:Q:201:VAL:O	3:Q:202:GLN:CB	2.59	0.51
7:G:23:PHE:O	7:G:26:THR:HB	2.11	0.50
11:Y:35:ILE:CG2	11:Y:45:MET:CE	2.88	0.50
8:H:50:ALA:CB	9:I:126:ILE:CG2	2.90	0.50
14:N:83:LYS:HG3	14:N:119:VAL:CG2	2.42	0.49
3:Q:51:LYS:O	3:Q:52:LEU:HB2	2.12	0.49
3:C:160:GLN:HE21	3:C:160:GLN:HA	1.77	0.49
8:H:196:ARG:NH2	9:I:150:GLU:HG3	2.27	0.49
10:J:16:ALA:HB2	10:J:161:LEU:HD21	1.95	0.49
10:X:16:ALA:HB2	10:X:161:LEU:HD21	1.95	0.49
3:C:51:LYS:O	3:C:52:LEU:HB2	2.12	0.48
8:V:50:ALA:CB	9:W:126:ILE:HG23	2.43	0.48
10:J:1:MET:HG2	10:J:34:LYS:HE3	1.94	0.48
1:O:1:MET:HG3	6:T:122:TYR:CZ	2.48	0.48
8:H:104:ASP:HB2	8:H:105:PRO:HD2	1.95	0.48
8:V:104:ASP:HB2	8:V:105:PRO:HD2	1.95	0.48
10:X:1:MET:HG2	10:X:34:LYS:HE3	1.94	0.48
9:W:20:VAL:HG13	9:W:118:PRO:HB3	1.96	0.47
9:I:20:VAL:HG23	9:I:189:ILE:HB	1.95	0.47
3:Q:160:GLN:HE21	3:Q:160:GLN:HA	1.78	0.47
9:W:20:VAL:HG23	9:W:189:ILE:HB	1.95	0.47
11:Y:49:ALA:HB2	17:Y:301:7DX:C32	2.44	0.47
10:J:3:ILE:HG22	10:J:18:SER:CB	2.45	0.47
8:V:196:ARG:NH2	9:W:150:GLU:HG3	2.30	0.47
10:X:3:ILE:HG22	10:X:18:SER:CB	2.45	0.47
9:I:20:VAL:HG13	9:I:118:PRO:HB3	1.96	0.47
2:B:93:HIS:CD2	2:B:113:ARG:HG2	2.49	0.47
10:J:3:ILE:HG22	10:J:18:SER:HB3	1.95	0.47
13:M:96:LEU:O	13:M:100:MET:HG2	2.15	0.47
10:X:3:ILE:HG22	10:X:18:SER:HB3	1.96	0.47
11:K:18:SER:OG	11:K:30:ARG:HA	2.14	0.46
14:N:176:VAL:HG12	14:N:178:LEU:HD13	1.97	0.46
5:E:12:PHE:H	6:F:19:GLN:HE22	1.64	0.46
8:V:53:GLU:O	8:V:57:GLN:HG2	2.16	0.46
6:T:148:GLU:HG2	18:T:304:HOH:O	2.15	0.46
10:X:148:TYR:O	10:X:149:ARG:HD3	2.15	0.46
11:Y:18:SER:OG	11:Y:30:ARG:HA	2.15	0.46
12:Z:138:ALA:HB3	12:Z:147:MET:HG2	1.98	0.46
2:B:217:LYS:C	2:B:219:ALA:H	2.19	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
8:H:196:ARG:NH2	9:I:150:GLU:O	2.49	0.45
8:V:50:ALA:CB	9:W:126:ILE:CG2	2.94	0.45
11:Y:104:TRP:CE2	11:Y:181:GLU:HB3	2.52	0.45
2:P:50:LYS:O	2:P:51:VAL:C	2.55	0.44
9:W:26:LEU:HD21	9:W:185:VAL:HG23	1.98	0.44
11:K:35:ILE:CG2	11:K:45:MET:HE2	2.46	0.44
3:Q:35:LYS:HG2	3:Q:158:SER:O	2.17	0.44
12:Z:146:ILE:HG22	12:Z:150:LEU:HD22	2.00	0.44
9:I:26:LEU:HD21	9:I:185:VAL:HG23	1.98	0.44
2:P:217:LYS:C	2:P:219:ALA:H	2.20	0.44
8:H:53:GLU:O	8:H:57:GLN:HG2	2.16	0.44
2:B:50:LYS:O	2:B:51:VAL:C	2.56	0.44
12:L:138:ALA:HB3	12:L:147:MET:HG2	1.98	0.44
1:A:1:MET:HG3	6:F:122:TYR:CZ	2.53	0.44
3:C:35:LYS:HG2	3:C:158:SER:O	2.17	0.44
9:I:163:PHE:CE1	9:I:197:ARG:HD2	2.53	0.44
12:L:146:ILE:HG22	12:L:150:LEU:HD22	2.00	0.44
9:W:9:GLY:HA3	9:W:41:LYS:HE2	2.00	0.43
8:H:84:LYS:HA	8:H:113:ILE:HD11	2.01	0.43
4:R:159:TYR:CE2	5:S:56:SER:HB3	2.53	0.43
3:C:149:GLU:HB2	3:C:150:PRO:HD2	2.00	0.43
11:K:104:TRP:CE2	11:K:181:GLU:HB3	2.52	0.43
8:V:112:SER:HB3	8:V:125:LEU:HD13	1.99	0.43
2:B:93:HIS:CD2	2:B:113:ARG:HD3	2.44	0.43
1:O:14:PRO:HA	2:P:23:TYR:CD1	2.54	0.43
3:Q:149:GLU:HB2	3:Q:150:PRO:HD2	2.00	0.43
3:C:201:VAL:O	3:C:202:GLN:HB3	2.18	0.43
8:H:112:SER:HB3	8:H:125:LEU:HD13	1.99	0.43
3:Q:201:VAL:O	3:Q:202:GLN:HB3	2.18	0.43
2:B:221:ASP:O	2:B:223:GLU:N	2.52	0.43
8:V:84:LYS:HA	8:V:113:ILE:HD11	2.01	0.43
1:O:122:THR:HG22	2:P:128:ARG:HH21	1.84	0.42
2:P:221:ASP:O	2:P:223:GLU:N	2.52	0.42
9:W:163:PHE:CE1	9:W:197:ARG:HD2	2.54	0.42
7:G:78:ILE:N	7:G:79:PRO:CD	2.82	0.42
7:U:78:ILE:N	7:U:79:PRO:CD	2.82	0.42
9:I:9:GLY:HA3	9:I:41:LYS:HE2	2.01	0.42
4:D:91:HIS:HB3	4:D:99:ILE:CG2	2.50	0.42
7:G:149:ASP:HB2	7:G:150:PRO:CD	2.50	0.42
9:I:10:ILE:HG21	9:I:141:ALA:HB3	2.02	0.42
11:K:45:MET:HE1	11:K:53:GLN:HG2	2.02	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
11:K:45:MET:HG2	11:K:52:CYS:HB3	2.02	0.42
13:M:165:ILE:HB	13:M:166:PRO:HD3	2.02	0.42
4:R:91:HIS:CD2	4:R:99:ILE:HG22	2.55	0.42
2:P:151:ASN:HB2	2:P:152:PRO:CD	2.50	0.41
2:B:151:ASN:HB2	2:B:152:PRO:CD	2.50	0.41
5:S:12:PHE:H	6:T:19:GLN:HE22	1.68	0.41
7:U:149:ASP:HB2	7:U:150:PRO:CD	2.51	0.41
4:D:91:HIS:CD2	4:D:99:ILE:HG22	2.56	0.41
4:R:91:HIS:HB3	4:R:99:ILE:CG2	2.50	0.41
2:P:47:ALA:HB1	2:P:64:LYS:HD2	2.03	0.41
2:B:47:ALA:HB1	2:B:64:LYS:HD2	2.03	0.41
8:H:102:GLY:HA2	8:H:178:MET:SD	2.61	0.41
1:A:122:THR:HG22	2:B:128:ARG:HH21	1.86	0.41
8:H:50:ALA:HB3	9:I:126:ILE:CG2	2.51	0.41
13:M:27:LEU:HD21	13:M:34:LEU:HD22	2.03	0.41
11:Y:125:MET:SD	11:Y:139:LEU:HB3	2.61	0.41
12:Z:8:ASN:HA	12:Z:30:ILE:O	2.21	0.41
4:D:88:ALA:HA	4:D:99:ILE:HG21	2.03	0.40
4:D:160:ASN:HB3	4:D:179:TRP:CE2	2.56	0.40
11:K:35:ILE:HG21	11:K:45:MET:HE2	2.03	0.40
8:V:102:GLY:HA2	8:V:178:MET:SD	2.60	0.40
4:R:88:ALA:HA	4:R:99:ILE:HG21	2.03	0.40
5:S:77:ALA:N	5:S:78:PRO:CD	2.85	0.40
9:W:10:ILE:HG21	9:W:141:ALA:HB3	2.02	0.40
6:F:202:ASP:OD1	6:F:202:ASP:N	2.55	0.40
5:E:77:ALA:N	5:E:78:PRO:CD	2.85	0.40
11:K:125:MET:SD	11:K:139:LEU:HB3	2.62	0.40
13:M:2:GLN:NE2	18:M:302:HOH:O	2.55	0.40
6:T:202:ASP:OD1	6:T:202:ASP:N	2.55	0.40
12:L:8:ASN:HA	12:L:30:ILE:O	2.22	0.40
13:M:17:ASP:OD1	13:M:18:ASN:N	2.55	0.40
1:O:12:PHE:H	2:P:20:GLN:HE22	1.70	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries

of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	248/250 (99%)	239 (96%)	8 (3%)	1 (0%)	34	60
1	O	248/250 (99%)	239 (96%)	8 (3%)	1 (0%)	34	60
2	B	242/258 (94%)	235 (97%)	4 (2%)	3 (1%)	13	32
2	P	242/258 (94%)	235 (97%)	4 (2%)	3 (1%)	13	32
3	C	238/254 (94%)	233 (98%)	3 (1%)	2 (1%)	19	43
3	Q	238/254 (94%)	233 (98%)	3 (1%)	2 (1%)	19	43
4	D	231/260 (89%)	228 (99%)	3 (1%)	0	100	100
4	R	231/260 (89%)	227 (98%)	4 (2%)	0	100	100
5	E	229/234 (98%)	223 (97%)	6 (3%)	0	100	100
5	S	229/234 (98%)	223 (97%)	6 (3%)	0	100	100
6	F	241/288 (84%)	239 (99%)	2 (1%)	0	100	100
6	T	241/288 (84%)	239 (99%)	2 (1%)	0	100	100
7	G	239/252 (95%)	237 (99%)	2 (1%)	0	100	100
7	U	239/252 (95%)	237 (99%)	2 (1%)	0	100	100
8	H	224/232 (97%)	218 (97%)	6 (3%)	0	100	100
8	V	224/232 (97%)	219 (98%)	5 (2%)	0	100	100
9	I	202/205 (98%)	196 (97%)	6 (3%)	0	100	100
9	W	202/205 (98%)	195 (96%)	7 (4%)	0	100	100
10	J	193/198 (98%)	190 (98%)	3 (2%)	0	100	100
10	X	193/198 (98%)	190 (98%)	3 (2%)	0	100	100
11	K	209/211 (99%)	204 (98%)	5 (2%)	0	100	100
11	Y	209/211 (99%)	203 (97%)	6 (3%)	0	100	100
12	L	220/222 (99%)	216 (98%)	4 (2%)	0	100	100
12	Z	220/222 (99%)	216 (98%)	4 (2%)	0	100	100
13	M	231/246 (94%)	221 (96%)	10 (4%)	0	100	100
13	a	231/246 (94%)	221 (96%)	10 (4%)	0	100	100
14	N	194/196 (99%)	188 (97%)	6 (3%)	0	100	100
14	b	194/196 (99%)	188 (97%)	6 (3%)	0	100	100
All	All	6282/6612 (95%)	6132 (98%)	138 (2%)	12 (0%)	47	73

All (12) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	B	51	VAL
2	B	222	GLY
3	C	202	GLN
2	P	51	VAL
2	P	222	GLY
3	Q	202	GLN
1	A	2	THR
2	B	218	GLY
1	O	2	THR
2	P	218	GLY
3	C	205	ALA
3	Q	205	ALA

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	209/209 (100%)	206 (99%)	3 (1%)	67 86
1	O	209/209 (100%)	206 (99%)	3 (1%)	67 86
2	B	203/216 (94%)	199 (98%)	4 (2%)	55 81
2	P	203/216 (94%)	199 (98%)	4 (2%)	55 81
3	C	212/226 (94%)	201 (95%)	11 (5%)	23 49
3	Q	212/226 (94%)	201 (95%)	11 (5%)	23 49
4	D	194/215 (90%)	185 (95%)	9 (5%)	27 54
4	R	194/215 (90%)	185 (95%)	9 (5%)	27 54
5	E	190/193 (98%)	183 (96%)	7 (4%)	34 63
5	S	190/193 (98%)	183 (96%)	7 (4%)	34 63
6	F	201/239 (84%)	192 (96%)	9 (4%)	27 55
6	T	201/239 (84%)	192 (96%)	9 (4%)	27 55
7	G	206/210 (98%)	198 (96%)	8 (4%)	32 61
7	U	206/210 (98%)	198 (96%)	8 (4%)	32 61

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
8	H	185/190 (97%)	180 (97%)	5 (3%)	44	74
8	V	185/190 (97%)	180 (97%)	5 (3%)	44	74
9	I	172/173 (99%)	170 (99%)	2 (1%)	71	88
9	W	172/173 (99%)	170 (99%)	2 (1%)	71	88
10	J	173/175 (99%)	169 (98%)	4 (2%)	50	78
10	X	173/175 (99%)	169 (98%)	4 (2%)	50	78
11	K	170/170 (100%)	161 (95%)	9 (5%)	22	48
11	Y	170/170 (100%)	162 (95%)	8 (5%)	26	54
12	L	186/186 (100%)	181 (97%)	5 (3%)	44	74
12	Z	186/186 (100%)	181 (97%)	5 (3%)	44	74
13	M	199/208 (96%)	193 (97%)	6 (3%)	41	70
13	a	199/208 (96%)	193 (97%)	6 (3%)	41	70
14	N	162/162 (100%)	156 (96%)	6 (4%)	34	63
14	b	162/162 (100%)	156 (96%)	6 (4%)	34	63
All	All	5324/5544 (96%)	5149 (97%)	175 (3%)	38	67

All (175) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	122	THR
1	A	157	PHE
1	A	250	LEU
2	B	55	LEU
2	B	113	ARG
2	B	191	LEU
2	B	238	LEU
3	C	4	ARG
3	C	38	ASN
3	C	51	LYS
3	C	77	ASN
3	C	98	LEU
3	C	147	GLN
3	C	160	GLN
3	C	169	VAL
3	C	180	LYS
3	C	206	LYS
3	C	240	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
4	D	99	ILE
4	D	125	LEU
4	D	143	ASP
4	D	176	LEU
4	D	193	LEU
4	D	214	ILE
4	D	235	LEU
4	D	236	LYS
4	D	242	GLU
5	E	9	THR
5	E	29	LYS
5	E	71	LEU
5	E	184	ASN
5	E	188	LEU
5	E	202	ASP
5	E	231	LYS
6	F	117	GLN
6	F	123	ASN
6	F	139	LYS
6	F	172	LEU
6	F	181	GLU
6	F	201	GLU
6	F	202	ASP
6	F	214	TRP
6	F	240	GLN
7	G	26	THR
7	G	83	ASN
7	G	115	LEU
7	G	122	ARG
7	G	125	MET
7	G	208	GLU
7	G	235	ARG
7	G	236	LEU
8	H	22	GLN
8	H	30	ASN
8	H	56	THR
8	H	68	LEU
8	H	196	ARG
9	I	37	ASN
9	I	171	LEU
10	J	3	ILE
10	J	35	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
10	J	90	LYS
10	J	99	GLN
11	K	4	LEU
11	K	12	VAL
11	K	21	SER
11	K	35	ILE
11	K	88	CYS
11	K	89	GLN
11	K	99	SER
11	K	147	LEU
11	K	210	ILE
12	L	23	LEU
12	L	49	ASN
12	L	128	VAL
12	L	132	GLN
12	L	150	LEU
13	M	2	GLN
13	M	48	ASN
13	M	70	LEU
13	M	104	ARG
13	M	161	ARG
13	M	187	ARG
14	N	9	LYS
14	N	35	THR
14	N	36	ARG
14	N	39	ASP
14	N	83	LYS
14	N	104	ASP
1	O	122	THR
1	O	157	PHE
1	O	250	LEU
2	P	55	LEU
2	P	113	ARG
2	P	191	LEU
2	P	238	LEU
3	Q	4	ARG
3	Q	38	ASN
3	Q	51	LYS
3	Q	77	ASN
3	Q	98	LEU
3	Q	147	GLN
3	Q	160	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	Q	169	VAL
3	Q	180	LYS
3	Q	206	LYS
3	Q	240	GLU
4	R	99	ILE
4	R	125	LEU
4	R	143	ASP
4	R	176	LEU
4	R	193	LEU
4	R	214	ILE
4	R	235	LEU
4	R	236	LYS
4	R	242	GLU
5	S	9	THR
5	S	29	LYS
5	S	71	LEU
5	S	184	ASN
5	S	188	LEU
5	S	202	ASP
5	S	231	LYS
6	T	117	GLN
6	T	123	ASN
6	T	139	LYS
6	T	172	LEU
6	T	181	GLU
6	T	201	GLU
6	T	202	ASP
6	T	214	TRP
6	T	240	GLN
7	U	26	THR
7	U	83	ASN
7	U	115	LEU
7	U	122	ARG
7	U	125	MET
7	U	208	GLU
7	U	235	ARG
7	U	236	LEU
8	V	22	GLN
8	V	30	ASN
8	V	56	THR
8	V	68	LEU
8	V	196	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
9	W	37	ASN
9	W	171	LEU
10	X	3	ILE
10	X	35	THR
10	X	90	LYS
10	X	99	GLN
11	Y	4	LEU
11	Y	12	VAL
11	Y	21	SER
11	Y	35	ILE
11	Y	88	CYS
11	Y	89	GLN
11	Y	147	LEU
11	Y	210	ILE
12	Z	23	LEU
12	Z	49	ASN
12	Z	128	VAL
12	Z	132	GLN
12	Z	150	LEU
13	a	2	GLN
13	a	48	ASN
13	a	70	LEU
13	a	104	ARG
13	a	161	ARG
13	a	187	ARG
14	b	9	LYS
14	b	35	THR
14	b	36	ARG
14	b	39	ASP
14	b	83	LYS
14	b	104	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (99) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	94	HIS
2	B	20	GLN
2	B	58	GLN
2	B	95	GLN
2	B	119	GLN
2	B	123	GLN
2	B	155	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	C	17	GLN
3	C	77	ASN
3	C	116	GLN
3	C	120	GLN
3	C	147	GLN
3	C	160	GLN
4	D	15	GLN
4	D	91	HIS
4	D	146	GLN
4	D	225	ASN
5	E	68	HIS
5	E	92	ASN
5	E	99	ASN
5	E	116	GLN
5	E	118	ASN
5	E	120	GLN
5	E	151	ASN
5	E	184	ASN
6	F	19	GLN
6	F	86	ASN
6	F	117	GLN
6	F	123	ASN
6	F	191	GLN
7	G	83	ASN
7	G	114	ASN
7	G	117	GLN
7	G	121	GLN
7	G	166	GLN
8	H	86	HIS
8	H	165	ASN
9	I	37	ASN
10	J	55	GLN
11	K	32	ASN
11	K	85	ASN
11	K	175	ASN
12	L	3	ASN
12	L	49	ASN
12	L	70	ASN
12	L	158	ASN
13	M	48	ASN
13	M	102	GLN
13	M	179	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
13	M	194	ASN
13	M	213	GLN
14	N	161	GLN
1	O	94	HIS
2	P	20	GLN
2	P	58	GLN
2	P	95	GLN
2	P	119	GLN
2	P	123	GLN
3	Q	77	ASN
3	Q	116	GLN
3	Q	120	GLN
3	Q	147	GLN
3	Q	160	GLN
4	R	15	GLN
4	R	91	HIS
4	R	146	GLN
4	R	225	ASN
5	S	68	HIS
5	S	99	ASN
5	S	116	GLN
5	S	118	ASN
5	S	120	GLN
5	S	151	ASN
5	S	184	ASN
6	T	19	GLN
6	T	86	ASN
6	T	117	GLN
6	T	191	GLN
7	U	83	ASN
7	U	114	ASN
7	U	117	GLN
7	U	121	GLN
7	U	166	GLN
8	V	86	HIS
8	V	165	ASN
9	W	37	ASN
10	X	55	GLN
11	Y	32	ASN
11	Y	85	ASN
11	Y	175	ASN
12	Z	3	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
12	Z	49	ASN
12	Z	158	ASN
13	a	48	ASN
13	a	102	GLN
13	a	179	ASN
13	a	194	ASN
13	a	213	GLN
14	b	161	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 13 ligands modelled in this entry, 11 are monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
17	7DX	K	301	-	37,39,39	3.86	8 (21%)	41,54,54	1.75	10 (24%)
17	7DX	Y	301	-	37,39,39	4.36	7 (18%)	41,54,54	1.95	10 (24%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the

Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
17	7DX	K	301	-	-	0/24/32/32	0/5/5/5
17	7DX	Y	301	-	-	0/24/32/32	0/5/5/5

All (15) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
17	Y	301	7DX	C8-S33	-20.57	1.45	1.73
17	K	301	7DX	C8-S33	-16.25	1.51	1.73
17	K	301	7DX	C5-C6	-11.07	1.31	1.48
17	Y	301	7DX	C5-C6	-10.62	1.32	1.48
17	Y	301	7DX	C34-S33	-10.31	1.54	1.70
17	K	301	7DX	C34-S33	-9.92	1.55	1.70
17	K	301	7DX	C15-N16	-3.80	1.32	1.40
17	Y	301	7DX	C15-N16	-3.42	1.32	1.40
17	K	301	7DX	C13-N14	-3.29	1.32	1.37
17	Y	301	7DX	C12-C13	-3.26	1.37	1.42
17	K	301	7DX	C12-C13	-3.16	1.37	1.42
17	Y	301	7DX	C13-N14	-3.16	1.32	1.37
17	Y	301	7DX	O27-C26	-2.32	1.22	1.30
17	K	301	7DX	C32-C13	-2.13	1.38	1.41
17	K	301	7DX	O27-C26	-2.11	1.23	1.30

All (20) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
17	Y	301	7DX	C6-C34-S33	-5.71	104.78	111.79
17	K	301	7DX	C6-C34-S33	-5.17	105.44	111.79
17	K	301	7DX	C15-N14-C13	4.90	123.46	117.13
17	Y	301	7DX	C15-N14-C13	4.71	123.21	117.13
17	Y	301	7DX	C22-C21-C20	-4.21	104.75	111.93
17	K	301	7DX	C34-C6-C5	-3.76	124.22	129.44
17	Y	301	7DX	C24-C25-C20	-3.75	105.53	111.93
17	Y	301	7DX	C19-C18-C17	3.44	120.03	111.56
17	K	301	7DX	C19-C18-C17	2.85	118.57	111.56
17	Y	301	7DX	C34-C6-C5	-2.72	125.66	129.44
17	Y	301	7DX	C25-C20-C21	-2.62	104.82	109.44
17	K	301	7DX	C15-N16-C17	-2.54	123.70	128.25
17	Y	301	7DX	C15-N16-C17	-2.54	123.71	128.25
17	Y	301	7DX	O28-C26-C19	-2.42	116.89	122.95
17	K	301	7DX	C24-C25-C20	-2.31	107.98	111.93

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
17	K	301	7DX	C22-C21-C20	-2.18	108.21	111.93
17	K	301	7DX	O28-C26-C19	-2.16	117.53	122.95
17	Y	301	7DX	C12-C13-N14	-2.13	119.09	122.26
17	K	301	7DX	C23-C22-C21	-2.05	107.24	111.42
17	K	301	7DX	C12-C13-N14	-2.03	119.24	122.26

There are no chirality outliers.


There are no torsion outliers.


There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
17	Y	301	7DX	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	250/250 (100%)	-0.36	8 (3%) 47 48	33, 48, 84, 123	0
1	O	250/250 (100%)	-0.29	5 (2%) 65 67	36, 53, 99, 132	0
2	B	244/258 (94%)	-0.15	8 (3%) 46 46	35, 55, 104, 155	0
2	P	244/258 (94%)	-0.15	10 (4%) 37 36	37, 57, 102, 151	0
3	C	240/254 (94%)	0.13	19 (7%) 12 10	33, 60, 132, 169	0
3	Q	240/254 (94%)	0.18	19 (7%) 12 10	26, 69, 147, 188	0
4	D	235/260 (90%)	-0.19	4 (1%) 70 72	41, 59, 92, 130	0
4	R	235/260 (90%)	0.03	11 (4%) 31 30	51, 71, 113, 144	0
5	E	231/234 (98%)	-0.16	7 (3%) 50 51	40, 61, 101, 149	0
5	S	231/234 (98%)	-0.05	8 (3%) 44 44	44, 67, 109, 146	0
6	F	243/288 (84%)	-0.33	4 (1%) 72 74	33, 53, 105, 130	0
6	T	243/288 (84%)	-0.20	7 (2%) 51 52	39, 62, 119, 149	0
7	G	241/252 (95%)	-0.35	5 (2%) 63 65	32, 49, 88, 141	0
7	U	241/252 (95%)	-0.30	8 (3%) 46 46	34, 50, 86, 128	0
8	H	226/232 (97%)	-0.20	7 (3%) 49 49	33, 50, 86, 151	0
8	V	226/232 (97%)	-0.18	8 (3%) 44 44	35, 51, 85, 157	0
9	I	204/205 (99%)	-0.58	2 (0%) 82 83	32, 46, 77, 96	0
9	W	204/205 (99%)	-0.54	4 (1%) 65 67	31, 46, 77, 99	0
10	J	195/198 (98%)	-0.30	5 (2%) 56 57	31, 49, 74, 122	0
10	X	195/198 (98%)	-0.31	6 (3%) 49 49	33, 50, 76, 135	0
11	K	211/211 (100%)	-0.20	1 (0%) 91 92	38, 57, 88, 106	0
11	Y	211/211 (100%)	-0.19	5 (2%) 59 60	39, 58, 90, 115	0
12	L	222/222 (100%)	-0.33	1 (0%) 91 92	37, 54, 99, 126	0
12	Z	222/222 (100%)	-0.29	2 (0%) 84 85	34, 55, 98, 132	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
13	M	233/246 (94%)	-0.49	3 (1%) 77 78	31, 49, 73, 93	0
13	a	233/246 (94%)	-0.45	1 (0%) 92 93	32, 50, 75, 93	0
14	N	196/196 (100%)	-0.45	2 (1%) 82 83	32, 44, 72, 102	0
14	b	196/196 (100%)	-0.47	2 (1%) 82 83	32, 45, 74, 104	0
All	All	6342/6612 (95%)	-0.25	172 (2%) 54 55	26, 54, 100, 188	0

All (172) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
3	C	206	LYS	6.8
3	Q	206	LYS	6.7
2	B	221	ASP	6.7
10	X	1	MET	6.2
2	P	219	ALA	6.1
2	B	218	GLY	5.6
2	P	218	GLY	5.3
2	B	51	VAL	5.1
2	P	51	VAL	5.1
5	E	202	ASP	5.0
10	J	1	MET	4.9
10	X	194	ASP	4.9
8	H	221	CYS	4.9
9	I	1	SER	4.8
3	Q	239	GLN	4.7
3	Q	237	GLU	4.7
8	V	226	GLU	4.7
1	A	1	MET	4.6
12	L	174	TYR	4.6
2	B	219	ALA	4.5
5	S	202	ASP	4.5
3	Q	236	GLN	4.3
3	Q	49	THR	4.2
8	H	226	GLU	4.2
3	C	49	THR	4.2
4	R	217	GLN	4.1
8	V	224	GLN	4.1
3	C	238	LYS	4.1
2	P	220	ASN	4.1
8	V	222	ASP	4.0
3	C	202	GLN	4.0
3	Q	50	LEU	3.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
9	W	1	SER	3.9
3	Q	240	GLU	3.8
1	O	1	MET	3.8
9	W	133	LYS	3.8
6	F	181	GLU	3.7
2	P	221	ASP	3.7
3	C	50	LEU	3.7
6	T	243	ILE	3.6
7	U	2	GLY	3.6
14	N	195	GLN	3.5
1	O	2	THR	3.5
3	Q	141	ASP	3.5
6	F	244	ASN	3.5
10	J	194	ASP	3.4
3	C	205	ALA	3.4
3	Q	238	LYS	3.4
3	Q	202	GLN	3.4
7	U	242	GLN	3.4
2	B	217	LYS	3.3
3	Q	48	SER	3.3
10	X	195	PHE	3.3
3	Q	205	ALA	3.3
4	R	125	LEU	3.3
2	P	59	ASP	3.2
3	C	236	GLN	3.2
2	B	220	ASN	3.2
12	Z	174	TYR	3.2
1	A	249	ALA	3.2
3	C	239	GLN	3.2
3	C	216	ASP	3.1
4	R	117	GLU	3.1
4	R	241	ALA	3.1
4	R	113	LEU	3.0
11	Y	146	ASP	3.0
10	J	195	PHE	3.0
4	R	230	GLU	3.0
10	X	95	ARG	3.0
4	D	117	GLU	3.0
14	b	195	GLN	2.9
3	C	225	GLU	2.9
6	T	181	GLU	2.9
8	H	222	ASP	2.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
7	U	206	GLY	2.9
2	B	59	ASP	2.9
10	X	193	ASP	2.9
7	G	241	GLU	2.9
8	H	224	GLN	2.9
3	C	175	LYS	2.8
13	a	1	THR	2.8
3	C	139	ARG	2.8
13	M	47	ASP	2.8
2	P	203	SER	2.7
5	E	233	ILE	2.7
3	C	240	GLU	2.7
8	V	221	CYS	2.7
5	S	217	LYS	2.7
4	R	1	ASP	2.7
7	U	241	GLU	2.7
3	Q	139	ARG	2.7
12	Z	167	LYS	2.6
3	C	235	GLU	2.6
5	S	227	GLU	2.6
1	A	2	THR	2.6
7	G	3	TYR	2.6
6	T	230	ASP	2.6
3	Q	181	GLU	2.6
8	V	223	ILE	2.6
1	O	250	LEU	2.6
2	P	52	THR	2.5
6	T	244	ASN	2.5
1	A	231	LYS	2.5
3	C	141	ASP	2.5
1	O	231	LYS	2.5
5	S	3	ASN	2.5
11	K	146	ASP	2.5
13	M	69	ASP	2.5
5	S	54	GLU	2.5
8	H	219	ASN	2.5
1	O	50	LYS	2.5
14	N	105	LYS	2.5
4	R	116	GLY	2.5
5	E	122	TYR	2.5
3	Q	187	GLU	2.5
5	S	233	ILE	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
4	R	242	GLU	2.4
7	U	222	ASP	2.4
2	P	222	GLY	2.4
5	E	173	ARG	2.4
3	Q	225	GLU	2.4
2	P	50	LYS	2.4
8	V	9	ASN	2.4
6	T	180	PRO	2.4
8	V	225	GLU	2.4
4	R	54	ASP	2.4
7	U	230	GLU	2.4
7	U	51	PRO	2.4
6	T	2	THR	2.4
3	Q	51	LYS	2.4
1	A	229	THR	2.3
8	V	145	ASP	2.3
5	E	123	GLY	2.3
6	T	201	GLU	2.3
5	E	207	VAL	2.3
10	X	174	MET	2.3
11	Y	182	ASP	2.3
5	S	203	GLU	2.3
2	B	182	ASP	2.3
9	W	160	GLU	2.3
6	F	2	THR	2.3
7	G	240	ALA	2.3
13	M	1	THR	2.3
10	J	95	ARG	2.3
9	I	133	LYS	2.3
5	S	207	VAL	2.3
1	A	203	GLU	2.2
11	Y	211	GLY	2.2
14	b	105	LYS	2.2
3	Q	235	GLU	2.2
3	C	181	GLU	2.2
4	R	237	GLU	2.2
7	G	2	GLY	2.2
10	J	193	ASP	2.2
4	D	1	ASP	2.1
4	D	241	ALA	2.1
1	A	201	GLU	2.1
8	H	223	ILE	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
3	Q	180	LYS	2.1
9	W	192	ASP	2.1
1	A	248	GLU	2.1
3	C	60	SER	2.1
7	G	188	GLU	2.1
11	Y	71	GLY	2.1
7	U	3	TYR	2.1
5	E	201	ARG	2.1
6	F	39	ASN	2.1
4	D	242	GLU	2.0
8	H	198	GLU	2.0
3	C	188	GLU	2.0
11	Y	30	ARG	2.0
3	C	180	LYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
16	CL	b	201	1/1	0.85	0.14	61,61,61,61	0
17	7DX	K	301	35/35	0.86	0.30	42,44,47,52	0
17	7DX	Y	301	35/35	0.87	0.31	42,44,47,53	0
15	MG	K	302	1/1	0.90	0.13	52,52,52,52	0
15	MG	G	301	1/1	0.91	0.13	48,48,48,48	0
15	MG	Z	301	1/1	0.94	0.28	49,49,49,49	0
15	MG	J	201	1/1	0.94	0.15	47,47,47,47	0
15	MG	I	301	1/1	0.96	0.15	59,59,59,59	0
15	MG	N	201	1/1	0.97	0.07	42,42,42,42	0


Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
16	CL	G	302	1/1	0.97	0.18	30,30,30,30	0
16	CL	N	202	1/1	0.97	0.21	53,53,53,53	0
15	MG	L	301	1/1	0.98	0.04	52,52,52,52	0
16	CL	U	301	1/1	0.99	0.21	30,30,30,30	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.





6.5 Other polymers [i](#)

There are no such residues in this entry.