



Full wwPDB EM Validation Report ⓘ

Nov 20, 2022 – 06:22 AM EST

PDB ID : 7M5V
EMDB ID : EMD-23683
Title : human ATP13A2 in the AMPPNP-bound occluded state
Authors : Lee, K.P.K.
Deposited on : 2021-03-24
Resolution : 2.90 Å (reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev43
Mogul : 1.8.5 (274361), CSD as541be (2020)
MolProbity : 4.02b-467
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ : 1.9.9
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.31.2


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 2.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	158937	4297
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	1188	

2 Entry composition

There are 11 unique types of molecules in this entry. The entry contains 16959 atoms, of which 8649 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Polyamine-transporting ATPase 13A2.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
1	A	1046	15855	5074	7985	1342	1403	51	0	0


There are 8 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1181	SER	-	expression tag	UNP Q9NQ11
A	1182	ASN	-	expression tag	UNP Q9NQ11
A	1183	SER	-	expression tag	UNP Q9NQ11
A	1184	LEU	-	expression tag	UNP Q9NQ11
A	1185	GLU	-	expression tag	UNP Q9NQ11
A	1186	VAL	-	expression tag	UNP Q9NQ11
A	1187	PHE	-	expression tag	UNP Q9NQ11
A	1188	GLN	-	expression tag	UNP Q9NQ11

- Molecule 2 is MAGNESIUM ION (three-letter code: MG) (formula: Mg) (labeled as "Ligand of Interest" by depositor).


Mol	Chain	Residues	Atoms		AltConf
2	A	1	Total	Mg	0
			1	1	

- Molecule 3 is 1-DODECANOL (three-letter code: 1DO) (formula: C₁₂H₂₆O).




Mol	Chain	Residues	Atoms				AltConf
			Total	C	H	O	
3	A	1	Total	C	H	O	0
			156	48	104	4	
3	A	1	Total	C	H	O	0
			156	48	104	4	
3	A	1	Total	C	H	O	0
			156	48	104	4	
3	A	1	Total	C	H	O	0
			156	48	104	4	

- Molecule 4 is DODECYL-BETA-D-MALTOSE (three-letter code: LMT) (formula: $C_{24}H_{46}O_{11}$).



Mol	Chain	Residues	Atoms				AltConf
			Total	C	H	O	
4	A	1	81	24	46	11	0

- Molecule 5 is CHOLESTEROL HEMISUCCINATE (three-letter code: Y01) (formula: $C_{31}H_{50}O_4$).



Mol	Chain	Residues	Atoms				AltConf
			Total	C	H	O	
5	A	1	336	124	196	16	0
5	A	1	336	124	196	16	0
5	A	1	336	124	196	16	0
5	A	1	336	124	196	16	0

- Molecule 6 is DECANE (three-letter code: D10) (formula: $C_{10}H_{22}$).



Mol	Chain	Residues	Atoms			AltConf
			Total	C	H	
6	A	1	288	90	198	0
6	A	1	288	90	198	0
6	A	1	288	90	198	0
6	A	1	288	90	198	0
6	A	1	288	90	198	0
6	A	1	288	90	198	0
6	A	1	288	90	198	0
6	A	1	288	90	198	0
6	A	1	288	90	198	0

- Molecule 7 is DODECANE (three-letter code: D12) (formula: C₁₂H₂₆).




Mol	Chain	Residues	Atoms			AltConf
7	A	1	Total	C	H	0
			76	24	52	
7	A	1	Total	C	H	0
			76	24	52	

- Molecule 8 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula: $C_8H_{15}NO_6$).




Mol	Chain	Residues	Atoms					AltConf
8	A	1	Total	C	H	N	O	0
			26	8	12	1	5	

- Molecule 9 is PHOSPHOAMINOPHOSPHONIC ACID-ADENYLATE ESTER (three-letter code: ANP) (formula: $C_{10}H_{17}N_6O_{12}P_3$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					AltConf	
			Total	C	H	N	O		P
9	A	1	43	10	12	6	12	3	0

- Molecule 10 is (2R)-3-[(S)-hydroxy[(1S,2R,3R,4S,5S,6R)-2,4,6-trihydroxy-3,5-bis(phosphonoxy)cyclohexyl]oxy]phosphoryl]oxy]propane-1,2-diyl dioctanoate (three-letter code: EUJ) (formula: $C_{25}H_{49}O_{19}P_3$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					AltConf
			Total	C	H	O	P	
10	A	1	91	25	44	19	3	0


- Molecule 11 is water.

Mol	Chain	Residues	Atoms		AltConf
			Total	O	
11	A	6	6	6	0

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Polyamine-transporting ATPase 13A2



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	515611	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	76	Depositor
Minimum defocus (nm)	500	Depositor
Maximum defocus (nm)	2500	Depositor
Magnification	Not provided	
Image detector	GATAN K3 BIOQUANTUM (6k x 4k)	Depositor
Maximum map value	0.882	Depositor
Minimum map value	-0.127	Depositor
Average map value	0.001	Depositor
Map value standard deviation	0.024	Depositor
Recommended contour level	0.221	Depositor
Map size (\AA)	318.72, 318.72, 318.72	wwPDB
Map dimensions	384, 384, 384	wwPDB
Map angles ($^\circ$)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (\AA)	0.83, 0.83, 0.83	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MG, D10, Y01, D12, 1DO, NAG, ANP, EUJ, LMT

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.27	0/8035	0.53	1/10963 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	1033	ASN	N-CA-CB	6.05	121.50	110.60

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	7870	7985	7984	68	0
2	A	1	0	0	0	0
3	A	52	104	104	0	0
4	A	35	46	46	0	0
5	A	140	196	196	3	0
6	A	90	198	198	0	0
7	A	24	52	52	0	0
8	A	14	12	13	1	0
9	A	31	12	12	4	0
10	A	47	44	0	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
11	A	6	0	0	2	0
All	All	8310	8649	8605	70	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (70) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1113:ASP:O	1:A:1117:LYS:NZ	2.21	0.72
1:A:280:LYS:NZ	5:A:1210:Y01:OAH	2.22	0.72
1:A:940:TYR:OH	1:A:967:ASP:OD1	2.08	0.70
1:A:513:ASP:O	1:A:517:THR:OG1	2.10	0.70
1:A:466:THR:O	11:A:1301:HOH:O	2.09	0.70
1:A:745:ARG:NH2	1:A:848:GLY:O	2.25	0.69
1:A:35:VAL:N	1:A:92:ILE:O	2.26	0.69
1:A:276:TYR:OH	5:A:1210:Y01:OAH	2.11	0.68
1:A:197:VAL:O	1:A:200:SER:OG	2.13	0.67
1:A:647:THR:OG1	1:A:648:GLN:OE1	2.10	0.67
8:A:1218:NAG:O7	8:A:1218:NAG:O4	2.06	0.65
1:A:1007:LEU:HB3	1:A:1134:LEU:HD21	1.80	0.64
1:A:939:LEU:O	1:A:943:THR:HG22	1.98	0.63
1:A:750:THR:OG1	9:A:1223:ANP:O2G	2.12	0.62
1:A:843:LYS:NZ	1:A:1165:GLU:OE1	2.33	0.62
1:A:455:ASN:OD1	1:A:456:GLU:N	2.35	0.59
1:A:899:GLU:OE1	1:A:900:ALA:N	2.35	0.59
1:A:648:GLN:OE1	1:A:648:GLN:N	2.36	0.59
1:A:577:MET:O	1:A:580:SER:OG	2.19	0.59
1:A:686:ARG:NH2	9:A:1223:ANP:O2B	2.34	0.58
1:A:240:TYR:OH	1:A:470:PRO:O	2.20	0.57
1:A:634:LEU:HD12	1:A:634:LEU:O	2.05	0.57
5:A:1211:Y01:HAC2	5:A:1211:Y01:HAE2	1.86	0.57
1:A:935:LYS:NZ	1:A:1004:SER:OG	2.39	0.56
1:A:1094:GLY:O	1:A:1098:VAL:HG22	2.07	0.55
1:A:859:LYS:NZ	9:A:1223:ANP:O3G	2.40	0.54
1:A:204:LEU:O	1:A:299:ARG:NE	2.41	0.54
1:A:226:LYS:O	1:A:279:ARG:NH1	2.41	0.53
1:A:731:GLN:N	1:A:731:GLN:OE1	2.42	0.52
1:A:515:THR:OG1	9:A:1223:ANP:O1G	2.26	0.52
1:A:574:ASP:OD1	1:A:654:LYS:NZ	2.42	0.52
1:A:454:LEU:HA	1:A:457:ILE:HD12	1.91	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1001:VAL:O	1:A:1005:LEU:HD23	2.11	0.50
1:A:994:GLY:HA3	10:A:1224:EUJ:O52	2.12	0.50
1:A:961:LEU:HD12	1:A:1105:PRO:O	2.13	0.49
1:A:754:LEU:HD21	1:A:775:ILE:HD12	1.94	0.48
1:A:437:LEU:HA	1:A:440:THR:HG22	1.95	0.48
1:A:91:GLU:N	1:A:91:GLU:OE1	2.47	0.48
1:A:939:LEU:HD23	1:A:1009:MET:HE2	1.96	0.48
1:A:1019:GLY:O	1:A:1023:THR:HG23	2.15	0.47
1:A:775:ILE:HD13	1:A:824:ALA:HB3	1.96	0.47
1:A:966:ILE:HG23	1:A:1058:TYR:CE2	2.50	0.46
1:A:1084:ALA:O	1:A:1088:LEU:HD23	2.16	0.46
1:A:929:THR:O	1:A:932:SER:OG	2.31	0.46
1:A:196:ASP:OD1	1:A:199:ARG:NH2	2.45	0.45
1:A:978:MET:O	1:A:1072:ARG:NH2	2.49	0.45
1:A:1056:PHE:HB3	1:A:1124:VAL:HG21	1.99	0.44
1:A:692:SER:HB3	1:A:719:LEU:HD11	1.99	0.44
1:A:1097:LEU:HD11	1:A:1118:LEU:CD2	2.46	0.44
1:A:40:TYR:CE2	1:A:90:ILE:HD13	2.52	0.44
1:A:433:SER:O	1:A:437:LEU:HD23	2.17	0.44
1:A:516:GLY:O	1:A:729:LYS:NZ	2.33	0.44
1:A:867:GLN:NE2	1:A:888:ALA:O	2.50	0.43
1:A:840:LEU:HD13	1:A:1171:TRP:CZ2	2.53	0.43
1:A:1022:LEU:HD21	1:A:1119:LEU:HD22	2.00	0.43
1:A:266:ILE:HD13	1:A:471:PRO:HG2	2.00	0.43
1:A:1097:LEU:HD11	1:A:1118:LEU:HD22	2.01	0.43
1:A:948:VAL:HG21	11:A:1304:HOH:O	2.18	0.42
1:A:513:ASP:OD1	1:A:517:THR:OG1	2.16	0.42
1:A:172:ARG:NH2	1:A:215:ILE:O	2.53	0.42
1:A:925:CYS:O	1:A:929:THR:OG1	2.17	0.42
1:A:1056:PHE:CB	1:A:1124:VAL:HG21	2.50	0.42
1:A:468:VAL:O	1:A:941:SER:OG	2.34	0.41
1:A:532:LYS:HB2	1:A:537:LEU:HD11	2.03	0.41
1:A:556:ALA:O	1:A:559:HIS:NE2	2.50	0.41
1:A:83:ALA:O	1:A:164:ARG:NH2	2.53	0.41
1:A:974:VAL:HG13	1:A:1081:PHE:HE1	1.86	0.40
1:A:742:THR:HG21	1:A:987:LEU:HB3	2.02	0.40
1:A:452:VAL:HG23	1:A:457:ILE:CG1	2.52	0.40
1:A:563:ARG:NH2	1:A:585:LEU:O	2.47	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	1032/1188 (87%)	957 (93%)	75 (7%)	0	100 100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	844/1010 (84%)	842 (100%)	2 (0%)	93 98

All (2) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	420	LYS
1	A	1033	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 24 ligands modelled in this entry, 1 is monoatomic - leaving 23 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	Y01	A	1205	-	38,38,38	1.23	3 (7%)	57,57,57	1.94	12 (21%)
6	D10	A	1219	-	9,9,9	0.23	0	8,8,8	0.55	0
6	D10	A	1221	-	9,9,9	0.24	0	8,8,8	0.55	0
5	Y01	A	1204	-	38,38,38	1.21	3 (7%)	57,57,57	2.03	12 (21%)
3	1DO	A	1209	-	12,12,12	0.35	0	11,11,11	0.58	0
3	1DO	A	1202	-	12,12,12	0.36	0	11,11,11	0.54	0
3	1DO	A	1217	-	12,12,12	0.37	0	11,11,11	0.54	0
9	ANP	A	1223	2	29,33,33	3.28	9 (31%)	31,52,52	2.80	13 (41%)
6	D10	A	1206	-	9,9,9	0.28	0	8,8,8	0.55	0
6	D10	A	1220	-	9,9,9	0.24	0	8,8,8	0.58	0
7	D12	A	1207	-	11,11,11	0.22	0	10,10,10	0.70	0
7	D12	A	1212	-	11,11,11	0.22	0	10,10,10	0.67	0
5	Y01	A	1210	-	38,38,38	1.22	3 (7%)	57,57,57	1.89	12 (21%)
4	LMT	A	1203	-	36,36,36	1.07	3 (8%)	47,47,47	1.59	11 (23%)
6	D10	A	1213	-	9,9,9	0.27	0	8,8,8	0.54	0
6	D10	A	1215	-	9,9,9	0.24	0	8,8,8	0.57	0
10	EUJ	A	1224	-	47,47,47	0.66	2 (4%)	61,65,65	1.13	3 (4%)
6	D10	A	1216	-	9,9,9	0.27	0	8,8,8	0.54	0
6	D10	A	1214	-	9,9,9	0.25	0	8,8,8	0.54	0
8	NAG	A	1218	1	14,14,15	2.05	5 (35%)	17,19,21	1.62	5 (29%)
5	Y01	A	1211	-	38,38,38	1.33	5 (13%)	57,57,57	2.26	15 (26%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
6	D10	A	1222	-	9,9,9	0.25	0	8,8,8	0.59	0
3	1DO	A	1208	-	12,12,12	0.41	0	11,11,11	0.51	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '2' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	Y01	A	1205	-	-	9/19/77/77	0/4/4/4
6	D10	A	1219	-	-	2/7/7/7	-
6	D10	A	1221	-	-	3/7/7/7	-
5	Y01	A	1204	-	-	7/19/77/77	0/4/4/4
3	1DO	A	1209	-	-	2/10/10/10	-
3	1DO	A	1202	-	-	2/10/10/10	-
3	1DO	A	1217	-	-	4/10/10/10	-
9	ANP	A	1223	2	-	6/14/38/38	0/3/3/3
6	D10	A	1206	-	-	1/7/7/7	-
6	D10	A	1220	-	-	1/7/7/7	-
7	D12	A	1207	-	-	3/9/9/9	-
7	D12	A	1212	-	-	2/9/9/9	-
5	Y01	A	1210	-	-	7/19/77/77	0/4/4/4
4	LMT	A	1203	-	-	8/21/61/61	0/2/2/2
6	D10	A	1213	-	-	1/7/7/7	-
6	D10	A	1215	-	-	2/7/7/7	-
10	EUJ	A	1224	-	-	20/44/68/68	0/1/1/1
6	D10	A	1216	-	-	1/7/7/7	-
6	D10	A	1214	-	-	0/7/7/7	-
8	NAG	A	1218	1	-	2/6/23/26	0/1/1/1
5	Y01	A	1211	-	-	9/19/77/77	0/4/4/4
6	D10	A	1222	-	-	2/7/7/7	-
3	1DO	A	1208	-	-	3/10/10/10	-

All (33) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
9	A	1223	ANP	PB-O3A	13.58	1.76	1.59
9	A	1223	ANP	PA-O5'	6.11	1.84	1.59

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
8	A	1218	NAG	C1-C2	4.47	1.59	1.52
5	A	1211	Y01	CAK-CAI	-4.20	1.41	1.50
5	A	1205	Y01	CAK-CAI	-4.16	1.41	1.50
5	A	1210	Y01	CAK-CAI	-4.15	1.41	1.50
5	A	1204	Y01	CAK-CAI	-4.12	1.41	1.50
9	A	1223	ANP	PG-O1G	3.78	1.52	1.46
9	A	1223	ANP	PG-N3B	3.53	1.72	1.63
9	A	1223	ANP	PB-O1B	3.42	1.51	1.46
8	A	1218	NAG	C3-C2	3.33	1.59	1.52
9	A	1223	ANP	O3'-C3'	-3.22	1.35	1.43
9	A	1223	ANP	O5'-C5'	-2.89	1.33	1.44
5	A	1204	Y01	CAI-CAZ	2.69	1.38	1.33
5	A	1205	Y01	CAI-CAZ	2.68	1.38	1.33
5	A	1210	Y01	CAI-CAZ	2.61	1.38	1.33
5	A	1211	Y01	CAI-CAZ	2.57	1.38	1.33
10	A	1224	EUJ	P3-O3	2.42	1.63	1.59
4	A	1203	LMT	O3'-C3'	-2.35	1.37	1.43
8	A	1218	NAG	O5-C1	-2.33	1.40	1.43
4	A	1203	LMT	O2B-C2B	-2.29	1.37	1.43
5	A	1211	Y01	CAS-CBF	2.25	1.57	1.53
5	A	1204	Y01	CAL-CAX	2.24	1.55	1.50
5	A	1211	Y01	CBB-CBE	2.24	1.58	1.54
4	A	1203	LMT	O4'-C4B	-2.21	1.37	1.43
8	A	1218	NAG	C7-N2	2.19	1.41	1.34
9	A	1223	ANP	O2'-C2'	-2.18	1.37	1.43
5	A	1211	Y01	CBH-CAZ	-2.16	1.48	1.52
9	A	1223	ANP	C2-N3	2.16	1.35	1.32
5	A	1210	Y01	CBH-CAZ	-2.15	1.48	1.52
10	A	1224	EUJ	P5-O5	2.12	1.63	1.59
8	A	1218	NAG	O5-C5	-2.06	1.39	1.43
5	A	1205	Y01	CBH-CAZ	-2.02	1.48	1.52

All (83) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	A	1211	Y01	CAV-CAZ-CBH	8.85	128.18	116.42
9	A	1223	ANP	O1G-PG-N3B	-8.71	98.94	111.77
5	A	1204	Y01	CAV-CAZ-CBH	7.50	126.39	116.42
5	A	1210	Y01	CAV-CAZ-CBH	7.39	126.23	116.42
5	A	1205	Y01	CAV-CAZ-CBH	7.02	125.74	116.42
9	A	1223	ANP	O1B-PB-N3B	5.79	120.29	111.77
5	A	1211	Y01	CAV-CAZ-CAI	-5.65	112.46	120.61

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	A	1211	Y01	OAW-CAY-CAM	5.64	123.66	111.50
5	A	1204	Y01	OAW-CAY-CAM	5.42	123.18	111.50
5	A	1205	Y01	OAW-CAY-CAM	5.36	123.05	111.50
5	A	1211	Y01	OAW-CAY-OAG	-5.27	110.96	123.70
5	A	1210	Y01	OAW-CAY-CAM	5.05	122.38	111.50
5	A	1205	Y01	OAW-CAY-OAG	-4.97	111.70	123.70
9	A	1223	ANP	O2B-PB-O1B	4.79	119.97	109.92
5	A	1204	Y01	OAW-CAY-OAG	-4.77	112.17	123.70
5	A	1210	Y01	OAW-CAY-OAG	-4.73	112.26	123.70
5	A	1204	Y01	CAV-CAZ-CAI	-4.66	113.90	120.61
5	A	1210	Y01	CAV-CAZ-CAI	-4.41	114.25	120.61
5	A	1205	Y01	CAV-CAZ-CAI	-4.31	114.39	120.61
9	A	1223	ANP	O2B-PB-O3A	-4.25	90.45	104.64
10	A	1224	EUJ	C5-C6-C1	4.03	117.31	108.96
4	A	1203	LMT	O1'-C1'-C2'	-3.84	102.31	108.30
10	A	1224	EUJ	C6-C5-C4	3.83	116.38	110.85
5	A	1204	Y01	OAW-CBC-CAR	3.83	117.57	108.33
4	A	1203	LMT	C1'-O5'-C5'	3.59	120.74	113.69
5	A	1211	Y01	CAS-CBF-CBH	3.55	117.76	113.08
4	A	1203	LMT	C6B-C5B-C4B	-3.55	104.69	113.00
8	A	1218	NAG	O3-C3-C2	-3.48	102.26	109.47
5	A	1204	Y01	CBF-CBD-CBG	3.28	113.48	109.09
4	A	1203	LMT	C4B-C3B-C2B	-3.27	105.11	110.82
9	A	1223	ANP	O2A-PA-O5'	-3.25	92.64	107.75
9	A	1223	ANP	O3A-PB-N3B	-3.25	97.58	106.59
10	A	1224	EUJ	C6-C1-C2	3.23	115.52	110.85
9	A	1223	ANP	O5'-PA-O1A	-3.22	96.49	109.07
5	A	1211	Y01	CBG-CBI-CBE	-3.04	96.47	100.07
9	A	1223	ANP	C1'-N9-C4	-3.00	121.37	126.64
5	A	1205	Y01	OAW-CBC-CAV	-2.90	102.19	108.12
5	A	1211	Y01	CBI-CBE-CBB	2.88	123.99	119.49
5	A	1211	Y01	CAS-CBF-CBD	-2.85	107.66	111.75
5	A	1211	Y01	CBD-CAK-CAI	2.77	116.71	112.73
9	A	1223	ANP	C4-C5-N7	2.74	112.25	109.40
5	A	1205	Y01	CAR-CBC-CAV	2.70	115.02	110.99
5	A	1211	Y01	CAC-CBB-CBE	2.62	116.93	112.92
5	A	1204	Y01	CAS-CBF-CBH	2.59	116.49	113.08
5	A	1205	Y01	CBF-CBD-CBG	2.59	112.55	109.09
5	A	1205	Y01	CBH-CBF-CBD	-2.57	108.88	112.73
4	A	1203	LMT	C1'-C2'-C3'	-2.52	104.75	110.00
4	A	1203	LMT	O3'-C3'-C2'	-2.47	104.63	110.35
5	A	1204	Y01	CBH-CBF-CBD	-2.43	109.08	112.73

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
9	A	1223	ANP	C3'-C2'-C1'	2.42	104.62	100.98
4	A	1203	LMT	C6'-C5'-C4'	-2.37	106.44	113.33
5	A	1204	Y01	OAW-CBC-CAV	-2.36	103.29	108.12
4	A	1203	LMT	O5'-C5'-C6'	2.35	112.27	106.44
4	A	1203	LMT	O4'-C4B-C3B	-2.33	104.97	110.35
5	A	1210	Y01	OAW-CBC-CAV	-2.33	103.36	108.12
5	A	1211	Y01	CBH-CAZ-CAI	-2.33	119.34	122.90
5	A	1210	Y01	CAS-CBF-CBH	2.31	116.12	113.08
5	A	1205	Y01	CAS-CBF-CBH	2.30	116.11	113.08
9	A	1223	ANP	C2'-C3'-C4'	-2.29	98.19	102.64
5	A	1211	Y01	OAW-CBC-CAR	2.28	113.84	108.33
5	A	1205	Y01	CAP-CBE-CBI	-2.26	101.12	103.84
8	A	1218	NAG	O5-C5-C4	2.26	116.33	110.83
8	A	1218	NAG	O5-C1-C2	-2.26	107.72	111.29
9	A	1223	ANP	PB-O3A-PA	-2.22	124.79	132.62
5	A	1211	Y01	OAF-CAX-CAL	-2.22	115.95	123.08
5	A	1210	Y01	CBH-CAZ-CAI	-2.22	119.51	122.90
5	A	1205	Y01	CAK-CBD-CBF	-2.19	107.06	109.71
5	A	1205	Y01	OAF-CAX-CAL	-2.18	116.07	123.08
5	A	1204	Y01	CAK-CBD-CBF	-2.18	107.08	109.71
8	A	1218	NAG	O4-C4-C3	-2.15	105.37	110.35
4	A	1203	LMT	C3'-C4'-C5'	-2.15	106.00	110.93
5	A	1211	Y01	CAR-CAT-CBH	2.14	117.38	112.74
5	A	1204	Y01	CAP-CBE-CBI	-2.14	101.27	103.84
5	A	1210	Y01	OAF-CAX-CAL	-2.12	116.28	123.08
5	A	1210	Y01	CAP-CBE-CBI	-2.11	101.30	103.84
5	A	1210	Y01	CAT-CBH-CAZ	-2.10	104.91	108.75
5	A	1211	Y01	OAW-CBC-CAV	-2.10	103.83	108.12
8	A	1218	NAG	C6-C5-C4	-2.09	108.10	113.00
5	A	1204	Y01	CBH-CAZ-CAI	-2.08	119.71	122.90
5	A	1210	Y01	CAR-CBC-CAV	2.08	114.09	110.99
4	A	1203	LMT	O3B-C3B-C2B	-2.03	105.66	110.35
9	A	1223	ANP	O2G-PG-O3G	2.01	112.99	107.64
5	A	1210	Y01	CAC-CBB-CAO	-2.01	107.21	110.36

There are no chirality outliers.

All (97) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	A	1204	Y01	CAR-CBC-OAW-CAY
5	A	1211	Y01	OAG-CAY-OAW-CBC
5	A	1211	Y01	CAM-CAY-OAW-CBC

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
9	A	1223	ANP	PB-N3B-PG-O1G
9	A	1223	ANP	PG-N3B-PB-O1B
9	A	1223	ANP	PG-N3B-PB-O3A
9	A	1223	ANP	O4'-C4'-C5'-O5'
10	A	1224	EUJ	C2-C1-O1-P1
10	A	1224	EUJ	C6-C1-O1-P1
10	A	1224	EUJ	C2-C3-O3-P3
10	A	1224	EUJ	C6-C5-O5-P5
10	A	1224	EUJ	C1C-O13-P1-O12
10	A	1224	EUJ	C2A-C1A-O2C-C2C
10	A	1224	EUJ	O1A-C1A-O2C-C2C
10	A	1224	EUJ	C2B-C1B-O3C-C3C
10	A	1224	EUJ	O1B-C1B-O3C-C3C
5	A	1204	Y01	CAM-CAY-OAW-CBC
9	A	1223	ANP	C3'-C4'-C5'-O5'
5	A	1205	Y01	CAM-CAY-OAW-CBC
5	A	1204	Y01	OAG-CAY-OAW-CBC
5	A	1211	Y01	CAO-CBB-CBE-CBI
5	A	1205	Y01	CAJ-CAO-CBB-CBE
5	A	1205	Y01	CAJ-CAO-CBB-CAC
5	A	1205	Y01	OAG-CAY-OAW-CBC
5	A	1211	Y01	CAC-CBB-CBE-CAP
5	A	1211	Y01	CAO-CBB-CBE-CAP
5	A	1210	Y01	CAN-CAJ-CAO-CBB
10	A	1224	EUJ	C1C-O13-P1-O1
10	A	1224	EUJ	C1-O1-P1-O13
5	A	1210	Y01	CAM-CAY-OAW-CBC
5	A	1204	Y01	CAJ-CAN-CBA-CAB
5	A	1210	Y01	OAG-CAY-OAW-CBC
10	A	1224	EUJ	C2C-C1C-O13-P1
5	A	1211	Y01	CAN-CAJ-CAO-CBB
6	A	1213	D10	C5-C6-C7-C8
10	A	1224	EUJ	C4B-C5B-C6B-C7B
5	A	1205	Y01	CAJ-CAN-CBA-CAA
5	A	1205	Y01	CAJ-CAN-CBA-CAB
5	A	1210	Y01	CAJ-CAN-CBA-CAB
3	A	1202	1DO	C11-C10-C9-C8
5	A	1204	Y01	CAO-CAJ-CAN-CBA
3	A	1217	1DO	C11-C10-C9-C8
8	A	1218	NAG	O5-C5-C6-O6
5	A	1204	Y01	CAJ-CAN-CBA-CAA
7	A	1207	D12	C3-C4-C5-C6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
10	A	1224	EUJ	O13-C1C-C2C-C3C
3	A	1209	1DO	C5-C6-C7-C8
7	A	1212	D12	C7-C8-C9-C10
6	A	1215	D10	C3-C4-C5-C6
4	A	1203	LMT	O5'-C5'-C6'-O6'
6	A	1220	D10	C4-C5-C6-C7
6	A	1221	D10	C1-C2-C3-C4
4	A	1203	LMT	C11-C10-C9-C8
6	A	1206	D10	C5-C6-C7-C8
10	A	1224	EUJ	O13-C1C-C2C-O2C
3	A	1208	1DO	C9-C10-C11-C12
4	A	1203	LMT	O5'-C1'-O1'-C1
5	A	1210	Y01	CAJ-CAN-CBA-CAA
6	A	1216	D10	C1-C2-C3-C4
6	A	1219	D10	C6-C7-C8-C9
6	A	1221	D10	C5-C6-C7-C8
3	A	1208	1DO	C3-C4-C5-C6
3	A	1217	1DO	C3-C4-C5-C6
6	A	1221	D10	C6-C7-C8-C9
5	A	1205	Y01	CAN-CAJ-CAO-CBB
7	A	1207	D12	C7-C8-C9-C10
4	A	1203	LMT	C5'-C4'-O1B-C1B
3	A	1217	1DO	C1-C2-C3-C4
4	A	1203	LMT	C1-C2-C3-C4
3	A	1217	1DO	O2S-C1-C2-C3
3	A	1202	1DO	C5-C6-C7-C8
6	A	1222	D10	C4-C5-C6-C7
8	A	1218	NAG	C3-C2-N2-C7
6	A	1222	D10	C6-C7-C8-C9
4	A	1203	LMT	C2'-C1'-O1'-C1
5	A	1210	Y01	CAM-CAL-CAX-OAF
10	A	1224	EUJ	C3A-C4A-C5A-C6A
5	A	1205	Y01	CAM-CAL-CAX-OAH
10	A	1224	EUJ	C3C-C2C-O2C-C1A
5	A	1205	Y01	CAM-CAL-CAX-OAF
5	A	1211	Y01	CAM-CAL-CAX-OAF
6	A	1215	D10	C1-C2-C3-C4
3	A	1209	1DO	C3-C4-C5-C6
9	A	1223	ANP	PA-O3A-PB-O2B
4	A	1203	LMT	C6-C7-C8-C9
5	A	1211	Y01	CAM-CAL-CAX-OAH
6	A	1219	D10	C4-C5-C6-C7

Continued on next page...

Continued from previous page...



Mol	Chain	Res	Type	Atoms
5	A	1210	Y01	CAM-CAL-CAX-OAH
5	A	1204	Y01	CAO-CBB-CBE-CAP
7	A	1207	D12	C4-C5-C6-C7
3	A	1208	1DO	C1-C2-C3-C4
10	A	1224	EUJ	C5-O5-P5-O51
10	A	1224	EUJ	C5-O5-P5-O52
5	A	1211	Y01	CAX-CAL-CAM-CAY
4	A	1203	LMT	C3'-C4'-O1B-C1B
7	A	1212	D12	C3-C4-C5-C6
10	A	1224	EUJ	C2B-C3B-C4B-C5B



There are no ring outliers.



5 monomers are involved in 9 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
9	A	1223	ANP	4	0
5	A	1210	Y01	2	0
10	A	1224	EUJ	1	0
8	A	1218	NAG	1	0
5	A	1211	Y01	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-23683. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 192



Y Index: 192




Z Index: 192


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 195



Y Index: 180




Z Index: 160


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal surface views [i](#)


6.4.1 Primary map



X



Y



Z

The images above show the 3D surface view of the map at the recommended contour level 0.221. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.5 Mask visualisation

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 74 nm^3 ; this corresponds to an approximate mass of 67 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum [i](#)



*Reported resolution corresponds to spatial frequency of 0.345\AA^{-1}


8 Fourier-Shell correlation

This section was not generated. No FSC curve or half-maps provided.

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-23683 and PDB model 7M5V. Per-residue inclusion information can be found in section 3 on page 10.

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.221 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.221).





9.4 Atom inclusion [i](#)



At the recommended contour level, 81% of all backbone atoms, 80% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary [i](#)

The table lists the average atom inclusion at the recommended contour level (0.221) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.8031	 0.4900
A	 0.8102	 0.4900

