



# Full wwPDB X-ray Structure Validation Report ⓘ

Jan 8, 2024 – 03:37 am GMT

PDB ID : 5M7G  
Title : Tubulin-MTD147 complex  
Authors : Bohnacker, T.; Protá, A.E.; Steinmetz, M.O.; Wymann, M.P.  
Deposited on : 2016-10-27  
Resolution : 2.25 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.4, CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.36  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.36


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*






The reported resolution of this entry is 2.25 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	2391 (2.26-2.22)
Clashscore	141614	2539 (2.26-2.22)
Ramachandran outliers	138981	2489 (2.26-2.22)
Sidechain outliers	138945	2490 (2.26-2.22)
RSRZ outliers	127900	2353 (2.26-2.22)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	451	
1	C	451	
2	B	445	
2	D	445	
3	E	143	

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
4	F	384	 <p>A horizontal bar chart showing the quality of chain. The bar is divided into four segments: a red segment (27%), a green segment (76%), a yellow segment (9%), and a grey segment (15%). The percentages are labeled above each segment.</p>

## 2 Entry composition [i](#)

There are 13 unique types of molecules in this entry. The entry contains 17780 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Tubulin alpha-1B chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	436	Total	C	N	O	S	0	0	0
			3409	2158	580	649	22			
1	C	440	Total	C	N	O	S	0	0	0
			3437	2175	584	656	22			

- Molecule 2 is a protein called Tubulin beta-2B chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	422	Total	C	N	O	S	0	0	0
			3325	2091	567	641	26			
2	D	418	Total	C	N	O	S	0	0	0
			3284	2065	557	636	26			

- Molecule 3 is a protein called Stathmin-4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
3	E	123	Total	C	N	O	S	0	0	0
			1014	625	183	201	5			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
E	3	MET	-	initiating methionine	UNP P63043
E	4	ALA	-	expression tag	UNP P63043


- Molecule 4 is a protein called Tubulin-Tyrosine Ligase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
4	F	326	Total	C	N	O	S	0	0	0
			2647	1707	444	482	14			

There are 6 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
F	379	HIS	-	expression tag	UNP E1BQ43
F	380	HIS	-	expression tag	UNP E1BQ43
F	381	HIS	-	expression tag	UNP E1BQ43
F	382	HIS	-	expression tag	UNP E1BQ43
F	383	HIS	-	expression tag	UNP E1BQ43
F	384	HIS	-	expression tag	UNP E1BQ43

- Molecule 5 is GUANOSINE-5'-TRIPHOSPHATE (three-letter code: GTP) (formula:  $C_{10}H_{16}N_5O_{14}P_3$ ).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
			Total	C	N	O			P
5	A	1	Total	C	N	O	P	0	0
			32	10	5	14	3		
5	C	1	Total	C	N	O	P	0	0
			32	10	5	14	3		

- Molecule 6 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	1	Total	Mg	0	0
			1	1		
6	B	1	Total	Mg	0	0
			1	1		
6	C	1	Total	Mg	0	0
			1	1		
6	D	1	Total	Mg	0	0
			1	1		

*Continued on next page...*


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	F	1	Total	Mg	0	0
			1	1		

- Molecule 7 is CALCIUM ION (three-letter code: CA) (formula: Ca).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	2	Total	Ca	0	0
			2	2		
7	B	1	Total	Ca	0	0
			1	1		
7	C	2	Total	Ca	0	0
			2	2		

- Molecule 8 is GLYCEROL (three-letter code: GOL) (formula: C<sub>3</sub>H<sub>8</sub>O<sub>3</sub>).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
8	A	1	Total	C	O	0	0
			6	3	3		
8	F	1	Total	C	O	0	0
			6	3	3		

- Molecule 9 is 5-(2,6-dimorpholin-4-ylpyridin-4-yl)-4-(trifluoromethyl)pyridin-2-amine (three-letter code: FB7) (formula: C<sub>19</sub>H<sub>22</sub>F<sub>3</sub>N<sub>5</sub>O<sub>2</sub>).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	F	N	O		
9	B	1	Total	C	F	N	O	0	0
			29	19	3	5	2		
9	D	1	Total	C	F	N	O	0	0
			29	19	3	5	2		

- Molecule 10 is GUANOSINE-5'-DIPHOSPHATE (three-letter code: GDP) (formula:  $C_{10}H_{15}N_5O_{11}P_2$ ).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	P		
10	B	1	Total	C	N	O	P	0	0
			28	10	5	11	2		

*Continued on next page...*

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
			Total	C	N	O			P
10	D	1	28	10	5	11	2	0	0


- Molecule 11 is 2-(N-MORPHOLINO)-ETHANESULFONIC ACID (three-letter code: MES) (formula: C<sub>6</sub>H<sub>13</sub>NO<sub>4</sub>S).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	S		
11	B	1	12	6	1	4	1	0	0

- Molecule 12 is PHOSPHOMETHYLPHOSPHONIC ACID ADENYLATE ESTER (three-letter code: ACP) (formula: C<sub>11</sub>H<sub>18</sub>N<sub>5</sub>O<sub>12</sub>P<sub>3</sub>).





Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	P		
12	F	1	31	11	5	12	3	0	0


- Molecule 13 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
13	A	82	Total	O	0	0
			82	82		
13	B	76	Total	O	0	0
			76	76		
13	C	175	Total	O	0	0
			175	175		
13	D	45	Total	O	0	0
			45	45		
13	E	15	Total	O	0	0
			15	15		
13	F	28	Total	O	0	0
			28	28		


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Tubulin alpha-1B chain




- Molecule 1: Tubulin alpha-1B chain




- Molecule 2: Tubulin beta-2B chain




- Molecule 2: Tubulin beta-2B chain



- Molecule 3: Stathmin-4



- Molecule 4: Tubulin-Tyrosine Ligase



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	104.08Å 156.86Å 179.68Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	46.72 – 2.25 49.28 – 2.25	Depositor EDS
% Data completeness (in resolution range)	99.1 (46.72-2.25) 99.1 (49.28-2.25)	Depositor EDS
$R_{merge}$	0.10	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.03 (at 2.24Å)	Xtrriage
Refinement program	PHENIX (1.10.1_2155: ???)	Depositor
R, $R_{free}$	0.172 , 0.217 0.174 , 0.218	Depositor DCC
$R_{free}$ test set	6944 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	49.4	Xtrriage
Anisotropy	0.098	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.34 , 49.9	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.47$ , $\langle L^2 \rangle = 0.30$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.96	EDS
Total number of atoms	17780	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	66.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.37% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality i

### 5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, FB7, GDP, MES, MG, GTP, ACP, CA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z  > 5$	RMSZ	# $ Z  > 5$
1	A	0.41	0/3487	0.54	0/4733
1	C	0.49	1/3515 (0.0%)	0.62	0/4772
2	B	0.42	0/3399	0.56	0/4604
2	D	0.37	0/3356	0.51	0/4546
3	E	0.40	0/1022	0.46	0/1356
4	F	0.35	0/2705	0.50	0/3653
All	All	0.41	1/17484 (0.0%)	0.55	0/23664

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	295	CYS	CB-SG	-6.26	1.71	1.82

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts i

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3409	0	3322	37	0
1	C	3437	0	3348	25	0
2	B	3325	0	3203	39	0
2	D	3284	0	3160	32	0

*Continued on next page...*

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	E	1014	0	1029	6	0
4	F	2647	0	2627	21	0
5	A	32	0	12	0	0
5	C	32	0	12	0	0
6	A	1	0	0	0	0
6	B	1	0	0	0	0
6	C	1	0	0	0	0
6	D	1	0	0	0	0
6	F	1	0	0	0	0
7	A	2	0	0	0	0
7	B	1	0	0	0	0
7	C	2	0	0	0	0
8	A	6	0	8	1	0
8	F	6	0	8	0	0
9	B	29	0	0	0	0
9	D	29	0	0	2	0
10	B	28	0	12	0	0
10	D	28	0	12	2	0
11	B	12	0	12	3	0
12	F	31	0	14	2	0
13	A	82	0	0	1	0
13	B	76	0	0	2	0
13	C	175	0	0	1	0
13	D	45	0	0	3	0
13	E	15	0	0	0	0
13	F	28	0	0	1	0
All	All	17780	0	16779	147	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (147) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:253:ARG:NH1	11:B:505:MES:O2S	2.11	0.82
4:F:318:ASP:OD2	12:F:403:ACP:O3G	2.00	0.80
2:B:88:ARG:NH1	13:B:601:HOH:O	2.18	0.75
1:A:221:ARG:HD3	2:B:325:MET:HG3	1.70	0.74
2:D:295:MET:HE2	2:D:377:PHE:HB2	1.69	0.73
1:A:161:TYR:HB3	1:A:164:LYS:HG3	1.71	0.70
2:B:295:MET:HE2	2:B:377:PHE:HB2	1.71	0.70

Continued on next page...

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:164:ARG:NH1	13:D:602:HOH:O	2.22	0.70
4:F:154:GLY:O	13:F:501:HOH:O	2.12	0.68
2:D:311:ARG:NH1	2:D:436:GLN:O	2.27	0.66
3:E:75:LYS:NZ	3:E:79:GLU:OE2	2.29	0.64
1:C:249:ASN:OD1	1:C:356:ASN:ND2	2.31	0.63
2:D:175:PRO:HA	2:D:178:SER:HB2	1.83	0.61
2:B:400:ARG:NH2	1:C:440:VAL:O	2.33	0.61
1:A:335:ILE:HG23	1:A:339:ARG:HG3	1.83	0.61
2:D:158:ARG:HG2	3:E:123:LEU:HD11	1.82	0.60
4:F:280:GLU:HA	4:F:284:LEU:HB2	1.82	0.60
4:F:150:LYS:HG2	4:F:160:ILE:HG12	1.82	0.59
2:B:176:LYS:HD2	2:B:207:GLU:HG3	1.84	0.59
4:F:14:TYR:HB3	4:F:41:LEU:HD13	1.85	0.58
1:C:93:ILE:HD11	1:C:121:ARG:HG3	1.85	0.57
2:B:306:ASP:HB3	2:B:309:HIS:ND1	2.19	0.56
2:B:69:ASP:O	2:B:94:PHE:HA	2.05	0.56
2:D:171:VAL:HA	2:D:204:ILE:O	2.06	0.56
1:A:36:MET:HB3	1:A:61:HIS:CE1	2.41	0.56
1:C:7:ILE:HG21	1:C:153:LEU:HD21	1.87	0.56
1:C:220:GLU:HG2	2:D:326:LYS:HD2	1.87	0.55
2:B:75:MET:HE3	2:B:92:PHE:HD2	1.71	0.55
1:A:216:ASN:ND2	8:A:505:GOL:H2	2.21	0.55
2:B:172:MET:HG3	2:B:387:LEU:HD11	1.89	0.54
2:B:325:MET:HE2	2:B:355:VAL:HG21	1.90	0.54
2:D:11:GLN:HA	2:D:74:THR:HG21	1.90	0.54
4:F:169:LEU:HD13	4:F:182:ILE:HD11	1.90	0.54
2:D:21:TRP:CZ3	2:D:63:PRO:HB3	2.42	0.54
2:D:12:CYS:HB2	10:D:501:GDP:C8	2.43	0.53
1:A:262:TYR:HE2	1:A:346:TRP:CH2	2.27	0.52
1:C:34:GLY:HA3	1:C:60:LYS:HG3	1.89	0.52
1:C:100:ALA:HA	2:D:254:LYS:HG3	1.91	0.52
4:F:307:LEU:HD22	4:F:308:HIS:CE1	2.44	0.52
2:B:325:MET:HE1	2:B:355:VAL:HG11	1.91	0.51
1:A:71:GLU:HG2	1:A:98:ASP:HB3	1.93	0.51
2:B:323:MET:HB3	2:B:373:MET:CE	2.40	0.51
1:A:93:ILE:HD11	1:A:121:ARG:HG3	1.93	0.51
1:C:401:LYS:HE3	2:D:438:ALA:HB1	1.93	0.50
1:A:88:HIS:HB3	1:A:91:GLN:HG3	1.92	0.50
1:C:188:ILE:HG13	1:C:425:MET:HG3	1.94	0.49
1:A:23:LEU:O	1:A:27:GLU:HG3	2.13	0.49
4:F:128:ARG:O	4:F:132:LEU:HG	2.13	0.49

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:320:ARG:HA	1:C:356:ASN:O	2.13	0.49
2:D:269:MET:HG3	2:D:303:ALA:HB3	1.94	0.49
2:B:213:CYS:HB3	2:B:219:LEU:HD12	1.94	0.49
4:F:195:GLY:HA3	4:F:197:ARG:HD3	1.95	0.49
1:A:120:ASP:OD2	1:A:124:LYS:NZ	2.45	0.48
1:A:336:LYS:HE3	1:A:341:ILE:HB	1.96	0.48
2:B:123:ARG:NE	2:B:160:GLU:OE2	2.41	0.48
1:A:298:PRO:HA	1:A:301:GLN:CD	2.34	0.48
2:D:141:LEU:HD12	2:D:172:MET:SD	2.54	0.48
1:A:357:TYR:OH	3:E:18:GLN:NE2	2.45	0.48
2:B:199:ASP:OD2	11:B:505:MES:H52	2.15	0.47
1:C:339:ARG:O	13:C:601:HOH:O	2.20	0.47
4:F:200:ASP:OD1	4:F:222:ARG:HB2	2.15	0.47
2:D:6:HIS:CD2	2:D:21:TRP:HE1	2.33	0.47
2:B:141:LEU:HD12	2:B:172:MET:SD	2.55	0.46
4:F:14:TYR:HA	4:F:17:VAL:HB	1.96	0.46
2:B:325:MET:H	2:B:325:MET:HG2	1.32	0.46
1:A:265:ILE:HG23	1:A:432:TYR:CE1	2.51	0.46
1:C:150:THR:O	1:C:154:MET:HG2	2.16	0.46
2:D:136:GLN:HA	2:D:167:ASN:O	2.16	0.46
2:D:179:ASP:OD2	13:D:601:HOH:O	2.21	0.46
1:C:172:TYR:CE2	1:C:391:LEU:HD22	2.50	0.46
1:A:172:TYR:CE2	1:A:391:LEU:HD22	2.50	0.45
4:F:211:TYR:CE2	4:F:299:GLU:HB2	2.51	0.45
1:A:25:CYS:HB3	1:A:30:ILE:O	2.16	0.45
1:C:36:MET:HB3	1:C:61:HIS:CE1	2.51	0.45
1:C:227:LEU:O	1:C:231:ILE:HG13	2.16	0.45
3:E:7:GLU:O	3:E:22:VAL:HA	2.16	0.45
2:B:75:MET:HE3	2:B:92:PHE:CD2	2.52	0.45
1:A:166:LYS:HE2	1:A:197:HIS:O	2.17	0.45
1:A:265:ILE:HG23	1:A:432:TYR:CZ	2.51	0.45
2:B:158:ARG:CZ	11:B:505:MES:H21	2.47	0.45
2:D:21:TRP:CE3	2:D:63:PRO:HB3	2.51	0.45
2:B:347:ILE:HG22	2:B:350:ASN:HB3	1.99	0.45
2:B:274:PRO:HB3	2:B:286:LEU:HD22	1.99	0.45
1:A:340:SER:HA	13:A:655:HOH:O	2.17	0.44
2:B:296:PHE:CD2	2:B:335:VAL:HG11	2.52	0.44
4:F:128:ARG:HH11	4:F:170:LEU:HD13	1.82	0.44
1:A:409:VAL:HA	1:A:413:MET:O	2.18	0.44
1:A:71:GLU:HB3	2:B:2:ARG:NH2	2.32	0.44
1:A:99:ALA:HA	1:A:105:ARG:HG2	1.99	0.44

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:357:TYR:CE2	3:E:17:GLY:HA2	2.53	0.44
2:D:187:ALA:O	2:D:191:VAL:HG23	2.18	0.44
2:D:46:LEU:HA	2:D:49:ILE:HB	1.99	0.44
2:D:15:GLN:NE2	10:D:501:GDP:O6	2.51	0.44
2:B:21:TRP:CZ3	2:B:63:PRO:HB3	2.53	0.43
1:C:173:PRO:HB3	1:C:183:GLU:OE2	2.18	0.43
1:C:401:LYS:HG3	2:D:346:TRP:CE3	2.53	0.43
2:B:251:ASP:O	2:B:255:LEU:HG	2.18	0.43
2:D:200:GLU:HB3	2:D:268:PHE:CE2	2.53	0.43
1:C:214:ARG:HG2	1:C:219:ILE:O	2.19	0.43
1:A:275:VAL:HG13	1:A:368:LEU:HD21	1.99	0.43
1:A:21:TRP:CZ3	1:A:63:PRO:HB3	2.54	0.43
1:A:217:LEU:HD21	1:A:368:LEU:HD23	2.01	0.43
2:D:308:ARG:HG2	2:D:342:TYR:CZ	2.54	0.43
1:C:230:LEU:O	1:C:234:ILE:HD12	2.19	0.42
1:A:176:GLN:HG3	4:F:56:PRO:HB3	2.02	0.42
2:B:20:PHE:CZ	2:B:24:ILE:HD13	2.54	0.42
2:B:159:GLU:OE2	13:B:602:HOH:O	2.21	0.42
1:C:8:HIS:HB3	1:C:13:GLY:O	2.19	0.42
1:C:229:ARG:NE	1:C:363:VAL:HG21	2.34	0.42
1:A:210:TYR:CE1	1:A:222:PRO:HD2	2.54	0.42
1:A:230:LEU:O	1:A:234:ILE:HD12	2.20	0.42
2:B:2:ARG:HG2	2:B:131:CYS:O	2.20	0.42
2:B:106:GLY:O	2:B:111:GLY:HA3	2.20	0.42
1:A:223:THR:O	1:A:227:LEU:HG	2.20	0.42
1:A:362:VAL:HG11	1:A:368:LEU:O	2.19	0.42
2:B:287:THR:OG1	2:B:290:GLU:HG3	2.20	0.42
1:C:221:ARG:HG2	2:D:325:MET:HG2	2.00	0.42
2:B:333:LEU:HD13	4:F:57:GLY:HA3	2.02	0.42
1:C:179:THR:HB	9:D:500:FB7:CAP	2.50	0.42
4:F:150:LYS:HE3	12:F:403:ACP:H8	2.01	0.42
1:C:151:SER:HB2	1:C:193:THR:CG2	2.50	0.42
4:F:292:ARG:HD3	4:F:378:LEU:HB3	2.02	0.42
2:B:323:MET:HB3	2:B:373:MET:HE2	2.02	0.41
1:C:233:GLN:HG3	1:C:368:LEU:CD1	2.50	0.41
4:F:184:LYS:HE2	4:F:184:LYS:HB3	1.91	0.41
1:A:2:ARG:HB3	1:A:133:GLN:HG2	2.02	0.41
4:F:340:GLN:HA	4:F:343:TYR:HD2	1.85	0.41
1:A:262:TYR:CE2	1:A:346:TRP:CH2	3.08	0.41
2:B:405:LEU:HD23	2:B:405:LEU:HA	1.87	0.41
2:D:147:SER:HB2	2:D:190:SER:OG	2.19	0.41

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:106:GLY:O	2:D:111:GLY:HA3	2.21	0.41
4:F:28:LYS:HA	4:F:28:LYS:HD3	1.92	0.41
1:A:70:LEU:HD23	1:A:70:LEU:HA	1.82	0.41
2:B:269:MET:HE1	2:B:307:PRO:HG3	2.03	0.41
2:D:255:LEU:HD22	9:D:500:FB7:CAT	2.51	0.41
1:A:283:HIS:CG	1:A:284:GLU:N	2.89	0.41
1:A:385:ALA:HB2	1:A:432:TYR:CG	2.56	0.41
2:D:251:ASP:O	2:D:255:LEU:HG	2.21	0.41
3:E:72:LEU:O	3:E:76:ARG:HG2	2.20	0.41
2:B:22:GLU:HG2	2:B:83:PHE:CD1	2.56	0.40
2:B:291:LEU:HD23	2:B:291:LEU:HA	1.89	0.40
2:D:141:LEU:HD22	2:D:190:SER:HB3	2.02	0.40
2:B:303:ALA:O	2:B:305:CYS:N	2.49	0.40
2:B:323:MET:HB3	2:B:373:MET:HE1	2.03	0.40
2:D:70:LEU:HD12	2:D:99:ALA:HB2	2.02	0.40
4:F:55:GLU:HB3	4:F:58:LEU:HD12	2.02	0.40
2:D:352:LYS:HD2	13:D:643:HOH:O	2.21	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	434/451 (96%)	426 (98%)	7 (2%)	1 (0%)	47	53
1	C	438/451 (97%)	429 (98%)	9 (2%)	0	100	100
2	B	418/445 (94%)	407 (97%)	11 (3%)	0	100	100
2	D	412/445 (93%)	405 (98%)	7 (2%)	0	100	100
3	E	119/143 (83%)	119 (100%)	0	0	100	100
4	F	312/384 (81%)	307 (98%)	5 (2%)	0	100	100
All	All	2133/2319 (92%)	2093 (98%)	39 (2%)	1 (0%)	100	100

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	178	SER

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	367/379 (97%)	364 (99%)	3 (1%)	81	87
1	C	371/379 (98%)	368 (99%)	3 (1%)	81	87
2	B	365/383 (95%)	359 (98%)	6 (2%)	62	70
2	D	361/383 (94%)	356 (99%)	5 (1%)	67	74
3	E	110/127 (87%)	109 (99%)	1 (1%)	78	84
4	F	291/342 (85%)	286 (98%)	5 (2%)	60	68
All	All	1865/1993 (94%)	1842 (99%)	23 (1%)	71	78

All (23) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	181	VAL
1	A	336	LYS
1	A	381	THR
2	B	2	ARG
2	B	139	HIS
2	B	254	LYS
2	B	291	LEU
2	B	302	MET
2	B	325	MET
1	C	340	SER
1	C	347	CYS
1	C	381	THR
2	D	47	GLU
2	D	139	HIS
2	D	291	LEU
2	D	335	VAL

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
2	D	345	GLU
3	E	6	MET
4	F	12	SER
4	F	36	ARG
4	F	217	ARG
4	F	257	GLU
4	F	307	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
2	B	394	GLN
4	F	239	HIS
4	F	269	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

Of 20 ligands modelled in this entry, 10 are monoatomic - leaving 10 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
8	GOL	F	401	-	5,5,5	0.40	0	5,5,5	0.43	0
11	MES	B	505	-	12,12,12	2.33	1 (8%)	14,16,16	2.50	5 (35%)
5	GTP	C	501	6	26,34,34	1.17	3 (11%)	32,54,54	1.37	7 (21%)
5	GTP	A	501	6	26,34,34	1.09	1 (3%)	32,54,54	1.20	4 (12%)
12	ACP	F	403	6	27,33,33	1.97	7 (25%)	32,52,52	1.33	5 (15%)
9	FB7	D	500	-	32,32,32	1.80	4 (12%)	44,46,46	2.05	11 (25%)
8	GOL	A	505	-	5,5,5	0.34	0	5,5,5	0.56	0
9	FB7	B	501	-	32,32,32	1.69	4 (12%)	44,46,46	1.97	13 (29%)
10	GDP	B	502	6	24,30,30	1.11	3 (12%)	30,47,47	1.16	5 (16%)
10	GDP	D	501	6	24,30,30	0.96	1 (4%)	30,47,47	1.18	3 (10%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
8	GOL	F	401	-	-	0/4/4/4	-
11	MES	B	505	-	-	5/6/14/14	0/1/1/1
5	GTP	C	501	6	-	7/18/38/38	0/3/3/3
5	GTP	A	501	6	-	6/18/38/38	0/3/3/3
12	ACP	F	403	6	-	5/15/38/38	0/3/3/3
9	FB7	D	500	-	-	2/18/34/34	0/4/4/4
8	GOL	A	505	-	-	4/4/4/4	-
9	FB7	B	501	-	-	0/18/34/34	0/4/4/4
10	GDP	B	502	6	-	5/12/32/32	0/3/3/3
10	GDP	D	501	6	-	5/12/32/32	0/3/3/3

All (24) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
11	B	505	MES	C8-S	-7.85	1.66	1.77
9	D	500	FB7	CAH-CAE	-6.08	1.38	1.49
12	F	403	ACP	PG-O1G	5.47	1.61	1.50
9	B	501	FB7	CAH-CAE	-4.95	1.40	1.49
9	B	501	FB7	CAY-CAX	-4.56	1.40	1.50
12	F	403	ACP	PB-O1B	4.34	1.62	1.51
9	D	500	FB7	CAY-CAX	-4.27	1.41	1.50
9	D	500	FB7	FBA-CAY	-3.78	1.19	1.32

*Continued on next page...*

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
9	B	501	FB7	FBA-CAY	-3.77	1.19	1.32
5	A	501	GTP	C5-C6	-3.71	1.39	1.47
5	C	501	GTP	C5-C6	-3.70	1.39	1.47
9	D	500	FB7	FBB-CAY	-3.63	1.19	1.32
12	F	403	ACP	PB-O3A	3.44	1.62	1.58
9	B	501	FB7	FBB-CAY	-3.44	1.20	1.32
12	F	403	ACP	PB-O2B	-3.02	1.49	1.56
10	B	502	GDP	C6-N1	-2.65	1.33	1.37
12	F	403	ACP	C5-C4	2.51	1.47	1.40
12	F	403	ACP	PG-O2G	-2.49	1.49	1.54
10	D	501	GDP	C6-N1	-2.42	1.34	1.37
12	F	403	ACP	PG-O3G	2.38	1.60	1.54
5	C	501	GTP	C2-N3	2.29	1.38	1.33
10	B	502	GDP	O4'-C1'	2.28	1.44	1.41
5	C	501	GTP	C5-C4	-2.16	1.37	1.43
10	B	502	GDP	C2'-C1'	-2.05	1.50	1.53

All (53) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B	505	MES	C5-N4-C3	7.57	125.88	108.83
9	D	500	FB7	CAE-CAD-CAC	6.97	120.71	118.25
9	B	501	FB7	CAE-CAD-CAC	6.29	120.47	118.25
9	D	500	FB7	NAB-CAC-NAI	4.28	121.35	116.55
9	B	501	FB7	CAN-NAG-CAJ	4.08	120.51	111.52
9	D	500	FB7	CAT-CAH-CAE	-4.06	113.45	119.52
9	B	501	FB7	CAT-CAH-CAE	-3.71	113.97	119.52
9	B	501	FB7	CAS-NAI-CAO	3.70	119.68	111.52
9	D	500	FB7	CAS-NAI-CAO	3.50	119.23	111.52
9	B	501	FB7	CAA-NAB-CAC	3.44	122.90	117.38
9	D	500	FB7	CAE-CAF-CAA	3.37	119.44	118.25
9	B	501	FB7	CAE-CAF-CAA	3.36	119.44	118.25
5	C	501	GTP	C8-N7-C5	3.26	109.20	102.99
11	B	505	MES	O3S-S-C8	3.10	110.78	105.77
5	C	501	GTP	C5-C6-N1	3.08	119.39	113.95
12	F	403	ACP	N3-C2-N1	-3.03	123.94	128.68
10	B	502	GDP	C5-C6-N1	2.94	119.15	113.95
9	B	501	FB7	FBA-CAY-CAX	-2.92	107.62	112.70
9	D	500	FB7	CAA-NAB-CAC	2.91	122.05	117.38
9	D	500	FB7	CAD-CAC-NAI	-2.91	118.84	122.29
5	A	501	GTP	C8-N7-C5	2.82	108.35	102.99
9	D	500	FB7	CAF-CAE-CAH	2.81	125.27	120.61

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
9	D	500	FB7	CAD-CAE-CAH	-2.80	115.97	120.61
10	D	501	GDP	PA-O3A-PB	-2.79	123.23	132.83
12	F	403	ACP	C3'-C2'-C1'	2.77	105.14	100.98
12	F	403	ACP	O2G-PG-C3B	2.66	112.85	106.40
5	C	501	GTP	N1-C2-N3	-2.63	118.40	123.32
9	D	500	FB7	CAN-NAG-CAJ	2.62	117.31	111.52
12	F	403	ACP	PB-O3A-PA	-2.61	124.29	132.56
12	F	403	ACP	C4-C5-N7	-2.56	106.73	109.40
9	B	501	FB7	CAP-CAO-NAI	2.56	114.74	110.02
10	D	501	GDP	C5-C6-N1	2.53	118.42	113.95
5	C	501	GTP	PB-O3B-PG	-2.52	124.19	132.83
9	D	500	FB7	CAW-CAX-CAH	-2.44	116.83	119.77
10	D	501	GDP	C8-N7-C5	2.44	107.63	102.99
9	B	501	FB7	CAR-CAS-NAI	2.41	114.47	110.02
5	A	501	GTP	PA-O3A-PB	-2.31	124.88	132.83
5	A	501	GTP	PB-O3B-PG	-2.31	124.90	132.83
5	A	501	GTP	C5-C6-N1	2.29	118.00	113.95
9	B	501	FB7	CAE-CAH-CAX	2.29	128.26	124.45
10	B	502	GDP	C8-N7-C5	2.25	107.27	102.99
11	B	505	MES	C7-N4-C3	2.24	116.97	111.23
9	B	501	FB7	NAB-CAC-NAI	2.18	118.99	116.55
9	B	501	FB7	CAD-CAC-NAB	-2.16	118.93	123.15
10	B	502	GDP	PA-O3A-PB	-2.15	125.44	132.83
11	B	505	MES	C2-C3-N4	2.13	113.34	110.10
9	B	501	FB7	CAK-CAJ-NAG	2.12	113.94	110.02
5	C	501	GTP	N2-C2-N1	2.12	121.23	116.71
10	B	502	GDP	O6-C6-C5	-2.10	120.26	124.37
10	B	502	GDP	O3'-C3'-C4'	-2.06	105.09	111.05
5	C	501	GTP	C2-N1-C6	-2.04	121.34	125.10
5	C	501	GTP	O6-C6-C5	-2.03	120.41	124.37
11	B	505	MES	C7-N4-C5	2.02	116.40	111.23

There are no chirality outliers.

All (39) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	A	501	GTP	PB-O3B-PG-O2G
5	A	501	GTP	C5'-O5'-PA-O1A
5	A	501	GTP	C5'-O5'-PA-O2A
5	C	501	GTP	C5'-O5'-PA-O1A
5	C	501	GTP	C5'-O5'-PA-O2A
8	A	505	GOL	O1-C1-C2-C3

Continued on next page...

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
10	B	502	GDP	C5'-O5'-PA-O1A
10	B	502	GDP	C5'-O5'-PA-O2A
10	D	501	GDP	C5'-O5'-PA-O1A
11	B	505	MES	C8-C7-N4-C5
11	B	505	MES	C7-C8-S-O1S
11	B	505	MES	C7-C8-S-O2S
11	B	505	MES	C7-C8-S-O3S
12	F	403	ACP	PB-C3B-PG-O1G
12	F	403	ACP	PB-C3B-PG-O2G
12	F	403	ACP	PB-C3B-PG-O3G
12	F	403	ACP	C5'-O5'-PA-O1A
12	F	403	ACP	C5'-O5'-PA-O3A
8	A	505	GOL	O1-C1-C2-O2
8	A	505	GOL	C1-C2-C3-O3
9	D	500	FB7	CAD-CAC-NAI-CAO
9	D	500	FB7	NAB-CAC-NAI-CAO
5	C	501	GTP	PB-O3B-PG-O3G
10	D	501	GDP	C5'-O5'-PA-O2A
11	B	505	MES	C8-C7-N4-C3
10	B	502	GDP	PB-O3A-PA-O1A
10	B	502	GDP	PB-O3A-PA-O2A
5	C	501	GTP	C4'-C5'-O5'-PA
5	C	501	GTP	PB-O3B-PG-O1G
5	A	501	GTP	C5'-O5'-PA-O3A
5	C	501	GTP	C5'-O5'-PA-O3A
10	B	502	GDP	C5'-O5'-PA-O3A
10	D	501	GDP	C5'-O5'-PA-O3A
5	A	501	GTP	C4'-C5'-O5'-PA
5	A	501	GTP	PB-O3A-PA-O2A
5	C	501	GTP	PB-O3A-PA-O2A
10	D	501	GDP	PB-O3A-PA-O1A
10	D	501	GDP	PB-O3A-PA-O2A
8	A	505	GOL	O2-C2-C3-O3

There are no ring outliers.

5 monomers are involved in 10 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
11	B	505	MES	3	0
12	F	403	ACP	2	0
9	D	500	FB7	2	0
8	A	505	GOL	1	0


*Continued on next page...*





Continued from previous page...


Mol	Chain	Res	Type	Clashes	Symm-Clashes
10	D	501	GDP	2	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.











## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	436/451 (96%)	0.21	21 (4%) 30 30	40, 58, 96, 124	0
1	C	440/451 (97%)	-0.09	7 (1%) 72 73	34, 46, 77, 111	1 (0%)
2	B	422/445 (94%)	0.09	12 (2%) 53 53	35, 56, 96, 139	2 (0%)
2	D	418/445 (93%)	0.43	45 (10%) 5 5	40, 67, 102, 132	5 (1%)
3	E	123/143 (86%)	0.48	13 (10%) 6 5	46, 74, 116, 127	0
4	F	326/384 (84%)	1.26	103 (31%) 0 0	47, 84, 135, 155	0
All	All	2165/2319 (93%)	0.34	201 (9%) 8 8	34, 61, 111, 155	8 (0%)

All (201) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
4	F	100	ILE	8.9
4	F	173	ILE	7.6
4	F	253	TYR	7.5
4	F	132	LEU	7.4
4	F	130	VAL	7.1
4	F	182	ILE	6.9
4	F	166	ALA	6.9
2	B	59	ASN	6.6
4	F	169	LEU	6.2
4	F	99	VAL	5.9
2	D	57	THR	5.9
3	E	26	PRO	5.7
4	F	133	ALA	5.7
4	F	252	ASN	5.7
4	F	225	SER	5.7
4	F	251	LYS	5.6
1	A	281	ALA	5.5
4	F	21	LEU	5.4
4	F	223	THR	5.1

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
2	D	401	ARG	5.1
4	F	362	ALA	5.1
4	F	101	TYR	5.0
4	F	170	LEU	4.9
4	F	161	LEU	4.9
3	E	27	PRO	4.7
2	D	82	PRO	4.7
4	F	179	VAL	4.7
4	F	20	LEU	4.6
4	F	150	LYS	4.6
3	E	143	ALA	4.5
4	F	244	CYS	4.5
2	B	58	GLY	4.5
4	F	24	THR	4.5
4	F	25	GLY	4.5
4	F	263	PHE	4.5
4	F	199	PHE	4.4
4	F	17	VAL	4.4
2	D	415	GLU	4.4
4	F	131	PHE	4.3
4	F	172	PHE	4.3
4	F	134	ALA	4.2
4	F	129	GLU	4.2
2	D	400	ARG	4.2
4	F	181	VAL	4.1
4	F	254	GLY	4.1
2	D	250	ALA	4.1
4	F	256	TYR	4.1
4	F	194	PRO	4.0
4	F	255	ARG	4.0
4	F	1	MET	3.9
1	A	42	ILE	3.9
2	D	404	PHE	3.9
2	B	37	HIS	3.9
4	F	259	GLY	3.8
4	F	152	SER	3.8
4	F	243	HIS	3.8
2	B	57	THR	3.8
4	F	227	PRO	3.7
1	C	179	THR	3.7
4	F	197	ARG	3.7
2	B	439	THR	3.6

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
2	D	182	VAL	3.6
3	E	28	SER	3.6
4	F	165	GLU	3.6
4	F	192	LEU	3.6
4	F	171	ASP	3.5
3	E	24	LEU	3.5
4	F	240	LEU	3.5
4	F	135	TYR	3.5
4	F	128	ARG	3.5
4	F	28	LYS	3.5
2	D	177	VAL	3.5
1	A	41	THR	3.4
4	F	228	TYR	3.4
4	F	125	THR	3.4
4	F	250	SER	3.4
4	F	260	ASN	3.4
2	D	179	ASP	3.3
2	D	405	LEU	3.3
4	F	200	ASP	3.3
4	F	162	ILE	3.3
4	F	9	GLU	3.3
3	E	45	PRO	3.2
4	F	167	SER	3.2
4	F	258	GLU	3.2
4	F	22	LEU	3.2
1	A	171	ILE	3.2
2	B	438	ALA	3.2
4	F	27	TRP	3.2
4	F	98	TYR	3.1
4	F	224	SER	3.1
4	F	190	LEU	3.1
4	F	337	ALA	3.1
2	D	37	HIS	3.1
3	E	48	GLU	3.1
4	F	262	MET	3.1
2	B	33	THR	3.1
4	F	241	THR	3.0
2	D	56	ALA	3.0
3	E	140	LYS	3.0
3	E	139	LEU	3.0
4	F	221	LEU	2.9
4	F	361	LEU	2.9

*Continued on next page...*



*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
2	D	58	GLY	2.9
2	D	260	VAL	2.9
2	D	77	SER	2.9
4	F	19	ARG	2.9
4	F	26	GLN	2.9
4	F	160	ILE	2.9
4	F	346	LEU	2.9
1	A	43	GLY	2.8
4	F	196	HIS	2.8
4	F	168	GLU	2.8
4	F	245	ILE	2.8
2	D	403	ALA	2.8
4	F	102	PRO	2.7
4	F	18	SER	2.7
2	D	268	PHE	2.7
4	F	257	GLU	2.7
2	B	39	ASP	2.7
4	F	246	GLN	2.7
2	D	416	MET	2.7
4	F	147	TRP	2.6
4	F	163	SER	2.6
1	A	345	ASP	2.6
3	E	142	GLU	2.6
2	D	202	TYR	2.6
4	F	174	ASP	2.6
2	D	407	TRP	2.6
2	D	180	THR	2.6
2	B	284	ARG	2.6
3	E	141	GLU	2.6
2	D	83	PHE	2.6
3	E	25	LYS	2.5
4	F	239	HIS	2.5
4	F	220	VAL	2.5
2	D	378	ILE	2.5
1	C	440	VAL	2.5
4	F	238	CYS	2.5
2	D	221	THR	2.5
2	D	276	THR	2.5
1	A	1	MET	2.5
2	D	399	PHE	2.5
4	F	341	LYS	2.4
1	A	46	ASP	2.4

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
4	F	126	ASP	2.4
2	D	252	LEU	2.4
4	F	191	LEU	2.4
4	F	261	GLU	2.4
4	F	342	LEU	2.4
2	B	36	TYR	2.4
4	F	340	GLN	2.4
4	F	344	ALA	2.4
2	D	59	ASN	2.4
4	F	226	GLU	2.4
2	D	219	LEU	2.4
4	F	23	ALA	2.4
4	F	180	HIS	2.4
2	D	94	PHE	2.4
2	B	101	ASN	2.4
1	A	44	GLY	2.3
4	F	343	TYR	2.3
1	A	173	PRO	2.3
1	A	282	TYR	2.3
1	A	201	ALA	2.3
2	D	317	ALA	2.3
4	F	193	GLU	2.3
2	D	220	THR	2.3
2	D	406	HIS	2.3
2	D	80	SER	2.3
2	D	201	THR	2.3
1	C	238	ILE	2.3
4	F	127	GLU	2.2
4	F	351	VAL	2.2
1	A	9	VAL	2.2
1	A	146	GLY	2.2
2	D	269	MET	2.2
1	A	37	PRO	2.2
4	F	10	ASN	2.2
1	A	58	ALA	2.2
1	A	346	TRP	2.2
2	D	285	ALA	2.1
2	D	166	MET	2.1
2	D	259	MET	2.1
1	A	172	TYR	2.1
1	A	35	GLN	2.1
2	D	270	PRO	2.1

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
3	E	6	MET	2.1
2	D	85	GLN	2.1
1	C	178	SER	2.1
2	B	247	GLN	2.1
1	C	241	SER	2.1
1	A	40	LYS	2.0
4	F	320	MET	2.0
2	D	96	GLN	2.0
2	D	414	ASP	2.0
1	C	2	ARG	2.0
2	D	255	LEU	2.0
4	F	266	GLU	2.0
1	C	340	SER	2.0
1	A	12	ALA	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
6	MG	A	502	1/1	0.81	0.38	74,74,74,74	0
7	CA	C	504	1/1	0.81	0.04	127,127,127,127	0
8	GOL	F	401	6/6	0.81	0.14	76,84,89,94	0
9	FB7	D	500	29/29	0.82	0.45	33,50,65,66	29
7	CA	A	504	1/1	0.85	0.14	100,100,100,100	0
6	MG	F	402	1/1	0.89	0.10	82,82,82,82	0
8	GOL	A	505	6/6	0.91	0.15	79,83,84,84	0
12	ACP	F	403	31/31	0.91	0.12	86,97,122,134	0
6	MG	D	502	1/1	0.92	0.11	58,58,58,58	0

*Continued on next page...*




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
7	CA	B	504	1/1	0.95	0.10	83,83,83,83	0
6	MG	C	502	1/1	0.95	0.17	40,40,40,40	0
6	MG	B	503	1/1	0.95	0.24	34,34,34,34	0
11	MES	B	505	12/12	0.96	0.13	56,66,84,88	0
9	FB7	B	501	29/29	0.96	0.15	35,49,68,70	0
10	GDP	D	501	28/28	0.97	0.12	45,59,69,74	0
7	CA	A	503	1/1	0.98	0.06	81,81,81,81	0
10	GDP	B	502	28/28	0.99	0.18	29,40,45,50	0
7	CA	C	503	1/1	0.99	0.07	67,67,67,67	0
5	GTP	A	501	32/32	0.99	0.20	35,43,49,49	0
5	GTP	C	501	32/32	0.99	0.14	32,37,43,51	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




**Electron density around FB7 D 500:**

2mF<sub>o</sub>-DF<sub>c</sub> (at 0.7 rmsd) in gray  
 mF<sub>o</sub>-DF<sub>c</sub> (at 3 rmsd) in purple (negative)  
 and green (positive)






**Electron density around ACP F 403:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around FB7 B 501:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)







**Electron density around GDP D 501:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)

**Electron density around GDP B 502:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)







## 6.5 Other polymers [i](#)

There are no such residues in this entry.