



## Full wwPDB X-ray Structure Validation Report ⓘ

Jan 7, 2024 – 05:11 pm GMT

PDB ID : 5MQT  
Title : Crystal structure of dCK mutant C3S in complex with imatinib and UDP  
Authors : Saez-Ayala, M.; Rebuffet, E.; Hammam, K.; Gros, L.; Lopez, S.; Hajem, B.;  
Humbert, M.; Baudalet, E.; Audebert, S.; Betzi, S.; Lugari, A.; Combes, S.;  
Pez, D.; Letard, S.; Mansfield, C.; Moussy, A.; de Sepulveda, P.; Morelli, X.;  
Dubreuil, P.  
Deposited on : 2016-12-20  
Resolution : 3.20 Å (reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references](#) ①) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.4, CSD as541be (2020)  
Xtrriage (Phenix) : 1.13  
EDS : 2.36  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.36


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 3.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	1133 (3.20-3.20)
Clashscore	141614	1253 (3.20-3.20)
Ramachandran outliers	138981	1234 (3.20-3.20)
Sidechain outliers	138945	1233 (3.20-3.20)
RSRZ outliers	127900	1095 (3.20-3.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	289	
1	B	289	
1	C	289	
1	D	289	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	STI	C	302	-	-	-	X

## 2 Entry composition [i](#)

There are 6 unique types of molecules in this entry. The entry contains 7588 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Deoxycytidine kinase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	230	Total 1854	C 1191	N 305	O 350	S 8	0	0	0
1	B	229	Total 1850	C 1192	N 302	O 349	S 7	0	1	0
1	C	230	Total 1848	C 1186	N 305	O 350	S 7	0	0	0
1	D	226	Total 1807	C 1168	N 299	O 333	S 7	0	0	0

There are 128 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-28	MET	-	initiating methionine	UNP P27707
A	-27	SER	-	expression tag	UNP P27707
A	-26	TYR	-	expression tag	UNP P27707
A	-25	TYR	-	expression tag	UNP P27707
A	-24	HIS	-	expression tag	UNP P27707
A	-23	HIS	-	expression tag	UNP P27707
A	-22	HIS	-	expression tag	UNP P27707
A	-21	HIS	-	expression tag	UNP P27707
A	-20	HIS	-	expression tag	UNP P27707
A	-19	HIS	-	expression tag	UNP P27707
A	-18	LEU	-	expression tag	UNP P27707
A	-17	GLU	-	expression tag	UNP P27707
A	-16	SER	-	expression tag	UNP P27707
A	-15	THR	-	expression tag	UNP P27707
A	-14	SER	-	expression tag	UNP P27707
A	-13	LEU	-	expression tag	UNP P27707
A	-12	TYR	-	expression tag	UNP P27707
A	-11	LYS	-	expression tag	UNP P27707
A	-10	LYS	-	expression tag	UNP P27707
A	-9	ALA	-	expression tag	UNP P27707
A	-8	GLY	-	expression tag	UNP P27707

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
A	-7	LEU	-	expression tag	UNP P27707
A	-6	GLU	-	expression tag	UNP P27707
A	-5	ASN	-	expression tag	UNP P27707
A	-4	LEU	-	expression tag	UNP P27707
A	-3	TYR	-	expression tag	UNP P27707
A	-2	PHE	-	expression tag	UNP P27707
A	-1	GLN	-	expression tag	UNP P27707
A	0	GLY	-	expression tag	UNP P27707
A	9	SER	CYS	engineered mutation	UNP P27707
A	45	SER	CYS	engineered mutation	UNP P27707
A	59	SER	CYS	engineered mutation	UNP P27707
B	-28	MET	-	initiating methionine	UNP P27707
B	-27	SER	-	expression tag	UNP P27707
B	-26	TYR	-	expression tag	UNP P27707
B	-25	TYR	-	expression tag	UNP P27707
B	-24	HIS	-	expression tag	UNP P27707
B	-23	HIS	-	expression tag	UNP P27707
B	-22	HIS	-	expression tag	UNP P27707
B	-21	HIS	-	expression tag	UNP P27707
B	-20	HIS	-	expression tag	UNP P27707
B	-19	HIS	-	expression tag	UNP P27707
B	-18	LEU	-	expression tag	UNP P27707
B	-17	GLU	-	expression tag	UNP P27707
B	-16	SER	-	expression tag	UNP P27707
B	-15	THR	-	expression tag	UNP P27707
B	-14	SER	-	expression tag	UNP P27707
B	-13	LEU	-	expression tag	UNP P27707
B	-12	TYR	-	expression tag	UNP P27707
B	-11	LYS	-	expression tag	UNP P27707
B	-10	LYS	-	expression tag	UNP P27707
B	-9	ALA	-	expression tag	UNP P27707
B	-8	GLY	-	expression tag	UNP P27707
B	-7	LEU	-	expression tag	UNP P27707
B	-6	GLU	-	expression tag	UNP P27707
B	-5	ASN	-	expression tag	UNP P27707
B	-4	LEU	-	expression tag	UNP P27707
B	-3	TYR	-	expression tag	UNP P27707
B	-2	PHE	-	expression tag	UNP P27707
B	-1	GLN	-	expression tag	UNP P27707
B	0	GLY	-	expression tag	UNP P27707
B	9	SER	CYS	engineered mutation	UNP P27707
B	45	SER	CYS	engineered mutation	UNP P27707

*Continued on next page...*

*Continued from previous page...*


Chain	Residue	Modelled	Actual	Comment	Reference
B	59	SER	CYS	engineered mutation	UNP P27707
C	-28	MET	-	initiating methionine	UNP P27707
C	-27	SER	-	expression tag	UNP P27707
C	-26	TYR	-	expression tag	UNP P27707
C	-25	TYR	-	expression tag	UNP P27707
C	-24	HIS	-	expression tag	UNP P27707
C	-23	HIS	-	expression tag	UNP P27707
C	-22	HIS	-	expression tag	UNP P27707
C	-21	HIS	-	expression tag	UNP P27707
C	-20	HIS	-	expression tag	UNP P27707
C	-19	HIS	-	expression tag	UNP P27707
C	-18	LEU	-	expression tag	UNP P27707
C	-17	GLU	-	expression tag	UNP P27707
C	-16	SER	-	expression tag	UNP P27707
C	-15	THR	-	expression tag	UNP P27707
C	-14	SER	-	expression tag	UNP P27707
C	-13	LEU	-	expression tag	UNP P27707
C	-12	TYR	-	expression tag	UNP P27707
C	-11	LYS	-	expression tag	UNP P27707
C	-10	LYS	-	expression tag	UNP P27707
C	-9	ALA	-	expression tag	UNP P27707
C	-8	GLY	-	expression tag	UNP P27707
C	-7	LEU	-	expression tag	UNP P27707
C	-6	GLU	-	expression tag	UNP P27707
C	-5	ASN	-	expression tag	UNP P27707
C	-4	LEU	-	expression tag	UNP P27707
C	-3	TYR	-	expression tag	UNP P27707
C	-2	PHE	-	expression tag	UNP P27707
C	-1	GLN	-	expression tag	UNP P27707
C	0	GLY	-	expression tag	UNP P27707
C	9	SER	CYS	engineered mutation	UNP P27707
C	45	SER	CYS	engineered mutation	UNP P27707
C	59	SER	CYS	engineered mutation	UNP P27707
D	-28	MET	-	initiating methionine	UNP P27707
D	-27	SER	-	expression tag	UNP P27707
D	-26	TYR	-	expression tag	UNP P27707
D	-25	TYR	-	expression tag	UNP P27707
D	-24	HIS	-	expression tag	UNP P27707
D	-23	HIS	-	expression tag	UNP P27707
D	-22	HIS	-	expression tag	UNP P27707
D	-21	HIS	-	expression tag	UNP P27707
D	-20	HIS	-	expression tag	UNP P27707

*Continued on next page...*

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	-19	HIS	-	expression tag	UNP P27707
D	-18	LEU	-	expression tag	UNP P27707
D	-17	GLU	-	expression tag	UNP P27707
D	-16	SER	-	expression tag	UNP P27707
D	-15	THR	-	expression tag	UNP P27707
D	-14	SER	-	expression tag	UNP P27707
D	-13	LEU	-	expression tag	UNP P27707
D	-12	TYR	-	expression tag	UNP P27707
D	-11	LYS	-	expression tag	UNP P27707
D	-10	LYS	-	expression tag	UNP P27707
D	-9	ALA	-	expression tag	UNP P27707
D	-8	GLY	-	expression tag	UNP P27707
D	-7	LEU	-	expression tag	UNP P27707
D	-6	GLU	-	expression tag	UNP P27707
D	-5	ASN	-	expression tag	UNP P27707
D	-4	LEU	-	expression tag	UNP P27707
D	-3	TYR	-	expression tag	UNP P27707
D	-2	PHE	-	expression tag	UNP P27707
D	-1	GLN	-	expression tag	UNP P27707
D	0	GLY	-	expression tag	UNP P27707
D	9	SER	CYS	engineered mutation	UNP P27707
D	45	SER	CYS	engineered mutation	UNP P27707
D	59	SER	CYS	engineered mutation	UNP P27707


- Molecule 2 is URIDINE-5'-DIPHOSPHATE (three-letter code: UDP) (formula:  $C_9H_{14}N_2O_{12}P_2$ ).





Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			25	9	2	12	2		
2	B	1	Total	C	N	O	P	0	0
			25	9	2	12	2		
2	C	1	Total	C	N	O	P	0	0
			25	9	2	12	2		
2	D	1	Total	C	N	O	P	0	0
			25	9	2	12	2		

- Molecule 3 is 4-(4-METHYL-PIPERAZIN-1-YLMETHYL)-N-[4-METHYL-3-(4-PYRIDIN-3-YL-PYRIMIDIN-2-YLAMINO)-PHENYL]-BENZAMIDE (three-letter code: STI) (formula: C<sub>29</sub>H<sub>31</sub>N<sub>7</sub>O).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	0
			37	29	7	1		
3	C	1	Total	C	N	O	0	0
			37	29	7	1		

- Molecule 4 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	B	1	Total	Mg	0	0
			1	1		

- Molecule 5 is 2'-DEOXYCYTIDINE-5'-MONOPHOSPHATE (three-letter code: DCM) (formula: C<sub>9</sub>H<sub>14</sub>N<sub>3</sub>O<sub>7</sub>P).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	P		
5	B	1	20	9	3	7	1	0	0
5	D	1	20	9	3	7	1	0	0

- Molecule 6 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	5	Total	O	0	0
			5	5		
6	B	2	Total	O	0	0
			2	2		
6	C	4	Total	O	0	0
			4	4		
6	D	3	Total	O	0	0
			3	3		

### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Deoxycytidine kinase

Chain A: 




- Molecule 1: Deoxycytidine kinase


Chain B: 





- Molecule 1: Deoxycytidine kinase

Chain C: 





- Molecule 1: Deoxycytidine kinase



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 43 21 2	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	93.30Å 93.30Å 342.71Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	47.53 – 3.20 47.53 – 3.20	Depositor EDS
% Data completeness (in resolution range)	99.8 (47.53-3.20) 99.8 (47.53-3.20)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.81 (at 3.19Å)	Xtrriage
Refinement program	BUSTER 2.10.3	Depositor
R, $R_{free}$	0.186 , 0.254 0.203 , 0.258	Depositor DCC
$R_{free}$ test set	1300 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	87.2	Xtrriage
Anisotropy	0.479	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.35 , 97.7	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.47$ , $\langle L^2 \rangle = 0.30$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.94	EDS
Total number of atoms	7588	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	88.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.31% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: DCM, UDP, MG, STI

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.55	0/1900	0.73	0/2584
1	B	0.56	0/1897	0.74	0/2582
1	C	0.55	0/1893	0.73	0/2573
1	D	0.54	0/1853	0.71	0/2520
All	All	0.55	0/7543	0.73	0/10259

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1854	0	1725	25	0
1	B	1850	0	1716	17	0
1	C	1848	0	1736	28	0
1	D	1807	0	1695	39	0
2	A	25	0	11	1	0
2	B	25	0	11	0	0
2	C	25	0	11	1	0
2	D	25	0	11	0	0
3	A	37	0	31	5	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	C	37	0	31	1	0
4	B	1	0	0	0	0
5	B	20	0	12	1	0
5	D	20	0	12	2	0
6	A	5	0	0	0	0
6	B	2	0	0	0	0
6	C	4	0	0	0	0
6	D	3	0	0	0	0
All	All	7588	0	7002	112	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (112) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:38:VAL:CG2	1:D:50:VAL:HG21	1.67	1.24
1:D:38:VAL:HG23	1:D:50:VAL:CG2	1.76	1.16
1:A:20:ARG:HG3	1:A:21:ILE:H	1.08	1.14
1:D:38:VAL:HG23	1:D:50:VAL:HG21	1.14	1.11
1:D:34:LYS:O	1:D:38:VAL:HG12	1.55	1.05
1:D:160:ASP:O	1:D:164:ASN:OD1	1.77	1.01
1:A:20:ARG:HG3	1:A:21:ILE:N	1.79	0.89
1:A:20:ARG:CG	1:A:21:ILE:H	1.86	0.89
1:D:38:VAL:CG2	1:D:50:VAL:CG2	2.43	0.87
1:D:53:GLU:OE1	5:D:302:DCM:O2P	1.94	0.85
1:A:20:ARG:CG	1:A:21:ILE:N	2.41	0.81
1:B:97:GLN:HE22	5:B:303:DCM:HN41	1.34	0.75
1:D:102:LEU:HD12	1:D:102:LEU:O	1.87	0.72
3:A:302:STI:H203	3:A:302:STI:N8	2.04	0.72
3:A:302:STI:H492	3:A:302:STI:C28	2.18	0.71
1:D:257:LEU:HA	1:D:260:LEU:HD12	1.73	0.70
1:D:38:VAL:HG23	1:D:50:VAL:HG22	1.74	0.66
1:C:59:SER:HB3	1:C:194:ARG:NH1	2.09	0.66
1:D:35:SER:O	1:D:38:VAL:HG13	1.96	0.65
1:A:196:GLU:H	1:A:196:GLU:CD	2.00	0.64
1:C:118:ASP:N	1:C:118:ASP:OD1	2.31	0.61
1:D:38:VAL:HG21	1:D:50:VAL:HG11	1.84	0.59
1:D:38:VAL:HG22	1:D:50:VAL:HG21	1.76	0.59
1:C:234:LEU:HD13	1:C:256:PHE:HB2	1.85	0.58
1:D:215:TRP:HB2	1:D:221:LEU:HD13	1.85	0.58

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:A:302:STI:H171	3:A:302:STI:O29	2.04	0.58
1:C:175:ILE:HG21	1:C:216:LEU:HD22	1.85	0.58
1:D:35:SER:HA	1:D:38:VAL:CG1	2.34	0.58
1:C:130:VAL:HG13	1:C:159:HIS:HE2	1.70	0.57
1:D:55:VAL:HA	1:D:58:TRP:CE3	2.40	0.57
1:C:190:TYR:HA	1:C:198:GLN:HE22	1.70	0.57
1:C:181:THR:HG22	1:C:239:ASN:OD1	2.06	0.56
1:D:38:VAL:HG21	1:D:50:VAL:CG1	2.35	0.56
1:A:93:SER:HB3	1:A:147:MET:HG3	1.87	0.56
1:A:190:TYR:HA	1:A:198:GLN:HE22	1.71	0.56
1:C:196:GLU:HG3	1:C:197:GLU:N	2.21	0.56
1:B:143:GLU:OE2	1:B:211:LYS:NZ	2.38	0.55
1:C:38:VAL:HG22	1:C:50:VAL:CG2	2.35	0.55
1:C:181:THR:HG23	1:C:184:THR:H	1.73	0.54
1:B:35:SER:HA	1:B:38:VAL:HG12	1.90	0.54
1:C:26:ILE:HD11	1:C:125:PHE:HD1	1.73	0.54
1:C:130:VAL:HG13	1:C:159:HIS:NE2	2.23	0.54
1:D:109:LEU:HG	1:D:170:LEU:HD21	1.90	0.53
1:D:250:VAL:HA	1:D:253:VAL:HG12	1.90	0.53
1:C:40:ILE:HD13	1:C:246:TYR:CG	2.44	0.53
1:B:41:LEU:HA	1:B:44:LEU:HD12	1.90	0.53
1:C:38:VAL:HG22	1:C:50:VAL:HG21	1.90	0.53
1:D:131:TYR:CD1	1:D:228:LEU:HD11	2.44	0.52
1:D:31:ALA:HB3	1:D:189:ILE:HG13	1.92	0.52
1:D:44:LEU:HD22	1:D:250:VAL:HG11	1.91	0.52
1:C:177:TYR:CD2	1:C:235:THR:HG23	2.46	0.51
1:A:181:THR:HG22	1:A:239:ASN:OD1	2.10	0.51
1:C:86:TYR:HA	3:C:302:STI:H181	1.93	0.51
1:A:215:TRP:O	1:A:219:ARG:HA	2.11	0.51
1:D:86:TYR:HE2	1:D:200:ILE:HD11	1.76	0.50
1:D:102:LEU:HD12	1:D:102:LEU:C	2.29	0.50
1:A:181:THR:HG23	1:A:184:THR:H	1.76	0.49
1:A:177:TYR:CD2	1:A:235:THR:HG23	2.47	0.49
1:C:99:TYR:CD1	1:D:154:ILE:HG23	2.47	0.49
3:A:302:STI:H492	3:A:302:STI:H281	1.92	0.49
1:D:21:ILE:HG21	1:D:124:LEU:HB2	1.94	0.49
1:A:215:TRP:HA	1:A:221:LEU:HB3	1.95	0.48
1:D:93:SER:OG	1:D:146:CYS:HB3	2.14	0.48
1:A:236:LEU:HD13	1:A:249:LEU:HG	1.95	0.48
1:B:177:TYR:CD2	1:B:235:THR:HG23	2.48	0.48
1:D:37:PHE:O	1:D:40:ILE:HG13	2.14	0.48

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:109:LEU:HG	1:A:170:LEU:HD11	1.96	0.47
1:A:134:ARG:HD3	1:A:159:HIS:ND1	2.30	0.47
1:B:257:LEU:HD23	1:B:260:LEU:HD12	1.96	0.46
1:C:236:LEU:HD13	1:C:249:LEU:HD12	1.96	0.46
1:C:114:GLY:O	1:C:116:LEU:N	2.49	0.46
1:A:111:SER:OG	1:A:124:LEU:HD21	2.16	0.46
1:C:59:SER:HB3	1:C:194:ARG:HH11	1.80	0.46
1:D:26:ILE:HG22	1:D:34:LYS:HG2	1.97	0.45
1:B:242:PHE:O	1:B:246:TYR:HB3	2.16	0.45
1:B:51:VAL:HG11	1:B:108:GLN:HA	1.97	0.45
1:D:39:ASN:HA	1:D:42:LYS:HG2	1.99	0.45
1:A:176:ILE:HG23	1:A:234:LEU:HD23	1.98	0.45
1:A:37:PHE:CE2	1:A:41:LEU:HD11	2.52	0.45
1:B:28:GLY:O	1:B:34:LYS:HE2	2.16	0.45
1:A:77:ASN:HD21	1:B:153:THR:HG22	1.82	0.44
1:A:35:SER:HA	1:A:38:VAL:HG22	1.99	0.44
1:D:31:ALA:CB	1:D:189:ILE:HG13	2.47	0.44
1:D:38:VAL:CG2	1:D:50:VAL:HG11	2.46	0.44
1:D:86:TYR:CE2	1:D:200:ILE:HD11	2.52	0.43
1:C:257:LEU:HA	1:C:260:LEU:HD12	1.99	0.43
1:A:169:SER:C	1:A:171:GLU:H	2.22	0.43
1:D:30:ILE:O	1:D:185:CYS:HB3	2.18	0.43
1:D:55:VAL:HG22	1:D:56:ALA:N	2.33	0.43
1:D:35:SER:O	1:D:38:VAL:CG1	2.65	0.43
1:A:192:ARG:HD3	2:A:301:UDP:H5'1	2.00	0.43
1:C:90:GLU:H	1:C:90:GLU:CD	2.22	0.43
1:C:21:ILE:HD11	1:C:117:LYS:HG2	2.00	0.42
1:C:26:ILE:HD11	1:C:125:PHE:CD1	2.52	0.42
1:B:26:ILE:HD11	1:B:125:PHE:HD1	1.85	0.42
1:B:166:PHE:HB3	1:B:169:SER:HB3	2.02	0.42
3:A:302:STI:C28	3:A:302:STI:C49	2.86	0.42
1:D:85:MET:HG3	1:D:96:PHE:CG	2.55	0.42
1:A:136:ILE:HG22	1:A:137:PHE:CD1	2.55	0.41
1:C:166:PHE:HB3	1:C:169:SER:OG	2.20	0.41
1:D:30:ILE:HG12	5:D:302:DCM:H3'	2.03	0.41
1:A:194:ARG:O	1:A:197:GLU:HB2	2.21	0.41
1:B:135:TYR:CE2	1:B:223:THR:HB	2.56	0.41
1:B:41:LEU:HD13	1:B:253:VAL:HG11	2.02	0.41
1:C:192:ARG:HD3	2:C:301:UDP:H5'1	2.02	0.41
1:B:44:LEU:HD13	1:B:250:VAL:HG11	2.02	0.40
1:C:232:PRO:HG2	1:C:260:LEU:HD23	2.04	0.40

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:232:PRO:HG2	1:B:260:LEU:HD21	2.04	0.40
1:D:41:LEU:HD21	1:D:253:VAL:HG11	2.01	0.40
1:C:257:LEU:HD23	1:C:260:LEU:HD12	2.03	0.40
1:A:53:GLU:CG	1:A:104:ARG:HH22	2.35	0.40
1:B:161:TRP:O	1:B:165:GLN:HG2	2.20	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	226/289 (78%)	201 (89%)	24 (11%)	1 (0%)	34	69
1	B	226/289 (78%)	206 (91%)	18 (8%)	2 (1%)	17	56
1	C	226/289 (78%)	205 (91%)	18 (8%)	3 (1%)	12	47
1	D	222/289 (77%)	203 (91%)	18 (8%)	1 (0%)	29	67
All	All	900/1156 (78%)	815 (91%)	78 (9%)	7 (1%)	19	58

All (7) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	170	LEU
1	B	115	LYS
1	D	115	LYS
1	C	168	GLN
1	C	87	GLU
1	C	238	VAL
1	B	238	VAL

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	192/265 (72%)	186 (97%)	6 (3%)	40	72
1	B	191/265 (72%)	184 (96%)	7 (4%)	34	68
1	C	194/265 (73%)	189 (97%)	5 (3%)	46	76
1	D	185/265 (70%)	179 (97%)	6 (3%)	39	71
All	All	762/1060 (72%)	738 (97%)	24 (3%)	39	72

All (24) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	39	ASN
1	A	81	VAL
1	A	103	SER
1	A	130	VAL
1	A	134	ARG
1	A	196	GLU
1	B	35	SER
1	B	38	VAL
1	B	116	LEU
1	B	130	VAL
1	B	163	ASN
1	B	169	SER
1	B	226	ASP
1	C	38	VAL
1	C	102	LEU
1	C	118	ASP
1	C	247	GLU
1	C	259	THR
1	D	38	VAL
1	D	44	LEU
1	D	127	GLU
1	D	163	ASN
1	D	196	GLU
1	D	224	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (11) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	97	GLN
1	A	140	ASN
1	A	163	ASN
1	A	198	GLN
1	B	97	GLN
1	B	179	GLN
1	B	198	GLN
1	C	164	ASN
1	C	165	GLN
1	C	198	GLN
1	D	198	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

Of 9 ligands modelled in this entry, 1 is monoatomic - leaving 8 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
2	UDP	C	301	-	24,26,26	0.37	0	37,40,40	0.50	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
3	STI	C	302	-	40,41,41	0.65	0	51,56,56	1.02	4 (7%)
5	DCM	B	303	4	21,21,21	0.55	0	31,31,31	0.74	1 (3%)
5	DCM	D	302	-	21,21,21	0.43	0	31,31,31	0.68	1 (3%)
2	UDP	A	301	-	24,26,26	0.52	0	37,40,40	0.71	1 (2%)
2	UDP	B	302	-	24,26,26	0.51	0	37,40,40	0.51	0
3	STI	A	302	-	40,41,41	0.57	0	51,56,56	0.50	1 (1%)
2	UDP	D	301	-	24,26,26	0.31	0	37,40,40	0.70	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	UDP	C	301	-	-	1/16/32/32	0/2/2/2
3	STI	C	302	-	-	5/16/30/30	0/5/5/5
5	DCM	B	303	4	-	5/10/22/22	0/2/2/2
5	DCM	D	302	-	-	3/10/22/22	0/2/2/2
2	UDP	A	301	-	-	2/16/32/32	0/2/2/2
2	UDP	B	302	-	-	3/16/32/32	0/2/2/2
3	STI	A	302	-	-	3/16/30/30	0/5/5/5
2	UDP	D	301	-	-	0/16/32/32	0/2/2/2

There are no bond length outliers.

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	302	STI	C14-N13-C9	4.10	141.98	129.60
5	B	303	DCM	O2P-P-O5'	3.28	115.47	106.73
3	C	302	STI	C11-C12-C7	-2.94	116.80	119.31
5	D	302	DCM	P-O5'-C5'	2.80	126.02	118.30
3	A	302	STI	C11-C12-C7	-2.79	116.92	119.31
3	C	302	STI	N13-C9-N10	2.67	124.57	116.28
3	C	302	STI	N13-C9-N8	-2.44	108.64	116.92
2	A	301	UDP	O2B-PB-O3A	2.14	111.81	104.64

There are no chirality outliers.

All (22) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	301	UDP	PA-O3A-PB-O2B
2	C	301	UDP	PA-O3A-PB-O2B
3	A	302	STI	C15-C14-N13-C9
3	C	302	STI	C15-C14-N13-C9
5	B	303	DCM	C5'-O5'-P-O1P
5	B	303	DCM	C5'-O5'-P-O2P
5	B	303	DCM	C5'-O5'-P-O3P
5	D	302	DCM	C5'-O5'-P-O1P
5	D	302	DCM	C5'-O5'-P-O2P
5	D	302	DCM	C5'-O5'-P-O3P
3	C	302	STI	C27-C46-N48-C49
3	A	302	STI	C27-C46-N48-C53
3	A	302	STI	C27-C46-N48-C49
3	C	302	STI	C27-C46-N48-C53
5	B	303	DCM	C4'-C5'-O5'-P
2	B	302	UDP	PA-O3A-PB-O2B
3	C	302	STI	C19-C14-N13-C9
3	C	302	STI	N8-C9-N13-C14
2	B	302	UDP	PA-O3A-PB-O1B
2	B	302	UDP	PA-O3A-PB-O3B
5	B	303	DCM	O4'-C4'-C5'-O5'
2	A	301	UDP	PA-O3A-PB-O1B


There are no ring outliers.



6 monomers are involved in 11 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	C	301	UDP	1	0
3	C	302	STI	1	0
5	B	303	DCM	1	0
5	D	302	DCM	2	0
2	A	301	UDP	1	0
3	A	302	STI	5	0



The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and


any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.











## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	230/289 (79%)	-0.09	0 <span style="border: 1px solid blue; padding: 2px;">100</span> <span style="border: 1px solid blue; padding: 2px;">100</span>	63, 83, 120, 158	0
1	B	229/289 (79%)	-0.14	3 (1%) <span style="border: 1px solid blue; padding: 2px;">77</span> <span style="border: 1px solid blue; padding: 2px;">65</span>	57, 77, 113, 137	0
1	C	230/289 (79%)	0.12	6 (2%) <span style="border: 1px solid blue; padding: 2px;">56</span> <span style="border: 1px solid red; padding: 2px;">40</span>	67, 86, 121, 168	0
1	D	226/289 (78%)	0.33	13 (5%) <span style="border: 1px solid red; padding: 2px;">23</span> <span style="border: 1px solid red; padding: 2px;">13</span>	65, 90, 128, 141	0
All	All	915/1156 (79%)	0.05	22 (2%) <span style="border: 1px solid blue; padding: 2px;">59</span> <span style="border: 1px solid red; padding: 2px;">44</span>	57, 84, 122, 168	0

All (22) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	56	ALA	3.3
1	D	167	GLY	3.0
1	D	260	LEU	2.9
1	C	260	LEU	2.8
1	D	234	LEU	2.7
1	D	112	LEU	2.6
1	D	21	ILE	2.6
1	C	195	ASN	2.5
1	D	59	SER	2.4
1	C	56	ALA	2.4
1	C	257	LEU	2.3
1	D	44	LEU	2.3
1	D	40	ILE	2.3
1	B	118	ASP	2.2
1	D	227	TYR	2.2
1	B	119	ALA	2.2
1	C	191	LEU	2.1
1	D	37	PHE	2.1
1	B	47	ASP	2.1
1	D	256	PHE	2.1
1	D	42	LYS	2.0
1	C	190	TYR	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
3	STI	C	302	37/37	0.79	0.44	112,125,142,142	0
3	STI	A	302	37/37	0.84	0.33	117,120,125,127	0
5	DCM	D	302	20/20	0.84	0.32	113,125,152,153	0
2	UDP	C	301	25/25	0.92	0.22	86,95,97,100	0
2	UDP	A	301	25/25	0.95	0.20	83,96,104,108	0
5	DCM	B	303	20/20	0.96	0.22	67,81,102,104	0
2	UDP	B	302	25/25	0.96	0.20	74,79,93,95	0
2	UDP	D	301	25/25	0.97	0.23	79,85,92,98	0
4	MG	B	301	1/1	0.97	0.16	55,55,55,55	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

**Electron density around STI C 302:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around STI A 302:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around DCM D 302:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around UDP C 301:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



**Electron density around UDP A 301:**




$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)







**Electron density around DCM B 303:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)

**Electron density around UDP B 302:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



## 6.5 Other polymers [i](#)

There are no such residues in this entry.