



Full wwPDB X-ray Structure Validation Report

Feb 3, 2024 – 06:59 PM EST

PDB ID : 1MYJ
Title : DISTAL POLARITY IN LIGAND BINDING TO MYOGLOBIN: STRUCTURAL AND FUNCTIONAL CHARACTERIZATION OF A THREONINE68(E11) MUTANT
Authors : Smerdon, S.J.; Oldfield, T.J.; Wilkinson, A.J.; Dauter, Z.; Petratos, K.; Wilson, K.S.
Deposited on : 1992-02-27
Resolution : 1.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the  symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references](#) ①) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtrriage (Phenix) : 1.13
EDS : 2.36
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	141614	6847 (1.90-1.90)
Ramachandran outliers	138981	6760 (1.90-1.90)
Sidechain outliers	138945	6760 (1.90-1.90)
RSRZ outliers	127900	6082 (1.90-1.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	153	<div style="display: flex; align-items: center;"> <div style="width: 3%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 48%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 40%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 10%; height: 10px; background-color: orange; margin-right: 5px;"></div> <div style="width: 1%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="margin-left: 5px;">%</div> </div> <p style="text-align: center; margin-top: 5px;">48% 40% 10% •</p>
1	B	153	<div style="display: flex; align-items: center;"> <div style="width: 3%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 46%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 38%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 13%; height: 10px; background-color: orange; margin-right: 5px;"></div> <div style="width: 1%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="margin-left: 5px;">%</div> </div> <p style="text-align: center; margin-top: 5px;">3% 46% 38% 13% •</p>

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 2597 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called MYOGLOBIN.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	153	1197	763	208	223	3	21	0	0
1	B	153	1197	763	208	223	3	19	0	0

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	68	THR	VAL	conflict	UNP P02189
B	68	THR	VAL	conflict	UNP P02189

- Molecule 2 is SULFATE ION (three-letter code: SO4) (formula: O₄S).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
			Total	O	S		
2	A	1	5	4	1	0	0

Continued on next page...


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: MYOGLOBIN



- Molecule 1: MYOGLOBIN



4 Data and refinement statistics i

Property	Value	Source
Space group	I 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	123.75Å 42.48Å 92.05Å 90.00° 92.05° 90.00°	Depositor
Resolution (Å)	7.00 – 1.90 19.86 – 1.90	Depositor EDS
% Data completeness (in resolution range)	(Not available) (7.00-1.90) 92.4 (19.86-1.90)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.41 (at 1.90Å)	Xtrriage
Refinement program	PROLSQ	Depositor
R, R_{free}	0.207 , (Not available) 0.201 , (Not available)	Depositor DCC
R_{free} test set	No test flags present.	wwPDB-VP
Wilson B-factor (Å ²)	22.0	Xtrriage
Anisotropy	0.191	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.40 , 102.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.34$	Xtrriage
Estimated twinning fraction	0.217 for -h,-k,l	Xtrriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	2597	wwPDB-VP
Average B, all atoms (Å ²)	23.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 100.00 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 0.0000e+00.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: SO4, HEM

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	1.44	7/1222 (0.6%)	2.69	94/1637 (5.7%)
1	B	1.44	5/1222 (0.4%)	2.85	111/1637 (6.8%)
All	All	1.44	12/2444 (0.5%)	2.77	205/3274 (6.3%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	1

All (12) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	1	GLY	N-CA	7.90	1.57	1.46
1	A	27	GLU	CD-OE1	7.26	1.33	1.25
1	A	80	GLY	N-CA	6.36	1.55	1.46
1	A	117	SER	CB-OG	6.33	1.50	1.42
1	A	65	GLY	CA-C	5.98	1.61	1.51
1	A	1	GLY	C-O	5.79	1.32	1.23
1	B	105	GLU	CD-OE1	5.54	1.31	1.25
1	B	1	GLY	C-O	5.53	1.32	1.23
1	B	80	GLY	N-CA	5.36	1.54	1.46
1	A	146	TYR	C-N	5.36	1.46	1.34
1	A	136	GLU	CD-OE2	5.25	1.31	1.25
1	B	95	THR	C-N	-5.21	1.22	1.34

All (205) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	34	LYS	CA-CB-CG	25.35	169.17	113.40
1	A	85	GLU	OE1-CD-OE2	20.61	148.04	123.30
1	B	122	ASP	CB-CG-OD1	-17.57	102.49	118.30
1	B	31	ARG	NE-CZ-NH1	17.50	129.05	120.30
1	A	44	ASP	CB-CG-OD1	16.73	133.36	118.30
1	B	139	ARG	NE-CZ-NH1	16.08	128.34	120.30
1	A	31	ARG	NE-CZ-NH2	-15.66	112.47	120.30
1	B	31	ARG	NE-CZ-NH2	-14.61	112.99	120.30
1	B	53	ASP	CB-CG-OD2	-14.42	105.32	118.30
1	B	126	ASP	CB-CG-OD1	12.89	129.90	118.30
1	B	31	ARG	CD-NE-CZ	12.86	141.61	123.60
1	A	31	ARG	NE-CZ-NH1	12.84	126.72	120.30
1	A	105	GLU	OE1-CD-OE2	12.50	138.30	123.30
1	A	139	ARG	NE-CZ-NH2	-12.33	114.14	120.30
1	B	12	ASN	N-CA-CB	-12.27	88.51	110.60
1	A	139	ARG	NE-CZ-NH1	12.24	126.42	120.30
1	B	60	ASP	CB-CG-OD2	-12.04	107.47	118.30
1	A	85	GLU	CG-CD-OE1	-11.71	94.89	118.30
1	A	126	ASP	CB-CG-OD1	11.56	128.71	118.30
1	B	53	ASP	CB-CG-OD1	11.40	128.56	118.30
1	B	139	ARG	NE-CZ-NH2	-11.11	114.75	120.30
1	B	151	PHE	C-N-CA	10.52	147.99	121.70
1	B	1	GLY	CA-C-O	-10.38	101.91	120.60
1	A	79	LYS	CA-C-N	9.69	135.57	116.20
1	A	79	LYS	C-N-CA	-9.48	102.39	122.30
1	B	12	ASN	OD1-CG-ND2	9.46	143.65	121.90
1	B	44	ASP	CB-CG-OD1	9.44	126.80	118.30
1	A	53	ASP	CB-CG-OD2	9.31	126.68	118.30
1	A	122	ASP	CB-CG-OD1	-9.30	109.93	118.30
1	A	109	GLU	OE1-CD-OE2	9.29	134.44	123.30
1	B	128	GLN	OE1-CD-NE2	9.17	142.99	121.90
1	B	78	LYS	CD-CE-NZ	9.15	132.74	111.70
1	B	40	LEU	CB-CG-CD2	-9.08	95.56	111.00
1	B	44	ASP	CB-CG-OD2	-9.03	110.17	118.30
1	A	128	GLN	OE1-CD-NE2	8.98	142.54	121.90
1	B	146	TYR	CB-CG-CD2	-8.86	115.68	121.00
1	B	152	GLN	CA-CB-CG	8.61	132.34	113.40
1	B	85	GLU	CG-CD-OE1	8.37	135.04	118.30
1	B	136	GLU	OE1-CD-OE2	8.34	133.31	123.30
1	B	79	LYS	C-N-CA	-8.34	104.78	122.30
1	A	77	LYS	CA-CB-CG	-8.30	95.14	113.40
1	A	114	VAL	CA-CB-CG1	8.28	123.32	110.90
1	A	34	LYS	CG-CD-CE	8.25	136.66	111.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	52	GLU	OE1-CD-OE2	-8.24	113.41	123.30
1	A	83	GLU	OE1-CD-OE2	-8.00	113.70	123.30
1	B	148	GLU	CA-CB-CG	7.99	130.98	113.40
1	B	145	LYS	CB-CG-CD	7.98	132.34	111.60
1	A	41	GLU	OE1-CD-OE2	-7.82	113.92	123.30
1	B	86	LEU	CB-CG-CD1	-7.82	97.71	111.00
1	A	132	SER	CB-CA-C	-7.68	95.50	110.10
1	A	60	ASP	CB-CG-OD1	7.68	125.22	118.30
1	A	146	TYR	O-C-N	7.67	134.97	122.70
1	B	85	GLU	CG-CD-OE2	-7.60	103.10	118.30
1	A	109	GLU	CG-CD-OE2	-7.58	103.14	118.30
1	B	122	ASP	CB-CG-OD2	7.57	125.11	118.30
1	A	33	PHE	CD1-CE1-CZ	-7.55	111.03	120.10
1	A	112	ILE	CB-CG1-CD1	-7.55	92.75	113.90
1	A	79	LYS	O-C-N	-7.54	110.38	123.20
1	A	136	GLU	OE1-CD-OE2	7.51	132.31	123.30
1	A	14	TRP	CE3-CZ3-CH2	-7.49	112.96	121.20
1	A	136	GLU	CB-CG-CD	-7.49	93.99	114.20
1	A	45	LYS	CA-C-O	-7.47	104.42	120.10
1	B	9	LEU	CB-CG-CD2	-7.38	98.45	111.00
1	A	125	ALA	CB-CA-C	7.22	120.93	110.10
1	A	145	LYS	N-CA-CB	7.21	123.59	110.60
1	B	14	TRP	CE3-CZ3-CH2	-7.19	113.29	121.20
1	B	53	ASP	CA-CB-CG	-7.19	97.58	113.40
1	A	34	LYS	CB-CG-CD	-7.19	92.91	111.60
1	A	59	GLU	CB-CA-C	-7.19	96.02	110.40
1	A	83	GLU	CB-CG-CD	7.16	133.52	114.20
1	A	60	ASP	CB-CG-OD2	-7.14	111.87	118.30
1	A	86	LEU	N-CA-CB	-7.13	96.14	110.40
1	A	125	ALA	N-CA-CB	-7.12	100.14	110.10
1	B	79	LYS	CA-C-N	7.03	130.25	116.20
1	A	14	TRP	CZ3-CH2-CZ2	6.96	129.95	121.60
1	A	54	GLU	OE1-CD-OE2	-6.93	114.98	123.30
1	A	14	TRP	CD1-NE1-CE2	6.79	115.11	109.00
1	A	12	ASN	CA-CB-CG	-6.74	98.58	113.40
1	B	48	HIS	CA-C-N	6.73	132.01	117.20
1	B	62	LYS	CD-CE-NZ	-6.71	96.27	111.70
1	B	26	GLN	OE1-CD-NE2	6.66	137.23	121.90
1	B	48	HIS	CA-C-O	-6.63	106.18	120.10
1	B	37	PRO	O-C-N	6.62	133.29	122.70
1	B	77	LYS	CA-CB-CG	-6.61	98.86	113.40
1	B	115	LEU	CB-CG-CD2	-6.60	99.78	111.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	42	LYS	CB-CG-CD	-6.59	94.47	111.60
1	A	132	SER	CA-CB-OG	-6.58	93.45	111.20
1	B	117	SER	CB-CA-C	-6.56	97.64	110.10
1	A	19	ALA	CA-C-O	-6.55	106.35	120.10
1	B	4	ASP	CB-CG-OD2	-6.54	112.41	118.30
1	A	128	GLN	CG-CD-OE1	-6.53	108.54	121.60
1	B	117	SER	CA-CB-OG	-6.50	93.64	111.20
1	B	103	TYR	CB-CG-CD1	-6.50	117.10	121.00
1	B	59	GLU	CB-CG-CD	-6.46	96.75	114.20
1	A	98	LYS	C-N-CA	6.43	137.79	121.70
1	A	132	SER	N-CA-CB	6.39	120.09	110.50
1	B	1	GLY	N-CA-C	-6.39	97.13	113.10
1	B	40	LEU	N-CA-CB	-6.38	97.65	110.40
1	A	45	LYS	O-C-N	6.37	132.88	122.70
1	B	136	GLU	CG-CD-OE2	-6.36	105.58	118.30
1	B	12	ASN	CB-CG-OD1	-6.34	108.92	121.60
1	A	52	GLU	CG-CD-OE2	6.32	130.95	118.30
1	A	126	ASP	O-C-N	6.32	132.82	122.70
1	B	109	GLU	CA-CB-CG	6.32	127.31	113.40
1	B	138	PHE	O-C-N	-6.32	112.59	122.70
1	B	33	PHE	CA-C-O	-6.30	106.88	120.10
1	B	84	ALA	CB-CA-C	-6.29	100.66	110.10
1	B	152	GLN	CA-C-O	6.29	133.30	120.10
1	A	101	VAL	CA-CB-CG2	6.24	120.27	110.90
1	A	6	GLU	CG-CD-OE2	-6.21	105.89	118.30
1	B	62	LYS	O-C-N	-6.18	112.82	122.70
1	B	62	LYS	N-CA-CB	-6.17	99.49	110.60
1	A	81	HIS	N-CA-C	-6.16	94.37	111.00
1	A	125	ALA	O-C-N	-6.15	112.86	122.70
1	B	62	LYS	CA-CB-CG	-6.12	99.93	113.40
1	A	5	GLY	O-C-N	6.10	132.46	122.70
1	A	148	GLU	CB-CG-CD	-6.09	97.75	114.20
1	B	43	PHE	CZ-CE2-CD2	-6.07	112.82	120.10
1	B	132	SER	N-CA-CB	6.05	119.58	110.50
1	B	43	PHE	O-C-N	6.04	132.36	122.70
1	B	98	LYS	CA-C-O	6.02	132.75	120.10
1	A	59	GLU	CG-CD-OE2	-6.02	106.27	118.30
1	B	54	GLU	OE1-CD-OE2	-6.00	116.10	123.30
1	A	123	PHE	O-C-N	5.94	133.30	123.20
1	B	128	GLN	CG-CD-OE1	-5.93	109.73	121.60
1	B	87	THR	O-C-N	5.93	132.36	121.10
1	B	132	SER	CA-CB-OG	-5.91	95.25	111.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	86	LEU	CB-CG-CD1	-5.88	101.01	111.00
1	B	152	GLN	CA-C-N	-5.87	104.47	116.20
1	A	9	LEU	CB-CG-CD1	5.86	120.96	111.00
1	B	85	GLU	CA-CB-CG	5.86	126.30	113.40
1	B	97	HIS	N-CA-CB	5.86	121.14	110.60
1	A	35	GLY	CA-C-O	-5.86	110.06	120.60
1	B	38	GLU	CG-CD-OE2	-5.85	106.59	118.30
1	A	76	LEU	CB-CG-CD1	-5.85	101.06	111.00
1	B	101	VAL	O-C-N	-5.84	113.36	122.70
1	A	151	PHE	CA-C-N	-5.83	104.37	117.20
1	B	94	ALA	CA-C-O	5.81	132.29	120.10
1	B	62	LYS	CG-CD-CE	-5.79	94.54	111.90
1	B	1	GLY	CA-C-N	5.75	129.85	117.20
1	B	57	ALA	N-CA-CB	-5.75	102.06	110.10
1	A	137	LEU	CB-CG-CD1	-5.74	101.25	111.00
1	A	31	ARG	CD-NE-CZ	5.71	131.59	123.60
1	A	44	ASP	OD1-CG-OD2	-5.71	112.46	123.30
1	A	112	ILE	CA-CB-CG1	-5.67	100.23	111.00
1	B	152	GLN	N-CA-CB	-5.66	100.42	110.60
1	B	83	GLU	CB-CA-C	-5.65	99.10	110.40
1	A	22	ALA	CA-C-N	5.64	127.49	116.20
1	A	14	TRP	CG-CD1-NE1	-5.62	104.48	110.10
1	A	84	ALA	CB-CA-C	-5.62	101.67	110.10
1	B	85	GLU	N-CA-CB	5.61	120.70	110.60
1	B	7	TRP	CE3-CZ3-CH2	5.55	127.31	121.20
1	B	27	GLU	CG-CD-OE1	-5.55	107.20	118.30
1	B	60	ASP	OD1-CG-OD2	5.54	133.83	123.30
1	B	117	SER	N-CA-CB	5.54	118.81	110.50
1	B	118	LYS	CA-C-O	-5.54	108.47	120.10
1	A	45	LYS	CD-CE-NZ	-5.52	99.00	111.70
1	B	118	LYS	CA-C-N	5.51	129.33	117.20
1	B	50	LYS	CB-CG-CD	5.50	125.91	111.60
1	A	46	PHE	CB-CG-CD1	-5.50	116.95	120.80
1	A	121	GLY	O-C-N	-5.50	113.91	122.70
1	B	47	LYS	CA-C-N	-5.49	105.13	117.20
1	A	126	ASP	CB-CG-OD2	-5.45	113.39	118.30
1	B	8	GLN	CG-CD-NE2	5.44	129.76	116.70
1	B	14	TRP	CZ3-CH2-CZ2	5.42	128.10	121.60
1	A	148	GLU	CG-CD-OE2	-5.41	107.48	118.30
1	A	64	HIS	CA-CB-CG	-5.40	104.42	113.60
1	B	91	GLN	O-C-N	-5.38	114.09	122.70
1	B	64	HIS	CA-CB-CG	-5.38	104.46	113.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	27	GLU	OE1-CD-OE2	-5.37	116.85	123.30
1	A	53	ASP	CB-CG-OD1	-5.37	113.47	118.30
1	B	113	GLN	CA-CB-CG	-5.36	101.61	113.40
1	B	43	PHE	CG-CD1-CE1	-5.36	114.91	120.80
1	B	35	GLY	CA-C-O	-5.34	111.00	120.60
1	B	132	SER	CB-CA-C	-5.30	100.03	110.10
1	B	117	SER	C-N-CA	-5.29	108.47	121.70
1	A	109	GLU	CB-CG-CD	-5.28	99.95	114.20
1	B	81	HIS	CB-CA-C	5.28	120.95	110.40
1	B	108	SER	O-C-N	-5.25	114.30	122.70
1	A	36	HIS	CA-CB-CG	-5.23	104.70	113.60
1	A	105	GLU	CA-CB-CG	-5.22	101.91	113.40
1	A	136	GLU	CA-CB-CG	5.21	124.87	113.40
1	A	15	GLY	O-C-N	-5.21	114.37	122.70
1	A	139	ARG	CD-NE-CZ	-5.21	116.31	123.60
1	B	117	SER	CA-C-O	-5.21	109.16	120.10
1	B	145	LYS	CA-C-N	5.18	128.59	117.20
1	A	116	GLN	O-C-N	-5.17	114.43	122.70
1	B	26	GLN	CG-CD-OE1	-5.16	111.28	121.60
1	B	101	VAL	CA-CB-CG1	5.15	118.63	110.90
1	B	20	ASP	CB-CG-OD1	5.12	122.91	118.30
1	B	113	GLN	CG-CD-NE2	5.10	128.94	116.70
1	A	12	ASN	OD1-CG-ND2	-5.09	110.18	121.90
1	B	60	ASP	N-CA-CB	-5.09	101.43	110.60
1	A	133	LYS	CA-C-O	5.09	130.79	120.10
1	A	48	HIS	CA-CB-CG	-5.08	104.96	113.60
1	B	10	VAL	CA-CB-CG2	-5.08	103.29	110.90
1	B	64	HIS	CA-C-N	5.07	126.34	116.20
1	A	81	HIS	CB-CA-C	5.07	120.54	110.40
1	B	87	THR	CA-CB-OG1	-5.07	98.36	109.00
1	A	74	GLY	O-C-N	-5.06	114.61	122.70
1	A	113	GLN	CG-CD-NE2	5.06	128.84	116.70
1	A	2	LEU	N-CA-CB	-5.05	100.31	110.40
1	B	90	ALA	CA-C-O	5.04	130.69	120.10
1	B	137	LEU	CB-CG-CD1	-5.03	102.45	111.00
1	B	83	GLU	CB-CG-CD	5.02	127.76	114.20

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	47	LYS	Mainchain

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1197	0	1203	24	0
1	B	1197	0	1201	31	0
2	A	5	0	0	0	0
2	B	5	0	0	1	0
3	A	43	0	30	0	0
3	B	43	0	30	0	0
4	A	53	0	0	1	0
4	B	54	0	0	1	0
All	All	2597	0	2464	55	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (55) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:7:TRP:HB3	1:B:79:LYS:HE2	1.41	1.02
1:A:34:LYS:HE3	1:A:52:GLU:OE2	1.63	0.98
1:B:26:GLN:OE1	4:B:156:HOH:O	1.85	0.94
1:B:8:GLN:O	1:B:12:ASN:HB2	1.72	0.89
1:A:151:PHE:O	1:A:152:GLN:HB2	1.74	0.87
1:B:91:GLN:O	1:B:95:THR:HB	1.81	0.80
1:A:87:THR:HB	1:A:88:PRO:HD3	1.68	0.76
1:B:7:TRP:CB	1:B:79:LYS:HE2	2.17	0.72
1:B:87:THR:HB	1:B:88:PRO:HD3	1.73	0.71
1:A:151:PHE:O	1:A:152:GLN:CB	2.40	0.69
1:B:34:LYS:HD3	1:B:52:GLU:OE1	1.93	0.69
1:B:86:LEU:HD12	1:B:86:LEU:N	2.08	0.68
1:A:34:LYS:CE	1:A:52:GLU:OE2	2.43	0.64
1:B:62:LYS:CB	1:B:62:LYS:NZ	2.61	0.63
1:A:8:GLN:OE1	1:A:12:ASN:OD1	2.17	0.62
1:A:73:GLY:O	1:A:77:LYS:HG3	1.99	0.62
1:A:27:GLU:OE1	1:A:118:LYS:HD2	2.02	0.59
1:B:124:GLY:O	1:B:128:GLN:HG3	2.03	0.59
1:A:87:THR:HB	1:A:88:PRO:CD	2.36	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:2:LEU:HB3	1:A:6:GLU:HB2	1.87	0.56
1:B:82:HIS:O	1:B:86:LEU:HD13	2.06	0.55
1:A:48:HIS:HB2	4:A:198:HOH:O	2.05	0.55
1:B:151:PHE:CD1	1:B:151:PHE:N	2.76	0.54
1:B:73:GLY:O	1:B:77:LYS:HD2	2.07	0.54
1:B:119:HIS:N	1:B:120:PRO:CD	2.71	0.54
1:A:87:THR:CB	1:A:88:PRO:CD	2.86	0.53
1:B:86:LEU:N	1:B:86:LEU:CD1	2.71	0.53
1:A:87:THR:CB	1:A:88:PRO:HD3	2.40	0.51
1:A:135:LEU:O	1:A:139:ARG:HG3	2.11	0.51
1:B:87:THR:N	1:B:88:PRO:HD2	2.26	0.51
1:A:145:LYS:HE3	1:A:149:LEU:HD21	1.94	0.50
1:B:62:LYS:HZ2	1:B:62:LYS:HB2	1.77	0.50
1:B:34:LYS:CD	1:B:52:GLU:OE1	2.59	0.49
1:A:87:THR:N	1:A:88:PRO:HD2	2.28	0.49
1:A:82:HIS:O	1:A:85:GLU:HG2	2.13	0.49
1:B:110:ALA:O	1:B:114:VAL:HG23	2.14	0.48
1:A:45:LYS:H	1:A:45:LYS:HG2	1.23	0.46
1:B:9:LEU:O	1:B:12:ASN:HB3	2.16	0.46
1:B:87:THR:CB	1:B:88:PRO:HD3	2.44	0.46
1:B:64:HIS:HA	2:B:154:SO4:O3	2.15	0.45
1:B:78:LYS:HA	1:B:78:LYS:HD3	1.66	0.45
1:B:46:PHE:HB3	1:B:49:LEU:HD22	1.99	0.45
1:B:62:LYS:CB	1:B:62:LYS:HZ3	2.28	0.45
1:A:99:ILE:HA	1:A:100:PRO:HD2	1.69	0.44
1:B:87:THR:CB	1:B:88:PRO:CD	2.95	0.44
1:B:119:HIS:N	1:B:120:PRO:HD3	2.32	0.44
1:A:42:LYS:NZ	1:A:98:LYS:O	2.48	0.43
1:B:37:PRO:O	1:B:40:LEU:HB3	2.18	0.43
1:B:87:THR:HB	1:B:88:PRO:CD	2.46	0.43
1:A:148:GLU:C	1:A:150:GLY:H	2.13	0.42
1:B:7:TRP:HB3	1:B:79:LYS:CE	2.29	0.42
1:A:30:ILE:HG12	1:A:55:MET:HB3	2.02	0.42
1:A:11:LEU:HD23	1:A:11:LEU:HA	1.66	0.41
1:A:16:LYS:HA	1:A:16:LYS:HD2	1.76	0.41
1:B:24:HIS:NE2	1:B:119:HIS:NE2	2.57	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	151/153 (99%)	144 (95%)	6 (4%)	1 (1%)	22	12
1	B	151/153 (99%)	147 (97%)	3 (2%)	1 (1%)	22	12
All	All	302/306 (99%)	291 (96%)	9 (3%)	2 (1%)	22	12

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	152	GLN
1	B	47	LYS

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	124/124 (100%)	117 (94%)	7 (6%)	21	11
1	B	124/124 (100%)	113 (91%)	11 (9%)	9	4
All	All	248/248 (100%)	230 (93%)	18 (7%)	14	6

All (18) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	45	LYS
1	A	47	LYS
1	A	83	GLU
1	A	86	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	105	GLU
1	A	145	LYS
1	A	148	GLU
1	B	34	LYS
1	B	37	PRO
1	B	49	LEU
1	B	62	LYS
1	B	82	HIS
1	B	83	GLU
1	B	89	LEU
1	B	91	GLN
1	B	98	LYS
1	B	102	LYS
1	B	152	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	8	GLN
1	A	91	GLN
1	A	140	ASN
1	B	26	GLN
1	B	66	ASN
1	B	116	GLN
1	B	140	ASN
1	B	152	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	SO4	A	154	-	4,4,4	0.59	0	6,6,6	0.86	0
3	HEM	B	155	4,1	41,50,50	1.95	13 (31%)	45,82,82	2.80	22 (48%)
2	SO4	B	154	-	4,4,4	0.48	0	6,6,6	1.08	0
3	HEM	A	155	4,1	41,50,50	1.66	9 (21%)	45,82,82	2.30	21 (46%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	HEM	A	155	4,1	-	6/12/54/54	-
3	HEM	B	155	4,1	-	7/12/54/54	-

All (22) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	155	HEM	C3C-CAC	4.23	1.56	1.47
3	B	155	HEM	CMD-C2D	4.08	1.59	1.50
3	A	155	HEM	C3C-C2C	-4.07	1.34	1.40
3	B	155	HEM	CAA-C2A	3.95	1.57	1.52
3	B	155	HEM	C1A-NA	3.77	1.43	1.36
3	B	155	HEM	C3D-C2D	-3.38	1.29	1.36
3	A	155	HEM	C4A-NA	3.33	1.43	1.36
3	A	155	HEM	C3C-CAC	3.15	1.54	1.47
3	A	155	HEM	FE-NB	2.97	2.11	1.96
3	B	155	HEM	CAB-C3B	2.93	1.55	1.47
3	A	155	HEM	C3D-C2D	-2.83	1.30	1.36
3	B	155	HEM	C1B-NB	-2.70	1.35	1.40
3	B	155	HEM	CMB-C2B	2.67	1.56	1.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	155	HEM	O1D-CGD	2.32	1.29	1.22
3	B	155	HEM	CBD-CAD	2.29	1.59	1.52
3	B	155	HEM	C3C-C2C	-2.22	1.37	1.40
3	A	155	HEM	C3B-C2B	-2.22	1.32	1.37
3	B	155	HEM	O1A-CGA	2.21	1.29	1.22
3	A	155	HEM	CAB-C3B	2.15	1.53	1.47
3	B	155	HEM	CBA-CGA	2.13	1.55	1.50
3	B	155	HEM	CBB-CAB	2.09	1.40	1.30
3	A	155	HEM	CMD-C2D	2.01	1.55	1.50

All (43) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	155	HEM	O2D-CGD-O1D	7.23	141.32	123.30
3	B	155	HEM	CAD-CBD-CGD	-6.77	99.03	113.60
3	B	155	HEM	CBD-CAD-C3D	-5.78	96.58	112.63
3	A	155	HEM	CBD-CAD-C3D	-4.89	99.04	112.63
3	B	155	HEM	C3D-C4D-ND	-4.77	104.85	110.17
3	B	155	HEM	O1D-CGD-CBD	-4.75	107.82	123.08
3	B	155	HEM	CHB-C1B-NB	4.24	129.61	124.38
3	B	155	HEM	C4D-C3D-C2D	3.91	112.59	106.90
3	A	155	HEM	CMB-C2B-C1B	-3.89	119.11	125.04
3	B	155	HEM	CMD-C2D-C1D	-3.80	119.25	125.04
3	A	155	HEM	O1A-CGA-CBA	-3.67	111.28	123.08
3	B	155	HEM	C4B-CHC-C1C	3.63	127.35	122.56
3	A	155	HEM	C1B-NB-C4B	3.58	108.77	105.07
3	A	155	HEM	O2A-CGA-O1A	3.40	131.77	123.30
3	A	155	HEM	O1D-CGD-CBD	-3.40	112.17	123.08
3	A	155	HEM	CBA-CAA-C2A	-3.39	106.83	112.62
3	B	155	HEM	CHD-C1D-ND	3.38	128.11	124.43
3	B	155	HEM	C1B-NB-C4B	3.38	108.56	105.07
3	A	155	HEM	CMA-C3A-C4A	-3.37	123.28	128.46
3	B	155	HEM	CMD-C2D-C3D	3.11	134.57	126.12
3	A	155	HEM	CAD-C3D-C4D	-3.05	119.33	124.66
3	A	155	HEM	C3D-C4D-ND	-3.00	106.82	110.17
3	B	155	HEM	O1A-CGA-CBA	-3.00	113.44	123.08
3	A	155	HEM	C4B-CHC-C1C	3.00	126.51	122.56
3	B	155	HEM	C2C-C3C-C4C	2.93	108.94	106.90
3	A	155	HEM	CMD-C2D-C1D	-2.83	120.73	125.04
3	A	155	HEM	C4D-C3D-C2D	2.75	110.90	106.90
3	B	155	HEM	C4D-ND-C1D	2.73	107.89	105.07
3	A	155	HEM	C4B-C3B-C2B	2.70	109.26	107.11

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	155	HEM	CMC-C2C-C3C	2.65	129.64	124.68
3	B	155	HEM	O2A-CGA-O1A	2.60	129.77	123.30
3	A	155	HEM	C4C-CHD-C1D	2.58	125.97	122.56
3	A	155	HEM	C4D-ND-C1D	2.56	107.72	105.07
3	A	155	HEM	CMD-C2D-C3D	2.48	132.85	126.12
3	B	155	HEM	CAD-C3D-C4D	-2.45	120.38	124.66
3	A	155	HEM	CMA-C3A-C2A	2.29	129.26	124.94
3	A	155	HEM	O2D-CGD-O1D	2.27	128.95	123.30
3	A	155	HEM	CHB-C1B-NB	2.21	127.11	124.38
3	A	155	HEM	CMB-C2B-C3B	2.16	133.59	128.30
3	B	155	HEM	CBA-CAA-C2A	-2.07	109.09	112.62
3	B	155	HEM	CHA-C4D-ND	2.04	126.91	124.38
3	B	155	HEM	CMB-C2B-C1B	-2.02	121.97	125.04
3	B	155	HEM	C2B-C1B-NB	-2.01	107.46	109.84

There are no chirality outliers.

All (13) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	155	HEM	C2B-C3B-CAB-CBB
3	B	155	HEM	C2B-C3B-CAB-CBB
3	B	155	HEM	C2A-CAA-CBA-CGA
3	A	155	HEM	CAD-CBD-CGD-O2D
3	B	155	HEM	CAD-CBD-CGD-O2D
3	A	155	HEM	CAD-CBD-CGD-O1D
3	B	155	HEM	CAD-CBD-CGD-O1D
3	A	155	HEM	CAA-CBA-CGA-O2A
3	B	155	HEM	CAA-CBA-CGA-O2A
3	B	155	HEM	CAA-CBA-CGA-O1A
3	A	155	HEM	C4B-C3B-CAB-CBB
3	B	155	HEM	C4B-C3B-CAB-CBB
3	A	155	HEM	CAA-CBA-CGA-O1A


There are no ring outliers.


1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	154	SO4	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In

addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	153/153 (100%)	-0.15	2 (1%) 77 79	7, 22, 43, 77	7 (4%)
1	B	153/153 (100%)	-0.11	5 (3%) 46 49	8, 21, 39, 75	7 (4%)
All	All	306/306 (100%)	-0.13	7 (2%) 60 63	7, 21, 42, 77	14 (4%)

All (7) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	153	GLY	5.4
1	B	152	GLN	4.1
1	A	152	GLN	3.7
1	B	81	HIS	2.6
1	A	147	LYS	2.2
1	B	80	GLY	2.1
1	B	151	PHE	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)


There are no monosaccharides in this entry.


6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
2	SO4	B	154	5/5	0.95	0.11	63,63,64,64	0
3	HEM	A	155	43/43	0.97	0.10	12,16,31,40	0
3	HEM	B	155	43/43	0.97	0.10	8,13,26,34	0
2	SO4	A	154	5/5	0.98	0.14	64,64,65,65	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.





6.5 Other polymers [i](#)

There are no such residues in this entry.