



# Full wwPDB X-ray Structure Validation Report ⓘ

May 26, 2020 – 08:44 am BST

PDB ID : 1N0T  
Title : X-ray structure of the GluR2 ligand-binding core (S1S2J) in complex with the antagonist (S)-ATPO at 2.1 Å resolution.  
Authors : Hogner, A.; Greenwood, J.R.; Liljefors, T.; Lunn, M.-L.; Egebjerg, J.; Larsen, I.K.; Gouaux, E.; Kastrup, J.S.  
Deposited on : 2002-10-15  
Resolution : 2.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : **NOT EXECUTED**  
EDS : **NOT EXECUTED**  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.11


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	141614	5710 (2.10-2.10)
Ramachandran outliers	138981	5647 (2.10-2.10)
Sidechain outliers	138945	5648 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	263	
1	B	263	
1	C	263	
1	D	263	

## 2 Entry composition i

There are 5 unique types of molecules in this entry. The entry contains 9111 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Glutamate receptor 2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	257	2015	1283	335	383	14	0	1	0
1	B	257	2015	1283	335	383	14	0	1	0
1	C	257	2009	1280	334	381	14	0	0	0
1	D	257	2015	1283	335	383	14	0	1	0

There are 16 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	1	GLY	-	CLONING ARTIFACT	UNP P19491
A	2	ALA	-	CLONING ARTIFACT	UNP P19491
A	118	GLY	-	LINKER	UNP P19491
A	119	THR	-	LINKER	UNP P19491
B	1	GLY	-	CLONING ARTIFACT	UNP P19491
B	2	ALA	-	CLONING ARTIFACT	UNP P19491
B	118	GLY	-	LINKER	UNP P19491
B	119	THR	-	LINKER	UNP P19491
C	1	GLY	-	CLONING ARTIFACT	UNP P19491
C	2	ALA	-	CLONING ARTIFACT	UNP P19491
C	118	GLY	-	LINKER	UNP P19491
C	119	THR	-	LINKER	UNP P19491
D	1	GLY	-	CLONING ARTIFACT	UNP P19491
D	2	ALA	-	CLONING ARTIFACT	UNP P19491
D	118	GLY	-	LINKER	UNP P19491
D	119	THR	-	LINKER	UNP P19491

- Molecule 2 is (S)-2-AMINO-3-(5-TERT-BUTYL-3-(PHOSPHONOMETHOXY)-4-ISOXAZOLYL)PROPIONIC ACID (three-letter code: AT1) (formula: C<sub>11</sub>H<sub>19</sub>N<sub>2</sub>O<sub>7</sub>P).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	P		
2	A	1	Total	C	N	O	P	0	0
			21	11	2	7	1		
2	B	1	Total	C	N	O	P	0	0
			21	11	2	7	1		
2	C	1	Total	C	N	O	P	0	0
			21	11	2	7	1		
2	D	1	Total	C	N	O	P	0	0
			21	11	2	7	1		

- Molecule 3 is SULFATE ION (three-letter code: SO4) (formula: O<sub>4</sub>S).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	B	1	Total O S 5 4 1	0	0
3	C	1	Total O S 5 4 1	0	0
3	C	1	Total O S 5 4 1	0	0
3	D	1	Total O S 5 4 1	0	0

- Molecule 4 is ACETATE ION (three-letter code: ACT) (formula: C<sub>2</sub>H<sub>3</sub>O<sub>2</sub>).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	D	1	Total C O 4 2 2	0	0

- Molecule 5 is water.


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	209	Total O 209 209	0	0
5	B	239	Total O 239 239	0	0
5	C	268	Total O 268 268	0	0
5	D	233	Total O 233 233	0	0

### 3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.


- Molecule 1: Glutamate receptor 2




- Molecule 1: Glutamate receptor 2



- Molecule 1: Glutamate receptor 2



- Molecule 1: Glutamate receptor 2





## 4 Data and refinement statistics

Xtrriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	65.97Å 89.06Å 194.86Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	20.00 – 2.10	Depositor
% Data completeness (in resolution range)	98.7 (20.00-2.10)	Depositor
$R_{merge}$	0.10	Depositor
$R_{sym}$	(Not available)	Depositor
Refinement program	CNS 1.0	Depositor
R, $R_{free}$	0.194 , 0.245	Depositor
Estimated twinning fraction	No twinning to report.	Xtrriage
Total number of atoms	9111	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	29.0	wwPDB-VP



## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: AT1, SO4, ACT

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.30	0/2051	0.56	0/2759
1	B	0.31	0/2051	0.58	0/2759
1	C	0.31	0/2045	0.56	0/2751
1	D	0.31	0/2051	0.57	0/2759
All	All	0.31	0/8198	0.57	0/11028

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2015	0	2041	37	0
1	B	2015	0	2041	38	0
1	C	2009	0	2037	23	0
1	D	2015	0	2041	34	0
2	A	21	0	17	0	0
2	B	21	0	17	0	0
2	C	21	0	17	0	0
2	D	21	0	17	0	0
3	B	5	0	0	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	C	10	0	0	0	0
3	D	5	0	0	0	0
4	D	4	0	3	0	0
5	A	209	0	0	2	0
5	B	239	0	0	3	0
5	C	268	0	0	2	0
5	D	233	0	0	6	0
All	All	9111	0	8231	131	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (131) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:130:GLN:HE22	1:C:133:ILE:H	1.03	0.97
1:A:172:ARG:HG2	1:A:173:THR:HG23	1.50	0.93
1:D:130:GLN:HE22	1:D:133:ILE:H	1.21	0.89
1:B:109:LEU:HD12	1:B:193:GLU:HG2	1.57	0.86
1:A:172:ARG:HD3	1:A:176:GLU:OE1	1.77	0.84
1:A:130:GLN:HE22	1:A:133:ILE:H	1.23	0.82
1:C:130:GLN:NE2	1:C:133:ILE:H	1.78	0.81
1:A:216:ASP:OD2	1:A:218:LYS:HE3	1.80	0.80
1:D:25:MET:HB2	5:D:494:HOH:O	1.84	0.77
1:B:137:THR:HG22	1:B:191:LEU:HB2	1.65	0.77
1:B:117:LYS:HG3	1:B:209:MET:HG2	1.67	0.77
1:A:137:THR:HG22	1:A:191:LEU:HB2	1.68	0.76
1:C:29:ASN:HD21	1:C:53:LEU:H	1.37	0.71
1:C:130:GLN:HE22	1:C:133:ILE:N	1.85	0.70
1:D:22:ASN:HB3	1:D:25:MET:SD	2.32	0.69
1:B:88:ALA:HB1	1:B:89:PRO:HD2	1.74	0.69
1:B:193:GLU:HG3	5:B:384:HOH:O	1.94	0.66
1:A:130:GLN:NE2	1:A:133:ILE:H	1.95	0.65
1:A:88:ALA:HB1	1:A:89:PRO:HD2	1.78	0.65
1:D:88:ALA:HB1	1:D:89:PRO:HD2	1.77	0.65
1:C:137:THR:HG22	1:C:191:LEU:HB2	1.79	0.64
1:D:137:THR:HG22	1:D:191:LEU:HB2	1.78	0.64
1:A:130:GLN:HE22	1:A:133:ILE:N	1.94	0.63
1:D:226:LYS:HE3	5:D:479:HOH:O	1.98	0.62
1:C:24:GLU:HG2	5:C:517:HOH:O	2.01	0.61
1:B:29:ASN:HD21	1:B:53:LEU:H	1.49	0.60

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:81:GLY:HA2	5:C:365:HOH:O	2.02	0.59
1:C:194:SER:O	1:C:198:GLU:HG3	2.02	0.59
1:C:88:ALA:HB1	1:C:89:PRO:HD2	1.83	0.59
1:B:94:LEU:O	1:B:98:GLU:HG3	2.03	0.58
1:B:199:TYR:O	1:B:203:ARG:HG2	2.03	0.58
1:B:194:SER:O	1:B:198:GLU:HG3	2.04	0.58
1:D:182:ARG:HD3	1:D:207:ASP:OD1	2.03	0.58
1:D:153:ALA:HB3	5:D:481:HOH:O	2.05	0.56
1:A:100:ILE:HD12	1:A:223:ALA:HB1	1.88	0.55
1:A:194:SER:O	1:A:198:GLU:HG3	2.07	0.55
1:D:222:ILE:HG21	1:D:234:VAL:HG11	1.88	0.55
1:B:216:ASP:OD2	1:B:218:LYS:HE3	2.07	0.55
1:C:29:ASN:ND2	1:C:53:LEU:H	2.05	0.54
1:A:242:ASN:HB2	1:A:247:LEU:HD12	1.90	0.54
1:D:94:LEU:O	1:D:98:GLU:HG3	2.09	0.53
1:A:218:LYS:NZ	5:A:356:HOH:O	2.42	0.52
1:A:94:LEU:O	1:A:98:GLU:HG3	2.10	0.52
1:B:100:ILE:HD12	1:B:223:ALA:HB1	1.91	0.51
1:B:210:LYS:HE2	5:B:382:HOH:O	2.11	0.51
1:B:125:GLU:HG2	1:B:129:LYS:HZ2	1.76	0.51
1:A:172:ARG:CG	1:A:173:THR:HG23	2.34	0.50
1:D:130:GLN:NE2	1:D:133:ILE:H	1.99	0.50
1:D:130:GLN:HE22	1:D:133:ILE:N	2.00	0.50
1:D:81:GLY:HA2	5:D:289:HOH:O	2.12	0.50
1:B:122:GLU:HG2	1:B:126:ASP:OD2	2.11	0.50
1:C:119:THR:HG23	1:C:133:ILE:HD13	1.94	0.49
1:C:39:LEU:O	1:C:43:ILE:HG12	2.11	0.49
1:B:85:ILE:HD11	1:B:222:ILE:CG2	2.42	0.49
1:D:163:ARG:HG3	1:D:163:ARG:HH11	1.76	0.49
1:B:29:ASN:ND2	1:B:53:LEU:H	2.09	0.48
1:A:136:GLY:HA3	1:A:169:VAL:O	2.13	0.48
1:B:125:GLU:HG2	1:B:129:LYS:NZ	2.28	0.48
1:D:85:ILE:HD11	1:D:222:ILE:CG2	2.43	0.48
1:D:166:GLU:HA	1:D:167:PRO:C	2.32	0.48
1:A:135:TYR:HA	1:A:189:ALA:O	2.12	0.48
1:C:85:ILE:HD11	1:C:222:ILE:CG2	2.43	0.48
1:C:46:HIS:HD2	1:C:240:LYS:HD3	1.78	0.48
1:B:12:LEU:HD23	1:B:55:ILE:HG21	1.96	0.48
1:D:245:GLY:HA2	5:D:407:HOH:O	2.13	0.47
1:B:12:LEU:CD2	1:B:55:ILE:HG21	2.44	0.47
1:C:85:ILE:HD11	1:C:222:ILE:HG21	1.96	0.47

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:94:LEU:O	1:C:98:GLU:HG3	2.14	0.47
1:B:109:LEU:CD1	1:B:193:GLU:HG2	2.39	0.47
1:B:43:ILE:HD13	1:B:222:ILE:HD13	1.97	0.47
1:B:159:TRP:CZ2	1:B:163:ARG:HD2	2.50	0.46
1:D:84:ASP:O	1:D:225:PRO:HD3	2.15	0.46
1:D:64:ARG:CZ	1:D:69:LYS:HG3	2.46	0.46
1:B:215:LEU:N	1:B:215:LEU:HD12	2.31	0.46
1:B:85:ILE:HD11	1:B:222:ILE:HG21	1.97	0.46
1:B:159:TRP:CE2	1:B:163:ARG:HD2	2.50	0.46
1:D:209:MET:HE3	1:D:211:VAL:HG12	1.98	0.46
1:D:246:LEU:HD13	1:D:246:LEU:C	2.37	0.45
1:B:20:LYS:HD2	1:B:26:LEU:CD1	2.46	0.45
1:B:26:LEU:HB3	1:B:30:GLU:HG2	1.98	0.45
1:D:68:THR:O	1:D:69:LYS:HB3	2.16	0.45
1:A:130:GLN:HE22	1:A:133:ILE:CB	2.30	0.45
1:B:216:ASP:CG	1:B:218:LYS:HE3	2.37	0.45
1:A:154:VAL:O	1:A:158:MET:HG3	2.15	0.45
1:A:199:TYR:O	1:A:203:ARG:HG2	2.16	0.45
1:D:178:VAL:HG21	1:D:200:ILE:CD1	2.46	0.44
1:A:215:LEU:HD12	1:A:215:LEU:N	2.32	0.44
1:B:240:LYS:O	1:B:244:GLN:HG3	2.16	0.44
1:D:196:MET:HE1	5:D:374:HOH:O	2.17	0.44
1:D:125:GLU:O	1:D:129:LYS:HG2	2.18	0.44
1:D:85:ILE:HD11	1:D:222:ILE:HG21	1.99	0.44
1:A:168:SER:HA	5:A:297:HOH:O	2.18	0.44
1:B:151:LYS:HE3	5:B:459:HOH:O	2.18	0.44
1:A:118:GLY:HA2	1:B:225:PRO:HB3	1.99	0.44
1:C:199:TYR:O	1:C:203:ARG:HG2	2.18	0.44
1:B:43:ILE:HD11	1:B:222:ILE:HD11	1.99	0.44
1:D:209:MET:CE	1:D:211:VAL:HG12	2.48	0.44
1:C:240:LYS:HE3	1:C:244:GLN:OE1	2.17	0.43
1:D:119:THR:HG23	1:D:133:ILE:HD13	1.99	0.43
1:A:196:MET:O	1:A:200:ILE:HG12	2.18	0.43
1:C:46:HIS:CD2	1:C:240:LYS:HD3	2.53	0.43
1:A:240:LYS:O	1:A:244:GLN:HG3	2.19	0.43
1:D:8:VAL:HG22	1:D:85:ILE:CG2	2.48	0.43
1:C:192:LEU:N	1:C:192:LEU:HD23	2.34	0.43
1:D:109:LEU:HD23	1:D:219:GLY:HA2	2.01	0.43
1:A:8:VAL:HG22	1:A:85:ILE:CG2	2.47	0.43
1:D:135:TYR:HB3	1:D:189:ALA:HB3	2.00	0.43
1:A:130:GLN:HE22	1:A:133:ILE:HB	1.84	0.42

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:128:SER:O	1:A:157:LYS:NZ	2.49	0.42
1:D:191:LEU:N	1:D:191:LEU:CD2	2.83	0.42
1:A:131:THR:O	1:A:131:THR:HG22	2.19	0.42
1:C:242:ASN:HB2	1:C:247:LEU:HD12	2.01	0.42
1:C:65:ASP:O	1:C:69:LYS:HA	2.20	0.42
1:D:199:TYR:O	1:D:203:ARG:HG2	2.20	0.42
1:A:8:VAL:HG22	1:A:85:ILE:HG23	2.02	0.41
1:D:171:VAL:HB	1:D:176:GLU:HG2	2.01	0.41
1:A:134:ALA:HA	1:A:161:TYR:OH	2.20	0.41
1:A:187:LYS:HD2	1:A:187:LYS:HA	1.94	0.41
1:B:26:LEU:HD13	1:B:30:GLU:HG2	2.02	0.41
1:A:56:VAL:HG13	1:A:59:GLY:HA2	2.02	0.41
1:A:109:LEU:HD13	1:A:109:LEU:N	2.34	0.41
1:B:65:ASP:HB3	1:B:68:THR:OG1	2.21	0.41
1:C:134:ALA:O	1:C:188:TYR:HA	2.19	0.41
1:B:196:MET:O	1:B:200:ILE:HG12	2.20	0.41
1:B:42:GLU:HG3	1:B:246:LEU:HD11	2.03	0.41
1:B:65:ASP:OD1	1:B:68:THR:HG23	2.21	0.41
1:A:111:ILE:HD11	1:A:143:THR:HA	2.03	0.41
1:A:20:LYS:O	1:A:23:HIS:HD2	2.04	0.41
1:A:129:LYS:HE3	1:A:129:LYS:HB2	1.73	0.40
1:B:12:LEU:HD22	1:B:55:ILE:HD12	2.03	0.40
1:A:130:GLN:NE2	1:A:133:ILE:HB	2.35	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [\(i\)](#)

### 5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	256/263 (97%)	252 (98%)	4 (2%)	0	100 100
1	B	256/263 (97%)	248 (97%)	8 (3%)	0	100 100

Continued on next page...

*Continued from previous page...*

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	C	255/263 (97%)	249 (98%)	6 (2%)	0	100	100
1	D	256/263 (97%)	253 (99%)	3 (1%)	0	100	100
All	All	1023/1052 (97%)	1002 (98%)	21 (2%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	217/219 (99%)	214 (99%)	3 (1%)	67	73
1	B	217/219 (99%)	213 (98%)	4 (2%)	59	65
1	C	216/219 (99%)	213 (99%)	3 (1%)	67	73
1	D	217/219 (99%)	212 (98%)	5 (2%)	50	55
All	All	867/876 (99%)	852 (98%)	15 (2%)	60	67

All (15) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	109	LEU
1	A	130	GLN
1	A	172	ARG
1	B	52	LYS
1	B	138	LEU
1	B	139	ASP
1	B	161	TYR
1	C	130	GLN
1	C	183	LYS
1	C	236	LEU
1	D	25	MET
1	D	109	LEU
1	D	130	GLN
1	D	191	LEU

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	D	197	ASN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (11) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	23	HIS
1	A	130	GLN
1	B	29	ASN
1	C	29	ASN
1	C	46	HIS
1	C	130	GLN
1	C	252	ASN
1	D	23	HIS
1	D	130	GLN
1	D	197	ASN
1	D	232	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

9 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
3	SO4	C	264	-	4,4,4	0.93	0	6,6,6	0.58	0
2	AT1	B	265	-	13,21,21	1.34	2 (15%)	15,32,32	1.35	1 (6%)
4	ACT	D	265	-	1,3,3	0.90	0	0,3,3	0.00	-
2	AT1	C	266	-	13,21,21	1.18	1 (7%)	15,32,32	1.36	1 (6%)
3	SO4	B	264	-	4,4,4	1.00	0	6,6,6	0.55	0
2	AT1	D	266	-	13,21,21	1.20	1 (7%)	15,32,32	1.39	1 (6%)
3	SO4	C	265	-	4,4,4	0.96	0	6,6,6	0.56	0
3	SO4	D	264	-	4,4,4	0.98	0	6,6,6	0.57	0
2	AT1	A	264	-	13,21,21	1.22	1 (7%)	15,32,32	1.40	1 (6%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	AT1	B	265	-	-	3/9/20/20	0/1/1/1
2	AT1	D	266	-	-	4/9/20/20	0/1/1/1
2	AT1	C	266	-	-	4/9/20/20	0/1/1/1
2	AT1	A	264	-	-	3/9/20/20	0/1/1/1

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	265	AT1	C1-N	3.33	1.54	1.47
2	D	266	AT1	C1-N	2.92	1.53	1.47
2	A	264	AT1	C1-N	2.91	1.53	1.47
2	C	266	AT1	C1-N	2.87	1.53	1.47
2	B	265	AT1	C3-C7	2.06	1.54	1.50

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	264	AT1	C-C6-C5	-4.40	121.92	127.15
2	C	266	AT1	C-C6-C5	-4.26	122.09	127.15
2	D	266	AT1	C-C6-C5	-4.26	122.09	127.15
2	B	265	AT1	C-C6-C5	-4.13	122.24	127.15

There are no chirality outliers.

All (14) torsion outliers are listed below:





Mol	Chain	Res	Type	Atoms
2	B	265	AT1	C9-C3-C7-C6
2	B	265	AT1	C10-C3-C7-C6
2	B	265	AT1	C11-C3-C7-C6
2	C	266	AT1	C9-C3-C7-C6
2	C	266	AT1	C10-C3-C7-C6
2	C	266	AT1	C11-C3-C7-C6
2	D	266	AT1	C9-C3-C7-C6
2	D	266	AT1	C10-C3-C7-C6
2	D	266	AT1	C11-C3-C7-C6
2	A	264	AT1	C9-C3-C7-C6
2	A	264	AT1	C10-C3-C7-C6
2	A	264	AT1	C11-C3-C7-C6
2	C	266	AT1	C6-C-C1-N
2	D	266	AT1	C6-C-C1-N


There are no ring outliers.


No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









## 5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

EDS was not executed - this section is therefore empty.

### 6.2 Non-standard residues in protein, DNA, RNA chains

EDS was not executed - this section is therefore empty.

### 6.3 Carbohydrates

EDS was not executed - this section is therefore empty.

### 6.4 Ligands

EDS was not executed - this section is therefore empty.

### 6.5 Other polymers

EDS was not executed - this section is therefore empty.