



wwPDB EM Validation Summary Report ⓘ

Nov 21, 2022 – 05:24 PM EST

PDB ID : 7N1Y
EMDB ID : EMD-24127
Title : Structural basis for enhanced infectivity and immune evasion of SARS-CoV-2 variants
Authors : Zhang, J.; Cai, Y.F.; Xiao, T.S.; Rawson, S.; Peng, H.Q.; Sterling, S.M.; Walsh Jr, R.M.; Volloch, S.R.; Chen, B.
Deposited on : 2021-05-28
Resolution : 4.30 Å (reported)
Based on initial model : 7KRR

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev43
Mogul : 1.8.5 (274361), CSD as541be (2020)
MolProbity : 4.02b-467
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ : 1.9.9
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.31.3


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 4.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



















Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	158937	4297
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	1305	72% 10% 17%
1	B	1305	75% 8% 17%
1	C	1305	73% 9% 17%
2	D	2	100%
2	E	2	100%
2	F	2	50% 50%
2	G	2	100%
2	H	2	100%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	L	2	 50% 50%
2	M	2	 100%
2	N	2	 100%
2	O	2	 100%
2	P	2	 100%
2	Q	2	 100%
2	U	2	 50% 50%
2	V	2	 100%
2	W	2	 100%
2	X	2	 100%
2	Y	2	 100%
3	I	3	 100%
3	R	3	 100%
3	Z	3	 100%
4	J	3	 33% 67%
4	K	3	 100%
4	S	3	 100%
4	T	3	 100%
4	a	3	 100%
4	b	3	 100%

2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 26636 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Spike glycoprotein.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	A	1078	8441	5391	1407	1605	38	0	0
1	B	1087	8517	5442	1419	1618	38	0	0
1	C	1077	8434	5387	1406	1603	38	0	0

There are 135 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	?	-	HIS	deletion	UNP P0DTC2
A	?	-	VAL	deletion	UNP P0DTC2
A	?	-	TYR	deletion	UNP P0DTC2
A	501	TYR	ASN	conflict	UNP P0DTC2
A	570	ASP	ALA	conflict	UNP P0DTC2
A	614	GLY	ASP	conflict	UNP P0DTC2
A	681	HIS	PRO	conflict	UNP P0DTC2
A	716	ILE	THR	conflict	UNP P0DTC2
A	982	ALA	SER	conflict	UNP P0DTC2
A	1118	HIS	ASP	conflict	UNP P0DTC2
A	1274	SER	-	expression tag	UNP P0DTC2
A	1275	GLY	-	expression tag	UNP P0DTC2
A	1276	GLY	-	expression tag	UNP P0DTC2
A	1277	GLY	-	expression tag	UNP P0DTC2
A	1278	SER	-	expression tag	UNP P0DTC2
A	1279	ALA	-	expression tag	UNP P0DTC2
A	1280	TRP	-	expression tag	UNP P0DTC2
A	1281	SER	-	expression tag	UNP P0DTC2
A	1282	HIS	-	expression tag	UNP P0DTC2
A	1283	PRO	-	expression tag	UNP P0DTC2
A	1284	GLN	-	expression tag	UNP P0DTC2
A	1285	PHE	-	expression tag	UNP P0DTC2
A	1286	GLU	-	expression tag	UNP P0DTC2
A	1287	LYS	-	expression tag	UNP P0DTC2

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	1288	GLY	-	expression tag	UNP P0DTC2
A	1289	GLY	-	expression tag	UNP P0DTC2
A	1290	GLY	-	expression tag	UNP P0DTC2
A	1291	SER	-	expression tag	UNP P0DTC2
A	1292	GLY	-	expression tag	UNP P0DTC2
A	1293	GLY	-	expression tag	UNP P0DTC2
A	1294	GLY	-	expression tag	UNP P0DTC2
A	1295	SER	-	expression tag	UNP P0DTC2
A	1296	GLY	-	expression tag	UNP P0DTC2
A	1297	GLY	-	expression tag	UNP P0DTC2
A	1298	SER	-	expression tag	UNP P0DTC2
A	1299	SER	-	expression tag	UNP P0DTC2
A	1300	ALA	-	expression tag	UNP P0DTC2
A	1301	TRP	-	expression tag	UNP P0DTC2
A	1302	SER	-	expression tag	UNP P0DTC2
A	1303	HIS	-	expression tag	UNP P0DTC2
A	1304	PRO	-	expression tag	UNP P0DTC2
A	1305	GLN	-	expression tag	UNP P0DTC2
A	1306	PHE	-	expression tag	UNP P0DTC2
A	1307	GLU	-	expression tag	UNP P0DTC2
A	1308	LYS	-	expression tag	UNP P0DTC2
B	?	-	HIS	deletion	UNP P0DTC2
B	?	-	VAL	deletion	UNP P0DTC2
B	?	-	TYR	deletion	UNP P0DTC2
B	501	TYR	ASN	conflict	UNP P0DTC2
B	570	ASP	ALA	conflict	UNP P0DTC2
B	614	GLY	ASP	conflict	UNP P0DTC2
B	681	HIS	PRO	conflict	UNP P0DTC2
B	716	ILE	THR	conflict	UNP P0DTC2
B	982	ALA	SER	conflict	UNP P0DTC2
B	1118	HIS	ASP	conflict	UNP P0DTC2
B	1274	SER	-	expression tag	UNP P0DTC2
B	1275	GLY	-	expression tag	UNP P0DTC2
B	1276	GLY	-	expression tag	UNP P0DTC2
B	1277	GLY	-	expression tag	UNP P0DTC2
B	1278	SER	-	expression tag	UNP P0DTC2
B	1279	ALA	-	expression tag	UNP P0DTC2
B	1280	TRP	-	expression tag	UNP P0DTC2
B	1281	SER	-	expression tag	UNP P0DTC2
B	1282	HIS	-	expression tag	UNP P0DTC2
B	1283	PRO	-	expression tag	UNP P0DTC2
B	1284	GLN	-	expression tag	UNP P0DTC2

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	1285	PHE	-	expression tag	UNP P0DTC2
B	1286	GLU	-	expression tag	UNP P0DTC2
B	1287	LYS	-	expression tag	UNP P0DTC2
B	1288	GLY	-	expression tag	UNP P0DTC2
B	1289	GLY	-	expression tag	UNP P0DTC2
B	1290	GLY	-	expression tag	UNP P0DTC2
B	1291	SER	-	expression tag	UNP P0DTC2
B	1292	GLY	-	expression tag	UNP P0DTC2
B	1293	GLY	-	expression tag	UNP P0DTC2
B	1294	GLY	-	expression tag	UNP P0DTC2
B	1295	SER	-	expression tag	UNP P0DTC2
B	1296	GLY	-	expression tag	UNP P0DTC2
B	1297	GLY	-	expression tag	UNP P0DTC2
B	1298	SER	-	expression tag	UNP P0DTC2
B	1299	SER	-	expression tag	UNP P0DTC2
B	1300	ALA	-	expression tag	UNP P0DTC2
B	1301	TRP	-	expression tag	UNP P0DTC2
B	1302	SER	-	expression tag	UNP P0DTC2
B	1303	HIS	-	expression tag	UNP P0DTC2
B	1304	PRO	-	expression tag	UNP P0DTC2
B	1305	GLN	-	expression tag	UNP P0DTC2
B	1306	PHE	-	expression tag	UNP P0DTC2
B	1307	GLU	-	expression tag	UNP P0DTC2
B	1308	LYS	-	expression tag	UNP P0DTC2
C	?	-	HIS	deletion	UNP P0DTC2
C	?	-	VAL	deletion	UNP P0DTC2
C	?	-	TYR	deletion	UNP P0DTC2
C	501	TYR	ASN	conflict	UNP P0DTC2
C	570	ASP	ALA	conflict	UNP P0DTC2
C	614	GLY	ASP	conflict	UNP P0DTC2
C	681	HIS	PRO	conflict	UNP P0DTC2
C	716	ILE	THR	conflict	UNP P0DTC2
C	982	ALA	SER	conflict	UNP P0DTC2
C	1118	HIS	ASP	conflict	UNP P0DTC2
C	1274	SER	-	expression tag	UNP P0DTC2
C	1275	GLY	-	expression tag	UNP P0DTC2
C	1276	GLY	-	expression tag	UNP P0DTC2
C	1277	GLY	-	expression tag	UNP P0DTC2
C	1278	SER	-	expression tag	UNP P0DTC2
C	1279	ALA	-	expression tag	UNP P0DTC2
C	1280	TRP	-	expression tag	UNP P0DTC2
C	1281	SER	-	expression tag	UNP P0DTC2

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	1282	HIS	-	expression tag	UNP P0DTC2
C	1283	PRO	-	expression tag	UNP P0DTC2
C	1284	GLN	-	expression tag	UNP P0DTC2
C	1285	PHE	-	expression tag	UNP P0DTC2
C	1286	GLU	-	expression tag	UNP P0DTC2
C	1287	LYS	-	expression tag	UNP P0DTC2
C	1288	GLY	-	expression tag	UNP P0DTC2
C	1289	GLY	-	expression tag	UNP P0DTC2
C	1290	GLY	-	expression tag	UNP P0DTC2
C	1291	SER	-	expression tag	UNP P0DTC2
C	1292	GLY	-	expression tag	UNP P0DTC2
C	1293	GLY	-	expression tag	UNP P0DTC2
C	1294	GLY	-	expression tag	UNP P0DTC2
C	1295	SER	-	expression tag	UNP P0DTC2
C	1296	GLY	-	expression tag	UNP P0DTC2
C	1297	GLY	-	expression tag	UNP P0DTC2
C	1298	SER	-	expression tag	UNP P0DTC2
C	1299	SER	-	expression tag	UNP P0DTC2
C	1300	ALA	-	expression tag	UNP P0DTC2
C	1301	TRP	-	expression tag	UNP P0DTC2
C	1302	SER	-	expression tag	UNP P0DTC2
C	1303	HIS	-	expression tag	UNP P0DTC2
C	1304	PRO	-	expression tag	UNP P0DTC2
C	1305	GLN	-	expression tag	UNP P0DTC2
C	1306	PHE	-	expression tag	UNP P0DTC2
C	1307	GLU	-	expression tag	UNP P0DTC2
C	1308	LYS	-	expression tag	UNP P0DTC2

- Molecule 2 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
2	D	2	28	16	2	10	0	0
2	E	2	28	16	2	10	0	0
2	F	2	28	16	2	10	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
2	G	2	28	16	2	10	0	0
2	H	2	28	16	2	10	0	0
2	L	2	28	16	2	10	0	0
2	M	2	28	16	2	10	0	0
2	N	2	28	16	2	10	0	0
2	O	2	28	16	2	10	0	0
2	P	2	28	16	2	10	0	0
2	Q	2	28	16	2	10	0	0
2	U	2	28	16	2	10	0	0
2	V	2	28	16	2	10	0	0
2	W	2	28	16	2	10	0	0
2	X	2	28	16	2	10	0	0
2	Y	2	28	16	2	10	0	0

- Molecule 3 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
3	I	3	38	22	2	14	0	0
3	R	3	38	22	2	14	0	0
3	Z	3	38	22	2	14	0	0

- Molecule 4 is an oligosaccharide called alpha-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
4	J	3	Total	C	N	O	0	0
			39	22	2	15		
4	K	3	Total	C	N	O	0	0
			39	22	2	15		
4	S	3	Total	C	N	O	0	0
			39	22	2	15		
4	T	3	Total	C	N	O	0	0
			39	22	2	15		
4	a	3	Total	C	N	O	0	0
			39	22	2	15		
4	b	3	Total	C	N	O	0	0
			39	22	2	15		

- Molecule 5 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula: C₈H₁₅NO₆) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				AltConf
			Total	C	N	O	
5	A	1	Total	C	N	O	0
			154	88	11	55	
5	A	1	Total	C	N	O	0
			154	88	11	55	

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				AltConf
			Total	C	N	O	
5	A	1	154	88	11	55	0
5	A	1	154	88	11	55	0
5	A	1	154	88	11	55	0
5	A	1	154	88	11	55	0
5	A	1	154	88	11	55	0
5	A	1	154	88	11	55	0
5	A	1	154	88	11	55	0
5	A	1	154	88	11	55	0
5	A	1	154	88	11	55	0
5	B	1	140	80	10	50	0
5	B	1	140	80	10	50	0
5	B	1	140	80	10	50	0
5	B	1	140	80	10	50	0
5	B	1	140	80	10	50	0
5	B	1	140	80	10	50	0
5	B	1	140	80	10	50	0
5	B	1	140	80	10	50	0
5	B	1	140	80	10	50	0
5	B	1	140	80	10	50	0
5	B	1	140	80	10	50	0
5	C	1	154	88	11	55	0
5	C	1	154	88	11	55	0

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms				AltConf
			Total	C	N	O	
5	C	1	Total 154	88	11	55	0
5	C	1	Total 154	88	11	55	0
5	C	1	Total 154	88	11	55	0
5	C	1	Total 154	88	11	55	0
5	C	1	Total 154	88	11	55	0
5	C	1	Total 154	88	11	55	0
5	C	1	Total 154	88	11	55	0
5	C	1	Total 154	88	11	55	0
5	C	1	Total 154	88	11	55	0

3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Spike glycoprotein




- Molecule 1: Spike glycoprotein





● Molecule 1: Spike glycoprotein





- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain D: 100%

MAG1
MAG2

- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain E: 100%

MAG1
MAG2

- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain F: 50% 50%

MAG1
MAG2

- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain G: 100%

MAG1
MAG2

- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain H: 100%


MAG1
MAG2

- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain L:  50% 50%


MAG1
MAG2

- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain M:  100%


MAG1
MAG2

- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain N:  100%


MAG1
MAG2

- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain O:  100%


MAG1
MAG2

- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain P:  100%

MAG1
MAG2

- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain Q:  100%

MAG1
MAG2

- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain U:  50% 50%



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain V:  100%



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain W:  100%



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain X:  100%



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain Y:  100%



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose

Chain I:  100%



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose

Chain R:  100%



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose

Chain Z:  100%

MAG1
MAG2
FUC3

- Molecule 4: alpha-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain J:  33% 67%

MAG1
MAG2
MAN3

- Molecule 4: alpha-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain K:  100%

MAG1
MAG2
MAN3

- Molecule 4: alpha-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain S:  100%

MAG1
MAG2
MAN3

- Molecule 4: alpha-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain T:  100%

MAG1
MAG2
MAN3

- Molecule 4: alpha-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain a:  100%

MAG1
MAG2
MAN3

- Molecule 4: alpha-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain b:  100%

MAG1
MAG2
MAG3

4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	7368	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	53.4	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	Not provided	
Image detector	GATAN K3 BIOQUANTUM (6k x 4k)	Depositor
Maximum map value	2.792	Depositor
Minimum map value	-0.002	Depositor
Average map value	0.005	Depositor
Map value standard deviation	0.052	Depositor
Recommended contour level	0.25	Depositor
Map size (Å)	396.03217, 396.03217, 396.03217	wwPDB
Map dimensions	480, 480, 480	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.825067, 0.825067, 0.825067	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MAN, NAG, FUC

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.74	0/8636	1.06	0/11746
1	B	0.74	0/8715	1.07	0/11855
1	C	0.75	0/8629	1.06	0/11736
All	All	0.74	0/25980	1.06	0/35337

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	8441	0	8231	232	0
1	B	8517	0	8303	206	0
1	C	8434	0	8220	148	0
2	D	28	0	25	1	0
2	E	28	0	25	0	0
2	F	28	0	25	5	0
2	G	28	0	25	0	0
2	H	28	0	25	0	0
2	L	28	0	25	1	0
2	M	28	0	25	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	N	28	0	25	0	0
2	O	28	0	25	0	0
2	P	28	0	25	0	0
2	Q	28	0	25	0	0
2	U	28	0	25	1	0
2	V	28	0	25	0	0
2	W	28	0	25	6	0
2	X	28	0	25	0	0
2	Y	28	0	25	0	0
3	I	38	0	34	0	0
3	R	38	0	34	0	0
3	Z	38	0	34	0	0
4	J	39	0	34	6	0
4	K	39	0	34	0	0
4	S	39	0	34	0	0
4	T	39	0	34	0	0
4	a	39	0	34	0	0
4	b	39	0	34	0	0
5	A	154	0	143	26	0
5	B	140	0	130	12	0
5	C	154	0	143	11	0
All	All	26636	0	25876	552	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

The worst 5 of 552 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:33:THR:HA	1:A:58:PHE:CE2	1.14	1.62
1:A:33:THR:CA	1:A:58:PHE:HE2	1.12	1.61
1:B:709:ASN:HD21	5:B:1409:NAG:C1	1.05	1.61
1:A:234:ASN:HD21	5:A:1405:NAG:C1	1.15	1.57
1:C:165:ASN:HD21	5:C:1404:NAG:C1	1.13	1.55

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	1066/1305 (82%)	973 (91%)	86 (8%)	7 (1%)	22	62
1	B	1075/1305 (82%)	971 (90%)	98 (9%)	6 (1%)	25	65
1	C	1065/1305 (82%)	968 (91%)	90 (8%)	7 (1%)	22	62
All	All	3206/3915 (82%)	2912 (91%)	274 (8%)	20 (1%)	29	65

5 of 20 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	316	SER
1	A	316	SER
1	B	709	ASN
1	C	573	THR
1	A	544	ASN

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	942/1130 (83%)	923 (98%)	19 (2%)	55	73
1	B	951/1130 (84%)	936 (98%)	15 (2%)	62	79
1	C	941/1130 (83%)	916 (97%)	25 (3%)	44	66
All	All	2834/3390 (84%)	2775 (98%)	59 (2%)	56	72

5 of 59 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	B	884	SER
1	C	1004	LEU
1	C	125	ASN
1	C	995	ARG
1	C	858	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 21 such sidechains are listed below:

Mol	Chain	Res	Type
1	B	935	GLN
1	C	165	ASN
1	C	955	ASN
1	C	196	ASN
1	C	125	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

59 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	NAG	D	1	1,2	14,14,15	0.70	1 (7%)	17,19,21	0.67	0
2	NAG	D	2	2	14,14,15	1.50	2 (14%)	17,19,21	1.48	4 (23%)
2	NAG	E	1	1,2	14,14,15	1.08	0	17,19,21	0.96	1 (5%)
2	NAG	E	2	2	14,14,15	1.19	1 (7%)	17,19,21	1.09	1 (5%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	NAG	F	1	2	14,14,15	0.35	0	17,19,21	0.38	0
2	NAG	F	2	2	14,14,15	1.40	3 (21%)	17,19,21	0.86	0
2	NAG	G	1	1,2	14,14,15	1.35	2 (14%)	17,19,21	0.94	0
2	NAG	G	2	2	14,14,15	1.38	2 (14%)	17,19,21	0.60	0
2	NAG	H	1	1,2	14,14,15	1.37	3 (21%)	17,19,21	1.08	2 (11%)
2	NAG	H	2	2	14,14,15	1.53	2 (14%)	17,19,21	0.90	1 (5%)
3	NAG	I	1	1,3	14,14,15	1.51	4 (28%)	17,19,21	0.83	0
3	NAG	I	2	3	14,14,15	1.44	2 (14%)	17,19,21	1.17	1 (5%)
3	FUC	I	3	3	10,10,11	1.16	0	14,14,16	0.99	1 (7%)
4	NAG	J	1	4	14,14,15	0.92	1 (7%)	17,19,21	1.11	2 (11%)
4	NAG	J	2	4	14,14,15	1.33	2 (14%)	17,19,21	1.00	1 (5%)
4	MAN	J	3	4	11,11,12	1.53	2 (18%)	15,15,17	0.95	1 (6%)
4	NAG	K	1	1,4	14,14,15	1.11	1 (7%)	17,19,21	1.03	1 (5%)
4	NAG	K	2	4	14,14,15	1.12	1 (7%)	17,19,21	1.24	1 (5%)
4	MAN	K	3	4	11,11,12	1.47	2 (18%)	15,15,17	1.09	1 (6%)
2	NAG	L	1	1,2	14,14,15	0.41	0	17,19,21	0.64	0
2	NAG	L	2	2	14,14,15	1.33	1 (7%)	17,19,21	1.11	1 (5%)
2	NAG	M	1	1,2	14,14,15	1.20	1 (7%)	17,19,21	1.23	3 (17%)
2	NAG	M	2	2	14,14,15	1.40	2 (14%)	17,19,21	0.82	0
2	NAG	N	1	1,2	14,14,15	1.22	1 (7%)	17,19,21	1.86	5 (29%)
2	NAG	N	2	2	14,14,15	1.35	2 (14%)	17,19,21	1.19	1 (5%)
2	NAG	O	1	1,2	14,14,15	1.24	1 (7%)	17,19,21	1.55	2 (11%)
2	NAG	O	2	2	14,14,15	1.40	2 (14%)	17,19,21	0.86	0
2	NAG	P	1	1,2	14,14,15	1.06	1 (7%)	17,19,21	0.85	0
2	NAG	P	2	2	14,14,15	1.42	2 (14%)	17,19,21	0.85	0
2	NAG	Q	1	1,2	14,14,15	1.32	2 (14%)	17,19,21	1.15	2 (11%)
2	NAG	Q	2	2	14,14,15	1.27	2 (14%)	17,19,21	1.16	1 (5%)
3	NAG	R	1	1,3	14,14,15	1.92	5 (35%)	17,19,21	1.07	1 (5%)
3	NAG	R	2	3	14,14,15	1.38	2 (14%)	17,19,21	0.79	0
3	FUC	R	3	3	10,10,11	1.63	2 (20%)	14,14,16	1.09	0
4	NAG	S	1	1,4	14,14,15	1.11	1 (7%)	17,19,21	1.19	1 (5%)
4	NAG	S	2	4	14,14,15	1.73	5 (35%)	17,19,21	0.75	0
4	MAN	S	3	4	11,11,12	1.31	2 (18%)	15,15,17	1.09	1 (6%)
4	NAG	T	1	1,4	14,14,15	1.41	4 (28%)	17,19,21	0.95	1 (5%)
4	NAG	T	2	4	14,14,15	1.47	2 (14%)	17,19,21	0.85	1 (5%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	MAN	T	3	4	11,11,12	1.40	2 (18%)	15,15,17	1.62	2 (13%)
2	NAG	U	1	1,2	14,14,15	0.36	0	17,19,21	0.35	0
2	NAG	U	2	2	14,14,15	1.22	2 (14%)	17,19,21	1.01	0
2	NAG	V	1	1,2	14,14,15	1.44	3 (21%)	17,19,21	1.66	5 (29%)
2	NAG	V	2	2	14,14,15	1.61	3 (21%)	17,19,21	1.63	1 (5%)
2	NAG	W	1	2	14,14,15	0.76	1 (7%)	17,19,21	0.60	0
2	NAG	W	2	2	14,14,15	1.02	1 (7%)	17,19,21	1.00	1 (5%)
2	NAG	X	1	1,2	14,14,15	1.26	2 (14%)	17,19,21	1.12	1 (5%)
2	NAG	X	2	2	14,14,15	1.39	2 (14%)	17,19,21	0.66	0
2	NAG	Y	1	1,2	14,14,15	1.26	2 (14%)	17,19,21	1.13	2 (11%)
2	NAG	Y	2	2	14,14,15	1.07	1 (7%)	17,19,21	1.56	3 (17%)
3	NAG	Z	1	1,3	14,14,15	1.51	4 (28%)	17,19,21	1.24	2 (11%)
3	NAG	Z	2	3	14,14,15	1.16	2 (14%)	17,19,21	1.02	1 (5%)
3	FUC	Z	3	3	10,10,11	1.76	3 (30%)	14,14,16	1.96	3 (21%)
4	NAG	a	1	1,4	14,14,15	1.12	2 (14%)	17,19,21	1.19	2 (11%)
4	NAG	a	2	4	14,14,15	1.23	3 (21%)	17,19,21	1.01	1 (5%)
4	MAN	a	3	4	11,11,12	1.52	2 (18%)	15,15,17	1.33	2 (13%)
4	NAG	b	1	1,4	14,14,15	1.49	2 (14%)	17,19,21	1.28	2 (11%)
4	NAG	b	2	4	14,14,15	1.28	2 (14%)	17,19,21	1.10	0
4	MAN	b	3	4	11,11,12	1.60	2 (18%)	15,15,17	1.14	1 (6%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	D	1	1,2	-	2/6/23/26	0/1/1/1
2	NAG	D	2	2	-	0/6/23/26	0/1/1/1
2	NAG	E	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	E	2	2	-	1/6/23/26	0/1/1/1
2	NAG	F	1	2	-	3/6/23/26	0/1/1/1
2	NAG	F	2	2	-	0/6/23/26	0/1/1/1
2	NAG	G	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	G	2	2	-	0/6/23/26	0/1/1/1
2	NAG	H	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	H	2	2	-	0/6/23/26	0/1/1/1
3	NAG	I	1	1,3	-	2/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAG	I	2	3	-	0/6/23/26	0/1/1/1
3	FUC	I	3	3	-	-	0/1/1/1
4	NAG	J	1	4	-	2/6/23/26	0/1/1/1
4	NAG	J	2	4	-	0/6/23/26	0/1/1/1
4	MAN	J	3	4	-	1/2/19/22	1/1/1/1
4	NAG	K	1	1,4	-	1/6/23/26	0/1/1/1
4	NAG	K	2	4	-	0/6/23/26	0/1/1/1
4	MAN	K	3	4	-	0/2/19/22	1/1/1/1
2	NAG	L	1	1,2	-	2/6/23/26	0/1/1/1
2	NAG	L	2	2	-	0/6/23/26	0/1/1/1
2	NAG	M	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	M	2	2	-	0/6/23/26	0/1/1/1
2	NAG	N	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	N	2	2	-	0/6/23/26	0/1/1/1
2	NAG	O	1	1,2	-	2/6/23/26	0/1/1/1
2	NAG	O	2	2	-	0/6/23/26	0/1/1/1
2	NAG	P	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	P	2	2	-	0/6/23/26	0/1/1/1
2	NAG	Q	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	Q	2	2	-	0/6/23/26	0/1/1/1
3	NAG	R	1	1,3	-	2/6/23/26	0/1/1/1
3	NAG	R	2	3	-	0/6/23/26	0/1/1/1
3	FUC	R	3	3	-	-	0/1/1/1
4	NAG	S	1	1,4	-	0/6/23/26	0/1/1/1
4	NAG	S	2	4	-	0/6/23/26	0/1/1/1
4	MAN	S	3	4	-	1/2/19/22	1/1/1/1
4	NAG	T	1	1,4	-	0/6/23/26	0/1/1/1
4	NAG	T	2	4	-	0/6/23/26	0/1/1/1
4	MAN	T	3	4	-	0/2/19/22	1/1/1/1
2	NAG	U	1	1,2	-	2/6/23/26	0/1/1/1
2	NAG	U	2	2	-	1/6/23/26	0/1/1/1
2	NAG	V	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	V	2	2	-	1/6/23/26	0/1/1/1
2	NAG	W	1	2	-	2/6/23/26	0/1/1/1
2	NAG	W	2	2	-	0/6/23/26	0/1/1/1
2	NAG	X	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	X	2	2	-	1/6/23/26	0/1/1/1
2	NAG	Y	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	Y	2	2	-	0/6/23/26	0/1/1/1
3	NAG	Z	1	1,3	-	2/6/23/26	0/1/1/1
3	NAG	Z	2	3	-	0/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	FUC	Z	3	3	-	-	0/1/1/1
4	NAG	a	1	1,4	-	0/6/23/26	0/1/1/1
4	NAG	a	2	4	-	2/6/23/26	0/1/1/1
4	MAN	a	3	4	-	1/2/19/22	1/1/1/1
4	NAG	b	1	1,4	-	0/6/23/26	0/1/1/1
4	NAG	b	2	4	-	0/6/23/26	0/1/1/1
4	MAN	b	3	4	-	0/2/19/22	1/1/1/1

The worst 5 of 112 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	D	2	NAG	O5-C5	4.53	1.52	1.43
2	L	2	NAG	O5-C5	4.01	1.51	1.43
2	F	2	NAG	O5-C5	3.69	1.50	1.43
4	K	1	NAG	O5-C1	-3.61	1.37	1.43
4	S	2	NAG	O5-C1	3.57	1.49	1.43

The worst 5 of 67 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	V	2	NAG	C1-O5-C5	6.20	120.59	112.19
4	T	3	MAN	C1-O5-C5	4.79	118.69	112.19
3	Z	3	FUC	C1-C2-C3	4.77	115.52	109.67
2	Y	2	NAG	C1-O5-C5	4.39	118.14	112.19
2	O	1	NAG	C4-C3-C2	4.34	117.38	111.02

There are no chirality outliers.

5 of 31 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	U	2	NAG	C3-C2-N2-C7
2	L	1	NAG	O5-C5-C6-O6
3	I	1	NAG	O5-C5-C6-O6
2	F	1	NAG	O5-C5-C6-O6
2	U	1	NAG	O5-C5-C6-O6

5 of 6 ring outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	S	3	MAN	C1-C2-C3-C4-C5-O5
4	b	3	MAN	C1-C2-C3-C4-C5-O5

Continued on next page...


Continued from previous page...


Mol	Chain	Res	Type	Atoms
4	a	3	MAN	C1-C2-C3-C4-C5-O5
4	J	3	MAN	C1-C2-C3-C4-C5-O5
4	T	3	MAN	C1-C2-C3-C4-C5-O5


12 monomers are involved in 20 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	D	1	NAG	1	0
2	F	2	NAG	1	0
2	L	1	NAG	1	0
4	J	2	NAG	1	0
2	W	1	NAG	6	0
2	U	1	NAG	1	0
2	U	2	NAG	1	0
2	D	2	NAG	1	0
2	W	2	NAG	4	0
2	F	1	NAG	5	0
4	J	1	NAG	6	0
2	L	2	NAG	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.

































































5.6 Ligand geometry

32 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	NAG	A	1405	-	14,14,15	0.34	0	17,19,21	0.59	0
5	NAG	A	1404	-	14,14,15	0.25	0	17,19,21	0.38	0
5	NAG	B	1401	1	14,14,15	1.22	2 (14%)	17,19,21	1.48	1 (5%)
5	NAG	B	1403	1	14,14,15	0.28	0	17,19,21	0.49	0
5	NAG	A	1410	1	14,14,15	1.77	3 (21%)	17,19,21	1.01	1 (5%)
5	NAG	A	1406	1	14,14,15	1.20	2 (14%)	17,19,21	1.17	2 (11%)
5	NAG	B	1407	1	14,14,15	1.35	1 (7%)	17,19,21	0.92	0
5	NAG	B	1410	1	14,14,15	1.39	3 (21%)	17,19,21	0.79	0
5	NAG	C	1403	1	14,14,15	0.26	0	17,19,21	0.40	0
5	NAG	B	1406	-	14,14,15	0.19	0	17,19,21	0.61	0
5	NAG	A	1409	1	14,14,15	1.42	2 (14%)	17,19,21	0.92	0
5	NAG	A	1408	-	14,14,15	0.19	0	17,19,21	0.44	0
5	NAG	B	1408	1	14,14,15	1.24	3 (21%)	17,19,21	1.27	2 (11%)
5	NAG	A	1401	-	14,14,15	0.21	0	17,19,21	0.40	0
5	NAG	B	1402	-	14,14,15	0.21	0	17,19,21	0.40	0
5	NAG	A	1403	1	14,14,15	1.49	4 (28%)	17,19,21	1.71	2 (11%)
5	NAG	C	1410	-	14,14,15	0.30	0	17,19,21	0.42	0
5	NAG	C	1406	1	14,14,15	1.37	2 (14%)	17,19,21	0.82	1 (5%)
5	NAG	A	1407	-	14,14,15	0.36	0	17,19,21	0.41	0
5	NAG	C	1405	-	14,14,15	0.22	0	17,19,21	0.54	0
5	NAG	C	1409	1	14,14,15	1.22	2 (14%)	17,19,21	0.72	0
5	NAG	C	1404	-	14,14,15	0.24	0	17,19,21	0.39	0
5	NAG	C	1411	1	14,14,15	1.11	1 (7%)	17,19,21	1.20	2 (11%)
5	NAG	B	1404	1	14,14,15	1.58	3 (21%)	17,19,21	1.03	1 (5%)
5	NAG	B	1405	1	14,14,15	1.18	1 (7%)	17,19,21	1.02	0
5	NAG	B	1409	-	14,14,15	0.51	0	17,19,21	0.36	0
5	NAG	C	1407	1	14,14,15	1.62	3 (21%)	17,19,21	1.33	3 (17%)
5	NAG	C	1402	-	14,14,15	0.20	0	17,19,21	0.54	0
5	NAG	A	1411	1	14,14,15	1.32	3 (21%)	17,19,21	1.06	1 (5%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	NAG	C	1408	1	14,14,15	1.28	3 (21%)	17,19,21	1.09	1 (5%)
5	NAG	A	1402	-	14,14,15	0.26	0	17,19,21	0.48	0
5	NAG	C	1401	-	14,14,15	0.29	0	17,19,21	0.37	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	NAG	A	1405	-	-	2/6/23/26	0/1/1/1
5	NAG	A	1404	-	-	2/6/23/26	0/1/1/1
5	NAG	B	1401	1	-	0/6/23/26	0/1/1/1
5	NAG	B	1403	1	-	0/6/23/26	0/1/1/1
5	NAG	A	1410	1	-	0/6/23/26	0/1/1/1
5	NAG	A	1406	1	-	0/6/23/26	0/1/1/1
5	NAG	B	1407	1	-	0/6/23/26	0/1/1/1
5	NAG	B	1410	1	-	0/6/23/26	0/1/1/1
5	NAG	C	1403	1	-	0/6/23/26	0/1/1/1
5	NAG	B	1406	-	-	2/6/23/26	0/1/1/1
5	NAG	A	1409	1	-	0/6/23/26	0/1/1/1
5	NAG	A	1408	-	-	2/6/23/26	0/1/1/1
5	NAG	B	1408	1	-	0/6/23/26	0/1/1/1
5	NAG	A	1401	-	-	2/6/23/26	0/1/1/1
5	NAG	B	1402	-	-	2/6/23/26	0/1/1/1
5	NAG	A	1403	1	-	1/6/23/26	0/1/1/1
5	NAG	C	1410	-	-	2/6/23/26	0/1/1/1
5	NAG	C	1406	1	-	0/6/23/26	0/1/1/1
5	NAG	A	1407	-	-	3/6/23/26	0/1/1/1
5	NAG	C	1405	-	-	0/6/23/26	0/1/1/1
5	NAG	C	1409	1	-	0/6/23/26	0/1/1/1
5	NAG	C	1404	-	-	0/6/23/26	0/1/1/1
5	NAG	C	1411	1	-	0/6/23/26	0/1/1/1
5	NAG	B	1404	1	-	1/6/23/26	0/1/1/1
5	NAG	B	1405	1	-	0/6/23/26	0/1/1/1
5	NAG	B	1409	-	-	0/6/23/26	0/1/1/1
5	NAG	C	1407	1	-	0/6/23/26	0/1/1/1
5	NAG	C	1402	-	-	2/6/23/26	0/1/1/1
5	NAG	A	1411	1	-	0/6/23/26	0/1/1/1
5	NAG	C	1408	1	-	0/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	NAG	A	1402	-	-	2/6/23/26	0/1/1/1
5	NAG	C	1401	-	-	2/6/23/26	0/1/1/1

The worst 5 of 38 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	A	1410	NAG	O5-C5	4.14	1.51	1.43
5	A	1410	NAG	C1-C2	3.81	1.58	1.52
5	B	1410	NAG	O5-C5	3.54	1.50	1.43
5	B	1407	NAG	O5-C5	3.44	1.50	1.43
5	B	1404	NAG	O5-C5	3.18	1.49	1.43

The worst 5 of 17 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	A	1403	NAG	C1-O5-C5	5.44	119.57	112.19
5	B	1401	NAG	C1-O5-C5	4.72	118.59	112.19
5	B	1408	NAG	C3-C4-C5	3.47	116.43	110.24
5	A	1411	NAG	C2-N2-C7	3.26	127.54	122.90
5	C	1408	NAG	C1-O5-C5	2.94	116.17	112.19

There are no chirality outliers.

5 of 25 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	A	1407	NAG	C3-C2-N2-C7
5	A	1404	NAG	C4-C5-C6-O6
5	A	1408	NAG	O5-C5-C6-O6
5	B	1406	NAG	O5-C5-C6-O6
5	A	1401	NAG	O5-C5-C6-O6

There are no ring outliers.

14 monomers are involved in 49 short contacts:



Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	A	1405	NAG	5	0
5	A	1404	NAG	2	0
5	C	1403	NAG	1	0
5	B	1406	NAG	6	0
5	A	1408	NAG	6	0



Continued on next page...



Continued from previous page...



Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	A	1401	NAG	3	0
5	B	1402	NAG	2	0
5	C	1410	NAG	4	0
5	A	1407	NAG	5	0
5	C	1405	NAG	2	0
5	C	1404	NAG	2	0
5	B	1409	NAG	4	0
5	C	1402	NAG	2	0
5	A	1402	NAG	5	0



The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.























































5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-24127. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X



Y




Z

The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 240



Y Index: 240



Z Index: 240

The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 231



Y Index: 256



Z Index: 226

The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal surface views [i](#)

6.4.1 Primary map



X



Y



Z

The images above show the 3D surface view of the map at the recommended contour level 0.25. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.5 Mask visualisation

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 405 nm^3 ; this corresponds to an approximate mass of 366 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum [i](#)



*Reported resolution corresponds to spatial frequency of 0.233 Å⁻¹


8 Fourier-Shell correlation

This section was not generated. No FSC curve or half-maps provided.

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-24127 and PDB model 7N1Y. Per-residue inclusion information can be found in section 3 on page 12.

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.25 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [\(i\)](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [\(i\)](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.25).

9.4 Atom inclusion [i](#)



At the recommended contour level, 97% of all backbone atoms, 88% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (0.25) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.8809	 0.3210
A	 0.8831	 0.3160
B	 0.8792	 0.3280
C	 0.8802	 0.3180
D	 0.9643	 0.3010
E	 1.0000	 0.3690
F	 0.9286	 0.2180
G	 0.7857	 0.2930
H	 0.9643	 0.4370
I	 0.6316	 0.2510
J	 0.8718	 0.1230
K	 1.0000	 0.3190
L	 0.9286	 0.2310
M	 0.7857	 0.2080
N	 0.8214	 0.2300
O	 0.8929	 0.3780
P	 0.8571	 0.3390
Q	 0.9643	 0.3740
R	 0.6842	 0.3170
S	 0.9744	 0.3770
T	 0.9744	 0.3720
U	 0.6071	 -0.0250
V	 1.0000	 0.3450
W	 0.7857	 0.2820
X	 0.9286	 0.4400
Y	 0.9286	 0.4360
Z	 0.8684	 0.3810
a	 0.9487	 0.2590
b	 0.9487	 0.3290

