



wwPDB EM Validation Summary Report ⓘ

Nov 21, 2022 – 10:20 PM EST

PDB ID : 7N2U
EMDB ID : EMD-24133
Title : Elongating 70S ribosome complex in a hybrid-H1 pre-translocation (PRE-H1) conformation
Authors : Rundlet, E.J.; Holm, M.; Schacherl, M.; Natchiar, K.S.; Altman, R.B.; Spahn, C.M.T.; Myasnikov, A.G.; Blanchard, S.C.
Deposited on : 2021-05-29
Resolution : 2.53 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev43
Mogul : 1.8.5 (274361), CSD as541be (2020)
MolProbity : 4.02b-467
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ : 1.9.9
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.31.3

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 2.53 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




























Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	158937	4297
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826
RNA backbone	4643	859

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	16	1534	
2	SB	241	
3	SC	233	
4	SD	206	
5	SE	167	
6	SF	135	
7	SG	179	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
8	SH	130	 93% 6%
9	SI	130	 88% 7% 25%
10	SJ	103	 74% 21% 39%
11	SK	129	 75% 19% 11%
12	SL	124	 82% 17% 16%
13	SM	118	 85% 14% 37%
14	SN	101	 87% 11% 14%
15	SO	89	 96% 7%
16	SP	82	 85% 15% 20%
17	SQ	84	 89% 10% 17%
18	SR	75	 81% 7% 11% 5%
19	SS	92	 76% 15% 23% 9%
20	ST	87	 87% 11% 22%
21	SU	71	 92% 7% 30%
22	mR	60	 82% 18%
23	23	2904	 68% 29% 7%
24	5	120	 76% 23%
25	LB	273	 90% 9%
26	LC	209	 91% 9%
27	LD	201	 90% 10%
28	LE	179	 83% 17% 20%
29	LF	177	 81% 17% 10%
30	LI	149	 79% 19%
31	LM	142	 93% 7%
32	LN	123	 84% 15%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
33	LO	144	90% 10%
34	LP	136	86% 14%
35	LQ	127	91% 6%
36	LR	117	88% 11%
37	LS	115	8% 92% 7%
38	LT	118	92% 5%
39	LU	103	90% 9%
40	LV	110	93% 7%
41	LW	100	5% 89% 7%
42	LX	104	9% 84% 15%
43	LY	94	80% 20%
44	La	85	86% 12%
45	Lb	78	99%
46	Lc	63	6% 97%
47	Ld	59	98%
48	Le	70	51% 86% 10%
49	Lf	57	98%
50	Lg	55	11% 98%
51	Lh	46	98%
52	Li	65	97%
53	Lj	38	97%
54	Pp	3	100%
55	Pt	76	16% 57% 37% 7%
56	Dt	76	22% 72% 26%

2 Entry composition

There are 61 unique types of molecules in this entry. The entry contains 146877 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called 16S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
1	16	1534	32930	14694	6041	10661	1534	0	0

- Molecule 2 is a protein called 30S ribosomal protein S2.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
2	SB	228	1780	1125	319	328	8	0	0

- Molecule 3 is a protein called 30S ribosomal protein S3.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
3	SC	212	1675	1060	314	296	5	2	0

- Molecule 4 is a protein called 30S ribosomal protein S4.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
4	SD	205	1642	1026	315	297	4	0	0

- Molecule 5 is a protein called 30S ribosomal protein S5.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
5	SE	156	1152	717	217	212	6	0	0

- Molecule 6 is a protein called 30S ribosomal protein S6.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
6	SF	106	862	545	156	154	7	0	0

- Molecule 7 is a protein called 30S ribosomal protein S7.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
7	SG	151	1181	735	227	215	4	0	0

- Molecule 8 is a protein called 30S ribosomal protein S8.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
8	SH	129	979	616	173	184	6	0	0

- Molecule 9 is a protein called 30S ribosomal protein S9.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
9	SI	127	1021	634	206	178	3	0	0

- Molecule 10 is a protein called 30S ribosomal protein S10.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
10	SJ	99	795	498	152	144	1	0	0

- Molecule 11 is a protein called 30S ribosomal protein S11.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
11	SK	125	945	583	192	167	3	0	0

- Molecule 12 is a protein called 30S ribosomal protein S12.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
12	SL	123	957	591	196	165	5	0	0

- Molecule 13 is a protein called 30S ribosomal protein S13.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
13	SM	117	910	564	183	160	3	0	0

- Molecule 14 is a protein called 30S ribosomal protein S14.

Mol	Chain	Residues	Atoms					AltConf	Trace
14	SN	100	Total	C	N	O	S	0	0
			804	499	164	138	3		

- Molecule 15 is a protein called 30S ribosomal protein S15.

Mol	Chain	Residues	Atoms					AltConf	Trace
15	SO	88	Total	C	N	O	S	0	0
			713	439	144	129	1		

- Molecule 16 is a protein called 30S ribosomal protein S16.

Mol	Chain	Residues	Atoms					AltConf	Trace
16	SP	82	Total	C	N	O	S	0	0
			648	406	128	113	1		

- Molecule 17 is a protein called 30S ribosomal protein S17.

Mol	Chain	Residues	Atoms					AltConf	Trace
17	SQ	83	Total	C	N	O	S	1	0
			683	431	128	121	3		

- Molecule 18 is a protein called 30S ribosomal protein S18.

Mol	Chain	Residues	Atoms					AltConf	Trace
18	SR	67	Total	C	N	O	S	0	0
			553	350	104	98	1		

- Molecule 19 is a protein called 30S ribosomal protein S19.

Mol	Chain	Residues	Atoms					AltConf	Trace
19	SS	84	Total	C	N	O	S	0	0
			668	427	127	112	2		

- Molecule 20 is a protein called 30S ribosomal protein S20.

Mol	Chain	Residues	Atoms					AltConf	Trace
20	ST	86	Total	C	N	O	S	0	0
			669	414	138	114	3		

- Molecule 21 is a protein called 30S ribosomal protein S21.

Mol	Chain	Residues	Atoms					AltConf	Trace
21	SU	70	Total	C	N	O	S	0	0
			589	366	125	97	1		

- Molecule 22 is a RNA chain called mRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
22	mR	11	Total	C	N	O	P	0	0
			234	105	41	77	11		

- Molecule 23 is a RNA chain called 23S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
23	23	2902	Total	C	N	O	P	0	0
			62315	27806	11465	20142	2902		

- Molecule 24 is a RNA chain called 5S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
24	5	120	Total	C	N	O	P	0	0
			2570	1144	468	838	120		

- Molecule 25 is a protein called 50S ribosomal protein L2.

Mol	Chain	Residues	Atoms					AltConf	Trace
25	LB	272	Total	C	N	O	S	0	0
			2092	1294	425	366	7		

- Molecule 26 is a protein called 50S ribosomal protein L3.

Mol	Chain	Residues	Atoms					AltConf	Trace
26	LC	209	Total	C	N	O	S	0	0
			1565	979	288	294	4		

- Molecule 27 is a protein called 50S ribosomal protein L4.

Mol	Chain	Residues	Atoms					AltConf	Trace
27	LD	201	Total	C	N	O	S	0	0
			1551	974	283	289	5		

- Molecule 28 is a protein called 50S ribosomal protein L5.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
28	LE	178	1420	905	251	258	6	0	0

- Molecule 29 is a protein called 50S ribosomal protein L6.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
29	LF	176	1323	832	243	246	2	0	0

- Molecule 30 is a protein called 50S ribosomal protein L9.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
30	LI	149	1110	699	197	213	1	0	0

- Molecule 31 is a protein called 50S ribosomal protein L13.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
31	LM	142	1129	714	212	199	4	0	0

- Molecule 32 is a protein called 50S ribosomal protein L14.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
32	LN	123	947	593	181	167	6	0	0

- Molecule 33 is a protein called 50S ribosomal protein L15.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
33	LO	144	1053	654	207	190	2	0	0

- Molecule 34 is a protein called 50S ribosomal protein L16.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
34	LP	136	1086	692	209	179	6	1	0

- Molecule 35 is a protein called 50S ribosomal protein L17.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
35	LQ	122	974	602	199	168	5	0	0

- Molecule 36 is a protein called 50S ribosomal protein L18.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
36	LR	116	892	552	178	162		0	0

- Molecule 37 is a protein called 50S ribosomal protein L19.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
37	LS	114	926	579	181	165	1	1	0

- Molecule 38 is a protein called 50S ribosomal protein L20.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
38	LT	117	947	604	192	151		0	0

- Molecule 39 is a protein called 50S ribosomal protein L21.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
39	LU	103	816	516	153	145	2	0	0

- Molecule 40 is a protein called 50S ribosomal protein L22.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
40	LV	110	857	532	166	156	3	0	0

- Molecule 41 is a protein called 50S ribosomal protein L23.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
41	LW	93	738	466	139	131	2	0	0

- Molecule 42 is a protein called 50S ribosomal protein L24.

Mol	Chain	Residues	Atoms				AltConf	Trace
42	LX	103	Total	C	N	O	0	0
			788	498	148	142		

- Molecule 43 is a protein called 50S ribosomal protein L25.

Mol	Chain	Residues	Atoms					AltConf	Trace
43	LY	94	Total	C	N	O	S	0	0
			753	479	137	134	3		

- Molecule 44 is a protein called 50S ribosomal protein L27.

Mol	Chain	Residues	Atoms					AltConf	Trace
44	La	75	Total	C	N	O	S	0	0
			574	356	116	101	1		

- Molecule 45 is a protein called 50S ribosomal protein L28.

Mol	Chain	Residues	Atoms					AltConf	Trace
45	Lb	77	Total	C	N	O	S	0	0
			625	388	129	106	2		

- Molecule 46 is a protein called 50S ribosomal protein L29.

Mol	Chain	Residues	Atoms					AltConf	Trace
46	Lc	62	Total	C	N	O	S	0	0
			501	308	98	94	1		

- Molecule 47 is a protein called 50S ribosomal protein L30.

Mol	Chain	Residues	Atoms					AltConf	Trace
47	Ld	58	Total	C	N	O	S	0	0
			448	281	87	78	2		

- Molecule 48 is a protein called 50S ribosomal protein L31.

Mol	Chain	Residues	Atoms					AltConf	Trace
48	Le	67	Total	C	N	O	S	0	0
			529	328	100	95	6		

- Molecule 49 is a protein called 50S ribosomal protein L32.

Mol	Chain	Residues	Atoms					AltConf	Trace
49	Lf	56	Total	C	N	O	S	0	0
			444	269	94	80	1		

- Molecule 50 is a protein called 50S ribosomal protein L33.

Mol	Chain	Residues	Atoms				AltConf	Trace	
50	Lg	54	Total	C	N	O	S	1	0
			452	290	85	77			

- Molecule 51 is a protein called 50S ribosomal protein L34.

Mol	Chain	Residues	Atoms					AltConf	Trace
51	Lh	46	Total	C	N	O	S	0	0
			377	228	90	57	2		

- Molecule 52 is a protein called 50S ribosomal protein L35.

Mol	Chain	Residues	Atoms					AltConf	Trace
52	Li	64	Total	C	N	O	S	0	0
			503	323	105	73	2		

- Molecule 53 is a protein called 50S ribosomal protein L36.

Mol	Chain	Residues	Atoms					AltConf	Trace
53	Lj	38	Total	C	N	O	S	0	0
			302	185	65	48	4		

- Molecule 54 is a protein called Nascent peptide.

Mol	Chain	Residues	Atoms					AltConf	Trace
54	Pp	3	Total	C	N	O	S	0	0
			28	20	4	3	1		


- Molecule 55 is a RNA chain called tRNA.

Mol	Chain	Residues	Atoms						AltConf	Trace
55	Pt	76	Total	C	N	O	P	S	0	0
			1636	734	284	541	76	1		

- Molecule 56 is a RNA chain called tRNA.

Mol	Chain	Residues	Atoms						AltConf	Trace
			Total	C	N	O	P	S		
56	Dt	76	1637	735	294	531	75	2	0	0

- Molecule 57 is 1,4-DIAMINOBUTANE (three-letter code: PUT) (formula: C₄H₁₂N₂) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms			AltConf
57	16	1	Total	C	N	0
			12	8	4	
57	16	1	Total	C	N	0
			12	8	4	
57	23	1	Total	C	N	0
			84	56	28	
57	23	1	Total	C	N	0
			84	56	28	
57	23	1	Total	C	N	0
			84	56	28	
57	23	1	Total	C	N	0
			84	56	28	
57	23	1	Total	C	N	0
			84	56	28	
57	23	1	Total	C	N	0
			84	56	28	
57	23	1	Total	C	N	0
			84	56	28	

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			AltConf
57	23	1	Total	C	N	0
			84	56	28	
57	23	1	Total	C	N	0
			84	56	28	
57	23	1	Total	C	N	0
			84	56	28	
57	23	1	Total	C	N	0
			84	56	28	
57	23	1	Total	C	N	0
			84	56	28	

- Molecule 58 is MAGNESIUM ION (three-letter code: MG) (formula: Mg) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms		AltConf
58	16	88	Total	Mg	0
			88	88	
58	SN	1	Total	Mg	0
			1	1	
58	23	267	Total	Mg	0
			267	267	
58	5	5	Total	Mg	0
			5	5	
58	LB	2	Total	Mg	0
			2	2	
58	LC	1	Total	Mg	0
			1	1	
58	LD	1	Total	Mg	0
			1	1	
58	LQ	2	Total	Mg	0
			2	2	
58	Lf	1	Total	Mg	0
			1	1	

- Molecule 59 is ZINC ION (three-letter code: ZN) (formula: Zn).


Mol	Chain	Residues	Atoms		AltConf
59	SB	1	Total	Zn	0
			1	1	
59	Le	1	Total	Zn	0
			1	1	

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms		AltConf
			Total	Zn	
59	Lj	1	1	1	0

- Molecule 60 is ADENOSINE-5'-TRIPHOSPHATE (three-letter code: ATP) (formula: $C_{10}H_{16}N_5O_{13}P_3$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					AltConf
			Total	C	N	O	P	
60	23	1	62	20	10	26	6	0
60	23	1	Total	C	N	O	P	0
			62	20	10	26	6	

- Molecule 61 is SPERMIDINE (three-letter code: SPD) (formula: $C_7H_{19}N_3$) (labeled as "Ligand of Interest" by depositor).





Mol	Chain	Residues	Atoms			AltConf
61	23	1	Total	C	N	0
			50	35	15	
61	23	1	Total	C	N	0
			50	35	15	
61	23	1	Total	C	N	0
			50	35	15	
61	23	1	Total	C	N	0
			50	35	15	
61	23	1	Total	C	N	0
			50	35	15	

3 Residue-property plots


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: 16S rRNA







• Molecule 2: 30S ribosomal protein S2




• Molecule 3: 30S ribosomal protein S3





• Molecule 4: 30S ribosomal protein S4








• Molecule 5: 30S ribosomal protein S5




• Molecule 6: 30S ribosomal protein S6




• Molecule 7: 30S ribosomal protein S7




• Molecule 8: 30S ribosomal protein S8




• Molecule 9: 30S ribosomal protein S9




• Molecule 10: 30S ribosomal protein S10




• Molecule 11: 30S ribosomal protein S11




• Molecule 12: 30S ribosomal protein S12




• Molecule 13: 30S ribosomal protein S13








- Molecule 14: 30S ribosomal protein S14





- Molecule 15: 30S ribosomal protein S15





- Molecule 16: 30S ribosomal protein S16




- Molecule 17: 30S ribosomal protein S17




- Molecule 18: 30S ribosomal protein S18





- Molecule 19: 30S ribosomal protein S19






• Molecule 20: 30S ribosomal protein S20




• Molecule 21: 30S ribosomal protein S21





• Molecule 22: mRNA





• Molecule 23: 23S rRNA







• Molecule 24: 5S rRNA



• Molecule 25: 50S ribosomal protein L2




• Molecule 26: 50S ribosomal protein L3





• Molecule 27: 50S ribosomal protein L4











• Molecule 28: 50S ribosomal protein L5



• Molecule 29: 50S ribosomal protein L6




• Molecule 30: 50S ribosomal protein L9



• Molecule 31: 50S ribosomal protein L13




• Molecule 32: 50S ribosomal protein L14

Chain LN:  84% 15%




- Molecule 33: 50S ribosomal protein L15

Chain LO:  90% 10%



- Molecule 34: 50S ribosomal protein L16

Chain LP:  86% 14%





- Molecule 35: 50S ribosomal protein L17

Chain LQ:  91% 6%




- Molecule 36: 50S ribosomal protein L18

Chain LR:  88% 11%



- Molecule 37: 50S ribosomal protein L19

Chain LS:  8% 92% 7%





- Molecule 38: 50S ribosomal protein L20

Chain LT:  92% 5%




- Molecule 39: 50S ribosomal protein L21

Chain LU:  90% 9%





- Molecule 40: 50S ribosomal protein L22

Chain LV:  93% 7%





- Molecule 41: 50S ribosomal protein L23

Chain LW:  5% 89% 7%





- Molecule 42: 50S ribosomal protein L24

Chain LX:  9% 84% 15%





- Molecule 43: 50S ribosomal protein L25

Chain LY:  80% 20%




- Molecule 44: 50S ribosomal protein L27

Chain La:  86% 12%



- Molecule 45: 50S ribosomal protein L28

Chain Lb:  99%





- Molecule 46: 50S ribosomal protein L29




- Molecule 47: 50S ribosomal protein L30




- Molecule 48: 50S ribosomal protein L31




- Molecule 49: 50S ribosomal protein L32



- Molecule 50: 50S ribosomal protein L33



- Molecule 51: 50S ribosomal protein L34



- Molecule 52: 50S ribosomal protein L35

Chain Li:  97%



- Molecule 53: 50S ribosomal protein L36

Chain Lj:  97%



- Molecule 54: Nascent peptide

Chain Pp:  100%


There are no outlier residues recorded for this chain.


- Molecule 55: tRNA

Chain Pt:  16% 57% 37% 7%



- Molecule 56: tRNA

Chain Dt:  22% 72% 26%



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	51685	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING ONLY	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	87	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	Not provided	
Image detector	GATAN K3 (6k x 4k)	Depositor
Maximum map value	0.193	Depositor
Minimum map value	-0.084	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.003	Depositor
Recommended contour level	0.02	Depositor
Map size (\AA)	610.55994, 610.55994, 610.55994	wwPDB
Map dimensions	576, 576, 576	wwPDB
Map angles ($^\circ$)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (\AA)	1.06, 1.06, 1.06	Depositor

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: G7M, D2T, H2U, OMG, MG, 6MZ, MA6, MIA, OMU, OMC, 2MG, T6A, 5MU, 3AU, PSU, 4OC, 2MA, PUT, 4D4, ATP, 4SU, 5MC, 3TD, 1MG, U8U, ZN, UR3, SPD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	16	0.36	0/36593	0.71	1/57081 (0.0%)
2	SB	0.44	0/1811	0.60	0/2440
3	SC	0.44	0/1702	0.64	0/2291
4	SD	0.50	0/1664	0.66	0/2227
5	SE	0.45	0/1165	0.66	0/1568
6	SF	0.48	0/881	0.62	0/1189
7	SG	0.47	0/1195	0.65	0/1602
8	SH	0.42	0/989	0.60	0/1326
9	SI	0.46	0/1033	0.66	0/1375
10	SJ	0.49	0/805	0.71	0/1089
11	SK	0.50	0/962	0.73	1/1297 (0.1%)
12	SL	0.44	0/960	0.73	0/1286
13	SM	0.53	0/919	0.68	0/1226
14	SN	0.44	0/816	0.64	0/1088
15	SO	0.39	0/721	0.62	0/964
16	SP	0.50	0/658	0.70	0/884
17	SQ	0.44	0/692	0.64	0/927
18	SR	0.40	0/562	0.61	0/754
19	SS	0.49	0/685	0.67	0/922
20	ST	0.46	0/675	0.63	0/895
21	SU	0.37	0/597	0.65	0/792
22	mR	0.42	0/261	0.66	0/404
23	23	0.44	1/69262 (0.0%)	0.73	8/108048 (0.0%)
24	5	0.44	1/2873 (0.0%)	0.74	0/4478
25	LB	0.49	0/2131	0.77	0/2863
26	LC	0.46	0/1586	0.75	0/2134
27	LD	0.41	0/1570	0.66	0/2113
28	LE	0.50	0/1444	0.67	0/1937
29	LF	0.39	0/1343	0.60	1/1816 (0.1%)
30	LI	0.52	0/1121	0.66	0/1515
31	LM	0.39	0/1152	0.66	1/1551 (0.1%)

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
32	LN	0.46	0/956	0.70	0/1279
33	LO	0.48	0/1062	0.78	0/1413
34	LP	0.42	0/1092	0.70	1/1457 (0.1%)
35	LQ	0.47	0/987	0.76	0/1319
36	LR	0.42	0/902	0.69	0/1209
37	LS	0.46	0/938	0.72	0/1254
38	LT	0.45	0/960	0.75	0/1278
39	LU	0.42	0/829	0.67	0/1107
40	LV	0.39	0/864	0.71	0/1156
41	LW	0.39	0/744	0.60	0/994
42	LX	0.42	0/796	0.64	0/1062
43	LY	0.37	0/766	0.60	0/1025
44	La	0.45	0/581	0.72	0/769
45	Lb	0.43	0/635	0.75	0/848
46	Lc	0.36	0/502	0.53	0/667
47	Ld	0.52	0/452	0.78	0/605
48	Le	0.51	0/539	0.67	0/721
49	Lf	0.41	0/450	0.73	0/599
50	Lg	0.33	0/459	0.60	0/608
51	Lh	0.45	0/380	0.83	0/498
52	Li	0.50	0/512	0.80	0/676
53	Lj	0.45	0/303	0.74	0/397
54	Pp	0.52	0/28	0.47	0/34
55	Pt	0.38	1/1595 (0.1%)	0.73	0/2479
56	Dt	0.36	0/1650	0.79	0/2568
All	All	0.42	3/157810 (0.0%)	0.71	13/236104 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
3	SC	0	4
34	LP	0	2
All	All	0	6

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
23	23	1	G	OP3-P	-10.64	1.48	1.61
24	5	1	U	OP3-P	-10.21	1.48	1.61

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
55	Pt	76	A	C4'-O4'	-7.72	1.35	1.45

The worst 5 of 13 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
23	23	1900	A	P-O3'-C3'	6.61	127.63	119.70
34	LP	79	ALA	C-N-CA	-6.21	106.18	121.70
23	23	1313	U	C2-N1-C1'	6.14	125.07	117.70
23	23	2441	U	O5'-P-OP2	-5.81	100.47	105.70
1	16	188	C	C6-N1-C2	-5.65	118.04	120.30

There are no chirality outliers.

5 of 6 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
34	LP	18[A]	ARG	Mainchain
34	LP	18[B]	ARG	Mainchain
3	SC	128	VAL	Mainchain
3	SC	27[A]	LYS	Mainchain
3	SC	27[B]	LYS	Mainchain

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	16	32930	0	16591	176	0
2	SB	1780	0	1805	9	0
3	SC	1675	0	1752	11	0
4	SD	1642	0	1707	17	0
5	SE	1152	0	1196	8	0
6	SF	862	0	864	9	0
7	SG	1181	0	1238	9	0
8	SH	979	0	1031	4	0
9	SI	1021	0	1070	6	0
10	SJ	795	0	836	11	0
11	SK	945	0	972	14	0
12	SL	957	0	1017	14	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
13	SM	910	0	978	6	0
14	SN	804	0	844	6	0
15	SO	713	0	734	1	0
16	SP	648	0	666	6	0
17	SQ	683	0	725	4	0
18	SR	553	0	573	3	0
19	SS	668	0	693	6	0
20	ST	669	0	719	4	0
21	SU	589	0	629	3	0
22	mR	234	0	118	0	0
23	23	62315	0	31365	291	0
24	5	2570	0	1301	7	0
25	LB	2092	0	2167	16	0
26	LC	1565	0	1616	9	0
27	LD	1551	0	1619	12	0
28	LE	1420	0	1457	12	0
29	LF	1323	0	1371	13	0
30	LI	1110	0	1148	18	0
31	LM	1129	0	1162	4	0
32	LN	947	0	1023	11	0
33	LO	1053	0	1129	15	0
34	LP	1086	0	1167	7	0
35	LQ	974	0	1018	4	0
36	LR	892	0	923	8	0
37	LS	926	0	969	3	0
38	LT	947	0	1019	6	0
39	LU	816	0	839	5	0
40	LV	857	0	922	4	0
41	LW	738	0	807	1	0
42	LX	788	0	844	10	0
43	LY	753	0	780	12	0
44	La	574	0	592	0	0
45	Lb	625	0	652	0	0
46	Lc	501	0	531	0	0
47	Ld	448	0	488	0	0
48	Le	529	0	527	0	0
49	Lf	444	0	458	0	0
50	Lg	452	0	494	0	0
51	Lh	377	0	418	0	0
52	Li	503	0	572	0	0
53	Lj	302	0	340	0	0
54	Pp	28	0	33	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
55	Pt	1636	0	841	0	0
56	Dt	1637	0	844	0	0
57	16	12	0	24	0	0
57	23	84	0	168	1	0
58	16	88	0	0	0	0
58	23	267	0	0	0	0
58	5	5	0	0	0	0
58	LB	2	0	0	0	0
58	LC	1	0	0	0	0
58	LD	1	0	0	0	0
58	LQ	2	0	0	0	0
58	Lf	1	0	0	0	0
58	SN	1	0	0	0	0
59	Le	1	0	0	0	0
59	Lj	1	0	0	0	0
59	SB	1	0	0	0	0
60	23	62	0	24	1	0
61	23	50	0	95	2	0
All	All	146877	0	98505	733	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

The worst 5 of 733 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
7:SG:113:ASP:HB3	7:SG:119:ARG:HG3	1.56	0.87
23:23:2100:G:H1	23:23:2189:U:H3	1.23	0.83
1:16:411:A:H1'	1:16:413:G:H5''	1.63	0.79
23:23:1250:G:H5''	38:LT:6:ARG:HD2	1.64	0.77
29:LF:28:GLY:HA3	29:LF:79:VAL:HG13	1.69	0.74

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	SB	226/241 (94%)	219 (97%)	7 (3%)	0	100	100
3	SC	212/233 (91%)	210 (99%)	2 (1%)	0	100	100
4	SD	203/206 (98%)	198 (98%)	5 (2%)	0	100	100
5	SE	154/167 (92%)	152 (99%)	2 (1%)	0	100	100
6	SF	104/135 (77%)	100 (96%)	3 (3%)	1 (1%)	15	27
7	SG	149/179 (83%)	145 (97%)	3 (2%)	1 (1%)	22	37
8	SH	127/130 (98%)	125 (98%)	2 (2%)	0	100	100
9	SI	125/130 (96%)	119 (95%)	5 (4%)	1 (1%)	19	33
10	SJ	97/103 (94%)	94 (97%)	1 (1%)	2 (2%)	7	10
11	SK	123/129 (95%)	117 (95%)	6 (5%)	0	100	100
12	SL	120/124 (97%)	111 (92%)	8 (7%)	1 (1%)	19	33
13	SM	115/118 (98%)	108 (94%)	7 (6%)	0	100	100
14	SN	98/101 (97%)	98 (100%)	0	0	100	100
15	SO	86/89 (97%)	84 (98%)	2 (2%)	0	100	100
16	SP	80/82 (98%)	77 (96%)	3 (4%)	0	100	100
17	SQ	82/84 (98%)	77 (94%)	5 (6%)	0	100	100
18	SR	65/75 (87%)	64 (98%)	1 (2%)	0	100	100
19	SS	82/92 (89%)	80 (98%)	2 (2%)	0	100	100
20	ST	84/87 (97%)	84 (100%)	0	0	100	100
21	SU	68/71 (96%)	67 (98%)	1 (2%)	0	100	100
25	LB	270/273 (99%)	259 (96%)	11 (4%)	0	100	100
26	LC	207/209 (99%)	202 (98%)	5 (2%)	0	100	100
27	LD	199/201 (99%)	195 (98%)	4 (2%)	0	100	100
28	LE	176/179 (98%)	171 (97%)	5 (3%)	0	100	100
29	LF	174/177 (98%)	170 (98%)	4 (2%)	0	100	100
30	LI	147/149 (99%)	130 (88%)	14 (10%)	3 (2%)	7	11
31	LM	140/142 (99%)	138 (99%)	2 (1%)	0	100	100
32	LN	121/123 (98%)	116 (96%)	5 (4%)	0	100	100
33	LO	142/144 (99%)	137 (96%)	5 (4%)	0	100	100
34	LP	134/136 (98%)	132 (98%)	2 (2%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
35	LQ	120/127 (94%)	117 (98%)	3 (2%)	0	100	100
36	LR	114/117 (97%)	113 (99%)	1 (1%)	0	100	100
37	LS	113/115 (98%)	110 (97%)	3 (3%)	0	100	100
38	LT	115/118 (98%)	113 (98%)	2 (2%)	0	100	100
39	LU	101/103 (98%)	95 (94%)	5 (5%)	1 (1%)	15	27
40	LV	108/110 (98%)	105 (97%)	3 (3%)	0	100	100
41	LW	91/100 (91%)	90 (99%)	1 (1%)	0	100	100
42	LX	101/104 (97%)	97 (96%)	3 (3%)	1 (1%)	15	27
43	LY	92/94 (98%)	91 (99%)	1 (1%)	0	100	100
44	La	73/85 (86%)	70 (96%)	3 (4%)	0	100	100
45	Lb	75/78 (96%)	73 (97%)	2 (3%)	0	100	100
46	Lc	60/63 (95%)	60 (100%)	0	0	100	100
47	Ld	56/59 (95%)	55 (98%)	1 (2%)	0	100	100
48	Le	65/70 (93%)	64 (98%)	1 (2%)	0	100	100
49	Lf	54/57 (95%)	52 (96%)	2 (4%)	0	100	100
50	Lg	53/55 (96%)	52 (98%)	1 (2%)	0	100	100
51	Lh	44/46 (96%)	44 (100%)	0	0	100	100
52	Li	62/65 (95%)	60 (97%)	2 (3%)	0	100	100
53	Lj	36/38 (95%)	36 (100%)	0	0	100	100
54	Pp	1/3 (33%)	1 (100%)	0	0	100	100
All	All	5644/5916 (95%)	5477 (97%)	156 (3%)	11 (0%)	50	67

5 of 11 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
10	SJ	57	VAL
6	SF	33	GLU
9	SI	25	ASN
39	LU	52	PRO
42	LX	48	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM

entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	SB	189/199 (95%)	178 (94%)	11 (6%)	20	36
3	SC	174/190 (92%)	166 (95%)	8 (5%)	27	47
4	SD	172/173 (99%)	167 (97%)	5 (3%)	42	67
5	SE	119/126 (94%)	119 (100%)	0	100	100
6	SF	92/116 (79%)	89 (97%)	3 (3%)	38	62
7	SG	124/147 (84%)	117 (94%)	7 (6%)	21	38
8	SH	104/105 (99%)	103 (99%)	1 (1%)	76	89
9	SI	105/107 (98%)	98 (93%)	7 (7%)	16	29
10	SJ	87/90 (97%)	82 (94%)	5 (6%)	20	37
11	SK	97/99 (98%)	90 (93%)	7 (7%)	14	26
12	SL	102/103 (99%)	101 (99%)	1 (1%)	76	89
13	SM	95/96 (99%)	87 (92%)	8 (8%)	11	20
14	SN	83/84 (99%)	78 (94%)	5 (6%)	19	34
15	SO	76/77 (99%)	75 (99%)	1 (1%)	69	86
16	SP	65/65 (100%)	62 (95%)	3 (5%)	27	47
17	SQ	78/78 (100%)	75 (96%)	3 (4%)	33	56
18	SR	58/65 (89%)	57 (98%)	1 (2%)	60	81
19	SS	72/79 (91%)	70 (97%)	2 (3%)	43	68
20	ST	65/66 (98%)	61 (94%)	4 (6%)	18	33
21	SU	60/61 (98%)	58 (97%)	2 (3%)	38	62
25	LB	217/218 (100%)	213 (98%)	4 (2%)	59	80
26	LC	164/164 (100%)	160 (98%)	4 (2%)	49	73
27	LD	165/165 (100%)	157 (95%)	8 (5%)	25	45
28	LE	149/150 (99%)	137 (92%)	12 (8%)	11	21
29	LF	137/138 (99%)	128 (93%)	9 (7%)	16	30
30	LI	114/114 (100%)	106 (93%)	8 (7%)	15	27
31	LM	116/116 (100%)	115 (99%)	1 (1%)	78	91
32	LN	104/104 (100%)	99 (95%)	5 (5%)	25	45
33	LO	103/103 (100%)	101 (98%)	2 (2%)	57	79

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
34	LP	109/108 (101%)	104 (95%)	5 (5%)	27	47
35	LQ	101/103 (98%)	100 (99%)	1 (1%)	76	89
36	LR	86/87 (99%)	84 (98%)	2 (2%)	50	74
37	LS	100/100 (100%)	95 (95%)	5 (5%)	24	44
38	LT	89/90 (99%)	86 (97%)	3 (3%)	37	61
39	LU	84/84 (100%)	82 (98%)	2 (2%)	49	73
40	LV	93/93 (100%)	91 (98%)	2 (2%)	52	75
41	LW	80/84 (95%)	78 (98%)	2 (2%)	47	72
42	LX	84/85 (99%)	83 (99%)	1 (1%)	71	87
43	LY	78/78 (100%)	78 (100%)	0	100	100
44	La	57/63 (90%)	55 (96%)	2 (4%)	36	60
45	Lb	67/68 (98%)	67 (100%)	0	100	100
46	Lc	54/55 (98%)	53 (98%)	1 (2%)	57	79
47	Ld	48/49 (98%)	48 (100%)	0	100	100
48	Le	60/62 (97%)	53 (88%)	7 (12%)	5	9
49	Lf	47/48 (98%)	47 (100%)	0	100	100
50	Lg	49/49 (100%)	49 (100%)	0	100	100
51	Lh	38/38 (100%)	37 (97%)	1 (3%)	46	70
52	Li	51/52 (98%)	50 (98%)	1 (2%)	55	78
53	Lj	34/34 (100%)	33 (97%)	1 (3%)	42	67
54	Pp	3/3 (100%)	3 (100%)	0	100	100
All	All	4698/4831 (97%)	4525 (96%)	173 (4%)	37	57

5 of 173 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
29	LF	50	LEU
36	LR	19	GLN
29	LF	155	GLU
32	LN	53	LYS
38	LT	6	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 18 such sidechains are listed below:

Mol	Chain	Res	Type
29	LF	48	ASN
49	Lf	4	GLN
46	Lc	39	GLN
17	SQ	45	HIS
27	LD	90	GLN

5.3.3 RNA [i](#)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	16	1530/1534 (99%)	306 (20%)	26 (1%)
22	mR	10/60 (16%)	0	0
23	23	2897/2904 (99%)	500 (17%)	48 (1%)
24	5	119/120 (99%)	19 (15%)	2 (1%)
55	Pt	73/76 (96%)	28 (38%)	0
56	Dt	73/76 (96%)	15 (20%)	0
All	All	4702/4770 (98%)	868 (18%)	76 (1%)

5 of 868 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	16	4	U
1	16	5	U
1	16	7	A
1	16	9	G
1	16	22	G

5 of 76 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
23	23	1379	U
23	23	2832	U
23	23	1490	A
23	23	2116	G
24	5	56	G

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

51 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The

Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
1	5MC	16	1407	1	18,22,23	0.95	2 (11%)	26,32,35	1.34	4 (15%)
55	H2U	Pt	17	55	18,21,22	1.12	2 (11%)	21,30,33	2.31	4 (19%)
55	5MU	Pt	54	55	19,22,23	1.46	5 (26%)	28,32,35	2.11	7 (25%)
56	4SU	Dt	8	56	18,21,22	1.75	4 (22%)	26,30,33	2.22	4 (15%)
23	5MU	23	1939	23	19,22,23	1.48	4 (21%)	28,32,35	2.33	6 (21%)
56	PSU	Dt	39	56	18,21,22	1.38	2 (11%)	22,30,33	1.89	3 (13%)
23	2MG	23	2445	23	18,26,27	1.15	1 (5%)	16,38,41	1.27	2 (12%)
1	2MG	16	1516	1	18,26,27	1.06	2 (11%)	16,38,41	1.23	3 (18%)
23	OMG	23	2251	23,55	18,26,27	1.07	1 (5%)	19,38,41	1.26	2 (10%)
23	PSU	23	2580	23	18,21,22	1.54	3 (16%)	22,30,33	2.30	5 (22%)
55	U8U	Pt	34	22,55	19,24,25	1.84	3 (15%)	23,34,37	1.60	4 (17%)
23	PSU	23	955	23	18,21,22	1.53	5 (27%)	22,30,33	2.23	5 (22%)
23	PSU	23	2605	23	18,21,22	1.52	3 (16%)	22,30,33	2.05	5 (22%)
23	5MU	23	747	23	19,22,23	1.51	5 (26%)	28,32,35	2.30	7 (25%)
56	PSU	Dt	55	56	18,21,22	1.39	2 (11%)	22,30,33	2.09	4 (18%)
1	PSU	16	516	1	18,21,22	1.35	2 (11%)	22,30,33	1.87	4 (18%)
23	6MZ	23	2030	23	18,25,26	0.83	1 (5%)	16,36,39	2.43	4 (25%)
23	PSU	23	2504	23,58	18,21,22	1.37	3 (16%)	22,30,33	1.98	3 (13%)
1	MA6	16	1518	1	19,26,27	1.19	2 (10%)	18,38,41	1.91	5 (27%)
23	OMU	23	2552	23	19,22,23	1.30	3 (15%)	26,31,34	1.95	6 (23%)
23	5MC	23	1962	23	18,22,23	0.95	2 (11%)	26,32,35	1.26	2 (7%)
1	2MG	16	966	1	18,26,27	1.10	1 (5%)	16,38,41	1.39	3 (18%)
56	MIA	Dt	37	56	24,31,32	2.26	3 (12%)	26,44,47	2.71	9 (34%)
23	OMC	23	2498	23	19,22,23	0.82	0	26,31,34	0.96	1 (3%)
23	PSU	23	2457	23	18,21,22	1.72	3 (16%)	22,30,33	2.21	6 (27%)
34	4D4	LP	81	34	9,11,12	2.06	2 (22%)	8,13,15	2.14	4 (50%)
55	PSU	Pt	55	55	18,21,22	1.43	3 (16%)	22,30,33	1.98	3 (13%)
1	4OC	16	1402	58,1	20,23,24	0.83	0	26,32,35	1.16	2 (7%)
1	2MG	16	1207	1	18,26,27	0.92	1 (5%)	16,38,41	1.16	3 (18%)
23	H2U	23	2449	23	18,21,22	1.42	2 (11%)	21,30,33	2.08	2 (9%)
12	D2T	SL	89	12	7,9,10	1.35	1 (14%)	6,11,13	1.49	2 (33%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
1	G7M	16	527	1	20,26,27	2.63	4 (20%)	17,39,42	1.39	2 (11%)
56	G7M	Dt	46	56	20,26,27	2.64	4 (20%)	17,39,42	1.26	2 (11%)
23	PSU	23	746	23,58	18,21,22	1.44	4 (22%)	22,30,33	2.14	5 (22%)
55	PSU	Pt	39	55	18,21,22	1.35	2 (11%)	22,30,33	1.89	4 (18%)
56	PSU	Dt	32	56	18,21,22	1.42	3 (16%)	22,30,33	1.99	4 (18%)
1	5MC	16	967	1	18,22,23	0.96	2 (11%)	26,32,35	1.20	2 (7%)
55	H2U	Pt	16	55	18,21,22	1.03	2 (11%)	21,30,33	1.74	2 (9%)
1	UR3	16	1498	1	19,22,23	0.97	0	26,32,35	1.71	2 (7%)
56	3AU	Dt	47	56	24,28,29	1.03	1 (4%)	33,40,43	1.41	3 (9%)
23	1MG	23	745	23	18,26,27	0.78	0	19,39,42	1.35	4 (21%)
1	MA6	16	1519	1	19,26,27	0.99	1 (5%)	18,38,41	1.92	5 (27%)
23	G7M	23	2069	23	20,26,27	2.49	4 (20%)	17,39,42	1.35	3 (17%)
55	3AU	Pt	47	55	24,28,29	1.06	1 (4%)	33,40,43	1.44	5 (15%)
23	PSU	23	2604	23	18,21,22	1.60	6 (33%)	22,30,33	2.14	6 (27%)
23	2MG	23	1835	23	18,26,27	1.01	1 (5%)	16,38,41	1.34	4 (25%)
55	T6A	Pt	37	55	27,34,35	1.10	3 (11%)	29,49,52	2.07	7 (24%)
23	3TD	23	1915	23	18,22,23	1.24	2 (11%)	22,32,35	2.01	3 (13%)
23	2MA	23	2503	23,58	17,25,26	1.04	1 (5%)	17,37,40	1.02	2 (11%)
55	G7M	Pt	46	55	20,26,27	2.65	4 (20%)	17,39,42	1.10	2 (11%)
23	6MZ	23	1618	23	18,25,26	0.85	1 (5%)	16,36,39	2.12	4 (25%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	5MC	16	1407	1	-	0/7/25/26	0/2/2/2
55	H2U	Pt	17	55	-	3/7/38/39	0/2/2/2
55	5MU	Pt	54	55	-	1/7/25/26	0/2/2/2
56	4SU	Dt	8	56	-	0/7/25/26	0/2/2/2
23	5MU	23	1939	23	-	0/7/25/26	0/2/2/2
56	PSU	Dt	39	56	-	1/7/25/26	0/2/2/2
23	2MG	23	2445	23	-	0/5/27/28	0/3/3/3
1	2MG	16	1516	1	-	0/5/27/28	0/3/3/3
23	OMG	23	2251	23,55	-	3/5/27/28	0/3/3/3
23	PSU	23	2580	23	-	0/7/25/26	0/2/2/2

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
55	U8U	Pt	34	22,55	-	0/9/28/29	0/2/2/2
23	PSU	23	955	23	-	0/7/25/26	0/2/2/2
23	PSU	23	2605	23	-	0/7/25/26	0/2/2/2
23	5MU	23	747	23	-	0/7/25/26	0/2/2/2
56	PSU	Dt	55	56	-	0/7/25/26	0/2/2/2
1	PSU	16	516	1	-	0/7/25/26	0/2/2/2
23	6MZ	23	2030	23	-	2/5/27/28	0/3/3/3
23	PSU	23	2504	23,58	-	0/7/25/26	0/2/2/2
1	MA6	16	1518	1	-	1/7/29/30	0/3/3/3
23	OMU	23	2552	23	-	0/9/27/28	0/2/2/2
23	5MC	23	1962	23	-	0/7/25/26	0/2/2/2
1	2MG	16	966	1	-	2/5/27/28	0/3/3/3
56	MIA	Dt	37	56	-	1/11/33/34	0/3/3/3
23	OMC	23	2498	23	-	0/9/27/28	0/2/2/2
23	PSU	23	2457	23	-	0/7/25/26	0/2/2/2
34	4D4	LP	81	34	-	3/11/12/14	-
55	PSU	Pt	55	55	-	0/7/25/26	0/2/2/2
1	4OC	16	1402	58,1	-	1/9/29/30	0/2/2/2
1	2MG	16	1207	1	-	0/5/27/28	0/3/3/3
23	H2U	23	2449	23	-	0/7/38/39	0/2/2/2
12	D2T	SL	89	12	-	3/7/12/14	-
1	G7M	16	527	1	-	2/3/25/26	0/3/3/3
56	G7M	Dt	46	56	-	0/3/25/26	0/3/3/3
23	PSU	23	746	23,58	-	1/7/25/26	0/2/2/2
55	PSU	Pt	39	55	-	0/7/25/26	0/2/2/2
56	PSU	Dt	32	56	-	0/7/25/26	0/2/2/2
1	5MC	16	967	1	-	0/7/25/26	0/2/2/2
55	H2U	Pt	16	55	-	6/7/38/39	0/2/2/2
1	UR3	16	1498	1	-	0/7/25/26	0/2/2/2
56	3AU	Dt	47	56	-	6/16/34/35	0/2/2/2
23	1MG	23	745	23	-	0/3/25/26	0/3/3/3
1	MA6	16	1519	1	-	5/7/29/30	0/3/3/3
23	G7M	23	2069	23	-	1/3/25/26	0/3/3/3
55	3AU	Pt	47	55	-	7/16/34/35	0/2/2/2
23	PSU	23	2604	23	-	0/7/25/26	0/2/2/2
23	2MG	23	1835	23	-	0/5/27/28	0/3/3/3
55	T6A	Pt	37	55	-	0/19/41/42	0/3/3/3
23	3TD	23	1915	23	-	4/7/25/26	0/2/2/2
23	2MA	23	2503	23,58	-	2/3/25/26	0/3/3/3
55	G7M	Pt	46	55	-	0/3/25/26	0/3/3/3

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
23	6MZ	23	1618	23	-	2/5/27/28	0/3/3/3

The worst 5 of 119 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	16	527	G7M	C8-N9	7.45	1.46	1.33
55	Pt	46	G7M	C8-N9	7.39	1.46	1.33
56	Dt	46	G7M	C8-N9	7.34	1.46	1.33
56	Dt	46	G7M	C8-N7	7.14	1.46	1.33
56	Dt	37	MIA	C2-S10	-7.11	1.69	1.75

The worst 5 of 195 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
55	Pt	17	H2U	C4-N3-C2	-9.07	118.27	125.79
56	Dt	37	MIA	C12-C13-C14	-8.17	111.24	127.14
23	23	2449	H2U	C4-N3-C2	-7.67	119.43	125.79
23	23	2457	PSU	N1-C2-N3	7.15	123.23	115.13
23	23	2580	PSU	N1-C2-N3	6.95	123.00	115.13

There are no chirality outliers.

5 of 57 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	16	527	G7M	O4'-C4'-C5'-O5'
1	16	527	G7M	C3'-C4'-C5'-O5'
1	16	966	2MG	N1-C2-N2-CM2
1	16	966	2MG	N3-C2-N2-CM2
1	16	1519	MA6	C5-C6-N6-C9

There are no ring outliers.

6 monomers are involved in 8 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
23	23	2251	OMG	1	0
23	23	747	5MU	1	0
23	23	2030	6MZ	2	0
23	23	2498	OMC	1	0
23	23	2457	PSU	1	0
23	23	1915	3TD	2	0

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 394 ligands modelled in this entry, 371 are monoatomic - leaving 23 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
57	PUT	23	3009	-	5,5,5	0.14	0	4,4,4	0.17	0
57	PUT	23	3005	-	5,5,5	0.10	0	4,4,4	0.17	0
57	PUT	23	3010	-	5,5,5	0.14	0	4,4,4	0.25	0
57	PUT	23	3008	-	5,5,5	0.14	0	4,4,4	0.28	0
57	PUT	23	3004	-	5,5,5	0.15	0	4,4,4	0.20	0
57	PUT	23	3015	-	5,5,5	0.17	0	4,4,4	0.23	0
60	ATP	23	3002	-	26,33,33	0.67	0	31,52,52	0.78	1 (3%)
57	PUT	23	3016	-	5,5,5	0.17	0	4,4,4	0.24	0
61	SPD	23	3018	-	9,9,9	0.33	0	8,8,8	0.73	0
57	PUT	23	3003	-	5,5,5	0.12	0	4,4,4	0.17	0
57	PUT	23	3007	-	5,5,5	0.14	0	4,4,4	0.22	0
57	PUT	23	3006	-	5,5,5	0.13	0	4,4,4	0.16	0
61	SPD	23	3020	-	9,9,9	0.17	0	8,8,8	0.38	0
57	PUT	23	3011	-	5,5,5	0.16	0	4,4,4	0.20	0
61	SPD	23	3017	-	9,9,9	0.21	0	8,8,8	0.47	0
61	SPD	23	3021	-	9,9,9	0.34	0	8,8,8	1.09	0
61	SPD	23	3019	-	9,9,9	0.16	0	8,8,8	0.25	0
60	ATP	23	3001	-	26,33,33	0.65	0	31,52,52	0.77	1 (3%)
57	PUT	16	1602	-	5,5,5	0.17	0	4,4,4	0.24	0
57	PUT	23	3013	-	5,5,5	0.17	0	4,4,4	0.27	0
57	PUT	16	1601	-	5,5,5	0.15	0	4,4,4	0.15	0
57	PUT	23	3014	-	5,5,5	0.17	0	4,4,4	0.25	0
57	PUT	23	3012	-	5,5,5	0.17	0	4,4,4	0.21	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns.

'-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
57	PUT	23	3009	-	-	0/3/3/3	-
57	PUT	23	3005	-	-	3/3/3/3	-
57	PUT	23	3010	-	-	0/3/3/3	-
57	PUT	23	3008	-	-	2/3/3/3	-
57	PUT	23	3004	-	-	0/3/3/3	-
57	PUT	23	3015	-	-	0/3/3/3	-
60	ATP	23	3002	-	-	2/18/38/38	0/3/3/3
57	PUT	23	3016	-	-	0/3/3/3	-
61	SPD	23	3018	-	-	3/7/7/7	-
57	PUT	23	3003	-	-	1/3/3/3	-
57	PUT	23	3007	-	-	0/3/3/3	-
57	PUT	23	3006	-	-	1/3/3/3	-
61	SPD	23	3020	-	-	1/7/7/7	-
57	PUT	23	3011	-	-	1/3/3/3	-
61	SPD	23	3017	-	-	0/7/7/7	-
61	SPD	23	3021	-	-	3/7/7/7	-
61	SPD	23	3019	-	-	2/7/7/7	-
60	ATP	23	3001	-	-	1/18/38/38	0/3/3/3
57	PUT	16	1602	-	-	0/3/3/3	-
57	PUT	23	3013	-	-	1/3/3/3	-
57	PUT	16	1601	-	-	0/3/3/3	-
57	PUT	23	3014	-	-	2/3/3/3	-
57	PUT	23	3012	-	-	1/3/3/3	-

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
60	23	3001	ATP	C5-C6-N6	2.33	123.89	120.35
60	23	3002	ATP	C5-C6-N6	2.24	123.75	120.35

There are no chirality outliers.

5 of 24 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
57	23	3014	PUT	C1-C2-C3-C4
61	23	3021	SPD	N6-C7-C8-C9
61	23	3019	SPD	C3-C4-C5-N6
61	23	3021	SPD	C3-C4-C5-N6

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
61	23	3018	SPD	C3-C4-C5-N6



There are no ring outliers.



4 monomers are involved in 4 short contacts:



Mol	Chain	Res	Type	Clashes	Symm-Clashes
60	23	3002	ATP	1	0
61	23	3018	SPD	1	0
61	23	3017	SPD	1	0
57	23	3014	PUT	1	0




The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.




































5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-24133. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 288




Y Index: 288




Z Index: 288


6.2.2 Raw map



X Index: 256



Y Index: 256




Z Index: 256


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)

6.3.1 Primary map



X Index: 316




Y Index: 316




Z Index: 283


6.3.2 Raw map



X Index: 271



Y Index: 260




Z Index: 211

The images above show the largest variance slices of the map in three orthogonal directions.


6.4 Orthogonal surface views [i](#)

6.4.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.02. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.4.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.5 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [\(i\)](#)



The volume at the recommended contour level is 652 nm³; this corresponds to an approximate mass of 589 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum i




*Reported resolution corresponds to spatial frequency of 0.395 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.395 \AA^{-1}

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	2.53	-	-
Author-provided FSC curve	2.51	2.91	2.54
Unmasked-calculated*	2.95	3.76	2.99

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 2.95 differs from the reported value 2.53 by more than 10 %

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-24133 and PDB model 7N2U. Per-residue inclusion information can be found in section 3 on page 17.

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.02 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.02).







































































9.4 Atom inclusion [i](#)



At the recommended contour level, 86% of all backbone atoms, 83% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary













































The table lists the average atom inclusion at the recommended contour level (0.02) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.8264	 0.6110
16	 0.8338	 0.5850
23	 0.9010	 0.6360
5	 0.9122	 0.6330
Dt	 0.6597	 0.5060
LB	 0.9191	 0.6980
LC	 0.9038	 0.6840
LD	 0.8375	 0.6450
LE	 0.5929	 0.5490
LF	 0.6623	 0.5650
LI	 0.2064	 0.3450
LM	 0.9155	 0.6860
LN	 0.8807	 0.6780
LO	 0.8809	 0.6780
LP	 0.8878	 0.6780
LQ	 0.9296	 0.6960
LR	 0.8007	 0.6230
LS	 0.8119	 0.6400
LT	 0.9548	 0.7040
LU	 0.8457	 0.6580
LV	 0.8864	 0.6860
LW	 0.8102	 0.6480
LX	 0.7539	 0.6000
LY	 0.7981	 0.6280
La	 0.9068	 0.6910
Lb	 0.8852	 0.6720
Lc	 0.7321	 0.6160
Ld	 0.8761	 0.6750
Le	 0.3950	 0.4400
Lf	 0.8718	 0.6720
Lg	 0.7367	 0.6320
Lh	 0.9380	 0.7040
Li	 0.9347	 0.7070
Lj	 0.8874	 0.6760
Pp	 0.7857	 0.6600



Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
Pt	 0.5764	 0.4740
SB	 0.5874	 0.5390
SC	 0.6768	 0.5830
SD	 0.4871	 0.4970
SE	 0.7965	 0.6380
SF	 0.6290	 0.5490
SG	 0.3733	 0.4470
SH	 0.7969	 0.6380
SI	 0.5777	 0.5260
SJ	 0.5143	 0.5030
SK	 0.7301	 0.5910
SL	 0.6219	 0.5750
SM	 0.5148	 0.5100
SN	 0.6873	 0.5870
SO	 0.7808	 0.6260
SP	 0.6070	 0.5510
SQ	 0.6296	 0.5700
SR	 0.7462	 0.6190
SS	 0.5644	 0.5370
ST	 0.5780	 0.5440
SU	 0.5510	 0.5530
mR	 0.8077	 0.6120