



Full wwPDB X-ray Structure Validation Report ⓘ

Oct 17, 2021 – 02:53 AM EDT

PDB ID : 1N3A
Title : Structural and biochemical exploration of a critical amino acid in human 8-oxoguanine glycosylase
Authors : Norman, D.P.; Chung, S.J.; Verdine, G.L.
Deposited on : 2002-10-25
Resolution : 2.20 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtrriage (Phenix) : **NOT EXECUTED**
EDS : **NOT EXECUTED**
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.23.2


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	141614	5594 (2.20-2.20)
Ramachandran outliers	138981	5503 (2.20-2.20)
Sidechain outliers	138945	5504 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	B	15	
2	C	15	
3	A	317	

2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 3187 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a DNA chain called DNA complement strand.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	P			
1	B	15	308	146	61	87	14	0	0	0

- Molecule 2 is a DNA chain called DNA inhibitor strand.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	P			
2	C	15	290	139	49	88	14	0	0	0

- Molecule 3 is a protein called N-glycosylase/DNA lyase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
3	A	314	2440	1553	435	441	11	0	0	0

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	9	GLY	-	cloning artifact	UNP O15527
A	10	SER	-	cloning artifact	UNP O15527
A	11	GLU	-	cloning artifact	UNP O15527
A	268	GLN	ASP	engineered mutation	UNP O15527

- Molecule 4 is CALCIUM ION (three-letter code: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	C	1	Total	Ca	0	0
			1	1		

- Molecule 5 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	B	5	Total O 5 5	0	0
5	C	6	Total O 6 6	0	0
5	A	137	Total O 137 137	0	0

4 Data and refinement statistics

Xtrriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 65 2 2	Depositor
Cell constants a, b, c, α , β , γ	92.37Å 92.37Å 211.28Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	29.93 – 2.20	Depositor
% Data completeness (in resolution range)	95.1 (29.93-2.20)	Depositor
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
Refinement program	CNS	Depositor
R, R_{free}	0.240 , 0.262	Depositor
Estimated twinning fraction	No twinning to report.	Xtrriage
Total number of atoms	3187	wwPDB-VP
Average B, all atoms (Å ²)	48.0	wwPDB-VP

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: 3DR, CA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	B	0.23	0/346	0.64	0/533
2	C	0.23	0/310	0.63	0/473
3	A	0.37	0/2508	0.61	0/3419
All	All	0.34	0/3164	0.62	0/4425

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	B	308	0	169	9	2
2	C	290	0	167	9	0
3	A	2440	0	2342	59	0
4	C	1	0	0	0	0
5	A	137	0	0	12	0
5	B	5	0	0	1	0
5	C	6	0	0	0	0
All	All	3187	0	2678	75	2

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 13.

All (75) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:A:185:GLN:NE2	3:A:185:GLN:H	1.65	0.93
3:A:324:ARG:HH21	3:A:324:ARG:HB3	1.37	0.88
3:A:32:GLU:OE2	5:A:450:HOH:O	1.94	0.85
1:B:4:DA:H2''	1:B:5:DG:H5'	1.58	0.83
3:A:185:GLN:H	3:A:185:GLN:HE21	1.25	0.83
3:A:32:GLU:HG3	3:A:131:ARG:HH21	1.45	0.80
1:B:4:DA:H2''	1:B:5:DG:C5'	2.12	0.79
3:A:287:GLN:NE2	3:A:287:GLN:H	1.81	0.79
3:A:77:VAL:HG23	3:A:88:PRO:HG3	1.70	0.73
2:C:20:DC:H2''	2:C:21:DC:C5'	2.26	0.66
3:A:150:ASN:HD22	3:A:151:ASN:H	1.44	0.66
3:A:35:LEU:H	3:A:68:GLN:NE2	1.96	0.64
3:A:185:GLN:NE2	3:A:185:GLN:N	2.44	0.64
3:A:64:TRP:CZ3	3:A:77:VAL:HG22	2.34	0.63
3:A:237:HIS:HE1	3:A:248:THR:HG22	1.64	0.62
3:A:249:LYS:NZ	3:A:253:CYS:SG	2.66	0.62
3:A:35:LEU:H	3:A:68:GLN:HE22	1.47	0.62
3:A:32:GLU:HG3	3:A:131:ARG:NH2	2.15	0.61
3:A:150:ASN:ND2	3:A:151:ASN:H	1.97	0.61
3:A:48:ARG:NE	5:A:458:HOH:O	2.32	0.61
3:A:134:ARG:CB	5:A:435:HOH:O	2.49	0.60
2:C:20:DC:H2''	2:C:21:DC:H5''	1.84	0.59
3:A:15:THR:HG22	3:A:18:SER:H	1.68	0.58
3:A:324:ARG:HB3	3:A:324:ARG:NH2	2.15	0.58
2:C:21:DC:H2''	2:C:22:DA:C8	2.39	0.57
3:A:48:ARG:CZ	5:A:458:HOH:O	2.52	0.57
1:B:11:DG:H1'	1:B:12:DA:H5''	1.87	0.56
1:B:11:DG:H4'	5:B:41:HOH:O	2.04	0.56
3:A:137:PRO:HB3	3:A:225:LEU:HD22	1.89	0.54
1:B:4:DA:H2''	1:B:5:DG:H5''	1.90	0.54
3:A:119:HIS:HE1	5:A:337:HOH:O	1.90	0.54
3:A:185:GLN:HE21	3:A:185:GLN:N	2.02	0.54
2:C:20:DC:C2'	2:C:21:DC:H5''	2.38	0.53
3:A:237:HIS:CE1	3:A:248:THR:HG22	2.43	0.53
2:C:20:DC:H2''	2:C:21:DC:H5'	1.92	0.52
3:A:18:SER:C	3:A:20:PRO:HD3	2.32	0.51
3:A:320:SER:O	3:A:324:ARG:HG2	2.10	0.50
1:B:11:DG:H2''	1:B:12:DA:C5'	2.42	0.50
3:A:48:ARG:NH1	5:A:458:HOH:O	2.43	0.50
3:A:139:GLU:HG3	3:A:181:PHE:CD1	2.47	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:1:DG:H2''	1:B:2:DG:C8	2.48	0.49
2:C:23:3DR:OP1	3:A:152:ILE:HG13	2.12	0.49
3:A:324:ARG:HH21	3:A:324:ARG:CB	2.19	0.49
3:A:249:LYS:C	3:A:249:LYS:HD3	2.34	0.48
3:A:299:LEU:HD22	3:A:303:PHE:CE1	2.49	0.48
3:A:150:ASN:HD22	3:A:151:ASN:N	2.12	0.48
3:A:32:GLU:OE1	3:A:106:LEU:N	2.43	0.47
3:A:120:PHE:CE2	3:A:124:ALA:HB2	2.49	0.47
3:A:235:GLU:HA	3:A:235:GLU:OE1	2.15	0.47
3:A:257:MET:HA	5:A:347:HOH:O	2.14	0.47
3:A:48:ARG:CZ	5:A:432:HOH:O	2.62	0.47
3:A:48:ARG:NH2	5:A:432:HOH:O	2.48	0.46
3:A:65:THR:HB	3:A:76:THR:HG22	1.98	0.46
3:A:224:TRP:O	3:A:228:LEU:HD13	2.16	0.45
3:A:255:CYS:HA	3:A:259:LEU:HB2	1.98	0.45
3:A:113:TRP:CE2	3:A:314:ALA:HB2	2.52	0.44
3:A:162:LEU:HD11	3:A:187:LEU:HD21	2.00	0.44
3:A:287:GLN:H	3:A:287:GLN:HE21	1.61	0.44
3:A:151:ASN:O	3:A:155:ILE:HG13	2.18	0.44
3:A:171:ILE:C	3:A:171:ILE:HD12	2.38	0.44
3:A:32:GLU:CD	5:A:450:HOH:O	2.49	0.44
1:B:2:DG:H2''	1:B:3:DT:O5'	2.19	0.42
3:A:15:THR:HG22	3:A:17:ALA:N	2.35	0.42
2:C:20:DC:H1'	2:C:21:DC:H5''	2.02	0.41
3:A:50:GLN:HB2	5:A:356:HOH:O	2.20	0.41
3:A:150:ASN:ND2	3:A:151:ASN:N	2.67	0.41
3:A:286:SER:CB	3:A:295:THR:HG22	2.50	0.41
3:A:169:ARG:NE	5:A:365:HOH:O	2.50	0.41
3:A:64:TRP:CH2	3:A:77:VAL:HG22	2.55	0.41
1:B:11:DG:C2'	1:B:12:DA:H5''	2.51	0.41
3:A:132:LEU:HD21	3:A:313:TRP:HA	2.02	0.41
3:A:232:SER:OG	3:A:235:GLU:HG2	2.21	0.41
2:C:29:DC:H2''	2:C:30:DC:C5	2.57	0.40
3:A:93:LEU:HD23	3:A:93:LEU:HA	1.94	0.40
2:C:22:DA:H2''	3:A:150:ASN:O	2.22	0.40

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:15:DC:O3'	1:B:15:DC:O3'[11_655]	1.89	0.31

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:15:DC:O2	1:B:15:DC:O2[11_655]	2.18	0.02

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
3	A	310/317 (98%)	301 (97%)	9 (3%)	0	100 100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
3	A	251/266 (94%)	236 (94%)	15 (6%)	19 22

All (15) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
3	A	15	THR
3	A	66	LEU
3	A	77	VAL
3	A	98	LYS
3	A	118	SER
3	A	150	ASN
3	A	154	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	A	185	GLN
3	A	201	LEU
3	A	225	LEU
3	A	268	GLN
3	A	287	GLN
3	A	299	LEU
3	A	315	GLN
3	A	324	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (11) such sidechains are listed below:

Mol	Chain	Res	Type
3	A	68	GLN
3	A	119	HIS
3	A	149	ASN
3	A	150	ASN
3	A	185	GLN
3	A	219	GLN
3	A	226	GLN
3	A	237	HIS
3	A	276	GLN
3	A	287	GLN
3	A	315	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

1 non-standard protein/DNA/RNA residue is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	3DR	C	23	2	8,11,12	0.36	0	9,14,17	0.76	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	3DR	C	23	2	-	2/3/15/16	0/1/1/1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (2) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	C	23	3DR	O4'-C4'-C5'-O5'
2	C	23	3DR	C3'-C4'-C5'-O5'

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	C	23	3DR	1	0

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 1 ligands modelled in this entry, 1 is monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates [i](#)

EDS was not executed - this section is therefore empty.

6.4 Ligands [i](#)

EDS was not executed - this section is therefore empty.

6.5 Other polymers [i](#)

EDS was not executed - this section is therefore empty.