



Full wwPDB X-ray Structure Validation Report ⓘ

Oct 2, 2023 – 11:05 AM EDT

PDB ID : 6N50
Title : Metabotropic Glutamate Receptor 5 Extracellular Domain in Complex with Nb43 and L-quisqualic acid
Authors : Koehl, A.; Hu, H.; Feng, D.; Sun, B.; Chu, M.; Weis, W.I.; Skiniotis, G.; Mathiesen, J.M.; Kobilka, B.K.
Deposited on : 2018-11-20
Resolution : 3.75 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : **FAILED**
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtrriage (Phenix) : 1.13
EDS : **FAILED**
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.35.1

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.75 Å.

There are no overall percentile quality scores available for this entry.

MolProbity and EDS failed to run properly - the sequence quality summary graphics cannot be shown.

2 Entry composition i

There are 4 unique types of molecules in this entry. The entry contains 12146 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Metabotropic glutamate receptor 5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	518	3977	2511	673	755	38	0	0	0
1	B	444	3262	2063	559	611	29	0	0	0
1	C	511	3873	2448	652	736	37	0	0	0

There are 135 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-16	MET	-	initiating methionine	UNP P41594
A	-15	LEU	-	expression tag	UNP P41594
A	-14	LEU	-	expression tag	UNP P41594
A	-13	VAL	-	expression tag	UNP P41594
A	-12	ASN	-	expression tag	UNP P41594
A	-11	GLN	-	expression tag	UNP P41594
A	-10	SER	-	expression tag	UNP P41594
A	-9	HIS	-	expression tag	UNP P41594
A	-8	GLN	-	expression tag	UNP P41594
A	-7	GLY	-	expression tag	UNP P41594
A	-6	PHE	-	expression tag	UNP P41594
A	-5	ASN	-	expression tag	UNP P41594
A	-4	LYS	-	expression tag	UNP P41594
A	-3	GLU	-	expression tag	UNP P41594
A	-2	HIS	-	expression tag	UNP P41594
A	-1	THR	-	expression tag	UNP P41594
A	0	SER	-	expression tag	UNP P41594
A	1	LYS	-	expression tag	UNP P41594
A	2	MET	-	expression tag	UNP P41594
A	3	VAL	-	expression tag	UNP P41594
A	4	SER	-	expression tag	UNP P41594
A	5	ALA	-	expression tag	UNP P41594
A	6	ILE	-	expression tag	UNP P41594

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	7	VAL	-	expression tag	UNP P41594
A	8	LEU	-	expression tag	UNP P41594
A	9	TYR	-	expression tag	UNP P41594
A	10	VAL	-	expression tag	UNP P41594
A	11	LEU	-	expression tag	UNP P41594
A	12	LEU	-	expression tag	UNP P41594
A	13	ALA	-	expression tag	UNP P41594
A	14	ALA	-	expression tag	UNP P41594
A	15	ALA	-	expression tag	UNP P41594
A	16	ALA	-	expression tag	UNP P41594
A	17	HIS	-	expression tag	UNP P41594
A	18	SER	-	expression tag	UNP P41594
A	19	ALA	-	expression tag	UNP P41594
A	20	PHE	-	expression tag	UNP P41594
A	572	HIS	-	expression tag	UNP P41594
A	573	HIS	-	expression tag	UNP P41594
A	574	HIS	-	expression tag	UNP P41594
A	575	HIS	-	expression tag	UNP P41594
A	576	HIS	-	expression tag	UNP P41594
A	577	HIS	-	expression tag	UNP P41594
A	578	HIS	-	expression tag	UNP P41594
A	579	HIS	-	expression tag	UNP P41594
B	-16	MET	-	initiating methionine	UNP P41594
B	-15	LEU	-	expression tag	UNP P41594
B	-14	LEU	-	expression tag	UNP P41594
B	-13	VAL	-	expression tag	UNP P41594
B	-12	ASN	-	expression tag	UNP P41594
B	-11	GLN	-	expression tag	UNP P41594
B	-10	SER	-	expression tag	UNP P41594
B	-9	HIS	-	expression tag	UNP P41594
B	-8	GLN	-	expression tag	UNP P41594
B	-7	GLY	-	expression tag	UNP P41594
B	-6	PHE	-	expression tag	UNP P41594
B	-5	ASN	-	expression tag	UNP P41594
B	-4	LYS	-	expression tag	UNP P41594
B	-3	GLU	-	expression tag	UNP P41594
B	-2	HIS	-	expression tag	UNP P41594
B	-1	THR	-	expression tag	UNP P41594
B	0	SER	-	expression tag	UNP P41594
B	1	LYS	-	expression tag	UNP P41594
B	2	MET	-	expression tag	UNP P41594
B	3	VAL	-	expression tag	UNP P41594

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	4	SER	-	expression tag	UNP P41594
B	5	ALA	-	expression tag	UNP P41594
B	6	ILE	-	expression tag	UNP P41594
B	7	VAL	-	expression tag	UNP P41594
B	8	LEU	-	expression tag	UNP P41594
B	9	TYR	-	expression tag	UNP P41594
B	10	VAL	-	expression tag	UNP P41594
B	11	LEU	-	expression tag	UNP P41594
B	12	LEU	-	expression tag	UNP P41594
B	13	ALA	-	expression tag	UNP P41594
B	14	ALA	-	expression tag	UNP P41594
B	15	ALA	-	expression tag	UNP P41594
B	16	ALA	-	expression tag	UNP P41594
B	17	HIS	-	expression tag	UNP P41594
B	18	SER	-	expression tag	UNP P41594
B	19	ALA	-	expression tag	UNP P41594
B	20	PHE	-	expression tag	UNP P41594
B	572	HIS	-	expression tag	UNP P41594
B	573	HIS	-	expression tag	UNP P41594
B	574	HIS	-	expression tag	UNP P41594
B	575	HIS	-	expression tag	UNP P41594
B	576	HIS	-	expression tag	UNP P41594
B	577	HIS	-	expression tag	UNP P41594
B	578	HIS	-	expression tag	UNP P41594
B	579	HIS	-	expression tag	UNP P41594
C	-16	MET	-	initiating methionine	UNP P41594
C	-15	LEU	-	expression tag	UNP P41594
C	-14	LEU	-	expression tag	UNP P41594
C	-13	VAL	-	expression tag	UNP P41594
C	-12	ASN	-	expression tag	UNP P41594
C	-11	GLN	-	expression tag	UNP P41594
C	-10	SER	-	expression tag	UNP P41594
C	-9	HIS	-	expression tag	UNP P41594
C	-8	GLN	-	expression tag	UNP P41594
C	-7	GLY	-	expression tag	UNP P41594
C	-6	PHE	-	expression tag	UNP P41594
C	-5	ASN	-	expression tag	UNP P41594
C	-4	LYS	-	expression tag	UNP P41594
C	-3	GLU	-	expression tag	UNP P41594
C	-2	HIS	-	expression tag	UNP P41594
C	-1	THR	-	expression tag	UNP P41594
C	0	SER	-	expression tag	UNP P41594

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	1	LYS	-	expression tag	UNP P41594
C	2	MET	-	expression tag	UNP P41594
C	3	VAL	-	expression tag	UNP P41594
C	4	SER	-	expression tag	UNP P41594
C	5	ALA	-	expression tag	UNP P41594
C	6	ILE	-	expression tag	UNP P41594
C	7	VAL	-	expression tag	UNP P41594
C	8	LEU	-	expression tag	UNP P41594
C	9	TYR	-	expression tag	UNP P41594
C	10	VAL	-	expression tag	UNP P41594
C	11	LEU	-	expression tag	UNP P41594
C	12	LEU	-	expression tag	UNP P41594
C	13	ALA	-	expression tag	UNP P41594
C	14	ALA	-	expression tag	UNP P41594
C	15	ALA	-	expression tag	UNP P41594
C	16	ALA	-	expression tag	UNP P41594
C	17	HIS	-	expression tag	UNP P41594
C	18	SER	-	expression tag	UNP P41594
C	19	ALA	-	expression tag	UNP P41594
C	20	PHE	-	expression tag	UNP P41594
C	572	HIS	-	expression tag	UNP P41594
C	573	HIS	-	expression tag	UNP P41594
C	574	HIS	-	expression tag	UNP P41594
C	575	HIS	-	expression tag	UNP P41594
C	576	HIS	-	expression tag	UNP P41594
C	577	HIS	-	expression tag	UNP P41594
C	578	HIS	-	expression tag	UNP P41594
C	579	HIS	-	expression tag	UNP P41594

- Molecule 2 is a protein called Nanobody 43.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	E	123	925	575	159	186	5	0	0	0

- Molecule 3 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula: C₈H₁₅NO₆).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	N	O		
3	A	1	Total	C	N	O	0	0
			14	8	1	5		
3	A	1	Total	C	N	O	0	0
			14	8	1	5		
3	B	1	Total	C	N	O	0	0
			14	8	1	5		
3	C	1	Total	C	N	O	0	0
			14	8	1	5		
3	C	1	Total	C	N	O	0	0
			14	8	1	5		

- Molecule 4 is (S)-2-AMINO-3-(3,5-DIOXO-[1,2,4]OXADIAZOLIDIN-2-YL)-PROPIONIC ACID (three-letter code: QUS) (formula: C₅H₇N₃O₅).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	
			Total	C	N			O
4	A	1	Total	C	N	O	0	0
			13	5	3	5		
4	B	1	Total	C	N	O	0	0
			13	5	3	5		
4	C	1	Total	C	N	O	0	0
			13	5	3	5		

MolProbity and EDS failed to run properly - this section is therefore empty.

3 Data and refinement statistics i

EDS failed to run properly - this section is therefore incomplete.

Property	Value	Source
Space group	I 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	150.43Å 157.16Å 208.11Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	39.29 – 3.75	Depositor
% Data completeness (in resolution range)	98.3 (39.29-3.75)	Depositor
R_{merge}	0.12	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.69 (at 3.76Å)	Xtrriage
Refinement program	PHENIX 1.14_3211	Depositor
R, R_{free}	0.266 , 0.300	Depositor
Wilson B-factor (Å ²)	122.2	Xtrriage
Anisotropy	0.693	Xtrriage
L-test for twinning ²	$\langle L \rangle = 0.44$, $\langle L^2 \rangle = 0.27$	Xtrriage
Estimated twinning fraction	0.036 for k,h,-l	Xtrriage
Total number of atoms	12146	wwPDB-VP
Average B, all atoms (Å ²)	151.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.90% of the height of the origin peak. No significant pseudotranslation is detected.*

¹ Intensities estimated from amplitudes.

² Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

4 Model quality [i](#)

4.1 Standard geometry [i](#)

MolProbity failed to run properly - this section is therefore empty.

4.2 Too-close contacts [i](#)

MolProbity failed to run properly - this section is therefore empty.

4.3 Torsion angles [i](#)

4.3.1 Protein backbone [i](#)

MolProbity failed to run properly - this section is therefore empty.

4.3.2 Protein sidechains [i](#)

MolProbity failed to run properly - this section is therefore empty.

4.3.3 RNA [i](#)

MolProbity failed to run properly - this section is therefore empty.

4.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

4.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

4.6 Ligand geometry [i](#)

8 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond

length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	QUS	C	603	-	6,13,13	0.93	0	4,18,18	1.30	0
3	NAG	C	601	1	14,14,15	0.32	0	17,19,21	0.55	0
4	QUS	A	603	-	6,13,13	0.94	0	4,18,18	1.33	0
3	NAG	B	601	1	14,14,15	0.27	0	17,19,21	0.40	0
3	NAG	C	602	1	14,14,15	0.28	0	17,19,21	0.31	0
4	QUS	B	602	-	6,13,13	0.92	0	4,18,18	1.36	0
3	NAG	A	602	1	14,14,15	0.34	0	17,19,21	0.54	0
3	NAG	A	601	1	14,14,15	0.27	0	17,19,21	0.54	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	QUS	C	603	-	-	2/6/8/8	0/1/1/1
3	NAG	C	601	1	-	0/6/23/26	0/1/1/1
4	QUS	A	603	-	-	2/6/8/8	0/1/1/1
3	NAG	B	601	1	-	1/6/23/26	0/1/1/1
3	NAG	C	602	1	-	2/6/23/26	0/1/1/1
4	QUS	B	602	-	-	1/6/8/8	0/1/1/1
3	NAG	A	602	1	-	0/6/23/26	0/1/1/1
3	NAG	A	601	1	-	0/6/23/26	0/1/1/1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (8) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	C	602	NAG	O5-C5-C6-O6
3	B	601	NAG	O5-C5-C6-O6
4	A	603	QUS	C01-C02-C03-N14
4	B	602	QUS	C01-C02-C03-N14
4	C	603	QUS	C01-C02-C03-N14
4	A	603	QUS	NP3-C02-C03-N14

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
4	C	603	QUS	NP3-C02-C03-N14
3	C	602	NAG	C4-C5-C6-O6

There are no ring outliers.

No monomer is involved in short contacts.

4.7 Other polymers [i](#)

There are no such residues in this entry.

4.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

5 Fit of model and data

5.1 Protein, DNA and RNA chains

EDS failed to run properly - this section is therefore empty.

5.2 Non-standard residues in protein, DNA, RNA chains

EDS failed to run properly - this section is therefore empty.

5.3 Carbohydrates

EDS failed to run properly - this section is therefore empty.

5.4 Ligands

EDS failed to run properly - this section is therefore empty.

5.5 Other polymers

EDS failed to run properly - this section is therefore empty.