



Full wwPDB X-ray Structure Validation Report ⓘ

May 13, 2020 – 12:30 pm BST

PDB ID : 1NHW
Title : Crystal Structure Analysis of Plasmodium falciparum enoyl-acyl-carrier-protein reductase
Authors : Perozzo, R.; Kuo, M.; Sidhu, A.S.; Valiyaveetil, J.T.; Bittman, R.; Jacobs Jr., W.R.; Fidock, D.A.; Sacchettini, J.C.
Deposited on : 2002-12-19
Resolution : 2.35 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtrriage (Phenix) : **NOT EXECUTED**
EDS : **NOT EXECUTED**
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.11


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.35 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	141614	1232 (2.36-2.36)
Ramachandran outliers	138981	1211 (2.36-2.36)
Sidechain outliers	138945	1212 (2.36-2.36)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	229	
1	B	229	
2	C	60	
2	D	60	

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 4698 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called enoyl-acyl carrier reductase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	229	Total 1807	C 1148	N 309	O 340	S 10	0	0	0
1	B	229	Total 1807	C 1148	N 309	O 340	S 10	0	0	0

- Molecule 2 is a protein called enoyl-acyl carrier reductase.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	C	60	Total 482	C 310	N 75	O 96	S 1	0	0	0
2	D	60	Total 482	C 310	N 75	O 96	S 1	0	0	0

- Molecule 3 is NICOTINAMIDE-ADENINE-DINUCLEOTIDE (three-letter code: NAD) (formula: $C_{21}H_{27}N_7O_{14}P_2$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
3	B	1	Total	C	N	O	P	0	0
			44	21	7	14	2		

- Molecule 4 is 2-(2,4-DICHLORO-PHENYLAMINO)-PHENOL (three-letter code: TCC) (formula: C₁₂H₉Cl₂NO).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total	C	Cl	N	O	0	0
			16	12	2	1	1		
4	B	1	Total	C	Cl	N	O	0	0
			16	12	2	1	1		

3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.


- Molecule 1: enoyl-acyl carrier reductase




- Molecule 1: enoyl-acyl carrier reductase



- Molecule 2: enoyl-acyl carrier reductase



- Molecule 2: enoyl-acyl carrier reductase



4 Data and refinement statistics

Xtrriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 43 21 2	Depositor
Cell constants a, b, c, α , β , γ	133.37Å 133.37Å 83.86Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	30.00 – 2.35	Depositor
% Data completeness (in resolution range)	(Not available) (30.00-2.35)	Depositor
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
Refinement program	CNS	Depositor
R, R_{free}	0.187 , 0.232	Depositor
Estimated twinning fraction	No twinning to report.	Xtrriage
Total number of atoms	4698	wwPDB-VP
Average B, all atoms (Å ²)	33.0	wwPDB-VP

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: TCC, NAD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.32	0/1840	0.56	0/2477
1	B	0.33	0/1840	0.56	0/2477
2	C	0.37	0/491	0.60	0/664
2	D	0.38	0/491	0.61	0/664
All	All	0.33	0/4662	0.57	0/6282

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1807	0	1824	52	0
1	B	1807	0	1824	52	0
2	C	482	0	473	11	0
2	D	482	0	473	11	0
3	A	44	0	26	1	0
3	B	44	0	26	0	0
4	A	16	0	9	5	0
4	B	16	0	9	5	0
All	All	4698	0	4664	117	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

All (117) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:276:GLY:HA2	1:B:325:LYS:HG2	1.49	0.94
1:B:153:ILE:HB	1:B:157:LYS:HB2	1.52	0.91
1:A:153:ILE:HB	1:A:157:LYS:HB2	1.59	0.83
1:B:276:GLY:CA	1:B:325:LYS:HG2	2.14	0.77
1:A:323:ILE:HD11	4:A:600:TCC:HC7	1.66	0.76
1:A:184:ASN:HD22	1:A:187:TYR:HD1	1.34	0.76
1:B:177:ILE:HD11	1:B:182:LYS:HG3	1.65	0.76
2:C:407:THR:HG21	2:D:382:LEU:HD13	1.68	0.75
1:A:314:PRO:HB2	2:C:373:ILE:HG12	1.69	0.73
4:A:600:TCC:HC6	2:C:369:ILE:HD13	1.73	0.71
1:B:99:ILE:HD13	1:B:125:LYS:HB2	1.74	0.69
1:B:183:ASN:HA	1:B:188:ASN:HD21	1.58	0.68
1:B:183:ASN:HA	1:B:188:ASN:ND2	2.09	0.67
2:D:416:GLY:O	2:D:419:ILE:HG12	1.93	0.67
1:A:99:ILE:HD13	1:A:125:LYS:HB2	1.77	0.66
1:A:119:LEU:HB3	1:A:124:VAL:CG2	2.26	0.65
1:A:177:ILE:HD12	1:A:193:TYR:OH	1.96	0.65
1:A:159:MET:HE2	1:A:161:ILE:HD11	1.79	0.65
1:A:276:GLY:HA2	1:A:325:LYS:HG2	1.79	0.65
1:B:252:PHE:O	1:B:256:MET:HG3	1.97	0.64
1:A:259:GLN:HG2	1:A:304:ASN:ND2	2.14	0.63
1:A:174:ALA:O	1:A:177:ILE:HG22	2.00	0.61
1:A:320:ALA:HA	4:A:600:TCC:HC5	1.81	0.61
1:B:323:ILE:HD11	4:B:700:TCC:HC7	1.82	0.61
1:A:105:ILE:HD12	1:A:128:PHE:CD1	2.35	0.60
1:B:174:ALA:O	1:B:177:ILE:HG23	2.03	0.59
1:A:167:PHE:HD1	1:A:198:VAL:HG11	1.68	0.58
1:A:238:LEU:HD12	1:A:284:ALA:HB2	1.86	0.58
1:A:194:THR:O	1:A:198:VAL:HG13	2.04	0.57
1:B:119:LEU:O	1:B:124:VAL:HG13	2.04	0.57
1:A:132:PRO:HB2	1:A:133:PRO:HD3	1.87	0.57
1:A:136:ASN:HD21	1:A:189:MET:CE	2.18	0.56
1:B:155:LYS:C	1:B:157:LYS:H	2.10	0.55
1:A:318:ARG:HH11	1:A:318:ARG:HG2	1.71	0.55
1:B:222:VAL:HG21	4:B:700:TCC:H12C	1.87	0.55
1:A:119:LEU:HB3	1:A:124:VAL:HG21	1.89	0.55
1:A:119:LEU:HB3	1:A:124:VAL:HG22	1.87	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:320:ALA:HA	4:B:700:TCC:HC5	1.89	0.55
2:C:390:ASP:OD1	2:D:404:ARG:HD3	2.08	0.53
1:A:222:VAL:HG21	4:A:600:TCC:H12C	1.90	0.53
1:B:134:VAL:O	1:B:137:ILE:HG22	2.08	0.53
1:B:144:ASN:O	1:B:146:LYS:HE3	2.09	0.53
1:A:252:PHE:O	1:A:256:MET:HG3	2.09	0.53
1:B:301:ARG:HG3	1:B:301:ARG:HH11	1.75	0.53
1:B:223:GLN:HE21	1:B:324:ASN:HB3	1.74	0.52
1:A:117:LYS:HE3	1:A:150:ASP:O	2.09	0.52
1:A:153:ILE:O	1:A:155:LYS:N	2.41	0.52
1:B:274:VAL:HG22	1:B:274:VAL:O	2.09	0.52
1:B:152:ILE:HG22	1:B:154:ASP:H	1.74	0.51
1:B:252:PHE:CD1	1:B:255:ILE:HD11	2.45	0.51
1:A:274:VAL:O	1:A:274:VAL:HG22	2.09	0.51
2:C:416:GLY:O	2:C:419:ILE:HG12	2.10	0.51
2:C:366:TYR:CD2	2:C:366:TYR:N	2.80	0.50
1:B:184:ASN:ND2	1:B:186:ARG:H	2.10	0.50
1:A:138:PHE:HE2	1:A:164:MET:HE2	1.77	0.50
1:A:128:PHE:HB3	1:A:130:ILE:HD11	1.94	0.50
1:B:325:LYS:HG3	1:B:325:LYS:OXT	2.13	0.49
2:C:407:THR:HG21	2:D:382:LEU:CD1	2.40	0.49
1:B:153:ILE:O	1:B:155:LYS:N	2.46	0.48
1:B:105:ILE:HD12	1:B:128:PHE:CD1	2.48	0.48
1:A:263:ILE:HA	1:A:308:ASN:O	2.14	0.48
2:D:383:ARG:HH11	2:D:383:ARG:HG2	1.79	0.48
1:A:108:THR:HG22	1:A:113:TRP:CD2	2.49	0.48
1:A:120:SER:HB3	1:A:153:ILE:HD11	1.95	0.47
1:B:301:ARG:HH21	2:C:379:TYR:C	2.17	0.47
2:D:381:PRO:HG2	2:D:419:ILE:HD11	1.96	0.47
1:A:218:ASN:HD22	3:A:450:NAD:H8A	1.80	0.47
1:B:170:SER:HB3	1:B:240:LYS:HE2	1.97	0.47
1:A:188:ASN:C	1:A:190:LEU:H	2.19	0.46
1:B:301:ARG:HG3	1:B:301:ARG:NH1	2.30	0.46
1:A:156:ASP:O	1:A:156:ASP:OD1	2.34	0.46
1:A:217:ALA:HB3	4:A:600:TCC:CL1	2.53	0.46
1:B:111:TYR:CE1	1:B:315:LEU:HD22	2.51	0.46
1:B:184:ASN:HD21	1:B:186:ARG:HG2	1.80	0.45
1:A:108:THR:HG22	1:A:113:TRP:CE3	2.51	0.45
1:B:154:ASP:O	1:B:156:ASP:N	2.42	0.45
1:A:318:ARG:HG2	1:A:318:ARG:NH1	2.31	0.45
1:B:131:TRP:CG	1:B:133:PRO:HD2	2.52	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:120:SER:HB3	1:A:153:ILE:CD1	2.47	0.45
1:B:320:ALA:HB1	2:D:369:ILE:HD13	1.99	0.45
1:A:153:ILE:HD11	1:A:159:MET:HA	1.99	0.44
1:A:154:ASP:O	1:A:156:ASP:N	2.43	0.44
1:B:153:ILE:O	1:B:153:ILE:HG22	2.17	0.44
1:B:188:ASN:HA	1:B:188:ASN:HD22	1.58	0.44
1:B:274:VAL:O	1:B:274:VAL:CG2	2.64	0.44
1:B:262:ILE:O	1:B:307:ILE:HA	2.17	0.44
1:A:138:PHE:HE2	1:A:164:MET:CE	2.30	0.44
1:A:314:PRO:CB	2:C:373:ILE:HG12	2.44	0.44
1:A:288:LEU:HD23	1:A:288:LEU:C	2.38	0.44
1:B:217:ALA:HB3	4:B:700:TCC:CL1	2.54	0.43
1:A:184:ASN:HD21	1:A:186:ARG:HG2	1.84	0.43
1:B:263:ILE:HA	1:B:308:ASN:O	2.19	0.43
1:A:130:ILE:O	1:A:166:PRO:HA	2.19	0.43
1:A:258:PRO:O	1:A:259:GLN:HB2	2.18	0.43
2:C:379:TYR:OH	2:C:425:ASP:HB3	2.19	0.43
2:D:366:TYR:N	2:D:366:TYR:CD2	2.87	0.42
2:D:369:ILE:HG23	2:D:370:ASP:N	2.33	0.42
2:D:383:ARG:NH1	2:D:383:ARG:HG2	2.34	0.42
1:A:120:SER:CB	1:A:153:ILE:HD11	2.49	0.42
1:A:131:TRP:CG	1:A:133:PRO:HD2	2.54	0.42
1:A:222:VAL:HA	1:A:279:GLY:HA3	2.01	0.42
1:B:143:LYS:C	1:B:145:GLY:H	2.23	0.42
1:B:274:VAL:HG22	1:B:277:TYR:HB2	2.00	0.42
1:B:259:GLN:NE2	2:D:401:ARG:NH1	2.67	0.42
1:A:153:ILE:O	1:A:154:ASP:C	2.58	0.41
1:B:108:THR:HG22	1:B:113:TRP:CD2	2.55	0.41
1:B:177:ILE:HD11	1:B:182:LYS:CG	2.43	0.41
1:B:155:LYS:C	1:B:157:LYS:N	2.73	0.41
1:B:99:ILE:CD1	1:B:125:LYS:HB2	2.47	0.41
1:B:155:LYS:O	1:B:157:LYS:N	2.53	0.41
1:B:163:ASP:OD1	1:B:164:MET:N	2.53	0.41
1:B:219:ALA:N	4:B:700:TCC:CL2	2.91	0.41
1:B:301:ARG:NH2	2:C:379:TYR:O	2.54	0.41
1:A:177:ILE:HG13	1:A:181:THR:OG1	2.21	0.40
1:B:137:ILE:HG23	1:B:138:PHE:N	2.35	0.40
1:A:156:ASP:O	1:A:156:ASP:CG	2.59	0.40
1:B:153:ILE:HD12	1:B:157:LYS:HB3	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	227/229 (99%)	212 (93%)	11 (5%)	4 (2%)	8	6
1	B	227/229 (99%)	214 (94%)	9 (4%)	4 (2%)	8	6
2	C	58/60 (97%)	54 (93%)	3 (5%)	1 (2%)	9	7
2	D	58/60 (97%)	52 (90%)	4 (7%)	2 (3%)	3	2
All	All	570/578 (99%)	532 (93%)	27 (5%)	11 (2%)	8	6

All (11) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	154	ASP
1	A	155	LYS
1	B	154	ASP
1	B	155	LYS
2	C	367	THR
2	D	367	THR
1	A	189	MET
2	D	424	ASP
1	B	323	ILE
1	A	185	LYS
1	B	156	ASP

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	197/197 (100%)	190 (96%)	7 (4%)	35	43
1	B	197/197 (100%)	190 (96%)	7 (4%)	35	43
2	C	53/53 (100%)	49 (92%)	4 (8%)	13	13
2	D	53/53 (100%)	50 (94%)	3 (6%)	20	22
All	All	500/500 (100%)	479 (96%)	21 (4%)	30	36

All (21) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	156	ASP
1	A	162	LEU
1	A	198	VAL
1	A	226	LEU
1	A	227	LEU
1	A	273	VAL
1	A	274	VAL
1	B	162	LEU
1	B	177	ILE
1	B	179	GLU
1	B	188	ASN
1	B	226	LEU
1	B	227	LEU
1	B	273	VAL
2	C	366	TYR
2	C	382	LEU
2	C	383	ARG
2	C	417	LEU
2	D	366	TYR
2	D	383	ARG
2	D	417	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (23) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	136	ASN
1	A	183	ASN
1	A	184	ASN
1	A	188	ASN
1	A	192	ASN
1	A	200	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	204	GLN
1	A	223	GLN
1	A	228	ASN
1	A	254	ASN
1	A	259	GLN
1	A	302	ASN
1	A	304	ASN
1	B	160	ASN
1	B	184	ASN
1	B	188	ASN
1	B	200	ASN
1	B	223	GLN
1	B	254	ASN
1	B	259	GLN
1	B	302	ASN
2	C	384	GLN
2	D	384	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	TCC	A	600	-	17,17,17	3.37	14 (82%)	23,23,23	1.06	2 (8%)
3	NAD	B	550	-	42,48,48	1.69	6 (14%)	50,73,73	2.82	12 (24%)
3	NAD	A	450	-	42,48,48	1.75	7 (16%)	50,73,73	2.95	12 (24%)
4	TCC	B	700	-	17,17,17	3.19	14 (82%)	23,23,23	0.99	1 (4%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	TCC	A	600	-	-	1/4/4/4	0/2/2/2
3	NAD	B	550	-	-	7/26/62/62	0/5/5/5
3	NAD	A	450	-	-	7/26/62/62	0/5/5/5
4	TCC	B	700	-	-	2/4/4/4	0/2/2/2

All (41) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	550	NAD	C2N-N1N	6.07	1.42	1.35
3	A	450	NAD	C2N-N1N	6.07	1.42	1.35
3	A	450	NAD	O7N-C7N	5.45	1.34	1.24
3	B	550	NAD	O7N-C7N	5.37	1.34	1.24
4	A	600	TCC	C7-C8	4.92	1.48	1.39
4	A	600	TCC	C10-C11	4.83	1.46	1.38
4	B	700	TCC	C7-C8	4.66	1.47	1.39
4	B	700	TCC	C10-C11	4.66	1.46	1.38
4	B	700	TCC	C5-C4	4.21	1.46	1.39
4	A	600	TCC	C4-C3	4.10	1.45	1.40
4	A	600	TCC	C10-C9	4.07	1.45	1.38
4	A	600	TCC	C5-C4	4.01	1.46	1.39
4	A	600	TCC	C2-C3	3.82	1.46	1.39
4	B	700	TCC	C2-C3	3.78	1.46	1.39
4	B	700	TCC	C10-C9	3.75	1.44	1.38
4	A	600	TCC	C8-N1	3.63	1.50	1.39
4	B	700	TCC	C8-N1	3.39	1.49	1.39
4	B	700	TCC	C4-C3	3.37	1.44	1.40
4	A	600	TCC	C7-C12	3.34	1.44	1.38
4	B	700	TCC	C6-C5	3.33	1.45	1.38
4	A	600	TCC	C6-C5	3.25	1.45	1.38
4	B	700	TCC	C1-C2	3.18	1.45	1.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	600	TCC	C12-C11	3.06	1.43	1.38
4	A	600	TCC	C8-C9	3.03	1.46	1.39
4	A	600	TCC	C4-N1	3.00	1.48	1.39
3	B	550	NAD	C6N-C5N	2.99	1.45	1.38
3	A	450	NAD	C6N-C5N	2.96	1.45	1.38
4	A	600	TCC	C1-C2	2.87	1.45	1.38
3	A	450	NAD	C5N-C4N	2.87	1.45	1.38
4	B	700	TCC	C7-C12	2.81	1.43	1.38
4	B	700	TCC	C8-C9	2.67	1.46	1.39
4	B	700	TCC	C1-C6	2.66	1.45	1.38
4	A	600	TCC	C1-C6	2.63	1.45	1.38
3	A	450	NAD	O4B-C1B	2.63	1.44	1.41
4	B	700	TCC	C12-C11	2.59	1.42	1.38
4	B	700	TCC	C4-N1	2.51	1.46	1.39
3	B	550	NAD	C5N-C4N	2.47	1.44	1.38
3	A	450	NAD	O4D-C1D	2.34	1.44	1.41
3	B	550	NAD	C4A-N3A	2.31	1.38	1.35
3	A	450	NAD	C4A-N3A	2.15	1.38	1.35
3	B	550	NAD	O4B-C1B	2.04	1.43	1.41

All (27) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	450	NAD	C2N-C3N-C4N	-8.77	108.31	118.26
3	A	450	NAD	C3N-C2N-N1N	8.60	128.83	120.43
3	B	550	NAD	C2N-C3N-C4N	-8.16	109.01	118.26
3	B	550	NAD	C3N-C2N-N1N	7.87	128.12	120.43
3	A	450	NAD	O7N-C7N-N7N	-7.86	111.41	122.58
3	B	550	NAD	C1B-N9A-C4A	-7.64	113.21	126.64
3	A	450	NAD	C1B-N9A-C4A	-7.51	113.44	126.64
3	B	550	NAD	O7N-C7N-N7N	-7.33	112.17	122.58
3	A	450	NAD	C5N-C4N-C3N	6.65	128.21	120.34
3	B	550	NAD	C5N-C4N-C3N	6.60	128.16	120.34
3	B	550	NAD	C3N-C7N-N7N	5.81	124.72	117.75
3	A	450	NAD	C3N-C7N-N7N	5.60	124.47	117.75
3	A	450	NAD	O7N-C7N-C3N	3.74	124.11	119.63
3	B	550	NAD	O7N-C7N-C3N	2.90	123.10	119.63
3	B	550	NAD	C2N-C3N-C7N	2.88	127.82	119.46
3	A	450	NAD	C5N-C6N-N1N	-2.81	116.37	120.40
3	A	450	NAD	C2N-C3N-C7N	2.73	127.39	119.46
3	B	550	NAD	C5N-C6N-N1N	-2.64	116.62	120.40
4	B	700	TCC	C9-C8-N1	-2.36	116.29	120.65

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	600	TCC	C9-C8-N1	-2.33	116.34	120.65
3	B	550	NAD	C3B-C2B-C1B	2.32	104.47	100.98
3	A	450	NAD	C5A-C6A-N6A	2.16	123.63	120.35
3	B	550	NAD	O5D-PN-O1N	2.15	117.46	109.07
3	B	550	NAD	C5A-C6A-N6A	2.04	123.46	120.35
3	A	450	NAD	C3B-C2B-C1B	2.02	104.02	100.98
3	A	450	NAD	O4B-C1B-C2B	-2.02	103.98	106.93
4	A	600	TCC	C7-C8-N1	2.01	125.53	121.39

There are no chirality outliers.

All (17) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	B	550	NAD	C5B-O5B-PA-O2A
3	B	550	NAD	C5D-O5D-PN-O1N
3	A	450	NAD	C5B-O5B-PA-O2A
3	A	450	NAD	C5D-O5D-PN-O1N
3	A	450	NAD	C5D-O5D-PN-O3
3	B	550	NAD	C5B-O5B-PA-O1A
3	B	550	NAD	C5D-O5D-PN-O2N
3	A	450	NAD	C5D-O5D-PN-O2N
3	B	550	NAD	C4B-C5B-O5B-PA
3	A	450	NAD	C4B-C5B-O5B-PA
4	A	600	TCC	C5-C4-N1-C8
4	B	700	TCC	C5-C4-N1-C8
3	B	550	NAD	O4B-C4B-C5B-O5B
3	B	550	NAD	C5D-O5D-PN-O3
3	A	450	NAD	O4B-C4B-C5B-O5B
3	A	450	NAD	C5B-O5B-PA-O1A
4	B	700	TCC	C3-C4-N1-C8


There are no ring outliers.


3 monomers are involved in 11 short contacts:



Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	600	TCC	5	0
3	A	450	NAD	1	0
4	B	700	TCC	5	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In

addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates

EDS was not executed - this section is therefore empty.

6.4 Ligands

EDS was not executed - this section is therefore empty.

6.5 Other polymers

EDS was not executed - this section is therefore empty.