



Full wwPDB X-ray Structure Validation Report ⓘ

Aug 31, 2026 – 03:02 PM EDT

PDB ID : 9NHV / pdb_00009nhv
Title : Fab1534 in complex with the C-terminal alpha-TSR domain of the P. falciparum circumsporozoite protein
Authors : Moskovitz, R.; Wilson, I.A.
Deposited on : 2025-02-25
Resolution : 2.09 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.015 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.50


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.09 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6658 (2.10-2.10)
Clashscore	190562	7164 (2.10-2.10)
Ramachandran outliers	187476	7099 (2.10-2.10)
Sidechain outliers	187428	7100 (2.10-2.10)
RSRZ outliers	180081	6662 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	229	15% 97% ..
1	H	229	17% 94% ..
2	B	212	24% 96% .
2	L	212	16% 94% 5%
3	G	73	42% 81% 7% 12%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	I	73	73% 84% 5% 11%

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 15647 atoms, of which 7530 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Fab1534 heavy chain.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	H	226	Total	C	H	N	O	S	0	5	0
			3398	1077	1689	289	337	6			
1	A	226	Total	C	H	N	O	S	0	7	0
			3388	1074	1683	289	336	6			

- Molecule 2 is a protein called Fab1534 light chain.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
2	L	211	Total	C	H	N	O	S	0	4	0
			3205	1013	1577	278	333	4			
2	B	211	Total	C	H	N	O	S	0	1	0
			3204	1013	1576	278	333	4			

- Molecule 3 is a protein called Circumsporozoite protein.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
3	G	64	Total	C	H	N	O	S	0	0	0
			998	310	500	86	98	4			
3	I	65	Total	C	H	N	O	S	0	0	0
			1009	313	505	87	99	5			

There are 12 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
G	377	HIS	-	expression tag	UNP Q7K740
G	378	HIS	-	expression tag	UNP Q7K740
G	379	HIS	-	expression tag	UNP Q7K740
G	380	HIS	-	expression tag	UNP Q7K740
G	381	HIS	-	expression tag	UNP Q7K740
G	382	HIS	-	expression tag	UNP Q7K740
I	377	HIS	-	expression tag	UNP Q7K740
I	378	HIS	-	expression tag	UNP Q7K740

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
I	379	HIS	-	expression tag	UNP Q7K740
I	380	HIS	-	expression tag	UNP Q7K740
I	381	HIS	-	expression tag	UNP Q7K740
I	382	HIS	-	expression tag	UNP Q7K740


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	H	122	Total 122	O 122	0	0
4	L	95	Total 95	O 95	0	0
4	A	106	Total 106	O 106	0	0
4	B	87	Total 87	O 87	0	0
4	G	21	Total 21	O 21	0	0
4	I	14	Total 14	O 14	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Fab1534 heavy chain




- Molecule 1: Fab1534 heavy chain




- Molecule 2: Fab1534 light chain





- Molecule 2: Fab1534 light chain








● Molecule 3: Circumsporozoite protein



● Molecule 3: Circumsporozoite protein



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	74.41Å 84.97Å 178.84Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	42.49 – 2.09 42.49 – 2.09	Depositor EDS
% Data completeness (in resolution range)	96.1 (42.49-2.09) 96.6 (42.49-2.09)	Depositor EDS
R_{merge}	0.20	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.66 (at 2.08Å)	Xtriage
Refinement program	PHENIX (1.21.2_5419: ???)	Depositor
R, R_{free}	0.208 , 0.253 0.213 , 0.257	Depositor DCC
R_{free} test set	3306 reflections (4.83%)	wwPDB-VP
Wilson B-factor (Å ²)	20.9	Xtriage
Anisotropy	0.357	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.38 , 34.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.91	EDS
Total number of atoms	15647	wwPDB-VP
Average B, all atoms (Å ²)	36.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 18.44% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.14	0/1763	0.32	0/2397
1	H	0.14	0/1774	0.32	0/2414
2	B	0.14	0/1661	0.33	0/2254
2	L	0.23	1/1670 (0.1%)	0.34	0/2265
3	G	0.13	0/506	0.30	0/679
3	I	0.14	0/512	0.30	0/687
All	All	0.16	1/7886 (0.0%)	0.33	0/10696

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	L	185	ASP	CG-OD2	-6.43	1.13	1.25

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1705	1683	1655	2	0
1	H	1709	1689	1672	6	0
2	B	1628	1576	1575	4	0
2	L	1628	1577	1554	7	0
3	G	498	500	497	3	0
3	I	504	505	502	4	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	A	106	0	0	0	0
4	B	87	0	0	0	0
4	G	21	0	0	0	0
4	H	122	0	0	0	0
4	I	14	0	0	0	0
4	L	95	0	0	0	0
All	All	8117	7530	7455	25	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (25) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:L:185:ASP:OD2	2:L:188:LYS:NZ	2.15	0.79
2:L:37:GLN:HB2	2:L:47:LEU:HD11	1.87	0.55
3:G:344:VAL:HG12	3:G:366:LYS:HG3	1.92	0.52
1:A:102:ASN:HA	3:G:330:GLU:HG2	1.92	0.51
1:H:82:MET:HE2	1:H:82(C):LEU:HD21	1.92	0.50
3:G:354:PRO:O	3:G:358:LEU:HD23	2.11	0.50
3:I:353:LYS:HE3	3:I:363:ASP:OD1	2.11	0.50
2:B:50:GLY:O	2:B:51:ALA:HB3	2.12	0.48
3:I:350:SER:HB3	3:I:353:LYS:HE3	1.94	0.48
1:A:187:LEU:C	1:A:187:LEU:HD12	2.40	0.47
1:H:202:THR:HG23	1:H:219:LYS:HE3	1.96	0.47
1:H:187:LEU:C	1:H:187:LEU:HD12	2.40	0.46
2:L:77:ARG:NH1	2:L:79:GLU:OE2	2.48	0.46
2:B:21:LEU:HD12	2:B:21:LEU:N	2.31	0.46
2:L:50:GLY:O	2:L:51:ALA:HB3	2.16	0.45
2:B:183:LYS:O	2:B:187:GLU:HG2	2.18	0.44
2:L:83:PHE:CZ	2:L:106:ILE:HD13	2.53	0.43
1:H:138:LYS:O	1:H:138:LYS:CG	2.67	0.42
2:L:21:LEU:HD12	2:L:21:LEU:N	2.34	0.42
3:I:353:LYS:HG3	3:I:354:PRO:HD2	2.02	0.41
3:I:353:LYS:CE	3:I:363:ASP:OD1	2.69	0.41
1:H:12:VAL:HG21	1:H:82(C):LEU:HD13	2.03	0.41
2:L:184:ALA:O	2:L:188:LYS:HG3	2.21	0.41
2:B:16:GLY:O	2:B:77:ARG:HG2	2.21	0.40
1:H:110:ASP:C	1:H:111:ILE:HD12	2.47	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	229/229 (100%)	221 (96%)	8 (4%)	0	100	100
1	H	229/229 (100%)	221 (96%)	8 (4%)	0	100	100
2	B	210/212 (99%)	204 (97%)	6 (3%)	0	100	100
2	L	211/212 (100%)	205 (97%)	6 (3%)	0	100	100
3	G	62/73 (85%)	61 (98%)	1 (2%)	0	100	100
3	I	63/73 (86%)	63 (100%)	0	0	100	100
All	All	1004/1028 (98%)	975 (97%)	29 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	195/192 (102%)	194 (100%)	1 (0%)	81	88
1	H	195/192 (102%)	194 (100%)	1 (0%)	81	88
2	B	183/183 (100%)	183 (100%)	0	100	100
2	L	184/183 (100%)	184 (100%)	0	100	100
3	G	57/68 (84%)	57 (100%)	0	100	100
3	I	58/68 (85%)	58 (100%)	0	100	100
All	All	872/886 (98%)	870 (100%)	2 (0%)	87	93

All (2) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	H	201	GLN
1	A	12	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (7) such sidechains are listed below:

Mol	Chain	Res	Type
2	L	147	GLN
2	L	189	HIS
1	A	201	GLN
2	B	90	GLN
2	B	93	ASN
3	I	340	ASN
3	I	362	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	226/229 (98%)	1.22	35 (15%) 5 5	12, 29, 51, 81	2 (0%)
1	H	226/229 (98%)	1.17	40 (17%) 4 4	11, 29, 48, 92	3 (1%)
2	B	211/212 (99%)	1.39	50 (23%) 2 2	18, 32, 55, 91	1 (0%)
2	L	211/212 (99%)	1.28	34 (16%) 4 5	18, 31, 54, 93	2 (0%)
3	G	64/73 (87%)	2.29	31 (48%) 0 0	28, 45, 82, 98	0
3	I	65/73 (89%)	3.00	53 (81%) 0 0	33, 56, 82, 97	0
All	All	1003/1028 (97%)	1.44	243 (24%) 2 2	11, 32, 62, 98	8 (0%)

All (243) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
3	I	374	CYS	7.7
3	I	354	PRO	6.0
3	I	360	TYR	5.7
2	L	29	ASN	5.6
3	G	354	PRO	5.4
2	B	1	GLU	5.2
2	B	29	ASN	5.2
1	A	137	SER	5.2
3	G	373	LYS	5.1
1	A	139	SER	5.0
3	G	356	ASP	5.0
2	L	2	ILE	5.0
1	A	138	LYS	4.8
3	I	373	LYS	4.8
1	A	141	SER	4.7
3	G	355	LYS	4.7
3	I	357	GLU	4.5
2	L	169[A]	LYS	4.5
2	L	1	GLU	4.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
3	I	337	THR	4.5
1	H	200	THR	4.5
3	I	351	ALA	4.5
3	I	320	LEU	4.5
3	G	360	TYR	4.5
3	I	358	LEU	4.5
3	I	352	ASN	4.4
3	G	358	LEU	4.4
3	I	355	LYS	4.2
2	L	28	LEU	4.2
3	I	328	SER	4.1
3	I	323	ILE	4.1
1	H	137	SER	4.1
3	G	353	LYS	4.1
3	I	356	ASP	4.1
3	G	361	ALA	4.0
1	H	138	LYS	4.0
2	L	210	GLY	4.0
3	G	352	ASN	3.9
3	I	361	ALA	3.9
2	B	2	ILE	3.8
3	G	327	LEU	3.7
3	I	327	LEU	3.7
2	B	169	LYS	3.7
2	B	28	LEU	3.7
3	I	324	GLN	3.7
3	I	326	SER	3.7
2	B	210	GLY	3.6
2	L	40	PRO	3.6
2	L	27	GLN	3.6
3	I	362	ASN	3.6
1	A	103	PHE	3.5
3	G	364	ILE	3.5
2	B	126	LYS	3.5
1	A	200	THR	3.5
3	I	325	ASN	3.5
3	I	339	GLY	3.5
1	H	139	SER	3.4
3	G	357	GLU	3.4
2	L	24	ARG	3.4
2	B	68	GLY	3.4
2	B	69	THR	3.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
3	I	364	ILE	3.3
3	G	372	GLU	3.3
1	H	223	LYS	3.3
3	I	372	GLU	3.3
1	H	140	THR	3.3
2	L	27(A)	SER	3.3
1	A	198	LEU	3.3
3	G	325	ASN	3.3
3	I	313	ASP	3.3
3	G	337	THR	3.2
1	H	101	ARG	3.2
3	I	353	LYS	3.2
1	H	195	SER	3.2
3	I	350	SER	3.2
3	I	349	GLY	3.1
2	B	77	ARG	3.1
3	I	317	LYS	3.1
3	I	316	ILE	3.1
2	B	26	SER	3.1
2	B	27	GLN	3.1
1	A	144	THR	3.0
2	B	70	ASP	3.0
1	H	102	ASN	3.0
1	A	140	THR	3.0
3	I	363	ASP	3.0
3	I	314	LYS	3.0
1	H	141	SER	3.0
2	L	31	ASN	3.0
3	G	313	ASP	3.0
3	I	312	SER	3.0
1	H	100	LEU	3.0
2	L	152	ASN	3.0
2	L	67	SER	2.9
3	G	351	ALA	2.9
3	I	310	GLU	2.9
3	G	362	ASN	2.9
3	G	339	GLY	2.9
2	B	129	THR	2.9
3	I	329	THR	2.9
2	L	77	ARG	2.9
3	I	319	TYR	2.9
2	L	154	LEU	2.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
3	I	336	VAL	2.9
3	I	343	GLN	2.9
2	B	154	LEU	2.8
3	I	359	ASP	2.8
2	B	211	GLU	2.8
2	B	188	LYS	2.8
1	H	2	VAL	2.8
1	A	136	SER	2.8
3	G	320	LEU	2.8
2	B	156	SER	2.8
2	B	143	GLU	2.8
3	I	333	PRO	2.8
1	A	85	GLU	2.7
3	G	330	GLU	2.7
2	L	157	GLY	2.7
2	L	211	GLU	2.7
1	A	197	SER	2.7
1	H	103	PHE	2.7
2	B	25	ALA	2.7
1	A	11	LEU	2.7
2	L	30	SER	2.7
3	I	322	LYS	2.7
1	H	42	GLY	2.7
1	A	223	LYS	2.6
3	G	317	LYS	2.6
2	B	41	GLY	2.6
2	B	94	SER	2.6
3	G	338	CYS	2.6
3	I	315	HIS	2.6
2	B	125	LEU	2.6
2	B	27(A)	SER	2.6
1	H	142	GLY	2.6
2	L	69	THR	2.6
2	B	45	ARG	2.5
2	B	56	THR	2.5
1	A	106	SER	2.5
1	A	195[A]	SER	2.5
1	H	11	LEU	2.5
1	H	8	GLY	2.5
1	A	12	VAL	2.5
3	I	342	ILE	2.5
1	H	98	THR	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	H	17	SER	2.5
2	L	26	SER	2.5
3	G	350	SER	2.5
2	B	11	LEU	2.5
1	H	5	VAL	2.5
1	H	181	SER	2.5
1	A	196[A]	SER	2.5
2	B	7	SER	2.5
3	I	331	TRP	2.5
3	G	323	ILE	2.5
3	I	330	GLU	2.4
3	I	338	CYS	2.4
1	H	196	SER	2.4
3	G	326	SER	2.4
3	I	366	LYS	2.4
1	H	201	GLN	2.4
1	H	12	VAL	2.4
1	A	17[B]	SER	2.4
1	H	24	ALA	2.4
1	H	99	ALA	2.4
1	A	81	HIS	2.4
1	H	82(A)	ASN	2.4
3	I	321	ASN	2.4
2	L	70	ASP	2.4
2	B	122	ASP	2.4
2	B	23	CYS	2.4
1	H	97	GLY	2.4
1	A	199	GLY	2.4
3	G	324	GLN	2.4
2	L	191	VAL	2.4
1	A	105	TRP	2.4
2	B	13	LEU	2.3
2	L	156	SER	2.3
2	B	67	SER	2.3
2	B	106	ILE	2.3
2	L	56	THR	2.3
2	B	16	GLY	2.3
1	H	210	LYS	2.3
3	I	346	ILE	2.3
2	B	100	GLN	2.3
2	L	126	LYS	2.3
2	B	30	SER	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
3	I	318	GLU	2.3
3	I	332	SER	2.3
1	A	101	ARG	2.3
2	B	194	CYS	2.3
3	G	342	ILE	2.2
1	H	13	LYS	2.2
2	B	190	LYS	2.2
1	A	142	GLY	2.2
2	L	16	GLY	2.2
2	L	190	LYS	2.2
1	A	95	ASP	2.2
2	L	208	ASN	2.2
1	H	35[A]	THR	2.2
1	A	204	ILE	2.2
2	L	97	THR	2.2
3	I	348	PRO	2.2
3	I	368	ILE	2.2
2	B	123	GLU	2.2
3	G	349	GLY	2.2
1	A	100	LEU	2.2
2	B	33	LEU	2.2
2	B	145	LYS	2.2
1	H	193	VAL	2.1
2	B	17	GLU	2.1
2	B	5	THR	2.1
1	A	2	VAL	2.1
1	A	19	ARG	2.1
2	B	24	ARG	2.1
1	H	23	ALA	2.1
1	A	30	SER	2.1
1	A	82(A)	ASN	2.1
2	B	187	GLU	2.1
2	L	185	ASP	2.1
2	L	32	TYR	2.1
1	A	222	PRO	2.1
3	I	311	PRO	2.1
2	B	83	PHE	2.1
2	B	3	VAL	2.1
2	B	184	ALA	2.1
1	A	170	SER	2.1
2	L	143	GLU	2.1
1	A	102	ASN	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	H	144	THR	2.1
1	H	194	PRO	2.1
1	H	15	GLY	2.1
1	H	111	ILE	2.1
2	B	110	VAL	2.1
3	G	336	VAL	2.1
2	L	122	ASP	2.0
3	G	359	ASP	2.0
1	H	76	LYS	2.0
2	B	140	TYR	2.0
2	L	90	GLN	2.0
1	H	149	CYS	2.0
1	A	143	GLY	2.0
1	H	59	TYR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.