



wwPDB EM Validation Summary Report ⓘ

Dec 19, 2022 – 01:25 pm GMT

PDB ID : 7NS6
EMDB ID : EMD-12561
Title : SARS-CoV-2 Spike (dimers) in complex with six Fu2 nanobodies
Authors : Das, H.; Hallberg, B.M.
Deposited on : 2021-03-05
Resolution : 3.18 Å (reported)
Based on initial model : 7KSG

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev43
Mogul : 1.8.4, CSD as541be (2020)
MolProbity : 4.02b-467
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ : 1.9.9
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.31.3


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 3.18 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	158937	4297
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	G	145	
1	H	145	
1	O	145	
1	S	145	
1	T	145	
1	U	145	
2	I	1288	
2	J	1288	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	K	1288	 6% 62% 20% 18%
2	L	1288	 6% 62% 20% 18%
2	M	1288	 6% 63% 18% 19%
2	N	1288	 6% 62% 20% 18%
3	A	3	 33% 67%
3	B	3	 67% 100%

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 55899 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Fu2 nanobody.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	G	133	1021	643	167	208	3	0	0
1	S	133	1021	643	167	208	3	0	0
1	H	133	1021	643	167	208	3	0	0
1	T	133	1021	643	167	208	3	0	0
1	O	133	1021	643	167	208	3	0	0
1	U	133	1021	643	167	208	3	0	0

- Molecule 2 is a protein called Spike glycoprotein,Fibritin.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
2	I	1044	8115	5184	1350	1545	36	0	0
2	K	1062	8248	5263	1374	1573	38	0	0
2	M	1042	8098	5174	1347	1539	38	0	0
2	J	1049	8160	5213	1356	1554	37	0	0
2	L	1058	8222	5249	1368	1567	38	0	0
2	N	1056	8208	5240	1369	1561	38	0	0

There are 372 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
I	682	GLY	ARG	conflict	UNP P0DTC2
I	683	SER	ARG	conflict	UNP P0DTC2

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
I	685	SER	ARG	conflict	UNP P0DTC2
I	899	PRO	ALA	conflict	UNP P0DTC2
I	942	PRO	ALA	conflict	UNP P0DTC2
I	944	PRO	ALA	conflict	UNP P0DTC2
I	986	PRO	LYS	conflict	UNP P0DTC2
I	987	PRO	VAL	conflict	UNP P0DTC2
I	1209	GLY	-	linker	UNP P0DTC2
I	1210	SER	-	linker	UNP P0DTC2
I	1232	LEU	PHE	conflict	UNP P10104
I	1238	GLY	-	expression tag	UNP P10104
I	1239	ARG	-	expression tag	UNP P10104
I	1240	SER	-	expression tag	UNP P10104
I	1241	LEU	-	expression tag	UNP P10104
I	1242	GLU	-	expression tag	UNP P10104
I	1243	VAL	-	expression tag	UNP P10104
I	1244	LEU	-	expression tag	UNP P10104
I	1245	PHE	-	expression tag	UNP P10104
I	1246	GLN	-	expression tag	UNP P10104
I	1247	GLY	-	expression tag	UNP P10104
I	1248	PRO	-	expression tag	UNP P10104
I	1249	GLY	-	expression tag	UNP P10104
I	1250	HIS	-	expression tag	UNP P10104
I	1251	HIS	-	expression tag	UNP P10104
I	1252	HIS	-	expression tag	UNP P10104
I	1253	HIS	-	expression tag	UNP P10104
I	1254	HIS	-	expression tag	UNP P10104
I	1255	HIS	-	expression tag	UNP P10104
I	1256	HIS	-	expression tag	UNP P10104
I	1257	HIS	-	expression tag	UNP P10104
I	1258	SER	-	expression tag	UNP P10104
I	1259	ALA	-	expression tag	UNP P10104
I	1260	TRP	-	expression tag	UNP P10104
I	1261	SER	-	expression tag	UNP P10104
I	1262	HIS	-	expression tag	UNP P10104
I	1263	PRO	-	expression tag	UNP P10104
I	1264	GLN	-	expression tag	UNP P10104
I	1265	PHE	-	expression tag	UNP P10104
I	1266	GLU	-	expression tag	UNP P10104
I	1267	LYS	-	expression tag	UNP P10104
I	1268	GLY	-	expression tag	UNP P10104
I	1269	GLY	-	expression tag	UNP P10104
I	1270	GLY	-	expression tag	UNP P10104

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
I	1271	SER	-	expression tag	UNP P10104
I	1272	GLY	-	expression tag	UNP P10104
I	1273	GLY	-	expression tag	UNP P10104
I	1274	GLY	-	expression tag	UNP P10104
I	1275	GLY	-	expression tag	UNP P10104
I	1276	SER	-	expression tag	UNP P10104
I	1277	GLY	-	expression tag	UNP P10104
I	1278	GLY	-	expression tag	UNP P10104
I	1279	SER	-	expression tag	UNP P10104
I	1280	ALA	-	expression tag	UNP P10104
I	1281	TRP	-	expression tag	UNP P10104
I	1282	SER	-	expression tag	UNP P10104
I	1283	HIS	-	expression tag	UNP P10104
I	1284	PRO	-	expression tag	UNP P10104
I	1285	GLN	-	expression tag	UNP P10104
I	1286	PHE	-	expression tag	UNP P10104
I	1287	GLU	-	expression tag	UNP P10104
I	1288	LYS	-	expression tag	UNP P10104
K	682	GLY	ARG	conflict	UNP P0DTC2
K	683	SER	ARG	conflict	UNP P0DTC2
K	685	SER	ARG	conflict	UNP P0DTC2
K	899	PRO	ALA	conflict	UNP P0DTC2
K	942	PRO	ALA	conflict	UNP P0DTC2
K	944	PRO	ALA	conflict	UNP P0DTC2
K	986	PRO	LYS	conflict	UNP P0DTC2
K	987	PRO	VAL	conflict	UNP P0DTC2
K	1209	GLY	-	linker	UNP P0DTC2
K	1210	SER	-	linker	UNP P0DTC2
K	1232	LEU	PHE	conflict	UNP P10104
K	1238	GLY	-	expression tag	UNP P10104
K	1239	ARG	-	expression tag	UNP P10104
K	1240	SER	-	expression tag	UNP P10104
K	1241	LEU	-	expression tag	UNP P10104
K	1242	GLU	-	expression tag	UNP P10104
K	1243	VAL	-	expression tag	UNP P10104
K	1244	LEU	-	expression tag	UNP P10104
K	1245	PHE	-	expression tag	UNP P10104
K	1246	GLN	-	expression tag	UNP P10104
K	1247	GLY	-	expression tag	UNP P10104
K	1248	PRO	-	expression tag	UNP P10104
K	1249	GLY	-	expression tag	UNP P10104
K	1250	HIS	-	expression tag	UNP P10104

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
K	1251	HIS	-	expression tag	UNP P10104
K	1252	HIS	-	expression tag	UNP P10104
K	1253	HIS	-	expression tag	UNP P10104
K	1254	HIS	-	expression tag	UNP P10104
K	1255	HIS	-	expression tag	UNP P10104
K	1256	HIS	-	expression tag	UNP P10104
K	1257	HIS	-	expression tag	UNP P10104
K	1258	SER	-	expression tag	UNP P10104
K	1259	ALA	-	expression tag	UNP P10104
K	1260	TRP	-	expression tag	UNP P10104
K	1261	SER	-	expression tag	UNP P10104
K	1262	HIS	-	expression tag	UNP P10104
K	1263	PRO	-	expression tag	UNP P10104
K	1264	GLN	-	expression tag	UNP P10104
K	1265	PHE	-	expression tag	UNP P10104
K	1266	GLU	-	expression tag	UNP P10104
K	1267	LYS	-	expression tag	UNP P10104
K	1268	GLY	-	expression tag	UNP P10104
K	1269	GLY	-	expression tag	UNP P10104
K	1270	GLY	-	expression tag	UNP P10104
K	1271	SER	-	expression tag	UNP P10104
K	1272	GLY	-	expression tag	UNP P10104
K	1273	GLY	-	expression tag	UNP P10104
K	1274	GLY	-	expression tag	UNP P10104
K	1275	GLY	-	expression tag	UNP P10104
K	1276	SER	-	expression tag	UNP P10104
K	1277	GLY	-	expression tag	UNP P10104
K	1278	GLY	-	expression tag	UNP P10104
K	1279	SER	-	expression tag	UNP P10104
K	1280	ALA	-	expression tag	UNP P10104
K	1281	TRP	-	expression tag	UNP P10104
K	1282	SER	-	expression tag	UNP P10104
K	1283	HIS	-	expression tag	UNP P10104
K	1284	PRO	-	expression tag	UNP P10104
K	1285	GLN	-	expression tag	UNP P10104
K	1286	PHE	-	expression tag	UNP P10104
K	1287	GLU	-	expression tag	UNP P10104
K	1288	LYS	-	expression tag	UNP P10104
M	682	GLY	ARG	conflict	UNP P0DTC2
M	683	SER	ARG	conflict	UNP P0DTC2
M	685	SER	ARG	conflict	UNP P0DTC2
M	899	PRO	ALA	conflict	UNP P0DTC2

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
M	942	PRO	ALA	conflict	UNP P0DTC2
M	944	PRO	ALA	conflict	UNP P0DTC2
M	986	PRO	LYS	conflict	UNP P0DTC2
M	987	PRO	VAL	conflict	UNP P0DTC2
M	1209	GLY	-	linker	UNP P0DTC2
M	1210	SER	-	linker	UNP P0DTC2
M	1232	LEU	PHE	conflict	UNP P10104
M	1238	GLY	-	expression tag	UNP P10104
M	1239	ARG	-	expression tag	UNP P10104
M	1240	SER	-	expression tag	UNP P10104
M	1241	LEU	-	expression tag	UNP P10104
M	1242	GLU	-	expression tag	UNP P10104
M	1243	VAL	-	expression tag	UNP P10104
M	1244	LEU	-	expression tag	UNP P10104
M	1245	PHE	-	expression tag	UNP P10104
M	1246	GLN	-	expression tag	UNP P10104
M	1247	GLY	-	expression tag	UNP P10104
M	1248	PRO	-	expression tag	UNP P10104
M	1249	GLY	-	expression tag	UNP P10104
M	1250	HIS	-	expression tag	UNP P10104
M	1251	HIS	-	expression tag	UNP P10104
M	1252	HIS	-	expression tag	UNP P10104
M	1253	HIS	-	expression tag	UNP P10104
M	1254	HIS	-	expression tag	UNP P10104
M	1255	HIS	-	expression tag	UNP P10104
M	1256	HIS	-	expression tag	UNP P10104
M	1257	HIS	-	expression tag	UNP P10104
M	1258	SER	-	expression tag	UNP P10104
M	1259	ALA	-	expression tag	UNP P10104
M	1260	TRP	-	expression tag	UNP P10104
M	1261	SER	-	expression tag	UNP P10104
M	1262	HIS	-	expression tag	UNP P10104
M	1263	PRO	-	expression tag	UNP P10104
M	1264	GLN	-	expression tag	UNP P10104
M	1265	PHE	-	expression tag	UNP P10104
M	1266	GLU	-	expression tag	UNP P10104
M	1267	LYS	-	expression tag	UNP P10104
M	1268	GLY	-	expression tag	UNP P10104
M	1269	GLY	-	expression tag	UNP P10104
M	1270	GLY	-	expression tag	UNP P10104
M	1271	SER	-	expression tag	UNP P10104
M	1272	GLY	-	expression tag	UNP P10104

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
M	1273	GLY	-	expression tag	UNP P10104
M	1274	GLY	-	expression tag	UNP P10104
M	1275	GLY	-	expression tag	UNP P10104
M	1276	SER	-	expression tag	UNP P10104
M	1277	GLY	-	expression tag	UNP P10104
M	1278	GLY	-	expression tag	UNP P10104
M	1279	SER	-	expression tag	UNP P10104
M	1280	ALA	-	expression tag	UNP P10104
M	1281	TRP	-	expression tag	UNP P10104
M	1282	SER	-	expression tag	UNP P10104
M	1283	HIS	-	expression tag	UNP P10104
M	1284	PRO	-	expression tag	UNP P10104
M	1285	GLN	-	expression tag	UNP P10104
M	1286	PHE	-	expression tag	UNP P10104
M	1287	GLU	-	expression tag	UNP P10104
M	1288	LYS	-	expression tag	UNP P10104
J	682	GLY	ARG	conflict	UNP P0DTC2
J	683	SER	ARG	conflict	UNP P0DTC2
J	685	SER	ARG	conflict	UNP P0DTC2
J	899	PRO	ALA	conflict	UNP P0DTC2
J	942	PRO	ALA	conflict	UNP P0DTC2
J	944	PRO	ALA	conflict	UNP P0DTC2
J	986	PRO	LYS	conflict	UNP P0DTC2
J	987	PRO	VAL	conflict	UNP P0DTC2
J	1209	GLY	-	linker	UNP P0DTC2
J	1210	SER	-	linker	UNP P0DTC2
J	1232	LEU	PHE	conflict	UNP P10104
J	1238	GLY	-	expression tag	UNP P10104
J	1239	ARG	-	expression tag	UNP P10104
J	1240	SER	-	expression tag	UNP P10104
J	1241	LEU	-	expression tag	UNP P10104
J	1242	GLU	-	expression tag	UNP P10104
J	1243	VAL	-	expression tag	UNP P10104
J	1244	LEU	-	expression tag	UNP P10104
J	1245	PHE	-	expression tag	UNP P10104
J	1246	GLN	-	expression tag	UNP P10104
J	1247	GLY	-	expression tag	UNP P10104
J	1248	PRO	-	expression tag	UNP P10104
J	1249	GLY	-	expression tag	UNP P10104
J	1250	HIS	-	expression tag	UNP P10104
J	1251	HIS	-	expression tag	UNP P10104
J	1252	HIS	-	expression tag	UNP P10104

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
J	1253	HIS	-	expression tag	UNP P10104
J	1254	HIS	-	expression tag	UNP P10104
J	1255	HIS	-	expression tag	UNP P10104
J	1256	HIS	-	expression tag	UNP P10104
J	1257	HIS	-	expression tag	UNP P10104
J	1258	SER	-	expression tag	UNP P10104
J	1259	ALA	-	expression tag	UNP P10104
J	1260	TRP	-	expression tag	UNP P10104
J	1261	SER	-	expression tag	UNP P10104
J	1262	HIS	-	expression tag	UNP P10104
J	1263	PRO	-	expression tag	UNP P10104
J	1264	GLN	-	expression tag	UNP P10104
J	1265	PHE	-	expression tag	UNP P10104
J	1266	GLU	-	expression tag	UNP P10104
J	1267	LYS	-	expression tag	UNP P10104
J	1268	GLY	-	expression tag	UNP P10104
J	1269	GLY	-	expression tag	UNP P10104
J	1270	GLY	-	expression tag	UNP P10104
J	1271	SER	-	expression tag	UNP P10104
J	1272	GLY	-	expression tag	UNP P10104
J	1273	GLY	-	expression tag	UNP P10104
J	1274	GLY	-	expression tag	UNP P10104
J	1275	GLY	-	expression tag	UNP P10104
J	1276	SER	-	expression tag	UNP P10104
J	1277	GLY	-	expression tag	UNP P10104
J	1278	GLY	-	expression tag	UNP P10104
J	1279	SER	-	expression tag	UNP P10104
J	1280	ALA	-	expression tag	UNP P10104
J	1281	TRP	-	expression tag	UNP P10104
J	1282	SER	-	expression tag	UNP P10104
J	1283	HIS	-	expression tag	UNP P10104
J	1284	PRO	-	expression tag	UNP P10104
J	1285	GLN	-	expression tag	UNP P10104
J	1286	PHE	-	expression tag	UNP P10104
J	1287	GLU	-	expression tag	UNP P10104
J	1288	LYS	-	expression tag	UNP P10104
L	682	GLY	ARG	conflict	UNP P0DTC2
L	683	SER	ARG	conflict	UNP P0DTC2
L	685	SER	ARG	conflict	UNP P0DTC2
L	899	PRO	ALA	conflict	UNP P0DTC2
L	942	PRO	ALA	conflict	UNP P0DTC2
L	944	PRO	ALA	conflict	UNP P0DTC2

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
L	986	PRO	LYS	conflict	UNP P0DTC2
L	987	PRO	VAL	conflict	UNP P0DTC2
L	1209	GLY	-	linker	UNP P0DTC2
L	1210	SER	-	linker	UNP P0DTC2
L	1232	LEU	PHE	conflict	UNP P10104
L	1238	GLY	-	expression tag	UNP P10104
L	1239	ARG	-	expression tag	UNP P10104
L	1240	SER	-	expression tag	UNP P10104
L	1241	LEU	-	expression tag	UNP P10104
L	1242	GLU	-	expression tag	UNP P10104
L	1243	VAL	-	expression tag	UNP P10104
L	1244	LEU	-	expression tag	UNP P10104
L	1245	PHE	-	expression tag	UNP P10104
L	1246	GLN	-	expression tag	UNP P10104
L	1247	GLY	-	expression tag	UNP P10104
L	1248	PRO	-	expression tag	UNP P10104
L	1249	GLY	-	expression tag	UNP P10104
L	1250	HIS	-	expression tag	UNP P10104
L	1251	HIS	-	expression tag	UNP P10104
L	1252	HIS	-	expression tag	UNP P10104
L	1253	HIS	-	expression tag	UNP P10104
L	1254	HIS	-	expression tag	UNP P10104
L	1255	HIS	-	expression tag	UNP P10104
L	1256	HIS	-	expression tag	UNP P10104
L	1257	HIS	-	expression tag	UNP P10104
L	1258	SER	-	expression tag	UNP P10104
L	1259	ALA	-	expression tag	UNP P10104
L	1260	TRP	-	expression tag	UNP P10104
L	1261	SER	-	expression tag	UNP P10104
L	1262	HIS	-	expression tag	UNP P10104
L	1263	PRO	-	expression tag	UNP P10104
L	1264	GLN	-	expression tag	UNP P10104
L	1265	PHE	-	expression tag	UNP P10104
L	1266	GLU	-	expression tag	UNP P10104
L	1267	LYS	-	expression tag	UNP P10104
L	1268	GLY	-	expression tag	UNP P10104
L	1269	GLY	-	expression tag	UNP P10104
L	1270	GLY	-	expression tag	UNP P10104
L	1271	SER	-	expression tag	UNP P10104
L	1272	GLY	-	expression tag	UNP P10104
L	1273	GLY	-	expression tag	UNP P10104
L	1274	GLY	-	expression tag	UNP P10104

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
L	1275	GLY	-	expression tag	UNP P10104
L	1276	SER	-	expression tag	UNP P10104
L	1277	GLY	-	expression tag	UNP P10104
L	1278	GLY	-	expression tag	UNP P10104
L	1279	SER	-	expression tag	UNP P10104
L	1280	ALA	-	expression tag	UNP P10104
L	1281	TRP	-	expression tag	UNP P10104
L	1282	SER	-	expression tag	UNP P10104
L	1283	HIS	-	expression tag	UNP P10104
L	1284	PRO	-	expression tag	UNP P10104
L	1285	GLN	-	expression tag	UNP P10104
L	1286	PHE	-	expression tag	UNP P10104
L	1287	GLU	-	expression tag	UNP P10104
L	1288	LYS	-	expression tag	UNP P10104
N	682	GLY	ARG	conflict	UNP P0DTC2
N	683	SER	ARG	conflict	UNP P0DTC2
N	685	SER	ARG	conflict	UNP P0DTC2
N	899	PRO	ALA	conflict	UNP P0DTC2
N	942	PRO	ALA	conflict	UNP P0DTC2
N	944	PRO	ALA	conflict	UNP P0DTC2
N	986	PRO	LYS	conflict	UNP P0DTC2
N	987	PRO	VAL	conflict	UNP P0DTC2
N	1209	GLY	-	linker	UNP P0DTC2
N	1210	SER	-	linker	UNP P0DTC2
N	1232	LEU	PHE	conflict	UNP P10104
N	1238	GLY	-	expression tag	UNP P10104
N	1239	ARG	-	expression tag	UNP P10104
N	1240	SER	-	expression tag	UNP P10104
N	1241	LEU	-	expression tag	UNP P10104
N	1242	GLU	-	expression tag	UNP P10104
N	1243	VAL	-	expression tag	UNP P10104
N	1244	LEU	-	expression tag	UNP P10104
N	1245	PHE	-	expression tag	UNP P10104
N	1246	GLN	-	expression tag	UNP P10104
N	1247	GLY	-	expression tag	UNP P10104
N	1248	PRO	-	expression tag	UNP P10104
N	1249	GLY	-	expression tag	UNP P10104
N	1250	HIS	-	expression tag	UNP P10104
N	1251	HIS	-	expression tag	UNP P10104
N	1252	HIS	-	expression tag	UNP P10104
N	1253	HIS	-	expression tag	UNP P10104
N	1254	HIS	-	expression tag	UNP P10104

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
N	1255	HIS	-	expression tag	UNP P10104
N	1256	HIS	-	expression tag	UNP P10104
N	1257	HIS	-	expression tag	UNP P10104
N	1258	SER	-	expression tag	UNP P10104
N	1259	ALA	-	expression tag	UNP P10104
N	1260	TRP	-	expression tag	UNP P10104
N	1261	SER	-	expression tag	UNP P10104
N	1262	HIS	-	expression tag	UNP P10104
N	1263	PRO	-	expression tag	UNP P10104
N	1264	GLN	-	expression tag	UNP P10104
N	1265	PHE	-	expression tag	UNP P10104
N	1266	GLU	-	expression tag	UNP P10104
N	1267	LYS	-	expression tag	UNP P10104
N	1268	GLY	-	expression tag	UNP P10104
N	1269	GLY	-	expression tag	UNP P10104
N	1270	GLY	-	expression tag	UNP P10104
N	1271	SER	-	expression tag	UNP P10104
N	1272	GLY	-	expression tag	UNP P10104
N	1273	GLY	-	expression tag	UNP P10104
N	1274	GLY	-	expression tag	UNP P10104
N	1275	GLY	-	expression tag	UNP P10104
N	1276	SER	-	expression tag	UNP P10104
N	1277	GLY	-	expression tag	UNP P10104
N	1278	GLY	-	expression tag	UNP P10104
N	1279	SER	-	expression tag	UNP P10104
N	1280	ALA	-	expression tag	UNP P10104
N	1281	TRP	-	expression tag	UNP P10104
N	1282	SER	-	expression tag	UNP P10104
N	1283	HIS	-	expression tag	UNP P10104
N	1284	PRO	-	expression tag	UNP P10104
N	1285	GLN	-	expression tag	UNP P10104
N	1286	PHE	-	expression tag	UNP P10104
N	1287	GLU	-	expression tag	UNP P10104
N	1288	LYS	-	expression tag	UNP P10104

- Molecule 3 is an oligosaccharide called beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
3	A	3	39	22	2	15	0	0
3	B	3	39	22	2	15	0	0

- Molecule 4 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula: $C_8H_{15}NO_6$).



Mol	Chain	Residues	Atoms				AltConf
			Total	C	N	O	
4	I	1	112	64	8	40	0
4	I	1	112	64	8	40	0
4	I	1	112	64	8	40	0
4	I	1	112	64	8	40	0
4	I	1	112	64	8	40	0
4	I	1	112	64	8	40	0
4	I	1	112	64	8	40	0
4	I	1	112	64	8	40	0
4	K	1	98	56	7	35	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				AltConf
			Total	C	N	O	
4	K	1	Total 98	C 56	N 7	O 35	0
4	K	1	Total 98	C 56	N 7	O 35	0
4	K	1	Total 98	C 56	N 7	O 35	0
4	K	1	Total 98	C 56	N 7	O 35	0
4	K	1	Total 98	C 56	N 7	O 35	0
4	K	1	Total 98	C 56	N 7	O 35	0
4	M	1	Total 140	C 80	N 10	O 50	0
4	M	1	Total 140	C 80	N 10	O 50	0
4	M	1	Total 140	C 80	N 10	O 50	0
4	M	1	Total 140	C 80	N 10	O 50	0
4	M	1	Total 140	C 80	N 10	O 50	0
4	M	1	Total 140	C 80	N 10	O 50	0
4	M	1	Total 140	C 80	N 10	O 50	0
4	M	1	Total 140	C 80	N 10	O 50	0
4	M	1	Total 140	C 80	N 10	O 50	0
4	M	1	Total 140	C 80	N 10	O 50	0
4	J	1	Total 112	C 64	N 8	O 40	0
4	J	1	Total 112	C 64	N 8	O 40	0
4	J	1	Total 112	C 64	N 8	O 40	0
4	J	1	Total 112	C 64	N 8	O 40	0
4	J	1	Total 112	C 64	N 8	O 40	0

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms				AltConf
			Total	C	N	O	
4	J	1	Total 112	C 64	N 8	O 40	0
4	J	1	Total 112	C 64	N 8	O 40	0
4	J	1	Total 112	C 64	N 8	O 40	0
4	L	1	Total 70	C 40	N 5	O 25	0
4	L	1	Total 70	C 40	N 5	O 25	0
4	L	1	Total 70	C 40	N 5	O 25	0
4	L	1	Total 70	C 40	N 5	O 25	0
4	L	1	Total 70	C 40	N 5	O 25	0
4	N	1	Total 112	C 64	N 8	O 40	0
4	N	1	Total 112	C 64	N 8	O 40	0
4	N	1	Total 112	C 64	N 8	O 40	0
4	N	1	Total 112	C 64	N 8	O 40	0
4	N	1	Total 112	C 64	N 8	O 40	0
4	N	1	Total 112	C 64	N 8	O 40	0
4	N	1	Total 112	C 64	N 8	O 40	0
4	N	1	Total 112	C 64	N 8	O 40	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Fu2 nanobody





- Molecule 1: Fu2 nanobody




- Molecule 1: Fu2 nanobody



- Molecule 1: Fu2 nanobody




• Molecule 1: Fu2 nanobody




• Molecule 1: Fu2 nanobody





• Molecule 2: Spike glycoprotein, Fibrin





● Molecule 2: Spike glycoprotein, Fibritin





- Molecule 3: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 3: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	277372	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	TFS KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	48.6	Depositor
Minimum defocus (nm)	300	Depositor
Maximum defocus (nm)	2500	Depositor
Magnification	165000	Depositor
Image detector	GATAN K3 BIOQUANTUM (6k x 4k)	Depositor
Maximum map value	0.869	Depositor
Minimum map value	-0.228	Depositor
Average map value	-0.000	Depositor
Map value standard deviation	0.017	Depositor
Recommended contour level	0.16	Depositor
Map size (Å)	606.0, 606.0, 606.0	wwPDB
Map dimensions	600, 600, 600	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.01, 1.01, 1.01	Depositor

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: BMA, NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	G	0.30	0/1047	0.61	1/1424 (0.1%)
1	H	0.28	0/1047	0.51	0/1424
1	O	0.29	0/1047	0.59	1/1424 (0.1%)
1	S	0.29	0/1047	0.53	0/1424
1	T	0.31	0/1047	0.59	1/1424 (0.1%)
1	U	0.29	0/1047	0.53	0/1424
2	I	0.31	2/8306 (0.0%)	0.57	9/11310 (0.1%)
2	J	0.29	1/8351 (0.0%)	0.56	9/11369 (0.1%)
2	K	0.30	2/8440 (0.0%)	0.56	8/11493 (0.1%)
2	L	0.28	0/8413	0.59	11/11455 (0.1%)
2	M	0.29	0/8283	0.57	9/11270 (0.1%)
2	N	0.29	0/8398	0.54	7/11430 (0.1%)
All	All	0.29	5/56473 (0.0%)	0.56	56/76871 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
2	J	0	1

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	I	525	CYS	CB-SG	-7.75	1.69	1.82
2	I	391	CYS	CB-SG	7.42	1.94	1.82
2	J	343	ASN	CA-CB	6.94	1.71	1.53
2	K	525	CYS	CB-SG	-6.70	1.70	1.82
2	K	391	CYS	CB-SG	5.94	1.92	1.82

The worst 5 of 56 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	K	525	CYS	CA-CB-SG	13.38	138.09	114.00
2	L	214	ARG	CB-CG-CD	12.93	145.23	111.60
2	I	525	CYS	CA-CB-SG	12.59	136.66	114.00
2	L	214	ARG	CA-CB-CG	10.94	137.46	113.40
2	I	214	ARG	CA-CB-CG	10.62	136.77	113.40

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
2	J	801	ASN	Sidechain

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	G	1021	0	951	51	0
1	H	1021	0	951	57	0
1	O	1021	0	951	51	0
1	S	1021	0	951	50	0
1	T	1021	0	951	55	0
1	U	1021	0	951	50	0
2	I	8115	0	7820	210	0
2	J	8160	0	7870	191	0
2	K	8248	0	7950	187	0
2	L	8222	0	7933	182	0
2	M	8098	0	7806	162	0
2	N	8208	0	7927	176	0
3	A	39	0	34	3	0
3	B	39	0	34	0	0
4	I	112	0	104	12	0
4	J	112	0	104	10	0
4	K	98	0	91	5	0
4	L	70	0	65	6	0
4	M	140	0	130	4	0
4	N	112	0	103	7	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
All	All	55899	0	53677	1349	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

The worst 5 of 1349 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:O:117:ASP:HA	2:N:408:ARG:HD3	1.45	0.98
2:I:392:PHE:H	2:I:525:CYS:HA	1.28	0.96
3:A:1:NAG:H5	3:A:2:NAG:HN2	1.31	0.94
1:U:117:ASP:HA	2:K:408:ARG:HD3	1.55	0.88
2:J:1099:GLY:HA3	4:J:1303:NAG:H82	1.55	0.87

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	G	131/145 (90%)	130 (99%)	1 (1%)	0	100	100
1	H	131/145 (90%)	130 (99%)	1 (1%)	0	100	100
1	O	131/145 (90%)	130 (99%)	1 (1%)	0	100	100
1	S	131/145 (90%)	130 (99%)	1 (1%)	0	100	100
1	T	131/145 (90%)	130 (99%)	1 (1%)	0	100	100
1	U	131/145 (90%)	130 (99%)	1 (1%)	0	100	100
2	I	1030/1288 (80%)	1005 (98%)	24 (2%)	1 (0%)	51	83
2	J	1035/1288 (80%)	1008 (97%)	26 (2%)	1 (0%)	51	83
2	K	1050/1288 (82%)	1019 (97%)	30 (3%)	1 (0%)	51	83

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	L	1044/1288 (81%)	1015 (97%)	28 (3%)	1 (0%)	51	83
2	M	1022/1288 (79%)	994 (97%)	27 (3%)	1 (0%)	51	83
2	N	1042/1288 (81%)	1018 (98%)	23 (2%)	1 (0%)	51	83
All	All	7009/8598 (82%)	6839 (98%)	164 (2%)	6 (0%)	54	83

5 of 6 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	I	943	SER
2	K	943	SER
2	M	943	SER
2	J	943	SER
2	L	943	SER

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	G	109/119 (92%)	109 (100%)	0	100	100
1	H	109/119 (92%)	109 (100%)	0	100	100
1	O	109/119 (92%)	109 (100%)	0	100	100
1	S	109/119 (92%)	109 (100%)	0	100	100
1	T	109/119 (92%)	109 (100%)	0	100	100
1	U	109/119 (92%)	109 (100%)	0	100	100
2	I	895/1116 (80%)	893 (100%)	2 (0%)	93	98
2	J	901/1116 (81%)	899 (100%)	2 (0%)	93	98
2	K	910/1116 (82%)	909 (100%)	1 (0%)	93	98
2	L	908/1116 (81%)	906 (100%)	2 (0%)	93	98
2	M	893/1116 (80%)	892 (100%)	1 (0%)	93	98
2	N	906/1116 (81%)	905 (100%)	1 (0%)	93	98
All	All	6067/7410 (82%)	6058 (100%)	9 (0%)	93	98

5 of 9 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
2	L	983	ARG
2	N	417	LYS
2	M	417	LYS
2	J	417	LYS
2	J	983	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 11 such sidechains are listed below:

Mol	Chain	Res	Type
2	L	544	ASN
2	L	801	ASN
2	N	1002	GLN
2	L	1002	GLN
2	J	317	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

6 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	NAG	A	1	3,2	14,14,15	0.39	0	17,19,21	1.61	4 (23%)
3	NAG	A	2	3	14,14,15	0.96	1 (7%)	17,19,21	1.24	2 (11%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	BMA	A	3	3	11,11,12	0.92	1 (9%)	15,15,17	0.85	0
3	NAG	B	1	3,2	14,14,15	1.10	1 (7%)	17,19,21	4.30	5 (29%)
3	NAG	B	2	3	14,14,15	0.59	0	17,19,21	2.01	4 (23%)
3	BMA	B	3	3	11,11,12	2.75	2 (18%)	15,15,17	4.61	10 (66%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAG	A	1	3,2	-	1/6/23/26	0/1/1/1
3	NAG	A	2	3	-	4/6/23/26	0/1/1/1
3	BMA	A	3	3	-	0/2/19/22	0/1/1/1
3	NAG	B	1	3,2	-	1/6/23/26	0/1/1/1
3	NAG	B	2	3	-	3/6/23/26	0/1/1/1
3	BMA	B	3	3	-	2/2/19/22	0/1/1/1

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	3	BMA	C1-C2	6.59	1.67	1.52
3	B	3	BMA	O5-C1	5.67	1.52	1.43
3	B	1	NAG	C1-C2	3.59	1.57	1.52
3	A	2	NAG	C1-C2	3.21	1.57	1.52
3	A	3	BMA	C1-C2	2.08	1.56	1.52

The worst 5 of 25 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	1	NAG	C1-O5-C5	15.30	132.92	112.19
3	B	3	BMA	C1-O5-C5	10.18	125.98	112.19
3	B	3	BMA	C1-C2-C3	7.46	118.84	109.67
3	B	3	BMA	C3-C4-C5	7.33	123.31	110.24
3	B	2	NAG	C1-O5-C5	6.70	121.27	112.19

There are no chirality outliers.

5 of 11 torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
3	B	2	NAG	O5-C5-C6-O6
3	B	2	NAG	C4-C5-C6-O6
3	A	2	NAG	C4-C5-C6-O6
3	A	2	NAG	O5-C5-C6-O6
3	A	2	NAG	C8-C7-N2-C2


There are no ring outliers.

2 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	1	NAG	2	0
3	A	2	NAG	3	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.





5.6 Ligand geometry [i](#)

46 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
4	NAG	M	1305	2	14,14,15	0.27	0	17,19,21	0.56	0
4	NAG	I	1305	2	14,14,15	0.64	1 (7%)	17,19,21	0.68	0
4	NAG	N	1307	2	14,14,15	0.46	0	17,19,21	0.66	0
4	NAG	L	1302	2	14,14,15	0.37	0	17,19,21	0.48	0
4	NAG	M	1309	2	14,14,15	0.71	1 (7%)	17,19,21	0.69	1 (5%)
4	NAG	M	1303	2	14,14,15	0.24	0	17,19,21	0.47	0
4	NAG	M	1304	2	14,14,15	0.48	0	17,19,21	0.52	0
4	NAG	I	1306	2	14,14,15	0.47	0	17,19,21	0.62	0
4	NAG	K	1304	2	14,14,15	0.45	0	17,19,21	0.39	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	NAG	J	1301	2	14,14,15	0.77	1 (7%)	17,19,21	0.60	0
4	NAG	I	1308	2	14,14,15	0.17	0	17,19,21	0.61	0
4	NAG	J	1303	2	14,14,15	0.56	0	17,19,21	0.51	0
4	NAG	J	1305	2	14,14,15	0.60	1 (7%)	17,19,21	0.47	0
4	NAG	I	1304	2	14,14,15	0.24	0	17,19,21	0.73	0
4	NAG	L	1304	2	14,14,15	0.43	0	17,19,21	1.71	2 (11%)
4	NAG	N	1301	2	14,14,15	0.24	0	17,19,21	0.45	0
4	NAG	J	1308	2	14,14,15	0.61	1 (7%)	17,19,21	0.45	0
4	NAG	N	1305	2	14,14,15	0.92	1 (7%)	17,19,21	1.31	3 (17%)
4	NAG	K	1302	2	14,14,15	0.41	0	17,19,21	0.58	0
4	NAG	M	1302	2	14,14,15	0.29	0	17,19,21	1.04	2 (11%)
4	NAG	N	1308	2	14,14,15	0.72	1 (7%)	17,19,21	0.71	0
4	NAG	I	1302	2	14,14,15	0.85	1 (7%)	17,19,21	1.58	3 (17%)
4	NAG	J	1306	2	14,14,15	0.57	0	17,19,21	0.55	0
4	NAG	L	1303	2	14,14,15	0.53	0	17,19,21	1.39	2 (11%)
4	NAG	J	1304	2	14,14,15	0.55	0	17,19,21	0.47	0
4	NAG	N	1306	2	14,14,15	0.42	0	17,19,21	0.76	1 (5%)
4	NAG	L	1301	2	14,14,15	0.50	0	17,19,21	0.64	0
4	NAG	K	1307	2	14,14,15	0.51	0	17,19,21	0.69	1 (5%)
4	NAG	J	1307	2	14,14,15	0.64	1 (7%)	17,19,21	0.66	0
4	NAG	K	1303	2	14,14,15	0.71	1 (7%)	17,19,21	0.69	0
4	NAG	M	1307	2	14,14,15	0.32	0	17,19,21	0.80	1 (5%)
4	NAG	K	1301	2	14,14,15	0.26	0	17,19,21	0.49	0
4	NAG	I	1307	2	14,14,15	0.42	0	17,19,21	1.30	2 (11%)
4	NAG	M	1310	2	14,14,15	0.57	0	17,19,21	0.59	0
4	NAG	K	1305	2	14,14,15	0.26	0	17,19,21	0.48	0
4	NAG	N	1303	2	14,14,15	0.23	0	17,19,21	0.53	0
4	NAG	M	1308	2	14,14,15	0.39	0	17,19,21	0.66	0
4	NAG	I	1303	2	14,14,15	0.48	0	17,19,21	0.42	0
4	NAG	M	1301	2	14,14,15	0.22	0	17,19,21	0.50	0
4	NAG	M	1306	2	14,14,15	0.32	0	17,19,21	0.88	1 (5%)
4	NAG	L	1305	2	14,14,15	0.19	0	17,19,21	0.81	0
4	NAG	N	1304	2	14,14,15	0.26	0	17,19,21	0.53	0
4	NAG	K	1306	2	14,14,15	0.40	0	17,19,21	0.60	0
4	NAG	I	1301	2	14,14,15	0.35	0	17,19,21	1.02	2 (11%)
4	NAG	J	1302	2	14,14,15	0.48	0	17,19,21	0.73	1 (5%)
4	NAG	N	1302	2	14,14,15	0.28	0	17,19,21	0.58	1 (5%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	NAG	M	1305	2	-	0/6/23/26	0/1/1/1
4	NAG	I	1305	2	-	3/6/23/26	0/1/1/1
4	NAG	N	1307	2	-	0/6/23/26	0/1/1/1
4	NAG	L	1302	2	-	0/6/23/26	0/1/1/1
4	NAG	M	1309	2	-	2/6/23/26	0/1/1/1
4	NAG	M	1303	2	-	1/6/23/26	0/1/1/1
4	NAG	M	1304	2	-	1/6/23/26	0/1/1/1
4	NAG	I	1306	2	-	2/6/23/26	0/1/1/1
4	NAG	K	1304	2	-	4/6/23/26	0/1/1/1
4	NAG	J	1301	2	-	2/6/23/26	0/1/1/1
4	NAG	I	1308	2	-	1/6/23/26	0/1/1/1
4	NAG	J	1303	2	-	0/6/23/26	0/1/1/1
4	NAG	J	1305	2	-	2/6/23/26	0/1/1/1
4	NAG	I	1304	2	-	3/6/23/26	0/1/1/1
4	NAG	L	1304	2	-	4/6/23/26	0/1/1/1
4	NAG	N	1301	2	-	0/6/23/26	0/1/1/1
4	NAG	J	1308	2	-	2/6/23/26	0/1/1/1
4	NAG	N	1305	2	-	5/6/23/26	0/1/1/1
4	NAG	K	1302	2	-	1/6/23/26	0/1/1/1
4	NAG	M	1302	2	-	4/6/23/26	0/1/1/1
4	NAG	N	1308	2	-	3/6/23/26	0/1/1/1
4	NAG	I	1302	2	-	5/6/23/26	0/1/1/1
4	NAG	J	1306	2	-	2/6/23/26	0/1/1/1
4	NAG	L	1303	2	-	5/6/23/26	0/1/1/1
4	NAG	J	1304	2	-	0/6/23/26	0/1/1/1
4	NAG	N	1306	2	-	1/6/23/26	0/1/1/1
4	NAG	L	1301	2	-	2/6/23/26	0/1/1/1
4	NAG	K	1307	2	-	4/6/23/26	0/1/1/1
4	NAG	J	1307	2	-	0/6/23/26	0/1/1/1
4	NAG	K	1303	2	-	1/6/23/26	0/1/1/1
4	NAG	M	1307	2	-	2/6/23/26	0/1/1/1
4	NAG	K	1301	2	-	1/6/23/26	0/1/1/1
4	NAG	I	1307	2	-	3/6/23/26	0/1/1/1
4	NAG	M	1310	2	-	3/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	NAG	K	1305	2	-	1/6/23/26	0/1/1/1
4	NAG	N	1303	2	-	1/6/23/26	0/1/1/1
4	NAG	M	1308	2	-	0/6/23/26	0/1/1/1
4	NAG	I	1303	2	-	2/6/23/26	0/1/1/1
4	NAG	M	1301	2	-	0/6/23/26	0/1/1/1
4	NAG	M	1306	2	-	2/6/23/26	0/1/1/1
4	NAG	L	1305	2	-	2/6/23/26	0/1/1/1
4	NAG	N	1304	2	-	4/6/23/26	0/1/1/1
4	NAG	K	1306	2	-	4/6/23/26	0/1/1/1
4	NAG	I	1301	2	-	2/6/23/26	0/1/1/1
4	NAG	J	1302	2	-	2/6/23/26	0/1/1/1
4	NAG	N	1302	2	-	1/6/23/26	0/1/1/1

The worst 5 of 10 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	N	1305	NAG	C1-C2	3.18	1.57	1.52
4	I	1302	NAG	C1-C2	3.04	1.56	1.52
4	J	1301	NAG	O5-C1	2.71	1.48	1.43
4	M	1309	NAG	O5-C1	2.49	1.47	1.43
4	K	1303	NAG	C1-C2	2.49	1.56	1.52

The worst 5 of 23 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	L	1304	NAG	C2-N2-C7	5.40	130.60	122.90
4	I	1302	NAG	C2-N2-C7	4.48	129.28	122.90
4	I	1307	NAG	C2-N2-C7	4.35	129.10	122.90
4	L	1303	NAG	C2-N2-C7	4.34	129.08	122.90
4	N	1305	NAG	C2-N2-C7	3.38	127.71	122.90

There are no chirality outliers.

5 of 90 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	I	1302	NAG	O5-C5-C6-O6
4	K	1307	NAG	O5-C5-C6-O6
4	M	1302	NAG	O5-C5-C6-O6
4	J	1302	NAG	O5-C5-C6-O6
4	N	1308	NAG	O5-C5-C6-O6

There are no ring outliers.

23 monomers are involved in 44 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	I	1305	NAG	1	0
4	I	1306	NAG	2	0
4	K	1304	NAG	1	0
4	I	1308	NAG	1	0
4	J	1303	NAG	1	0
4	I	1304	NAG	1	0
4	J	1308	NAG	1	0
4	N	1305	NAG	1	0
4	M	1302	NAG	1	0
4	N	1308	NAG	3	0
4	I	1302	NAG	5	0
4	L	1303	NAG	2	0
4	J	1304	NAG	1	0
4	N	1306	NAG	2	0
4	J	1307	NAG	4	0
4	K	1303	NAG	3	0
4	M	1307	NAG	1	0
4	I	1307	NAG	2	0
4	M	1308	NAG	2	0
4	L	1305	NAG	4	0
4	K	1306	NAG	1	0
4	J	1302	NAG	3	0
4	N	1302	NAG	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-12561. These allow visual inspection of the internal detail of the map and identification of artifacts.

No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map




The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 307



Y Index: 295



Z Index: 367

The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal surface views [i](#)

6.4.1 Primary map



X



Y



Z

The images above show the 3D surface view of the map at the recommended contour level 0.16. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.5 Mask visualisation

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 632 nm^3 ; this corresponds to an approximate mass of 571 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum [i](#)



*Reported resolution corresponds to spatial frequency of 0.314 \AA^{-1}


8 Fourier-Shell correlation

This section was not generated. No FSC curve or half-maps provided.

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-12561 and PDB model 7NS6. Per-residue inclusion information can be found in section 3 on page 17.

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.16 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.16).































9.4 Atom inclusion [i](#)



At the recommended contour level, 95% of all backbone atoms, 85% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (0.16) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.8464	 0.3720
A	 0.6667	 0.1810
B	 0.3846	 0.2030
G	 0.8623	 0.3500
H	 0.8693	 0.3590
I	 0.8818	 0.3900
J	 0.8075	 0.3540
K	 0.8777	 0.3860
L	 0.8048	 0.3550
M	 0.8890	 0.4090
N	 0.7991	 0.3500
O	 0.8593	 0.3550
S	 0.8915	 0.3620
T	 0.8915	 0.3640
U	 0.8874	 0.3540

