



Full wwPDB X-ray Structure Validation Report ⓘ

Aug 20, 2023 – 04:37 PM EDT

PDB ID : 2NWB
Title : Crystal Structure of a Putative 2,3-dioxygenase (SO4414) from *Shewanella oneidensis* in complex with ferric heme. Northeast Structural Genomics Target SoR52.
Authors : Forouhar, F.; Anderson, J.L.R.; Mowat, C.G.; Hussain, A.; Seetharaman, J.; Bruckmann, C.; Thackray, S.J.; Khan, N.; Cunningham, K.; Janjua, H.; Zhao, L.; Xiao, R.; Ma, L.C.; Liu, J.; Baran, M.C.; Acton, T.B.; Rost, B.; Montelione, G.T.; Champman, S.K.; Tong, L.; Northeast Structural Genomics Consortium (NESG)
Deposited on : 2006-11-14
Resolution : 2.40 Å (reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.35
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	3907 (2.40-2.40)
Clashscore	141614	4398 (2.40-2.40)
Ramachandran outliers	138981	4318 (2.40-2.40)
Sidechain outliers	138945	4319 (2.40-2.40)
RSRZ outliers	127900	3811 (2.40-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	400	
1	B	400	

CCP4 : 7.0.044 (Gargrove)
 Ideal geometry (proteins) : Engh & Huber (2001)
 Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
 Validation Pipeline (wwPDB-VP) : 2.35

2 Entry composition i

There are 3 unique types of molecules in this entry. The entry contains 6398 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Conserved domain protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	379	3078	1942	545	577	14	0	0	0
1	B	365	2970	1874	525	558	13	0	0	0

There are 16 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	393	LEU	-	cloning artifact	UNP Q8E972
A	394	GLU	-	cloning artifact	UNP Q8E972
A	395	HIS	-	cloning artifact	UNP Q8E972
A	396	HIS	-	cloning artifact	UNP Q8E972
A	397	HIS	-	cloning artifact	UNP Q8E972
A	398	HIS	-	cloning artifact	UNP Q8E972
A	399	HIS	-	cloning artifact	UNP Q8E972
A	400	HIS	-	cloning artifact	UNP Q8E972
B	393	LEU	-	cloning artifact	UNP Q8E972
B	394	GLU	-	cloning artifact	UNP Q8E972
B	395	HIS	-	cloning artifact	UNP Q8E972
B	396	HIS	-	cloning artifact	UNP Q8E972
B	397	HIS	-	cloning artifact	UNP Q8E972
B	398	HIS	-	cloning artifact	UNP Q8E972
B	399	HIS	-	cloning artifact	UNP Q8E972
B	400	HIS	-	cloning artifact	UNP Q8E972

- Molecule 2 is PROTOPORPHYRIN IX CONTAINING FE (three-letter code: HEM) (formula: $C_{34}H_{32}FeN_4O_4$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	Fe	N	O		
2	A	1	43	34	1	4	4	0	0


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	175	Total	O	0	0
			175	175		
3	B	132	Total	O	0	0
			132	132		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Conserved domain protein



- Molecule 1: Conserved domain protein



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 2	Depositor
Cell constants a, b, c, α , β , γ	138.85Å 68.70Å 87.79Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	19.99 – 2.40 29.26 – 2.40	Depositor EDS
% Data completeness (in resolution range)	83.2 (19.99-2.40) 93.6 (29.26-2.40)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	0.07	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.67 (at 2.42Å)	Xtrriage
Refinement program	CNS 1.1	Depositor
R, R_{free}	0.217 , 0.225 0.229 , 0.269	Depositor DCC
R_{free} test set	1649 reflections (4.96%)	wwPDB-VP
Wilson B-factor (Å ²)	29.3	Xtrriage
Anisotropy	0.363	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 38.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	6398	wwPDB-VP
Average B, all atoms (Å ²)	35.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.62% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: HEM

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.37	0/3140	0.62	4/4246 (0.1%)
1	B	0.38	0/3027	0.63	4/4091 (0.1%)
All	All	0.37	0/6167	0.62	8/8337 (0.1%)

There are no bond length outliers.

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	218	ARG	NE-CZ-NH1	-14.13	113.24	120.30
1	B	218	ARG	NE-CZ-NH2	13.59	127.09	120.30
1	A	218	ARG	NE-CZ-NH2	-13.57	113.51	120.30
1	A	218	ARG	NE-CZ-NH1	12.57	126.58	120.30
1	B	218	ARG	CD-NE-CZ	7.12	133.57	123.60
1	A	218	ARG	CD-NE-CZ	6.64	132.89	123.60
1	B	227	GLY	N-CA-C	-5.16	100.20	113.10
1	A	227	GLY	N-CA-C	-5.11	100.34	113.10

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3078	0	3029	84	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	B	2970	0	2925	73	0
2	A	43	0	30	3	0
3	A	175	0	0	6	0
3	B	132	0	0	4	0
All	All	6398	0	5984	155	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 13.

All (155) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:317:HIS:O	1:A:320:THR:HG22	1.59	1.00
1:A:180:HIS:HD2	1:A:182:ILE:H	1.24	0.83
1:B:180:HIS:HD2	1:B:182:ILE:H	1.25	0.83
1:A:307:LEU:HD13	1:A:391:LEU:HG	1.62	0.81
1:B:34:THR:HG22	3:B:473:HOH:O	1.82	0.80
1:B:392:ARG:HH11	1:B:393:LEU:HG	1.50	0.75
1:B:63:ASP:HB2	3:B:440:HOH:O	1.85	0.74
1:B:317:HIS:O	1:B:320:THR:HG22	1.88	0.72
1:A:335:GLU:O	1:A:338:VAL:HG12	1.90	0.71
1:A:298:ILE:HG12	1:A:394:GLU:HB3	1.71	0.71
1:B:118:ILE:HG13	1:B:120:VAL:HG22	1.76	0.68
1:A:100:THR:HG22	3:A:552:HOH:O	1.94	0.67
1:A:32:GLN:HB3	3:A:519:HOH:O	1.94	0.67
1:A:298:ILE:HD11	1:A:393:LEU:HB2	1.79	0.65
1:A:118:ILE:HG13	1:A:120:VAL:HG22	1.79	0.64
1:A:180:HIS:CD2	1:A:182:ILE:H	2.12	0.64
1:A:246:ASP:OD1	1:A:317:HIS:HE1	1.80	0.64
1:A:311:ILE:O	1:A:315:GLU:HG3	1.97	0.63
1:A:367:ASP:HB3	1:A:372:VAL:HG22	1.80	0.63
1:B:180:HIS:CD2	1:B:182:ILE:H	2.14	0.62
1:A:369:ARG:NH1	2:A:401:HEM:O1D	2.34	0.61
1:B:243:ASN:HD21	1:B:266:LYS:NZ	1.99	0.61
1:A:180:HIS:HD2	1:A:182:ILE:N	1.99	0.60
1:B:392:ARG:NH1	1:B:393:LEU:HG	2.16	0.60
1:A:364:ARG:HG3	1:A:374:ARG:NH1	2.17	0.59
1:B:31:TYR:HA	1:B:36:ARG:HG3	1.84	0.59
1:B:223:PRO:HG3	3:B:496:HOH:O	2.03	0.58
1:A:31:TYR:HA	1:A:36:ARG:HG3	1.84	0.58
1:A:243:ASN:HD21	1:A:266:LYS:NZ	2.00	0.58

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:304:GLN:HB3	1:A:394:GLU:OE1	2.04	0.57
1:A:218:ARG:N	1:A:219:PRO:HD2	2.19	0.57
1:B:303:TYR:O	1:B:307:LEU:HB2	2.03	0.57
1:A:303:TYR:CE2	1:A:307:LEU:HD12	2.40	0.57
1:B:218:ARG:N	1:B:219:PRO:HD2	2.20	0.57
1:A:367:ASP:HB3	1:A:372:VAL:CG2	2.36	0.56
1:A:304:GLN:HG3	1:A:305:GLU:N	2.21	0.56
1:B:325:HIS:O	1:B:329:VAL:HB	2.06	0.56
1:B:173:ILE:HD11	1:B:187:LEU:HD13	1.89	0.55
1:B:326:ASN:HA	1:B:330:THR:OG1	2.07	0.55
1:A:303:TYR:O	1:A:307:LEU:HB2	2.06	0.55
1:A:333:ILE:O	1:A:337:SER:HB2	2.07	0.55
1:A:173:ILE:HD11	1:A:187:LEU:HD13	1.89	0.54
1:A:284:ARG:HG2	1:A:284:ARG:HH21	1.71	0.54
1:B:284:ARG:HG2	1:B:284:ARG:HH21	1.72	0.54
1:A:319:GLN:HG3	3:A:549:HOH:O	2.07	0.53
1:A:243:ASN:HD21	1:A:266:LYS:HZ2	1.57	0.53
1:B:318:GLY:HA3	1:B:370:ALA:HA	1.90	0.52
1:A:5:THR:HA	3:A:516:HOH:O	2.09	0.52
1:B:173:ILE:CD1	1:B:187:LEU:HD13	2.40	0.52
1:A:300:GLN:HE21	1:A:300:GLN:HA	1.75	0.52
1:B:300:GLN:HE21	1:B:300:GLN:HA	1.74	0.51
1:B:243:ASN:HD21	1:B:266:LYS:HZ3	1.59	0.51
1:A:364:ARG:HG3	1:A:374:ARG:HH12	1.76	0.51
1:A:318:GLY:O	1:A:322:ILE:HG13	2.10	0.51
1:A:298:ILE:CG1	1:A:394:GLU:HB3	2.41	0.51
1:A:262:MET:O	1:A:266:LYS:HG2	2.11	0.51
1:A:379:THR:HG22	1:A:380:ARG:N	2.26	0.50
1:A:108:SER:HB3	1:A:112:MET:CE	2.42	0.50
1:B:179:SER:HA	1:B:302:TRP:CE3	2.47	0.50
1:B:359:LEU:HG	1:B:363:GLU:OE2	2.11	0.50
1:A:30:TYR:CE1	1:A:39:VAL:HG13	2.46	0.50
1:A:123:ARG:NH1	1:A:233:GLY:HA2	2.27	0.50
1:A:173:ILE:CD1	1:A:187:LEU:HD13	2.41	0.50
1:B:123:ARG:NH1	1:B:233:GLY:HA2	2.27	0.50
1:B:30:TYR:CE1	1:B:39:VAL:HG13	2.47	0.50
1:B:379:THR:HG22	1:B:380:ARG:N	2.27	0.50
1:B:30:TYR:O	1:B:36:ARG:HA	2.12	0.49
1:B:246:ASP:OD1	1:B:317:HIS:HE1	1.96	0.49
1:B:180:HIS:HD2	1:B:182:ILE:N	2.00	0.49
1:A:284:ARG:HG2	1:A:284:ARG:NH2	2.28	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:30:TYR:O	1:A:36:ARG:HA	2.12	0.48
1:A:133:ASN:OD1	1:A:140:TYR:HB2	2.13	0.48
1:A:139:ILE:HD12	1:A:139:ILE:N	2.28	0.48
1:B:108:SER:HB3	1:B:112:MET:CE	2.43	0.48
1:B:328:LEU:HA	1:B:332:TYR:HD2	1.77	0.48
1:B:379:THR:HG22	1:B:380:ARG:H	1.78	0.48
1:A:237:GLY:HA3	2:A:401:HEM:C2D	2.49	0.48
1:A:379:THR:HG22	1:A:380:ARG:H	1.78	0.48
1:B:284:ARG:HG2	1:B:284:ARG:NH2	2.29	0.48
1:B:139:ILE:N	1:B:139:ILE:HD12	2.29	0.48
1:A:394:GLU:C	1:A:396:HIS:H	2.16	0.47
1:B:389:ASP:O	1:B:392:ARG:HB3	2.14	0.47
1:B:262:MET:O	1:B:266:LYS:HG2	2.13	0.47
1:A:39:VAL:O	1:A:42:VAL:HG12	2.14	0.47
1:B:303:TYR:CE2	1:B:307:LEU:HD12	2.50	0.47
1:A:179:SER:HA	1:A:302:TRP:CE3	2.50	0.47
1:A:156:ASN:HD22	2:A:401:HEM:HMC3	1.80	0.47
1:B:133:ASN:OD1	1:B:140:TYR:HB2	2.15	0.47
1:B:174:GLN:HE21	1:B:174:GLN:HA	1.80	0.47
1:B:311:ILE:O	1:B:315:GLU:HG3	2.15	0.46
1:B:300:GLN:HA	1:B:300:GLN:NE2	2.30	0.46
1:B:367:ASP:OD2	1:B:374:ARG:HD2	2.16	0.46
1:B:39:VAL:O	1:B:42:VAL:HG12	2.15	0.45
1:A:226:VAL:HB	1:A:231:TYR:CE2	2.52	0.45
1:B:372:VAL:O	1:B:379:THR:HG21	2.16	0.45
1:B:389:ASP:HB2	3:B:402:HOH:O	2.16	0.45
1:A:126:THR:HG23	3:A:527:HOH:O	2.16	0.45
1:A:174:GLN:HE21	1:A:174:GLN:HA	1.81	0.45
1:A:371:ALA:HA	1:A:379:THR:CG2	2.46	0.45
1:A:391:LEU:HA	1:A:394:GLU:HG3	1.98	0.45
1:B:311:ILE:HD13	1:B:388:LYS:HG2	1.99	0.45
1:B:361:SER:HA	1:B:364:ARG:CD	2.47	0.45
1:A:108:SER:HB3	1:A:112:MET:HE2	1.99	0.45
1:A:325:HIS:CE1	1:A:362:LEU:HB3	2.52	0.45
1:B:371:ALA:HA	1:B:379:THR:CG2	2.46	0.45
1:A:300:GLN:HE21	1:A:300:GLN:CA	2.30	0.44
1:A:372:VAL:O	1:A:379:THR:HG21	2.17	0.44
1:B:262:MET:HE1	1:B:365:LEU:HD22	1.99	0.44
1:B:329:VAL:HG11	1:B:362:LEU:HD23	1.99	0.44
1:B:217:VAL:C	1:B:219:PRO:HD2	2.38	0.44
1:B:300:GLN:HE21	1:B:300:GLN:CA	2.29	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:301:ASP:O	1:B:305:GLU:HG3	2.17	0.44
1:A:217:VAL:C	1:A:219:PRO:HD2	2.38	0.44
1:A:300:GLN:HA	1:A:300:GLN:NE2	2.31	0.44
1:A:355:LEU:HD13	1:A:355:LEU:O	2.18	0.44
1:B:226:VAL:HB	1:B:231:TYR:CE2	2.53	0.44
1:B:372:VAL:HG23	1:B:374:ARG:HG3	2.00	0.44
1:B:183:SER:O	1:B:187:LEU:HB2	2.19	0.43
1:A:210:THR:HA	1:A:332:TYR:CD2	2.53	0.43
1:B:66:ASN:N	1:B:66:ASN:HD22	2.16	0.43
1:B:123:ARG:CZ	1:B:233:GLY:HA2	2.49	0.43
1:A:218:ARG:NE	1:A:333:ILE:HD12	2.34	0.43
1:A:323:GLN:O	1:A:327:GLU:HB2	2.19	0.43
1:B:170:LEU:HD13	1:B:190:THR:OG1	2.18	0.43
1:A:302:TRP:O	1:A:306:ASN:HB2	2.19	0.43
1:B:308:LYS:O	1:B:312:GLU:HG3	2.18	0.43
1:A:123:ARG:CZ	1:A:233:GLY:HA2	2.49	0.42
1:B:31:TYR:CD1	1:B:36:ARG:HD2	2.54	0.42
1:A:212:ARG:HG3	3:A:426:HOH:O	2.19	0.42
1:A:66:ASN:HD22	1:A:66:ASN:N	2.17	0.42
1:A:182:ILE:HG13	1:B:157:THR:HG21	2.02	0.42
1:A:308:LYS:O	1:A:312:GLU:HG3	2.20	0.42
1:A:372:VAL:HG23	1:A:374:ARG:HG3	2.02	0.42
1:A:19:PHE:CD1	1:A:50:LEU:HD11	2.55	0.42
1:A:90:ARG:C	1:A:90:ARG:HD3	2.40	0.41
1:A:208:LEU:HD23	1:A:332:TYR:CE2	2.54	0.41
1:B:90:ARG:HD3	1:B:90:ARG:C	2.40	0.41
1:B:61:LEU:HD13	1:B:77:LEU:HD11	2.02	0.41
1:B:174:GLN:HB2	1:B:175:PRO:CD	2.51	0.41
1:A:31:TYR:CD1	1:A:36:ARG:HD2	2.55	0.41
1:A:187:LEU:HD12	1:A:187:LEU:HA	1.79	0.41
1:B:174:GLN:HB2	1:B:175:PRO:HD3	2.02	0.41
1:B:283:ARG:HG3	1:B:283:ARG:HH11	1.86	0.41
1:A:157:THR:HG21	1:B:182:ILE:HG13	2.03	0.41
1:A:174:GLN:HB2	1:A:175:PRO:CD	2.51	0.41
1:A:183:SER:O	1:A:187:LEU:HB2	2.21	0.41
1:B:30:TYR:CZ	1:B:39:VAL:HG13	2.56	0.41
1:A:355:LEU:O	1:A:359:LEU:HG	2.21	0.40
1:A:30:TYR:CZ	1:A:39:VAL:HG13	2.56	0.40
1:B:187:LEU:HD12	1:B:187:LEU:HA	1.77	0.40
1:B:19:PHE:CD1	1:B:50:LEU:HD11	2.56	0.40
1:B:142:ARG:HD2	1:B:144:THR:O	2.21	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:61:LEU:HD13	1:A:77:LEU:HD11	2.03	0.40
1:A:242:ILE:HG23	1:A:243:ASN:N	2.35	0.40
1:B:170:LEU:HD12	1:B:170:LEU:HA	1.89	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	375/400 (94%)	359 (96%)	15 (4%)	1 (0%)	41 55
1	B	361/400 (90%)	348 (96%)	12 (3%)	1 (0%)	41 55
All	All	736/800 (92%)	707 (96%)	27 (4%)	2 (0%)	41 55

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	241	GLY
1	B	241	GLY

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	333/350 (95%)	310 (93%)	23 (7%)	15 25

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	B	320/350 (91%)	298 (93%)	22 (7%)	15	25
All	All	653/700 (93%)	608 (93%)	45 (7%)	15	25

All (45) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	40	GLN
1	A	62	LEU
1	A	83	LEU
1	A	90	ARG
1	A	113	HIS
1	A	124	PHE
1	A	137	ASN
1	A	170	LEU
1	A	187	LEU
1	A	194	LEU
1	A	210	THR
1	A	211	ASP
1	A	247	LEU
1	A	278	LEU
1	A	284	ARG
1	A	293	GLN
1	A	307	LEU
1	A	340	MET
1	A	356	HIS
1	A	364	ARG
1	A	365	LEU
1	A	375	ASP
1	A	395	HIS
1	B	40	GLN
1	B	62	LEU
1	B	83	LEU
1	B	90	ARG
1	B	113	HIS
1	B	124	PHE
1	B	137	ASN
1	B	170	LEU
1	B	174	GLN
1	B	187	LEU
1	B	194	LEU
1	B	210	THR
1	B	211	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	218	ARG
1	B	247	LEU
1	B	278	LEU
1	B	284	ARG
1	B	293	GLN
1	B	307	LEU
1	B	358	LEU
1	B	375	ASP
1	B	393	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (34) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	7	ASN
1	A	28	GLN
1	A	32	GLN
1	A	33	GLN
1	A	38	ASN
1	A	66	ASN
1	A	156	ASN
1	A	174	GLN
1	A	180	HIS
1	A	192	GLN
1	A	206	ASN
1	A	243	ASN
1	A	293	GLN
1	A	300	GLN
1	A	304	GLN
1	A	317	HIS
1	A	323	GLN
1	B	7	ASN
1	B	28	GLN
1	B	32	GLN
1	B	33	GLN
1	B	38	ASN
1	B	66	ASN
1	B	137	ASN
1	B	156	ASN
1	B	174	GLN
1	B	180	HIS
1	B	192	GLN
1	B	206	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	243	ASN
1	B	293	GLN
1	B	300	GLN
1	B	304	GLN
1	B	317	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	HEM	A	401	1	41,50,50	1.83	12 (29%)	45,82,82	2.09	14 (31%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	HEM	A	401	1	-	6/12/54/54	-

All (12) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	401	HEM	CAD-C3D	3.85	1.61	1.51
2	A	401	HEM	CMB-C2B	3.52	1.58	1.50
2	A	401	HEM	C1B-NB	-3.40	1.34	1.40
2	A	401	HEM	CHA-C4D	3.16	1.43	1.35
2	A	401	HEM	C3C-CAC	-2.87	1.41	1.47
2	A	401	HEM	C1A-NA	-2.63	1.30	1.36
2	A	401	HEM	C2C-C1C	2.42	1.48	1.42
2	A	401	HEM	CBB-CAB	2.37	1.42	1.30
2	A	401	HEM	C4D-ND	-2.34	1.36	1.40
2	A	401	HEM	FE-NB	2.34	2.08	1.96
2	A	401	HEM	CMD-C2D	2.30	1.55	1.50
2	A	401	HEM	O1A-CGA	2.24	1.29	1.22

All (14) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	401	HEM	CBD-CAD-C3D	6.29	130.10	112.63
2	A	401	HEM	CBA-CAA-C2A	5.78	122.48	112.62
2	A	401	HEM	CAD-CBD-CGD	4.18	122.60	113.60
2	A	401	HEM	C4B-C3B-C2B	-3.90	104.02	107.11
2	A	401	HEM	C4C-CHD-C1D	3.57	127.27	122.56
2	A	401	HEM	C4B-CHC-C1C	3.14	126.71	122.56
2	A	401	HEM	C2C-C3C-C4C	-2.71	105.01	106.90
2	A	401	HEM	CHB-C1B-NB	2.67	127.68	124.38
2	A	401	HEM	C1B-NB-C4B	2.63	107.79	105.07
2	A	401	HEM	CAA-CBA-CGA	2.57	120.96	113.76
2	A	401	HEM	CMA-C3A-C4A	-2.49	124.64	128.46
2	A	401	HEM	C3B-C2B-C1B	2.35	108.23	106.49
2	A	401	HEM	O2D-CGD-CBD	2.34	121.53	114.03
2	A	401	HEM	O1D-CGD-CBD	-2.25	115.86	123.08

There are no chirality outliers.

All (6) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	401	HEM	C2A-CAA-CBA-CGA
2	A	401	HEM	C3D-CAD-CBD-CGD

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
2	A	401	HEM	CAD-CBD-CGD-O1D
2	A	401	HEM	CAA-CBA-CGA-O1A
2	A	401	HEM	CAA-CBA-CGA-O2A
2	A	401	HEM	CAD-CBD-CGD-O2D

There are no ring outliers.

1 monomer is involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	401	HEM	3	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	379/400 (94%)	-0.05	12 (3%) 47 46	14, 31, 61, 75	0
1	B	365/400 (91%)	0.11	26 (7%) 16 14	14, 32, 72, 92	0
All	All	744/800 (93%)	0.03	38 (5%) 28 26	14, 32, 64, 92	0

All (38) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	395	HIS	6.5
1	B	358	LEU	5.2
1	B	393	LEU	4.8
1	B	329	VAL	4.6
1	B	394	GLU	4.4
1	B	359	LEU	4.3
1	B	375	ASP	4.2
1	B	382	TYR	4.0
1	B	295	LYS	3.8
1	A	299	HIS	3.8
1	A	396	HIS	3.7
1	B	6	TYR	3.6
1	B	374	ARG	3.5
1	B	357	VAL	3.4
1	B	328	LEU	3.4
1	B	332	TYR	3.2
1	B	392	ARG	3.1
1	A	375	ASP	2.9
1	A	6	TYR	2.9
1	A	356	HIS	2.9
1	A	394	GLU	2.8
1	B	327	GLU	2.8
1	B	205	PHE	2.8
1	B	298	ILE	2.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	340	MET	2.8
1	A	354	PRO	2.8
1	B	63	ASP	2.6
1	B	373	LEU	2.6
1	A	34	THR	2.6
1	B	299	HIS	2.5
1	B	331	LYS	2.5
1	B	326	ASN	2.4
1	A	301	ASP	2.3
1	B	330	THR	2.3
1	B	361	SER	2.2
1	B	376	ASP	2.1
1	B	360	ALA	2.1
1	A	5	THR	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)


There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	HEM	A	401	43/43	0.91	0.18	30,43,50,57	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



6.5 Other polymers [i](#)

There are no such residues in this entry.