



# Full wwPDB NMR Structure Validation Report ⓘ

May 29, 2020 – 03:58 am BST

PDB ID : 2O22  
Title : Solution structure of the anti-apoptotic protein Bcl-2 in complex with an acyl-sulfonamide-based ligand  
Authors : Bruncko, M.; Oost, T.K.; Belli, B.A.; Ding, H.; Joseph, M.K.; Kunzer, A.; Martineau, D.; McClellan, W.J.; Mitten, M.; Ng, S.C.; Nimmer, P.M.; Oltersdorf, T.; Park, C.M.; Petros, A.M.; Shoemaker, A.R.; Song, X.; Wang, X.; Wendt, M.D.; Zhang, H.; Fesik, S.W.; Rosenberg, S.H.; Elmore, S.W.  
Deposited on : 2006-11-29

This is a Full wwPDB NMR Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/NMRValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

Cyrange : Kirchner and Güntert (2011)  
NmrClust : Kelley et al. (1996)  
MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
RCI : v\_1n\_11\_5\_13\_A (Berjanski et al., 2005)  
PANAV : Wang et al. (2010)  
ShiftChecker : 2.11  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.11


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*SOLUTION NMR*

The overall completeness of chemical shifts assignment was not calculated.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	NMR archive (#Entries)
Clashscore	158937	12864
Ramachandran outliers	154571	11451
Sidechain outliers	154315	11428

The table below summarises the geometric issues observed across the polymeric chains and their fit to the experimental data. The red, orange, yellow and green segments indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A cyan segment indicates the fraction of residues that are not part of the well-defined cores, and a grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$

Mol	Chain	Length	Quality of chain
1	A	164	

## 2 Ensemble composition and analysis

This entry contains 1 models. Identification of well-defined residues and clustering analysis are not possible.


### 3 Entry composition [i](#)

There are 2 unique types of molecules in this entry. The entry contains 2688 atoms, of which 1297 are hydrogens and 0 are deuteriums.

- Molecule 1 is a protein called Apoptosis regulator Bcl-2.

Mol	Chain	Residues	Atoms						Trace
			Total	C	H	N	O	S	
1	A	164	2611	847	1261	242	254	7	0

- Molecule 2 is N-[(4-{[1,1-dimethyl-2-(phenylthio)ethyl]amino}-3-nitrophenyl)sulfonyl]-4-(4,4-dimethylpiperidin-1-yl)benzamide (three-letter code: LIU) (formula: C<sub>30</sub>H<sub>36</sub>N<sub>4</sub>O<sub>5</sub>S<sub>2</sub>).




Mol	Chain	Residues	Atoms					
			Total	C	H	N	O	S
2	A	1	77	30	36	4	5	2

## 4 Residue-property plots [i](#)

These plots are provided for all protein, RNA and DNA chains in the entry. The first graphic is the same as shown in the summary in section 1 of this report. The second graphic shows the sequence where residues are colour-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outliers are shown as green connectors. Residues which are classified as ill-defined in the NMR ensemble, are shown in cyan with an underline colour-coded according to the previous scheme. Residues which were present in the experimental sample, but not modelled in the final structure are shown in grey.

- Molecule 1: Apoptosis regulator Bcl-2



## 5 Refinement protocol and experimental data overview

The models were refined using the following method: *simulated annealing*.

Of the ? calculated structures, 1 were deposited, based on the following criterion: ?.

The following table shows the software used for structure solution, optimisation and refinement.

Software name	Classification	Version
CNS	refinement	

No chemical shift data was provided. No validations of the models with respect to experimental NMR restraints is performed at this time.

## 6 Model quality i

### 6.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: LIU

There are no covalent bond-length or bond-angle outliers.

There are no bond-length outliers.

There are no bond-angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 6.2 Too-close contacts i

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in each chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes averaged over the ensemble.

Mol	Chain	Non-H	H(model)	H(added)	Clashes
1	A	1350	1261	1261	60
2	A	41	36	36	9
All	All	1391	1297	1297	62

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 23.

All clashes are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Clash(Å)	Distance(Å)
1:A:141:TRP:O	1:A:145:VAL:HG12	0.80	1.76
1:A:145:VAL:HG11	2:A:1000:LIU:H33	0.73	1.61
1:A:28:TRP:CE2	1:A:30:ALA:HB2	0.70	2.21
1:A:171:ALA:O	1:A:175:THR:HG23	0.67	1.88
1:A:159:VAL:HG12	1:A:164:SER:HA	0.66	1.68
1:A:156:VAL:O	1:A:159:VAL:HG22	0.65	1.91
1:A:119:THR:O	1:A:123:ALA:HB2	0.64	1.93
1:A:10:ARG:HA	1:A:175:THR:HG21	0.62	1.71
1:A:186:ILE:HD12	1:A:192:TRP:CD1	0.62	2.30
1:A:182:LEU:O	1:A:186:ILE:HG23	0.61	1.95
1:A:118:LEU:O	1:A:119:THR:HG23	0.59	1.97
1:A:164:SER:O	1:A:167:VAL:HG13	0.55	2.02

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Clash(Å)	Distance(Å)
1:A:199:TYR:CD1	2:A:1000:LIU:H402	0.54	2.38
1:A:145:VAL:HG11	2:A:1000:LIU:C33	0.53	2.33
1:A:135:PHE:CD2	1:A:181:HIS:CD2	0.53	2.96
1:A:142:GLY:O	1:A:145:VAL:HG13	0.52	2.05
1:A:116:LEU:HD23	1:A:117:HIS:N	0.52	2.19
1:A:21:LEU:HD22	1:A:28:TRP:HB2	0.52	1.82
1:A:126:ARG:O	1:A:130:VAL:HG13	0.52	2.04
1:A:135:PHE:O	1:A:135:PHE:CG	0.52	2.63
1:A:39:THR:HG22	1:A:40:GLU:HG3	0.51	1.81
1:A:98:GLY:HA2	1:A:145:VAL:HG23	0.50	1.84
1:A:105:TYR:CE2	2:A:1000:LIU:H10	0.50	2.42
1:A:186:ILE:HD12	1:A:192:TRP:HD1	0.50	1.65
1:A:164:SER:O	1:A:167:VAL:HG22	0.49	2.07
1:A:18:HIS:CD2	1:A:28:TRP:CZ3	0.49	3.00
1:A:135:PHE:CZ	1:A:181:HIS:CE1	0.49	3.00
1:A:28:TRP:CD2	1:A:30:ALA:HB2	0.49	2.43
1:A:123:ALA:HA	1:A:126:ARG:HG2	0.48	1.84
1:A:135:PHE:CD1	1:A:181:HIS:NE2	0.47	2.83
1:A:127:PHE:CD2	1:A:128:ALA:N	0.46	2.83
1:A:164:SER:N	1:A:165:PRO:CD	0.46	2.79
1:A:101:PHE:CD2	1:A:102:SER:N	0.46	2.83
2:A:1000:LIU:H412	2:A:1000:LIU:H23	0.46	1.87
1:A:140:ASN:O	1:A:144:ILE:HD12	0.46	2.10
1:A:34:VAL:HG23	1:A:34:VAL:O	0.46	2.10
1:A:109:PHE:CD1	1:A:110:ALA:N	0.46	2.84
1:A:186:ILE:CG1	1:A:187:GLN:N	0.45	2.79
1:A:93:THR:HG22	1:A:195:PHE:CZ	0.45	2.47
1:A:178:LEU:C	1:A:178:LEU:HD23	0.45	2.32
1:A:148:PHE:CZ	1:A:178:LEU:CD1	0.45	3.00
1:A:135:PHE:CE1	1:A:181:HIS:CE1	0.44	3.05
1:A:7:TYR:CB	1:A:192:TRP:CE3	0.43	3.02
1:A:181:HIS:CD2	1:A:182:LEU:HD12	0.43	2.48
1:A:146:ALA:HB1	2:A:1000:LIU:C3	0.43	2.43
1:A:127:PHE:CG	1:A:128:ALA:N	0.43	2.85
1:A:147:PHE:HE1	1:A:178:LEU:HD12	0.43	1.72
1:A:101:PHE:CG	1:A:102:SER:N	0.43	2.87
1:A:108:ASP:OD2	1:A:109:PHE:CD2	0.43	2.72
1:A:147:PHE:CD1	1:A:148:PHE:N	0.43	2.87
1:A:155:CYS:O	1:A:167:VAL:HG12	0.42	2.14
2:A:1000:LIU:H31	2:A:1000:LIU:H11	0.42	1.92
1:A:46:GLU:O	1:A:89:VAL:HG22	0.42	2.15
1:A:135:PHE:CG	1:A:181:HIS:NE2	0.41	2.88

*Continued on next page...*



Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)
1:A:142:GLY:HA3	2:A:1000:LIU:N17	0.41	2.30
1:A:28:TRP:CZ2	1:A:30:ALA:HB2	0.41	2.50
1:A:178:LEU:O	1:A:182:LEU:HB2	0.41	2.16
1:A:12:ILE:CG2	1:A:13:VAL:N	0.41	2.83
1:A:135:PHE:CD2	1:A:135:PHE:O	0.40	2.74
1:A:7:TYR:HB2	1:A:192:TRP:CE3	0.40	2.51
1:A:130:VAL:CG2	1:A:131:VAL:N	0.40	2.84
1:A:142:GLY:HA3	2:A:1000:LIU:HN17	0.40	1.77

## 6.3 Torsion angles [i](#)

### 6.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the backbone conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	162/164 (99%)	135 (83%)	19 (12%)	8 (5%)	4	26
All	All	162/164 (99%)	135 (83%)	19 (12%)	8 (5%)	4	26

All 8 Ramachandran outliers are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type
1	A	202	SER
1	A	39	THR
1	A	36	GLU
1	A	162	GLU
1	A	2	ALA
1	A	108	ASP
1	A	27	GLU
1	A	203	MET

### 6.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the sidechain conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	140/140 (100%)	86 (61%)	54 (39%)	0 6
All	All	140/140 (100%)	86 (61%)	54 (39%)	0 6

All 54 residues with a non-rotameric sidechain are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type
1	A	139	VAL
1	A	179	ASN
1	A	47	SER
1	A	119	THR
1	A	130	VAL
1	A	4	ARG
1	A	127	PHE
1	A	19	TYR
1	A	90	VAL
1	A	203	MET
1	A	174	MET
1	A	18	HIS
1	A	155	CYS
1	A	99	ASP
1	A	172	LEU
1	A	134	LEU
1	A	38	ARG
1	A	180	ARG
1	A	158	SER
1	A	136	ARG
1	A	22	SER
1	A	12	ILE
1	A	117	HIS
1	A	196	VAL
1	A	118	LEU
1	A	132	GLU
1	A	122	THR
1	A	8	ASP
1	A	168	ASP
1	A	187	GLN
1	A	116	LEU
1	A	21	LEU
1	A	11	GLU
1	A	170	ILE
1	A	95	ARG
1	A	10	ARG

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	184	THR
1	A	111	GLU
1	A	148	PHE
1	A	145	VAL
1	A	32	ASP
1	A	147	PHE
1	A	106	ARG
1	A	164	SER
1	A	16	TYR
1	A	129	THR
1	A	108	ASP
1	A	94	LEU
1	A	150	PHE
1	A	101	PHE
1	A	163	MET
1	A	143	ARG
1	A	160	ASN
1	A	137	ASP

### 6.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 6.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

LIGAND-GEOMETRY INFOmissingINFO

## 6.6 Other polymers [i](#)

There are no such molecules in this entry.

## 6.7 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 7 Chemical shift validation

No chemical shift data were provided